

# Erik Roj Larsen

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1894763/erik-roj-larsen-publications-by-year.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44 papers	1,839 citations	22 h-index	42 g-index
46 ext. papers	2,056 ext. citations	5.1 avg, IF	4.15 L-index

#	Paper	IF	Citations
44	Dietary supplementation with casein glycomacropeptide, leucine and tryptophan reduces plasma amino acid levels in men. <i>Acta Neuropsychiatrica</i> , <b>2021</b> , 1-8	3.9	
43	Relative experiences of providing care for individuals with suicidal behaviour conceptualized as a moral career: A meta-ethnographic study. <i>International Journal of Nursing Studies</i> , <b>2021</b> , 113, 103793	5.8	2
42	Transcranial pulsed electromagnetic fields for treatment-resistant depression: A multicenter 8-week single-arm cohort study. <i>European Psychiatry</i> , <b>2020</b> , 63, e18	6	2
41	The efficacy of ball blankets on insomnia in depression in outpatient clinics: study protocol for a randomized crossover multicentre trial. <i>Trials</i> , <b>2020</b> , 21, 720	2.8	
40	Effect of antidepressant switching between nortriptyline and escitalopram after a failed first antidepressant treatment among patients with major depressive disorder. <i>British Journal of Psychiatry</i> , <b>2019</b> , 215, 494-501	5.4	6
39	Mechanical restraint and characteristics of patient, staff and shifts in a psychiatric ward. <i>Nordic Journal of Psychiatry</i> , <b>2018</b> , 72, 103-108	2.3	8
38	A Preclinical Study of Casein Glycomacropeptide as a Dietary Intervention for Acute Mania. <i>International Journal of Neuropsychopharmacology</i> , <b>2018</b> , 21, 473-484	5.8	4
37	The impact of modified mania assessment scale (MAS-M) implementation on the use of mechanical restraint in psychiatric units. <i>Nordic Journal of Psychiatry</i> , <b>2018</b> , 72, 549-555	2.3	1
36	Predictors of response to combined wake and light therapy in treatment-resistant inpatients with depression. <i>Chronobiology International</i> , <b>2018</b> , 35, 1209-1220	3.6	13
35	Wake and light therapy for moderate-to-severe depression - a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 559-570	6.5	14
34	Solar insolation in springtime influences age of onset of bipolar I disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2017</b> , 136, 571-582	6.5	14
33	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , <b>2017</b> , 71, 473-476	2.3	2
32	Experiences of wake and light therapy in patients with depression: A qualitative study. <i>International Journal of Mental Health Nursing</i> , <b>2017</b> , 26, 170-180	3.8	9
31	Use of antidepressants in patients with depression and comorbid diabetes mellitus: a systematic review. <i>Acta Neuropsychiatrica</i> , <b>2017</b> , 29, 127-139	3.9	30
30	Pregnancy and bipolar disorder: the risk of recurrence when discontinuing treatment with mood stabilisers: a systematic review. <i>Acta Neuropsychiatrica</i> , <b>2017</b> , 29, 259-266	3.9	10
29	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , <b>2016</b> , 4, 17	5.4	16
28	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , <b>2016</b> , 242, 388-394	9.9	26

27	Use of selective serotonin reuptake inhibitors reduces fertility in men. <i>Andrology</i> , <b>2016</b> , 4, 389-94	4.2	28
26	The course of social cognitive and metacognitive ability in depression: Deficit are only partially normalized after full remission of first episode major depression. <i>British Journal of Clinical Psychology</i> , <b>2016</b> , 55, 269-86	3.6	22
25	A 2-year follow-up study of patients participating in our transcranial pulsating electromagnetic fields augmentation in treatment-resistant depression. <i>Acta Neuropsychiatrica</i> , <b>2015</b> , 27, 119-25	3.9	5
24	The Diagnostic Apathia Scale predicts a dose-remission relationship of T-PEMF in treatment-resistant depression. <i>Acta Neuropsychiatrica</i> , <b>2015</b> , 27, 1-7	3.9	8
23	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 64, 1-8	5.2	34
22	Relapse Prevention in Major Depressive Disorder After Successful Acute Electroconvulsive Treatment: a 6-month Double-blind Comparison of Three Fixed Dosages of Escitalopram and a Fixed Dose of Nortriptyline - Lessons from a Failed Randomised Trial of the Danish University Antidepressant Group (DHA-G7). <i>Pharmacopsychiatry</i> , <b>2015</b> , 48, 271-8	2	5
21	Use of psychotropic drugs during pregnancy and breast-feeding. <i>Acta Psychiatrica Scandinavica</i> , <b>2015</b> , 132, 1-28	6.5	67
20	Influence of birth cohort on age of onset cluster analysis in bipolar I disorder. <i>European Psychiatry</i> , <b>2015</b> , 30, 99-105	6	24
19	Higher-order social cognition in first-episode major depression. <i>Psychiatry Research</i> , <b>2014</b> , 216, 37-43	9.9	82
18	Relationship between sunlight and the age of onset of bipolar disorder: an international multisite study. <i>Journal of Affective Disorders</i> , <b>2014</b> , 167, 104-11	6.6	37
17	The Hamilton Depression Scale (HAM-D) and the Montgomery-Åsberg Depression Scale (MADRS). A psychometric re-analysis of the European genome-based therapeutic drugs for depression study using Rasch analysis. <i>Psychiatry Research</i> , <b>2014</b> , 217, 226-32	9.9	22
16	A comparison of capacities for social cognition and metacognition in first episode and prolonged depression. <i>Psychiatry Research</i> , <b>2014</b> , 220, 883-9	9.9	33
15	Dose-remission of pulsating electromagnetic fields as augmentation in therapy-resistant depression: a randomized, double-blind controlled study. <i>Acta Neuropsychiatrica</i> , <b>2014</b> , 26, 272-9	3.9	15
14	Escitalopram versus nortriptyline: how to let the clinical GENDEP data tell us what they contained. <i>Acta Psychiatrica Scandinavica</i> , <b>2013</b> , 127, 328-9	6.5	4
13	Changes in body weight during pharmacological treatment of depression. <i>International Journal of Neuropsychopharmacology</i> , <b>2011</b> , 14, 367-75	5.8	29
12	Variation in GNB3 predicts response and adverse reactions to antidepressants. <i>Journal of Psychopharmacology</i> , <b>2011</b> , 25, 867-74	4.6	40
11	Interaction between serotonin transporter gene variants and life events predicts response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , <b>2011</b> , 11, 138-45	3.5	65
10	Genome-wide pharmacogenetics of antidepressant response in the GENDEP project. <i>American Journal of Psychiatry</i> , <b>2010</b> , 167, 555-64	11.9	280

9	Adverse reactions to antidepressants. <i>British Journal of Psychiatry</i> , <b>2009</b> , 195, 202-10	5.4	162
8	Moderation of antidepressant response by the serotonin transporter gene. <i>British Journal of Psychiatry</i> , <b>2009</b> , 195, 30-8	5.4	124
7	Body weight as a predictor of antidepressant efficacy in the GENDEP project. <i>Journal of Affective Disorders</i> , <b>2009</b> , 118, 147-54	6.6	72
6	Genetic predictors of response to antidepressants in the GENDEP project. <i>Pharmacogenomics Journal</i> , <b>2009</b> , 9, 225-33	3.5	172
5	Vitamin D and calcium supplementation prevents severe falls in elderly community-dwelling women: a pragmatic population-based 3-year intervention study. <i>Aging Clinical and Experimental Research</i> , <b>2005</b> , 17, 125-32	4.8	35
4	Vitamin D and calcium supplementation prevents osteoporotic fractures in elderly community dwelling residents: a pragmatic population-based 3-year intervention study. <i>Journal of Bone and Mineral Research</i> , <b>2004</b> , 19, 370-8	6.3	243
3	Correlates of falling during 24 h among elderly Danish community residents. <i>Preventive Medicine</i> , <b>2004</b> , 39, 389-98	4.3	26
2	Determinants of acceptance of a community-based program for the prevention of falls and fractures among the elderly. <i>Preventive Medicine</i> , <b>2001</b> , 33, 115-9	4.3	18
1	Sauvé-Kapandji operation for disorders of the distal radioulnar joint after Colles fracture. Good results in 12 patients followed for 1.5-4 years. <i>Acta Orthopaedica</i> , <b>1997</b> , 68, 64-6		30