Michelle Greiver

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1895911/publications.pdf

Version: 2024-02-01

82 819 papers citations

15 h-index 25 g-index

86 all docs 86 docs citations

86 times ranked 1187 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Building a Pan-Canadian Primary Care Sentinel Surveillance Network: Initial Development and Moving Forward. Journal of the American Board of Family Medicine, 2009, 22, 412-422. | 0.8 | 109 |
| 2 | Prevalence and Epidemiology of Diabetes in Canadian Primary Care Practices: A Report from the Canadian Primary Care Sentinel Surveillance Network. Canadian Journal of Diabetes, 2014, 38, 179-185. | 0.4 | 51 |
| 3 | Association between neighbourhood walkability and metabolic risk factors influenced by physical activity: a cross-sectional study of adults in Toronto, Canada. BMJ Open, 2017, 7, e013889. | 0.8 | 43 |
| 4 | Our data, our society, our health: A vision for inclusive and transparent health data science in the United Kingdom and beyond. Learning Health Systems, 2019, 3, e10191. | 1.1 | 42 |
| 5 | Measuring data reliability for preventive services in electronic medical records. BMC Health Services Research, 2012, 12, 116. | 0.9 | 39 |
| 6 | Impact of the Diabetes Canada Guideline Dissemination Strategy on the Prescription of Vascular Protective Medications: A Retrospective Cohort Study, 2010†2015. Diabetes Care, 2019, 42, 148-156. | 4.3 | 29 |
| 7 | Implementation of electronic medical records: theory-informed qualitative study. Canadian Family Physician, 2011, 57, e390-7. | 0.1 | 25 |
| 8 | Trends in diabetes medication use in Australia, Canada, England, and Scotland: a repeated cross-sectional analysis in primary care. British Journal of General Practice, 2021, 71, e209-e218. | 0.7 | 24 |
| 9 | Are We Asking Patients if They Smoke?. American Journal of Preventive Medicine, 2015, 49, 264-268. | 1.6 | 23 |
| 10 | Bedtime versus morning use of antihypertensives for cardiovascular risk reduction (BedMed): protocol for a prospective, randomised, open-label, blinded end-point pragmatic trial. BMJ Open, 2022, 12, e059711. | 0.8 | 23 |
| 11 | Where should automated blood pressure measurements be taken? Pilot RCT of BpTRU measurements taken in private or nonprivate areas of a primary care office. Blood Pressure Monitoring, 2012, 17, 137-138. | 0.4 | 22 |
| 12 | Ethics and privacy issues of a practice-based surveillance system: need for a national-level institutional research ethics board and consent standards. Canadian Family Physician, 2011, 57, 1165-73. | 0.1 | 19 |
| 13 | Trends in end digit preference for blood pressure and associations with cardiovascular outcomes in Canadian and UK primary care: a retrospective observational study. BMJ Open, 2019, 9, e024970. | 0.8 | 17 |
| 14 | Developing a method to estimate practice denominators for a national Canadian electronic medical record database. Family Practice, 2013, 30, 347-354. | 0.8 | 16 |
| 15 | Guideline harmonization and implementation plan for the BETTER trial: Building on Existing Tools to Improve Chronic Disease Prevention and Screening in Family Practice. CMAJ Open, 2014, 2, E1-E10. | 1.1 | 16 |
| 16 | Hypertension screening and follow-up in children and adolescents in a Canadian primary care population sample: a retrospective cohort study. CMAJ Open, 2016, 4, E230-E235. | 1.1 | 16 |
| 17 | Improving care for elderly patients living with polypharmacy: protocol for a pragmatic cluster randomized trial in community-based primary care practices in Canada. Implementation Science, 2019, 14, 55. | 2.5 | 16 |
| 18 | Participatory governance over research in an academic research network: the case of Diabetes Action Canada. BMJ Open, 2019, 9, e026828. | 0.8 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Using cognitive behavioural therapy in practice: qualitative study of family physicians' experiences. Canadian Family Physician, 2005, 51, 992-3. | 0.1 | 15 |
| 20 | Using evidence for the care of practice team populations. Canadian Family Physician, 2014, 60, 223. | 0.1 | 15 |
| 21 | Using a data entry clerk to improve data quality in primary care electronic medical records: a pilot study. Journal of Innovation in Health Informatics, 2011, 19, 241-250. | 0.9 | 14 |
| 22 | Is glycemia control in Canadians with diabetes individualized? A cross-sectional observational study. BMJ Open Diabetes Research and Care, 2017, 5, e000316. | 1.2 | 12 |
| 23 | Implementation of electronic medical records: effect on the provision of preventive services in a pay-for-performance environment. Canadian Family Physician, 2011, 57, e381-9. | 0.1 | 12 |
| 24 | Quality of warfarin management in primary care: Determining the stability of international normalized ratios using a nationally representative prospective cohort. Canadian Family Physician, 2019, 65, 416-425. | 0.1 | 11 |
| 25 | Non-negative matrix factorization temporal topic models and clinical text data identify COVID-19 pandemic effects on primary healthcare and community health in Toronto, Canada. Journal of Biomedical Informatics, 2022, 128, 104034. | 2.5 | 11 |
| 26 | Diabetes screening with hemoglobin A1c prior to a change in guideline recommendations: prevalence and patient characteristics. BMC Family Practice, 2011, 12, 91. | 2.9 | 10 |
| 27 | Angina on the Palm: randomized controlled pilot trial of Palm PDA software for referrals for cardiac testing. Canadian Family Physician, 2005, 51, 382-3. | 0.1 | 10 |
| 28 | Hospital admission rates and emergency department use in relation to glycated hemoglobin in people with diabetes mellitus: a linkage study using electronic medical record and administrative data in Ontario. CMAJ Open, 2017, 5, E557-E564. | 1.1 | 9 |
| 29 | Agreement between primary care and hospital diagnosis of schizophrenia and bipolar disorder: A cross-sectional, observational study using record linkage. PLoS ONE, 2019, 14, e0210214. | 1.1 | 9 |
| 30 | Using EMRs to fuel quality improvement. Canadian Family Physician, 2015, 61, 92, e68-9. | 0.1 | 9 |
| 31 | Association between socio-economic status and hemoglobin A1c levels in a Canadian primary care adult population without diabetes. BMC Family Practice, 2014, 15, 7. | 2.9 | 8 |
| 32 | Pharmacist-led sedative-hypnotic deprescribing in team-based primary care practice. Canadian Pharmacists Journal, 2021, 154, 278-284. | 0.4 | 8 |
| 33 | Implementation of data management and effect on chronic disease coding in a primary care organisation: A parallel cohort observational study. Journal of Innovation in Health Informatics, 2016, 23, 580. | 0.9 | 7 |
| 34 | Effectiveness of an eHealth self-management tool for older adults with multimorbidity (KeepWell): protocol for a hybrid effectiveness–implementation randomised controlled trial. BMJ Open, 2021, 11, e048350. | 0.8 | 7 |
| 35 | Sentinel feedback: path to meaningful use of EMRs. Canadian Family Physician, 2012, 58, 1168, e611-2. | 0.1 | 7 |
| 36 | Do electronic medical records improve quality of care? No. Canadian Family Physician, 2015, 61, 847-9, 852-3. | 0.1 | 7 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Overâ€use of thyroid testing in Canadian and UK primary care in frequent attenders: A crossâ€sectional study. International Journal of Clinical Practice, 2021, 75, e14144. | 0.8 | 6 |
| 38 | Who is asked about alcohol consumption? A retrospective cohort study using a national repository of Electronic Medical Records. Preventive Medicine Reports, 2021, 22, 101346. | 0.8 | 6 |
| 39 | Who are your patients with diabetes?: EMR case definitions in the Canadian primary care setting. Canadian Family Physician, 2012, 58, 804, e421-2. | 0.1 | 6 |
| 40 | Agreement between hospital and primary care on diagnostic labeling for COPD and heart failure in Toronto, Canada: a cross-sectional observational study. Npj Primary Care Respiratory Medicine, 2018, 28, 9. | 1.1 | 5 |
| 41 | Getting to usable EMR data. Canadian Family Physician, 2014, 60, 392. | 0.1 | 5 |
| 42 | Horses and buggies have some advantages over cars, but no one is turning back. Canadian Family Physician, 2015, 61, 416-9. | 0.1 | 5 |
| 43 | Choosing Wisely Canada campaign associated with less overuse of thyroid testing: Retrospective parallel cohort study. Canadian Family Physician, 2019, 65, e487-e496. | 0.1 | 5 |
| 44 | Recent trends in adult body mass index and prevalence of excess weight. Canadian Family Physician, 2022, 68, 128-138. | 0.1 | 5 |
| 45 | Would you like to add a weight after this blood pressure, doctor? <scp>D</scp> iscovery of potentially actionable associations between the provision of multiple screens in primary care. Journal of Evaluation in Clinical Practice, 2018, 24, 423-430. | 0.9 | 4 |
| 46 | Cardiovascular risk factor documentation and management in primary care electronic medical records among people with schizophrenia in Ontario, Canada: retrospective cohort study. BMJ Open, 2020, 10, e038013. | 0.8 | 4 |
| 47 | Impact of the diabetes Canada guideline dissemination strategy on dispensed vascular protective medications for older patients in Ontario, Canada: a linked EMR and administrative data study. BMC Health Services Research, 2020, 20, 370. | 0.9 | 3 |
| 48 | Implementation of targeted screening for poverty in a large primary care team in Toronto, Canada: a feasibility study. BMC Family Practice, 2021, 22, 194. | 2.9 | 3 |
| 49 | Caring for the whole practice: the future of primary care. Canadian Family Physician, 2013, 59, 800. | 0.1 | 3 |
| 50 | Bridging a divide: architecture for a joint hospital-primary care data warehouse. Studies in Health Technology and Informatics, 2015, 208, 45-9. | 0.2 | 3 |
| 51 | Effect of a Group Behavioural Management Program on Emotional Regulation of Food Choices: A Pilot Randomized Controlled Trial. Canadian Journal of Dietetic Practice and Research, 2017, 78, 137-140. | 0.5 | 2 |
| 52 | Canada's future health care system. Cmaj, 2018, 190, E476-E476. | 0.9 | 2 |
| 53 | The Impact of Treatment Adherence for Patients With Diabetes and Hypertension on Cardiovascular Disease Risk: Protocol for a Retrospective Cohort Study, 2008-2018. JMIR Research Protocols, 2019, 8, e13571. | 0.5 | 2 |
| 54 | Practice tips. Chart audits in my practice. Canadian Family Physician, 2006, 52, 451-2. | 0.1 | 2 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Practice tips. Cognitive-behavioural therapy in a family practice. Canadian Family Physician, 2002, 48, 701-2. | 0.1 | 2 |
| 56 | Dangerous ideas: Top 4 proposals presented at Family Medicine Forum. Canadian Family Physician, 2016, 62, 120-1. | 0.1 | 2 |
| 57 | Association between new-onset anosmia and positive SARS-CoV-2 tests among people accessing outpatient testing in Toronto, Ontario: a retrospective cross-sectional study. CMAJ Open, 2021, 9, E1134-E1140. | 1.1 | 2 |
| 58 | Improving Health Equity by Screening for Poverty: A Survey of Family Physician Screening Behaviors and Perceptions in Toronto, Canada. Health Equity, 2022, 6, 124-131. | 0.8 | 2 |
| 59 | Sahaj Samadhi Meditation versus a Health Enhancement Program for depression in chronic pain: protocol for a randomized controlled trial and implementation evaluation. Trials, 2020, 21, 319. | 0.7 | 1 |
| 60 | 2021 PBRN CONFERENCE: "EMBRACING DIVERSITY, EQUITY, AND INCLUSION― Annals of Family Medicine, 2021, 19, 470-471. | 0.9 | 1 |
| 61 | Practice tips. E-mailing patients. Canadian Family Physician, 2006, 52, 1074. | 0.1 | 1 |
| 62 | Practice tips. Putting the "Palm" into practice. Canadian Family Physician, 2002, 48, 43-4. | 0.1 | 1 |
| 63 | New conjugated pneumococcal vaccine. Does it decrease the incidence of acute otitis media? Efficacy of a pneumococcal conjugate vaccine against acute otitis media. Canadian Family Physician, 2002, 48, 1777-9. | 0.1 | 1 |
| 64 | Practice tips. Website for your family practice. Canadian Family Physician, 2004, 50, 1367-8. | 0.1 | 1 |
| 65 | Improving diabetes care in my practice. Canadian Family Physician, 2007, 53, 1897. | 0.1 | 1 |
| 66 | Practice tips. Improving hypertension management in my practice. Canadian Family Physician, 2008, 54, 358-9. | 0.1 | 1 |
| 67 | Improving the diagnosis of asthma in a primary care practice. Canadian Family Physician, 2012, 58, 773-4, e382-4. | 0.1 | 1 |
| 68 | Rebuttal: Do electronic medical records improve quality of care? No. Canadian Family Physician, 2015, 61, e436, e438. | 0.1 | 1 |
| 69 | Health system use among patients with mental health conditions in a community based sample in Toronto, Canada: A retrospective cohort study. PLoS ONE, 2022, 17, e0266377. | 1.1 | 1 |
| 70 | When should I stop anticoagulation for atrial fibrillation?. Cmaj, 2005, 172, 1437-1437. | 0.9 | 0 |
| 71 | Integrating research and clinical care must include primary care. Cmaj, 2021, 193, E697-E697. | 0.9 | O |
| 72 | Anticoagulation for atrial fibrillation. Canadian Family Physician, 2005, 51, 1629. | 0.1 | 0 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Some positive steps for preventive health. Canadian Family Physician, 2006, 52, 436. | 0.1 | 0 |
| 74 | Practice tips. Preventing hip fractures in elderly patients. Canadian Family Physician, 2003, 49, 430-1. | 0.1 | 0 |
| 75 | Practice tips. Colorectal cancer screening in my practice. Canadian Family Physician, 2004, 50, 555. | 0.1 | 0 |
| 76 | Practice tips: kinder immunizations for babies. Canadian Family Physician, 2007, 53, 2116. | 0.1 | 0 |
| 77 | Practice tips. Screening and long-term follow-up of depression in my practice. Canadian Family Physician, 2007, 53, 1445. | 0.1 | O |
| 78 | The electronic "pregnancy wheel". Canadian Family Physician, 2009, 55, 169. | 0.1 | 0 |
| 79 | How tight is too tight?. Canadian Family Physician, 2009, 55, 1066-7. | 0.1 | O |
| 80 | Response. Canadian Family Physician, 2015, 61, 1048-9. | 0.1 | 0 |
| 81 | Cardiovascular risk factor documentation and management in primary care electronic medical records among people with schizophrenia in Ontario, Canada: retrospective cohort study. BMJ Open, 2020, 10, e038013. | 0.8 | 0 |
| 82 | Primary Care Severe Asthma Registry and Education Project (PCSAR-EDU): Phase 1 – an e-Delphi for registry definitions and indices of clinician behaviour. BMJ Open, 2022, 12, e055958. | 0.8 | 0 |