


List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1897564/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Identification of circular RNAs hsa_circ_0044235 in peripheral blood as novel biomarkers for rheumatoid arthritis. Clinical and Experimental Immunology, 2018, 194, 118-124.	2.6	66
2	The study of <i>METTL14</i> , <i>ALKBH5</i> , and <i>YTHDF2</i> in peripheral blood mononuclear cells from systemic lupus erythematosus. Molecular Genetics & Genomic Medicine, 2020, 8, e1298.	1.2	40
3	Decreased Peripheral Blood <i>ALKBH5</i> Correlates with Markers of Autoimmune Response in Systemic Lupus Erythematosus. Disease Markers, 2020, 2020, 1-11.	1.3	37
4	Circular RNAs hsa_circ_0000479 in peripheral blood mononuclear cells as novel biomarkers for systemic lupus erythematosus. Autoimmunity, 2020, 53, 167-176.	2.6	32
5	Circular RNAs Hsa_circ_0002715 and Hsa_circ_0035197 in Peripheral Blood Are Novel Potential Biomarkers for New-Onset Rheumatoid Arthritis. Disease Markers, 2019, 2019, 1-12.	1.3	31
6	Expression profile and diagnostic value of circRNAs in peripheral blood from patients with systemic lupus erythematosus. Molecular Medicine Reports, 2020, 23, 1-1.	2.4	27
7	Identification of circular RNAs hsa_circ_0044235 and hsa_circ_0068367 as novel biomarkers for systemic lupus erythematosus. International Journal of Molecular Medicine, 2019, 44, 1462-1472.	4.0	23
8	Mild hypothermia pretreatment protects against liver ischemia reperfusion injury via the PI3K/AKT/FOXO3a pathway. Molecular Medicine Reports, 2017, 16, 7520-7526.	2.4	21
9	A innovative prognostic symbol based on neutrophil extracellular traps (NETs)-related lncRNA signature in non-small-cell lung cancer. Aging, 2021, 13, 17864-17879.	3.1	21
10	Efficacy and tolerability of granulocyte colony-stimulating factors in cancer patients after chemotherapy: A systematic review and Bayesian network meta-analysis. Scientific Reports, 2019, 9, 15374.	3.3	20
11	A systematic review and meta-analysis: Association between MGMT hypermethylation and the clinicopathological characteristics of non-small-cell lung carcinoma. Scientific Reports, 2018, 8, 1439.	3.3	12
12	Increased TIM-3+PD-1+ NK cells are associated with the disease activity and severity of systemic lupus erythematosus. Clinical and Experimental Medicine, 2022, 22, 47-56.	3.6	11
13	Expression and clinical significance of circular RNA hsa_circ_0079787 in the peripheral blood of patients with axial spondyloarthritis. Molecular Medicine Reports, 2020, 22, 4197-4206.	2.4	6
14	Comparison of Surgical Techniques in Living Donor Nephrectomy: A Systematic Review and Bayesian Network Meta-Analysis. Annals of Transplantation, 2020, 25, e926677.	0.9	6
15	Combination of rapamycin and SAHA enhanced radiosensitization by inducing autophagy and acetylation in NSCLC. Aging, 2021, 13, 18223-18237.	3.1	5
16	Decreased expression of TIGIT in NK cells correlates negatively with disease activity in systemic lupus erythematosus. International Journal of Clinical and Experimental Pathology, 2018, 11, 2408-2418.	0.5	5
17	Peripheral blood circular RNA hsa_circ_0082688-hsa_circ_0008675 can be used as a candidate biomarker of systemic lupus erythematosus with renal involvement. Clinical and Experimental Rheumatology, 2020, 38, 822-833.	0.8	2
18	First case of pleural amyloidosis in systemic erythematosus: report and literature review. Zeitschrift Fur Rheumatologie, 2018, 77, 841-843.	1.0	1

#	Article	IF	CITATIONS
19	Comparison of Surgical Techniques in Living Donor Nephrectomy: A Systematic Review and Bayesian Network Meta-Analysis. Annals of Transplantation, 2020, 25, e926677.	0.9	ο