

# Makoto Michikawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/189932/publications.pdf>

Version: 2024-02-01

40  
papers

2,078  
citations

257450

24  
h-index

302126

39  
g-index

40  
all docs

40  
docs citations

40  
times ranked

2825  
citing authors

#	ARTICLE	IF	CITATIONS
1	Presenilin Is Essential for ApoE Secretion, a Novel Role of Presenilin Involved in Alzheimer's Disease Pathogenesis. <i>Journal of Neuroscience</i> , 2022, 42, 1574-1586.	3.6	8
2	Probiotic <i>Bifidobacterium breve</i> Prevents Memory Impairment Through the Reduction of Both Amyloid- $\beta^2$ Production and Microglia Activation in APP Knock-In Mouse1. <i>Journal of Alzheimer's Disease</i> , 2022, 85, 1555-1571.	2.6	24
3	Insulin Deficiency Increases Sirt2 Level in Streptozotocin-Treated Alzheimer's Disease-Like Mouse Model: Increased Sirt2 Induces Tau Phosphorylation Through ERK Activation. <i>Molecular Neurobiology</i> , 2022, 59, 5408-5425.	4.0	7
4	Oral dysfunctions and cognitive impairment/dementia. <i>Journal of Neuroscience Research</i> , 2021, 99, 518-528.	2.9	36
5	Time-Dependent Analysis of Plasmalogens in the Hippocampus of an Alzheimer's Disease Mouse Model: A Role of Ethanolamine Plasmalogen. <i>Brain Sciences</i> , 2021, 11, 1603.	2.3	6
6	Beta-Amyloid Increases the Expression Levels of Tid1 Responsible for Neuronal Cell Death and Amyloid Beta Production. <i>Molecular Neurobiology</i> , 2020, 57, 1099-1114.	4.0	12
7	High temperature promotes amyloid $\beta^2$ -protein production and $\beta^3$ -secretase complex formation via Hsp90. <i>Journal of Biological Chemistry</i> , 2020, 295, 18010-18022.	3.4	14
8	A Cationic Gallium Phthalocyanine Inhibits Amyloid $\beta^2$ Peptide Fibril Formation. <i>Current Alzheimer Research</i> , 2020, 17, 589-600.	1.4	1
9	A clinical dose of angiotensin-converting enzyme (ACE) inhibitor and heterozygous ACE deletion exacerbate Alzheimer's disease pathology in mice. <i>Journal of Biological Chemistry</i> , 2019, 294, 9760-9770.	3.4	32
10	Iron treatment inhibits A $\beta^{242}$ deposition in vivo and reduces A $\beta^{242}$ /A $\beta^{240}$ ratio. <i>Biochemical and Biophysical Research Communications</i> , 2019, 512, 653-658.	2.1	6
11	Iso- $\alpha$ -Acids, Bitter Components in Beer, Suppress Inflammatory Responses and Attenuate Neural Hyperactivation in the Hippocampus. <i>Frontiers in Pharmacology</i> , 2019, 10, 81.	3.5	8
12	Nasal obstruction during adolescence induces memory/learning impairments associated with BDNF/TrkB signaling pathway hypofunction and high corticosterone levels. <i>Journal of Neuroscience Research</i> , 2018, 96, 1056-1065.	2.9	9
13	Tau Depletion in APP Transgenic Mice Attenuates Task-Related Hyperactivation of the Hippocampus and Differentially Influences Locomotor Activity and Spatial Memory. <i>Frontiers in Neuroscience</i> , 2018, 12, 124.	2.8	24
14	Periodontitis induced by bacterial infection exacerbates features of Alzheimer's disease in transgenic mice. <i>Npj Aging and Mechanisms of Disease</i> , 2017, 3, 15.	4.5	141
15	ABCG1 and ABCG4 Suppress $\beta^3$ -Secretase Activity and Amyloid $\beta^2$ Production. <i>PLoS ONE</i> , 2016, 11, e0155400.	2.5	36
16	Amyloid- $\beta^2$ Reduces Exosome Release from Astrocytes by Enhancing JNK Phosphorylation. <i>Journal of Alzheimer's Disease</i> , 2016, 53, 1433-1441.	2.6	35
17	Phosphatidylcholine protects neurons from toxic effects of amyloid $\beta^2$ -protein in culture. <i>Brain Research</i> , 2016, 1642, 376-383.	2.2	28
18	Molar loss and powder diet leads to memory deficit and modifies the mRNA expression of brain-derived neurotrophic factor in the hippocampus of adult mice. <i>BMC Neuroscience</i> , 2016, 17, 81.	1.9	27

#	ARTICLE	IF	CITATIONS
19	Tooth loss might not alter molecular pathogenesis in an aged transgenic Alzheimer's disease model mouse. <i>Gerodontology</i> , 2016, 33, 308-314.	2.0	21
20	Angiotensin type 1a receptor deficiency decreases amyloid $\beta$ -protein generation and ameliorates brain amyloid pathology. <i>Scientific Reports</i> , 2015, 5, 12059.	3.3	25
21	Arachidonic or Docosahexaenoic Acid Diet Prevents Memory Impairment in Tg2576 Mice. <i>Journal of Alzheimer's Disease</i> , 2015, 48, 149-162.	2.6	29
22	Arachidonic acid diet attenuates brain $A\beta$ deposition in Tg2576 mice. <i>Brain Research</i> , 2015, 1613, 92-99.	2.2	29
23	Liquid diet induces memory impairment accompanied by a decreased number of hippocampal neurons in mice. <i>Journal of Neuroscience Research</i> , 2014, 92, 1010-1017.	2.9	23
24	ApoA-I/HDL Generation and Intracellular Cholesterol Transport through Cytosolic Lipid-Protein Particles in Astrocytes. <i>Journal of Lipids</i> , 2014, 2014, 1-9.	4.8	8
25	Auraptene Increases the Production of Amyloid- $\beta$ via c-Jun N-Terminal Kinase-Dependent Activation of $\beta$ -Secretase. <i>Journal of Alzheimer's Disease</i> , 2014, 43, 1215-1228.	2.6	5
26	$A\beta$ <sup>243</sup> Is the Earliest-Depositing $A\beta$ Species in APP Transgenic Mouse Brain and Is Converted to $A\beta$ <sup>241</sup> by Two Active Domains of ACE. <i>American Journal of Pathology</i> , 2013, 182, 2322-2331.	3.8	39
27	Tooth loss induces memory impairment and neuronal cell loss in APP transgenic mice. <i>Behavioural Brain Research</i> , 2013, 252, 318-325.	2.2	65
28	$A\beta$ <sup>242</sup> -to- $A\beta$ <sup>240</sup> - and Angiotensin-converting Activities in Different Domains of Angiotensin-converting Enzyme. <i>Journal of Biological Chemistry</i> , 2009, 284, 31914-31920.	3.4	56
29	Novel Role of Presenilins in Maturation and Transport of Integrin $\beta$ <sup>1</sup> . <i>Biochemistry</i> , 2008, 47, 3370-3378.	2.5	31
30	Angiotensin-Converting Enzyme as a Potential Target for Treatment of Alzheimer's Disease: Inhibition or Activation?. <i>Reviews in the Neurosciences</i> , 2008, 19, 203-12.	2.9	24
31	Angiotensin-Converting Enzyme Converts Amyloid $\beta$ -Protein $A\beta$ <sup>42</sup> to $A\beta$ <sup>40</sup> , and Its Inhibition Enhances Brain $A\beta$ Deposition. <i>Journal of Neuroscience</i> , 2007, 27, 8628-8635.	3.6	162
32	Oligomerization of amyloid $\beta$ -protein occurs during the isolation of lipid rafts. <i>Journal of Neuroscience Research</i> , 2005, 80, 114-119.	2.9	25
33	Cholesterol-mediated Neurite Outgrowth Is Differently Regulated between Cortical and Hippocampal Neurons*. <i>Journal of Biological Chemistry</i> , 2005, 280, 42759-42765.	3.4	74
34	Altered Cholesterol Metabolism in Niemann-Pick Type C1 Mouse Brains Affects Mitochondrial Function. <i>Journal of Biological Chemistry</i> , 2005, 280, 11731-11739.	3.4	179
35	Modulation of Amyloid Precursor Protein Cleavage by Cellular Sphingolipids. <i>Journal of Biological Chemistry</i> , 2004, 279, 11984-11991.	3.4	76
36	Amyloid $\beta$ -protein ( $A\beta$ ) <sup>1-40</sup> protects neurons from damage induced (by $A\beta$ <sup>21-42</sup> in culture and in rat brain. <i>Journal of Neurochemistry</i> , 2003, 87, 609-619.	3.9	138

#	ARTICLE	IF	CITATIONS
37	A Novel Function of Monomeric Amyloid $\beta$ -Protein Serving as an Antioxidant Molecule against Metal-Induced Oxidative Damage. <i>Journal of Neuroscience</i> , 2002, 22, 4833-4841.	3.6	296
38	Amyloid $\beta$ -protein affects cholesterol metabolism in cultured neurons: Implications for pivotal role of cholesterol in the amyloid cascade. <i>Journal of Neuroscience Research</i> , 2002, 70, 438-446.	2.9	53
39	Cholesterol-dependent modulation of dendrite outgrowth and microtubule stability in cultured neurons. <i>Journal of Neurochemistry</i> , 2002, 80, 178-190.	3.9	118
40	A Novel Action of Alzheimer's Amyloid $\beta$ -Protein ( $A\beta$ ): Oligomeric $A\beta$ Promotes Lipid Release. <i>Journal of Neuroscience</i> , 2001, 21, 7226-7235.	3.6	148