

Yifeng Zhu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1899983/publications.pdf>

Version: 2024-02-01

85
papers

7,018
citations

44066

48
h-index

58576

82
g-index

85
all docs

85
docs citations

85
times ranked

6071
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of reaction conditions on the hydrogenolysis of polypropylene and polyethylene into gas and liquid alkanes. <i>Reaction Chemistry and Engineering</i> , 2022, 7, 844-854.	3.7	43
2	Catalytic Conversion of 5-Hydroxymethylfurfural to High-Value Derivatives by Selective Activation of C=O, C=O, and C=C Bonds. <i>ChemSusChem</i> , 2022, 15, .	6.8	16
3	Regulation of Brønsted acid sites to enhance the decarburization of hexoses to furfural. <i>Catalysis Science and Technology</i> , 2022, 12, 3506-3515.	4.1	6
4	Continuous production of 1,4-pentanediol from ethyl levulinate and industrialized furfuryl alcohol over Cu-based catalysts. <i>Sustainable Energy and Fuels</i> , 2022, 6, 2449-2461.	4.9	6
5	Steering the reaction pathway of syngas-to-light olefins with coordination unsaturated sites of ZnGaOx spinel. <i>Nature Communications</i> , 2022, 13, 2742.	12.8	24
6	N-doped carbon layer-coated Au nanocatalyst for H ₂ -free conversion of 5-hydroxymethylfurfural to 5-methylfurfural. <i>Chinese Journal of Catalysis</i> , 2022, 43, 2212-2222.	14.0	16
7	Conversion of glucose to levulinic acid and upgradation to γ -valerolactone on Ru/TiO ₂ catalysts. <i>New Journal of Chemistry</i> , 2021, 45, 14406-14413.	2.8	5
8	Sustainable production of γ -valerolactone and δ -valerolactone through the coupling of hydrogenation and dehydrogenation. <i>Sustainable Energy and Fuels</i> , 2021, 5, 930-934.	4.9	13
9	Environment of Metal-O-Fe Bonds Enabling High Activity in CO ₂ Reduction on Single Metal Atoms and on Supported Nanoparticles. <i>Journal of the American Chemical Society</i> , 2021, 143, 5540-5549.	13.7	54
10	Highly selective glucose isomerization by HY zeolite in gamma-butyrolactone/H ₂ O system over fixed bed reactor. <i>Catalysis Communications</i> , 2021, 156, 106324.	3.3	8
11	Highly effective production of levulinic acid and γ -valerolactone through self-circulation of solvent in a continuous process. <i>Reaction Chemistry and Engineering</i> , 2021, 6, 1811-1818.	3.7	4
12	Copper-zirconia interfaces in UiO-66 enable selective catalytic hydrogenation of CO ₂ to methanol. <i>Nature Communications</i> , 2020, 11, 5849.	12.8	86
13	Efficient Cu catalyst for 5-hydroxymethylfurfural hydrogenolysis by forming Cu-O-Si bonds. <i>Catalysis Science and Technology</i> , 2020, 10, 7323-7330.	4.1	14
14	Inverse iron oxide/metal catalysts from galvanic replacement. <i>Nature Communications</i> , 2020, 11, 3269.	12.8	31
15	Synergistic effect between copper and different metal oxides in the selective hydrogenolysis of glucose. <i>New Journal of Chemistry</i> , 2019, 43, 3733-3742.	2.8	15
16	Complete Aqueous Hydrogenation of 5-Hydroxymethylfurfural at Room Temperature over Bimetallic RuPd/Graphene Catalyst. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10670-10678.	6.7	57
17	One-step Conversion of Fructose to Furfuryl Alcohol in a Continuous Fixed-bed Reactor: The Important Role of Supports. <i>ChemCatChem</i> , 2019, 11, 2118-2125.	3.7	5
18	Mechanistic insights on catalytic conversion fructose to furfural on beta zeolite via selective carbon-carbon bond cleavage. <i>Molecular Catalysis</i> , 2019, 463, 130-139.	2.0	38

#	ARTICLE	IF	CITATIONS
19	Aqueous Hydrogenation of Levulinic Acid to 1,4-Pentanediol over Mo-Modified Ru/Activated Carbon Catalyst. <i>ChemSusChem</i> , 2018, 11, 1316-1320.	6.8	73
20	Selectively convert fructose to furfural or hydroxymethylfurfural on Beta zeolite: The manipulation of solvent effects. <i>Applied Catalysis B: Environmental</i> , 2018, 235, 150-157.	20.2	55
21	Catalytic conversion of 5-hydroxymethylfurfural to some value-added derivatives. <i>Green Chemistry</i> , 2018, 20, 3657-3682.	9.0	233
22	Strong metal-oxide interactions induce bifunctional and structural effects for Cu catalysts. <i>Molecular Catalysis</i> , 2018, 458, 73-82.	2.0	20
23	Promoting effect of boron oxide on Ag/SiO ₂ catalyst for the hydrogenation of dimethyl oxalate to methyl glycolate. <i>Molecular Catalysis</i> , 2017, 433, 346-353.	2.0	42
24	Efficient decarbonylation of 5-hydroxymethylfurfural over an Pd/Al ₂ O ₃ catalyst: Preparation via electrostatic attraction between Pd(II) complex and anionic Al ₂ O ₃ . <i>Molecular Catalysis</i> , 2017, 433, 111-121.	2.0	5
25	Ratio-controlled synthesis of phyllosilicate-like materials as precursors for highly efficient catalysis of the formyl group. <i>Catalysis Science and Technology</i> , 2017, 7, 1880-1891.	4.1	22
26	The role of water on the selective decarbonylation of 5-hydroxymethylfurfural over Pd/Al ₂ O ₃ catalyst: Experimental and DFT studies. <i>Applied Catalysis B: Environmental</i> , 2017, 212, 15-22.	20.2	29
27	Role of Manganese Oxide in Syngas Conversion to Light Olefins. <i>ACS Catalysis</i> , 2017, 7, 2800-2804.	11.2	188
28	Efficient Synthesis of Furfuryl Alcohol and 2-Methylfuran from Furfural over Mineral-Derived Cu/ZnO Catalysts. <i>ChemCatChem</i> , 2017, 9, 3023-3030.	3.7	64
29	Inclusion of Zn into Metallic Ni Enables Selective and Effective Synthesis of 2,5-Dimethylfuran from Bioderived 5-Hydroxymethylfurfural. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 11280-11289.	6.7	73
30	Insights into influence of nanoparticle size and metal-support interactions of Cu/ZnO catalysts on activity for furfural hydrogenation. <i>Catalysis Science and Technology</i> , 2017, 7, 5625-5634.	4.1	57
31	Covalent-bonding to irreducible SiO ₂ leads to high-loading and atomically dispersed metal catalysts. <i>Journal of Catalysis</i> , 2017, 353, 315-324.	6.2	47
32	Introduction to Characterization Methods for Heterogeneous Catalysts and Their Application to Cellulose Conversion Mechanisms. <i>Biofuels and Biorefineries</i> , 2017, , 31-96.	0.5	0
33	Modulating the methanation activity of Ni by the crystal phase of TiO ₂ . <i>Catalysis Science and Technology</i> , 2017, 7, 2813-2818.	4.1	29
34	Study on the reaction pathway in decarbonylation of biomass-derived 5-hydroxymethylfurfural over Pd-based catalyst. <i>Journal of Molecular Catalysis A</i> , 2016, 421, 76-82.	4.8	32
35	One-Step Continuous Conversion of Fructose to 2,5-Dihydroxymethylfuran and 2,5-Dimethylfuran. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 4506-4510.	6.7	52
36	Efficient hydrogenation of dimethyl oxalate to methyl glycolate over highly active immobilized-ruthenium catalyst. <i>Journal of Molecular Catalysis A</i> , 2016, 425, 68-75.	4.8	19

#	ARTICLE	IF	CITATIONS
37	Enhanced Nickel-Catalyzed Methanation Confined under Hexagonal Boron Nitride Shells. <i>ACS Catalysis</i> , 2016, 6, 6814-6822.	11.2	95
38	The effect of Mg(OH) ₂ on furfural oxidation with H ₂ O ₂ . <i>Catalysis Communications</i> , 2016, 86, 41-45.	3.3	23
39	Vanadium-oxo immobilized onto Schiff base modified graphene oxide for efficient catalytic oxidation of 5-hydroxymethylfurfural and furfural into maleic anhydride. <i>RSC Advances</i> , 2016, 6, 101277-101282.	3.6	28
40	Conversion of Xylose to Furfuryl Alcohol and 2-Methylfuran in a Continuous Fixed-Bed Reactor. <i>ChemSusChem</i> , 2016, 9, 1259-1262.	6.8	39
41	Direct synthesis of 2,5-diformylfuran from fructose with graphene oxide as a bifunctional and metal-free catalyst. <i>Green Chemistry</i> , 2016, 18, 2302-2307.	9.0	79
42	Aerobic selective oxidation of 5-hydroxymethyl-furfural over nitrogen-doped graphene materials with 2,2,6,6-tetramethylpiperidin-oxyl as co-catalyst. <i>Catalysis Science and Technology</i> , 2016, 6, 2377-2386.	4.1	45
43	Selective conversion of syngas to light olefins. <i>Science</i> , 2016, 351, 1065-1068.	12.6	1,063
44	Role of alkali earth metals over Pd/Al ₂ O ₃ for decarbonylation of 5-hydroxymethylfurfural. <i>Catalysis Science and Technology</i> , 2016, 6, 4377-4388.	4.1	29
45	Efficient aqueous hydrogenation of levulinic acid to γ -valerolactone over a highly active and stable ruthenium catalyst. <i>Catalysis Science and Technology</i> , 2016, 6, 1469-1475.	4.1	66
46	Conversion of carbohydrates to furfural via selective cleavage of the carbon-carbon bond: the cooperative effects of zeolite and solvent. <i>Green Chemistry</i> , 2016, 18, 1619-1624.	9.0	88
47	Tailored mesoporous copper/ceria catalysts for the selective hydrogenolysis of biomass-derived glycerol and sugar alcohols. <i>Green Chemistry</i> , 2016, 18, 782-791.	9.0	52
48	Highly dispersed Cu nanoparticles as an efficient catalyst for the synthesis of the biofuel 2-methylfuran. <i>Catalysis Science and Technology</i> , 2016, 6, 767-779.	4.1	92
49	Exploring Furfural Catalytic Conversion on Cu(111) from Computation. <i>ACS Catalysis</i> , 2015, 5, 4020-4032.	11.2	109
50	Rational design of Ni-based catalysts derived from hydrotalcite for selective hydrogenation of 5-hydroxymethylfurfural. <i>Green Chemistry</i> , 2015, 17, 2504-2514.	9.0	173
51	Promoting effect of WO _x on selective hydrogenolysis of glycerol to 1,3-propanediol over bifunctional Pt-WO _x /Al ₂ O ₃ catalysts. <i>Journal of Molecular Catalysis A</i> , 2015, 398, 391-398.	4.8	125
52	Efficient synthesis of 2,5-dihydroxymethylfuran and 2,5-dimethylfuran from 5-hydroxymethylfurfural using mineral-derived Cu catalysts as versatile catalysts. <i>Catalysis Science and Technology</i> , 2015, 5, 4208-4217.	4.1	132
53	One-Step Conversion of Furfural into 2-Methyltetrahydrofuran under Mild Conditions. <i>ChemSusChem</i> , 2015, 8, 1534-1537.	6.8	87
54	Direct conversion of carbohydrates to γ -valerolactone facilitated by a solvent effect. <i>Green Chemistry</i> , 2015, 17, 3084-3089.	9.0	49

#	ARTICLE	IF	CITATIONS
55	Catalytic conversion of glucose and cellobiose to ethylene glycol over Ni ²⁺ /WO ₃ /SBA-15 catalysts. RSC Advances, 2015, 5, 90904-90912.	3.6	27
56	Graphene-Modified Ru Nanocatalyst for Low-Temperature Hydrogenation of Carbonyl Groups. ACS Catalysis, 2015, 5, 7379-7384.	11.2	113
57	Ni Nanoparticles Inlaid Nickel Phyllosilicate as a Metal-Acid Bifunctional Catalyst for Low-Temperature Hydrogenolysis Reactions. ACS Catalysis, 2015, 5, 5914-5920.	11.2	157
58	Water-Promoted Hydrogenation of Levulinic Acid to γ -Valerolactone on Supported Ruthenium Catalyst. ChemCatChem, 2015, 7, 508-512.	3.7	117
59	Construction of Cu/ZrO ₂ /Al ₂ O ₃ composites for ethanol synthesis: Synergies of ternary sites for cascade reaction. Applied Catalysis B: Environmental, 2015, 166-167, 551-559.	20.2	85
60	Cr-free Cu-catalysts for the selective hydrogenation of biomass-derived furfural to 2-methylfuran: The synergistic effect of metal and acid sites. Journal of Molecular Catalysis A, 2015, 398, 140-148.	4.8	140
61	A highly efficient and robust Cu/SiO ₂ catalyst prepared by the ammonia evaporation hydrothermal method for glycerol hydrogenolysis to 1,2-propanediol. Catalysis Science and Technology, 2015, 5, 1169-1180.	4.1	124
62	Switchable synthesis of 2,5-dimethylfuran and 2,5-dihydroxymethyltetrahydrofuran from 5-hydroxymethylfurfural over Raney Ni catalyst. RSC Advances, 2014, 4, 60467-60472.	3.6	104
63	Graphene Oxide Catalyzed Dehydration of Fructose into 5-Hydroxymethylfurfural with Isopropanol as Cosolvent. ChemCatChem, 2014, 6, 728-732.	3.7	88
64	SiO ₂ promoted Pt/WO _x /ZrO ₂ catalysts for the selective hydrogenolysis of glycerol to 1,3-propanediol. Applied Catalysis B: Environmental, 2014, 158-159, 391-399.	20.2	122
65	Cu Nanoparticles Inlaid Mesoporous Al ₂ O ₃ As a High-Performance Bifunctional Catalyst for Ethanol Synthesis via Dimethyl Oxalate Hydrogenation. ACS Catalysis, 2014, 4, 3612-3620.	11.2	151
66	The Rise of Calcination Temperature Enhances the Performance of Cu Catalysts: Contributions of Support. ACS Catalysis, 2014, 4, 3675-3681.	11.2	79
67	Graphene oxide as a facile acid catalyst for the one-pot conversion of carbohydrates into 5-ethoxymethylfurfural. Green Chemistry, 2013, 15, 2379.	9.0	150
68	Design of a highly active silver-exchanged phosphotungstic acid catalyst for glycerol esterification with acetic acid. Journal of Catalysis, 2013, 306, 155-163.	6.2	143
69	Highly selective synthesis of ethylene glycol and ethanol via hydrogenation of dimethyl oxalate on Cu catalysts: Influence of support. Applied Catalysis A: General, 2013, 468, 296-304.	4.3	119
70	Production of bioadditives from glycerol esterification over zirconia supported heteropolyacids. Bioresource Technology, 2013, 130, 45-51.	9.6	132
71	Promoting effect of boron oxide on Cu/SiO ₂ catalyst for glycerol hydrogenolysis to 1,2-propanediol. Journal of Catalysis, 2013, 303, 70-79.	6.2	215
72	Alkaline metals modified Pt ²⁺ /H ₄ SiW ₁₂ O ₄₀ /ZrO ₂ catalysts for the selective hydrogenolysis of glycerol to 1,3-propanediol. Applied Catalysis B: Environmental, 2013, 140-141, 60-67.	20.2	97

#	ARTICLE	IF	CITATIONS
73	Modification of the supported Cu/SiO ₂ catalyst by alkaline earth metals in the selective conversion of 1,4-butanediol to γ -butyrolactone. <i>Applied Catalysis A: General</i> , 2012, 443-444, 191-201.	4.3	66
74	Selective conversion of furfuryl alcohol to 1,2-pentanediol over a Ru/MnO _x catalyst in aqueous phase. <i>Green Chemistry</i> , 2012, 14, 3402.	9.0	117
75	One-step hydrogenolysis of glycerol to biopropanols over Pt-H ₄ SiW ₁₂ O ₄₀ /ZrO ₂ catalysts. <i>Green Chemistry</i> , 2012, 14, 2607.	9.0	106
76	Aqueous-phase hydrodeoxygenation of propanoic acid over the Ru/ZrO ₂ and Ru-Mo/ZrO ₂ catalysts. <i>Applied Catalysis A: General</i> , 2012, 411-412, 95-104.	4.3	129
77	Catalytic degradation of oxygenates in Fischer-Tropsch aqueous phase effluents to fuel gas via hydrodeoxygenation over Ru/AC catalyst. <i>Journal of Chemical Technology and Biotechnology</i> , 2012, 87, 112-122.	3.2	21
78	Catalytic degradation of aqueous Fischer-Tropsch effluents to fuel gas over oxide-supported Ru catalysts and hydrothermal stability of catalysts. <i>Journal of Chemical Technology and Biotechnology</i> , 2012, 87, 1089-1097.	3.2	14
79	Aqueous-Phase Hydrogenolysis of Glycerol to 1,3-propanediol Over Pt-H ₄ SiW ₁₂ O ₄₀ /SiO ₂ . <i>Catalysis Letters</i> , 2012, 142, 267-274.	2.6	79
80	Aqueous-phase hydrodeoxygenation of carboxylic acids to alcohols or alkanes over supported Ru catalysts. <i>Journal of Molecular Catalysis A</i> , 2011, 351, 217-227.	4.8	130
81	Vapour phase hydrogenolysis of biomass-derived diethyl succinate to tetrahydrofuran over CuO γ -ZnO/solid acid bifunctional catalysts. <i>Journal of Chemical Technology and Biotechnology</i> , 2011, 86, 231-237.	3.2	18
82	Study on the reaction pathway in the vapor-phase hydrogenation of biomass-derived diethyl succinate over CuO/ZnO catalyst. <i>Catalysis Communications</i> , 2010, 11, 1120-1124.	3.3	21
83	Direct Conversion of Glycerol into 1,3-Propanediol over Cu-H ₄ SiW ₁₂ O ₄₀ /SiO ₂ in Vapor Phase. <i>Catalysis Letters</i> , 2009, 131, 312-320.	2.6	121
84	Producing triacetyl glycerol with glycerol by two steps: Esterification and acetylation. <i>Fuel Processing Technology</i> , 2009, 90, 988-993.	7.2	163
85	One Pot Synthesis of Methyl N-Phenyl Carbamate from Aniline, Urea and Methanol. <i>Catalysis Letters</i> , 2008, 126, 419-425.	2.6	15