

Noemã- Kaoru Yokobori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1900235/publications.pdf>

Version: 2024-02-01

29
papers

659
citations

759233

12
h-index

580821

25
g-index

30
all docs

30
docs citations

30
times ranked

987
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Recurrences of multidrug-resistant tuberculosis: Strains involved, within-host diversity, and fine-tuned allocation of reinfections. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 327-336. | 3.0 | 6 |
| 2 | The host-pathogen-environment triad: Lessons learned through the study of the multidrug-resistant <i>Mycobacterium tuberculosis</i> M strain. <i>Tuberculosis</i> , 2022, 134, 102200. | 1.9 | 2 |
| 3 | Five-year microevolution of a multidrug-resistant <i>Mycobacterium tuberculosis</i> strain within a patient with inadequate compliance to treatment. <i>BMC Infectious Diseases</i> , 2021, 21, 394. | 2.9 | 3 |
| 4 | Genetic Identification and Drug-Resistance Characterization of <i>Mycobacterium tuberculosis</i> Using a Portable Sequencing Device. A Pilot Study. <i>Antibiotics</i> , 2020, 9, 548. | 3.7 | 8 |
| 5 | Consequences of the Lack of IL-10 in Different Endotoxin Effects and its Relationship With Glucocorticoids. <i>Shock</i> , 2019, 52, 264-273. | 2.1 | 8 |
| 6 | Survival of an epidemic MDR strain of <i>Mycobacterium tuberculosis</i> and its non-prosperous variant within activated macrophages. <i>Infection, Genetics and Evolution</i> , 2019, 73, 248-254. | 2.3 | 3 |
| 7 | The lung microbiome, vitamin D, and the tuberculous granuloma: A balance triangle. <i>Microbial Pathogenesis</i> , 2019, 131, 158-163. | 2.9 | 28 |
| 8 | Trends of Two Epidemic Multidrug-Resistant Strains of <i>Mycobacterium tuberculosis</i> in Argentina Disclosed by Tailored Molecular Strategy. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 1308-1311. | 1.4 | 9 |
| 9 | Performance of a highly successful outbreak strain of <i>Mycobacterium tuberculosis</i> in a multifaceted approach to bacterial fitness assessment. <i>International Journal of Medical Microbiology</i> , 2018, 308, 349-357. | 3.6 | 6 |
| 10 | Genotypic diversity of <i>Mycobacterium tuberculosis</i> in two distinct areas of Argentina. <i>International Journal of Infectious Diseases</i> , 2018, 73, 351-352. | 3.3 | 0 |
| 11 | Assessment of nutrient starvation-driven stress as part of a multifaceted approach to analyze the fitness of a highly successful MDR strain of <i>Mycobacterium tuberculosis</i> . <i>International Journal of Infectious Diseases</i> , 2018, 73, 352-353. | 3.3 | 1 |
| 12 | C5aR contributes to the weak Th1 profile induced by an outbreak strain of <i>Mycobacterium tuberculosis</i> . <i>Tuberculosis</i> , 2017, 103, 16-23. | 1.9 | 7 |
| 13 | Relation of <i>Mycobacterium tuberculosis</i> mutations at <i>katG</i> 315 and <i>inhA</i> -15 with drug resistance profile, genetic background, and clustering in Argentina. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 89, 197-201. | 1.8 | 6 |
| 14 | <i>Mycobacterium tuberculosis</i> Multidrug-Resistant Strain M Induces Low IL-8 and Inhibits TNF- α Secretion by Bronchial Epithelial Cells Altering Neutrophil Effector Functions. <i>Mediators of Inflammation</i> , 2017, 2017, 1-13. | 3.0 | 11 |
| 15 | <i>Mycobacterium tuberculosis</i> Multidrug Resistant Strain M Induces an Altered Activation of Cytotoxic CD8+ T Cells. <i>PLoS ONE</i> , 2014, 9, e97837. | 2.5 | 12 |
| 16 | CD4+CD25 ^{high} forkhead box protein 3+ regulatory T lymphocytes suppress interferon- γ and CD107 expression in CD4+ and CD8+ T cells from tuberculous pleural effusions. <i>Clinical and Experimental Immunology</i> , 2014, 175, 235-245. | 2.6 | 30 |
| 17 | Two genetically-related multidrug-resistant <i>Mycobacterium tuberculosis</i> strains induce divergent outcomes of infection in two human macrophage models. <i>Infection, Genetics and Evolution</i> , 2013, 16, 151-156. | 2.3 | 9 |
| 18 | Impaired dendritic cell differentiation of CD16 ⁺ positive monocytes in tuberculosis: Role of p38 MAPK. <i>European Journal of Immunology</i> , 2013, 43, 335-347. | 2.9 | 38 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Differential induction of macrophage cell death by antigens of a clustered and a non-clustered multidrug-resistant <i>Mycobacterium tuberculosis</i> strain from Haarlem family. <i>FEMS Immunology and Medical Microbiology</i> , 2012, 66, 363-371. | 2.7 | 6 |
| 20 | Paradoxical role of CD16+CCR2+CCR5+ monocytes in tuberculosis: efficient APC in pleural effusion but also mark disease severity in blood. <i>Journal of Leukocyte Biology</i> , 2011, 90, 69-75. | 3.3 | 66 |
| 21 | <i>Mycobacterium tuberculosis</i> impairs dendritic cell response by altering CD1b, DC-SIGN and MR profile. <i>Immunology and Cell Biology</i> , 2010, 88, 716-726. | 2.3 | 45 |
| 22 | Patients with Multidrug-Resistant Tuberculosis Display Impaired Th1 Responses and Enhanced Regulatory T-Cell Levels in Response to an Outbreak of Multidrug-Resistant <i>Mycobacterium tuberculosis</i> H37Rv and Ra Strains. <i>Infection and Immunity</i> , 2009, 77, 5025-5034. | 2.2 | 67 |
| 23 | NK cells from tuberculous pleurisy express high ICAM-1 levels and exert stimulatory effect on local T cells. <i>European Journal of Immunology</i> , 2009, 39, 2450-2458. | 2.9 | 13 |
| 24 | CD3 expression distinguishes two $\gamma\delta$ T cell receptor subsets with different phenotype and effector function in tuberculous pleurisy. <i>Clinical and Experimental Immunology</i> , 2009, 157, 385-394. | 2.6 | 20 |
| 25 | <i>Mycobacterium tuberculosis</i> -Induced Gamma Interferon Production by Natural Killer Cells Requires Cross Talk with Antigen-Presenting Cells Involving Toll-Like Receptors 2 and 4 and the Mannose Receptor in Tuberculous Pleurisy. <i>Infection and Immunity</i> , 2007, 75, 5325-5337. | 2.2 | 49 |
| 26 | Spontaneous or <i>Mycobacterium tuberculosis</i> -induced apoptotic neutrophils exert opposite effects on the dendritic cell-mediated immune response. <i>European Journal of Immunology</i> , 2007, 37, 1524-1537. | 2.9 | 41 |
| 27 | NK cell activity in tuberculosis is associated with impaired CD11a and ICAM-1 expression: a regulatory role of monocytes in NK activation. <i>Immunology</i> , 2005, 116, 051025020346008. | 4.4 | 42 |
| 28 | Increased Susceptibility to Apoptosis of CD56dimCD16+ NK Cells Induces the Enrichment of IFN- γ -Producing CD56bright Cells in Tuberculous Pleurisy. <i>Journal of Immunology</i> , 2005, 175, 6852-6860. | 0.8 | 85 |
| 29 | In Tuberculous Pleural Effusions, Activated Neutrophils Undergo Apoptosis and Acquire a Dendritic Cell-Like Phenotype. <i>Journal of Infectious Diseases</i> , 2005, 192, 399-409. | 4.0 | 38 |