

Zuzana ÄadkovÄ;

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1900935/publications.pdf>

Version: 2024-02-01

39
papers

396
citations

933447

10
h-index

839539

18
g-index

39
all docs

39
docs citations

39
times ranked

610
citing authors

#	ARTICLE	IF	CITATIONS
19	Bioaccessibility versus Bioavailability of Essential (Cu, Fe, Mn, and Zn) and Toxic (Pb) Elements from Phyto Hyperaccumulator <i>Pistia stratiotes</i> : Potential Risk of Dietary Intake. Journal of Agricultural and Food Chemistry, 2015, 63, 2344-2354.	5.2	13
20	Cyathostominae distribution in experimentally infected ponies. Helminthologia, 2015, 52, 134-138.	0.9	1
21	Influence of laser ablation parameters on trueness of imaging. Applied Surface Science, 2015, 351, 296-302.	6.1	14
22	Genetic and morphological characterization of <i>Trichuris myocastoris</i> found in <i>Myocastor coypus</i> in the Czech Republic. Parasitology Research, 2015, 114, 3969-3975.	1.6	4
23	Effects of age, sex, lactation and social dominance on faecal egg count patterns of gastrointestinal nematodes in farmed eland (<i>Taurotragus oryx</i>). Preventive Veterinary Medicine, 2015, 121, 265-272.	1.9	4
24	Is the tapeworm able to affect tissue Pb-concentrations in white rat?. Parasitology, 2014, 141, 826-836.	1.5	14
25	Arrested development of experimental Cyathostominae infections in ponies in Czech republic. Veterinary Parasitology, 2014, 206, 328-332.	1.8	5
26	Comparative morphological and molecular identification of <i>Haemonchus</i> species in sheep. Helminthologia, 2014, 51, 130-140.	0.9	5
27	The effect of risk factors of sheep flock management practices on the development of anthelmintic resistance in the Czech Republic. Small Ruminant Research, 2014, 117, 183-190.	1.2	11
28	Faecal Excretion Dynamic during Subacute Oral Exposure to Different Pb Species in <i>Rattus norvegicus</i> . Biological Trace Element Research, 2013, 152, 225-232.	3.5	9
29	Treatment failure of ivermectin for <i>Oxyuris equi</i> in naturally infected ponies in Czech Republic. Helminthologia, 2013, 50, 232-234.	0.9	6
30	Concentrations of Zn, Mn, Cu and Cd in different tissues of perch (<i>Perca fluviatilis</i>) and in perch intestinal parasite (<i>Acanthocephalus lucii</i>) from the stream near Prague (Czech Republic). Environmental Research, 2012, 112, 83-85.	7.5	19
31	Endoparasites in European hares (<i>Lepus europaeus</i>) under gamekeeping conditions in the Czech Republic. Helminthologia, 2012, 49, 159-163.	0.9	4
32	Effect of <i>Acanthocephalus lucii</i> Infection on Total Mercury Concentrations in Muscle and Gonads of Fish Host (<i>Perca fluviatilis</i>). Bulletin of Environmental Contamination and Toxicology, 2012, 88, 967-970.	2.7	6
33	Effect of lead in water on the absorption of copper, iron, manganese and zinc by sheep (<i>Ovis aries</i>) infected with sheep tapeworm (<i>Moniezia expansa</i>). Experimental Parasitology, 2012, 131, 52-56.	1.2	2
34	The initial discovery of thorny-headed worms in sheep. Veterinary Parasitology, 2012, 184, 381-383.	1.8	0
35	Black grouse in Czech Republic and its parasites. Helminthologia, 2012, 49, 78-81.	0.9	9
36	Competition for minerals (Zn, Mn, Fe, Cu) and Cd between sheep tapeworm (<i>Moniezia expansa</i>) and its definitive host sheep (<i>Ovis aries</i>). Helminthologia, 2011, 48, 237-243.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Which McMaster egg counting technique is the most reliable?. Parasitology Research, 2011, 109, 1387-1394.	1.6	59
38	Intestinal Parasite <i>Acanthocephalus lucii</i> (Acanthocephala) from European Perch (<i>Perca fluviatilis</i>) as a Bioindicator for Lead Pollution in the Stream âœœJevanskĀ½ potokâœ Near Prague, Czech Republic. Bulletin of Environmental Contamination and Toxicology, 2011, 86, 342-346.	2.7	20
39	Experimental studies on the cadmium accumulation in the cestode <i>Moniezia expansa</i> (Cestoda:) Tj ETQq1 1 0.784314 rgBT /Overlock	1.2	12