

Sulong Abu Bakar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1901234/publications.pdf>

Version: 2024-02-01

164
papers

5,049
citations

117625

34
h-index

102487

66
g-index

167
all docs

167
docs citations

167
times ranked

5238
citing authors

#	ARTICLE	IF	CITATIONS
1	Properties and Applications of Polyvinyl Alcohol, Halloysite Nanotubes and Their Nanocomposites. <i>Molecules</i> , 2015, 20, 22833-22847.	3.8	487
2	A review of high-temperature proton exchange membrane fuel cell (HT-PEMFC) system. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9293-9314.	7.1	463
3	Material processing of hydroxyapatite and titanium alloy (HA/Ti) composite as implant materials using powder metallurgy: A review. <i>Materials & Design</i> , 2014, 55, 165-175.	5.1	275
4	Coating of stainless steel and titanium bipolar plates for anticorrosion in PEMFC: A review. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9135-9148.	7.1	211
5	A review of electrical conductivity models for conductive polymer composite. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9262-9273.	7.1	168
6	Processing titanium foams using tapioca starch as a space holder. <i>Journal of Materials Processing Technology</i> , 2012, 212, 83-89.	6.3	143
7	Influence of alkaline treatment and fiber loading on the physical and mechanical properties of kenaf/polypropylene composites for variety of applications. <i>Progress in Natural Science: Materials International</i> , 2016, 26, 657-664.	4.4	140
8	Acid doped polybenzimidazoles based membrane electrode assembly for high temperature proton exchange membrane fuel cell: A review. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 9156-9179.	7.1	116
9	A review of biocompatible metal injection moulding process parameters for biomedical applications. <i>Materials Science and Engineering C</i> , 2017, 78, 1263-1276.	7.3	114
10	The effect of milled carbon fibre filler on electrical conductivity in highly conductive polymer composites. <i>Composites Part B: Engineering</i> , 2017, 110, 153-160.	12.0	101
11	Review of chitosan composite as a heavy metal adsorbent: Material preparation and properties. <i>Carbohydrate Polymers</i> , 2021, 259, 117613.	10.2	95
12	Analysis of warpage and shrinkage properties of injection-molded micro gears polymer composites using numerical simulations assisted by the Taguchi method. <i>Materials & Design</i> , 2012, 42, 62-71.	5.1	94
13	Effect of trigger configuration on the crashworthiness characteristics of natural silk epoxy composite tubes. <i>Composites Part B: Engineering</i> , 2013, 55, 5-10.	12.0	88
14	Comparative research on the crashworthiness characteristics of woven natural silk/epoxy composite tubes. <i>Materials & Design</i> , 2013, 47, 248-257.	5.1	88
15	Impacts of Gd ³⁺ Ce on the structural, morphological and magnetic properties of garnet nanocrystalline ferrites synthesized via sol-gel route. <i>Journal of Alloys and Compounds</i> , 2016, 660, 486-495.	5.5	88
16	Systematic study of Ce ³⁺ on the structural and magnetic properties of Cu nanosized ferrites for potential applications. <i>Journal of Rare Earths</i> , 2018, 36, 156-164.	4.8	87
17	Effect of the addition of milled carbon fiber as a secondary filler on the electrical conductivity of graphite/epoxy composites for electrical conductive material. <i>Composites Part B: Engineering</i> , 2015, 83, 75-80.	12.0	86
18	The Impact of Halloysite on the Thermo-Mechanical Properties of Polymer Composites. <i>Molecules</i> , 2017, 22, 838.	3.8	82

#	ARTICLE	IF	CITATIONS
19	Structural, spectral, dielectric and magnetic properties of Ni _{0.5} Mg _x Zn _{0.5-x} Fe ₂ O ₄ nanosized ferrites for microwave absorption and high frequency applications. <i>Ceramics International</i> , 2017, 43, 4357-4365.	4.8	81
20	Structural and magnetic properties of yttrium iron garnet (YIG) and yttrium aluminum iron garnet (YAIG) nanoferrites prepared by microemulsion method. <i>Journal of Magnetism and Magnetic Materials</i> , 2016, 401, 425-431.	2.3	80
21	Effect of the compression molding parameters on the in-plane and through-plane conductivity of carbon nanotubes/graphite/epoxy nanocomposites as bipolar plate material for a polymer electrolyte membrane fuel cell. <i>Ceramics International</i> , 2013, 39, 1277-1284.	4.8	78
22	Optimisation of mechanical stir casting parameters for fabrication of carbon nanotubes/aluminium alloy composite through Taguchi method. <i>Journal of Materials Research and Technology</i> , 2019, 8, 2223-2231.	5.8	66
23	Impact of Sulfuric Acid Treatment of Halloysite on Physico-Chemic Property Modification. <i>Materials</i> , 2016, 9, 620.	2.9	59
24	Failure mechanism of woven natural silk/epoxy rectangular composite tubes under axial quasi-static crushing test using trigger mechanism. <i>International Journal of Impact Engineering</i> , 2014, 64, 53-61.	5.0	51
25	Powder injection molding of HA/Ti6Al4V composite using palm stearin as based binder for implant material. <i>Materials & Design</i> , 2015, 65, 1028-1034.	5.1	48
26	Energy absorption and load carrying capability of woven natural silk epoxy-triggered composite tubes. <i>Composites Part B: Engineering</i> , 2015, 77, 10-18.	12.0	46
27	Effect of small-sized conductive filler on the properties of an epoxy composite for a bipolar plate in a PEMFC. <i>Ceramics International</i> , 2013, 39, 7159-7166.	4.8	45
28	Comparison of the pervaporation performance of various types of carbon nanotube-based nanocomposites in the dehydration of acetone. <i>Separation and Purification Technology</i> , 2013, 107, 252-263.	7.9	43
29	Effect of nano-sized powders on powder injection molding: a review. <i>Microsystem Technologies</i> , 2012, 18, 1941-1961.	2.0	41
30	Effects of binder system and processing parameters on formability of porous Ti/HA composite through powder injection molding. <i>Materials and Design</i> , 2015, 87, 386-392.	7.0	41
31	Wear Behavior of Functionalized Multi-walled Carbon Nanotube Reinforced Epoxy Matrix Composites. <i>Journal of Composite Materials</i> , 2006, 40, 1947-1960.	2.4	39
32	Rheological and mechanical properties of carbon nanotube/Graphite/SS316L/polypropylene nanocomposite for a conductive polymer composite. <i>Composites Part B: Engineering</i> , 2013, 50, 54-61.	12.0	39
33	Fabrication of cemented tungsten carbide components by micro-powder injection moulding. <i>Journal of Materials Processing Technology</i> , 2014, 214, 1436-1444.	6.3	36
34	Incorporation of wollastonite bioactive ceramic with titanium for medical applications: An overview. <i>Materials Science and Engineering C</i> , 2019, 97, 884-895.	7.3	33
35	Yttria stabilized zirconia formed by micro ceramic injection molding: Rheological properties and debinding effects on the sintered part. <i>Ceramics International</i> , 2013, 39, 2665-2674.	4.8	32
36	How Does Scaffold Porosity Conduct Bone Tissue Regeneration?. <i>Advanced Engineering Materials</i> , 2021, 23, 2100463.	3.5	32

#	ARTICLE	IF	CITATIONS
37	The Effect of Alkali Treatment on Physical, Mechanical and Thermal Properties of Kenaf Fiber and Polymer Epoxy Composites. <i>Polymers</i> , 2021, 13, 2005.	4.5	31
38	Influence of sintering temperature on the power density of samarium-doped-ceria carbonate electrolyte composites for low-temperature solid oxide fuel cells. <i>Ceramics International</i> , 2013, 39, 5813-5820.	4.8	30
39	The effect of nano-sized stainless steel powder addition on mechanical and physical properties of micropowder injection molded part. <i>Materials & Design</i> , 2014, 63, 223-232.	5.1	30
40	Development of lanthanum strontium cobalt ferrite composite cathodes for intermediate- to low-temperature solid oxide fuel cells. <i>Journal of Zhejiang University: Science A</i> , 2013, 14, 11-24.	2.4	29
41	Fibre orientation effect on polypropylene/milled carbon fiber composites in the presence of carbon nanotubes or graphene as a secondary filler: Application on PEM fuel cell bipolar plate. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 30618-30626.	7.1	29
42	Multi-component MWCNT/NG/EP-based bipolar plates with enhanced mechanical and electrical characteristics fabricated by compression moulding. <i>Ceramics International</i> , 2018, 44, 14457-14464.	4.8	27
43	Process optimization of melt spinning and mechanical strength enhancement of functionalized multi-walled carbon nanotubes reinforcing polyethylene fibers. <i>Composites Part B: Engineering</i> , 2011, 42, 11-17.	12.0	26
44	The design and development of an HT-PEMFC test cell and test station. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 30763-30771.	7.1	25
45	New processing technique for biodegradable kenaf composites: A simple alternative to commercial automotive parts. <i>Composites Part B: Engineering</i> , 2020, 184, 107644.	12.0	25
46	Effect of sintering temperature on surface morphology and electrical properties of samarium-doped ceria carbonate for solid oxide fuel cells. <i>Ceramics International</i> , 2015, 41, 1323-1332.	4.8	24
47	Optimization of Hot Press Parameters on Tensile Strength for Unidirectional Long Kenaf Fiber Reinforced Poly(lactic-Acid) Composite. <i>Procedia Engineering</i> , 2017, 184, 478-485.	1.2	24
48	Effects of thermal cycling on physical and tensile properties of injection moulded kenaf/carbon nanotubes/polypropylene hybrid composites. <i>Composites Part B: Engineering</i> , 2019, 168, 159-165.	12.0	24
49	Fabrication of multi-filler MCF/MWCNT/SG-based bipolar plates. <i>Ceramics International</i> , 2019, 45, 7413-7418.	4.8	24
50	Unique Halloysite Nanotubes/Polyvinyl Alcohol/Polyvinylpyrrolidone Composite Complemented with Physico-Chemical Characterization. <i>Polymers</i> , 2017, 9, 207.	4.5	23
51	Effect of Acid- and Ultraviolet/Ozonolysis-Treated MWCNTs on the Electrical and Mechanical Properties of Epoxy Nanocomposites as Bipolar Plate Applications. <i>Journal of Nanomaterials</i> , 2013, 2013, 1-8.	2.7	22
52	Effects of solid loading and cooling rate on the mechanical properties and corrosion behavior of powder injection molded 316 L stainless steel. <i>Powder Technology</i> , 2016, 289, 135-142.	4.2	22
53	Kenaf Composites for Automotive Components: Enhancement in Machinability and Moldability. <i>Polymers</i> , 2019, 11, 1707.	4.5	22
54	Surface Improvement of Halloysite Nanotubes. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 291.	2.5	21

#	ARTICLE	IF	CITATIONS
55	Effect of sintering temperature on the mechanical and physical properties of WCâ€“10%Co through micro-powder injection molding (1/4PIM). <i>Ceramics International</i> , 2013, 39, 4457-4464.	4.8	20
56	UV/O3 treatment as a surface modification of rice husk towards preparation of novel biocomposites. <i>PLoS ONE</i> , 2018, 13, e0197345.	2.5	20
57	Effect of sintering on the microstructure and mechanical properties of alloy titanium-wollastonite composite fabricated by powder injection moulding process. <i>Ceramics International</i> , 2019, 45, 11648-11653.	4.8	18
58	Fabrication of Porous Recycled HDPE Biocomposites Foam: Effect of Rice Husk Filler Contents and Surface Treatments on the Mechanical Properties. <i>Polymers</i> , 2020, 12, 475.	4.5	18
59	Recent advances on biofunctionalization of metallic substrate using ceramic coating: How far are we from clinically stable implant?. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2021, 118, 254-270.	5.3	18
60	Evaluation of thermal, morphological and mechanical properties of PMMA/NaCl/DMF electrospun nanofibers: an investigation through surface methodology approach. <i>Iranian Polymer Journal (English Edition)</i> , 2015, 24, 1025-1038.	2.4	17
61	Optimizing Injection Molding Parameters of Different Halloysites Type-Reinforced Thermoplastic Polyurethane Nanocomposites via Taguchi Complemented with ANOVA. <i>Materials</i> , 2016, 9, 947.	2.9	17
62	Effect of Starch Loading on the Thermo-Mechanical and Morphological Properties of Polyurethane Composites. <i>Materials</i> , 2017, 10, 777.	2.9	17
63	Effects of mechanical stirring and short heat treatment on thixoformed of carbon nanotube aluminium alloy composite. <i>Journal of Alloys and Compounds</i> , 2019, 788, 83-90.	5.5	16
64	Process Parameters Used in Macro/Micro Powder Injection Molding: An Overview. <i>Metals and Materials International</i> , 2021, 27, 2023-2045.	3.4	16
65	Characterization of titanium ceramic composite for bone implants applications. <i>Ceramics International</i> , 2022, 48, 22808-22819.	4.8	16
66	Effect of Sintering Temperature on Density, Hardness and Strength of MIM Co30Cr6Mo Biomedical Alloy. <i>Funtai Oyobi Fummatsu Yakin/Journal of the Japan Society of Powder and Powder Metallurgy</i> , 2016, 63, 434-437.	0.2	15
67	Effect of halloysite nanotubes loading on thermo-mechanical and morphological properties of polyurethane nanocomposites. <i>Materials Technology</i> , 2017, 32, 430-442.	3.0	15
68	In Situ Controlled Surface Microstructure of 3D Printed Ti Alloy to Promote Its Osteointegration. <i>Materials</i> , 2019, 12, 815.	2.9	14
69	Effects of High-Temperature Exposure on the Mechanical Properties of Kenaf Composites. <i>Polymers</i> , 2020, 12, 1643.	4.5	14
70	Effects of Debinding and Sintering Atmosphere on Properties and Corrosion Resistance of Powder Injection Molded 316 L - Stainless Steel. <i>Sains Malaysiana</i> , 2017, 46, 285-293.	0.5	14
71	Electrical Properties of Carbon Nanotubes-Based Epoxy Nanocomposites for High Electrical Conductive Plate. <i>Advanced Materials Research</i> , 0, 264-265, 559-564.	0.3	13
72	Micro-powder injection molding (1/4PIM) of tungsten carbide. <i>International Journal of Refractory Metals and Hard Materials</i> , 2014, 45, 189-195.	3.8	13

#	ARTICLE	IF	CITATIONS
73	Electrical properties of extruded milled carbon fibre and polypropylene. <i>Journal of Composite Materials</i> , 2017, 51, 3187-3195.	2.4	13
74	Effects of hybrid processing on microstructural and mechanical properties of thixoformed aluminum matrix composite. <i>Journal of Alloys and Compounds</i> , 2020, 836, 155378.	5.5	13
75	Experimental Investigation and Optimal 3D Bioprinting Parameters of SA-Gel Porous Cartilage Scaffold. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 768.	2.5	13
76	Micro-powder injection molding of cemented tungsten carbide: feedstock preparation and properties. <i>Ceramics International</i> , 2015, 41, 3605-3612.	4.8	12
77	Mechanical and Physical Properties of Injection Molded Halloysite Nanotubes-Thermoplastic Polyurethane Nanocomposites. <i>Procedia, Social and Behavioral Sciences</i> , 2015, 195, 2748-2752.	0.5	12
78	Asymmetric membrane containing electrospun Cu-BTC/poly(vinyl alcohol) for pervaporation dehydration of 1,4-dioxane. <i>Separation and Purification Technology</i> , 2018, 192, 240-252.	7.9	12
79	Effect of sintering parameters on physical and mechanical properties of powder injection moulded stainless steel-hydroxyapatite composite. <i>PLoS ONE</i> , 2018, 13, e0206247.	2.5	12
80	Two Component Injection Moulding of Bi-material of Stainless Steel and Yttria Stabilized Zirconia "Green Part. <i>Jurnal Kejuruteraan</i> , 2017, 29, 49-55.	0.3	12
81	Recent Advances on Bacterial Cellulose-Based Wound Management: Promises and Challenges. <i>International Journal of Polymer Science</i> , 2022, 2022, 1-24.	2.7	12
82	Parameter Optimization towards Highest Micro MIM Density by Using Taguchi Method. <i>Key Engineering Materials</i> , 2010, 443, 705-710.	0.4	10
83	Fabrication Methods for Planar Solid Oxide Fuel Cells: A Review. <i>Advanced Materials Research</i> , 0, 662, 396-401.	0.3	10
84	Prospect of Metal Ceramic (Titanium-Wollastonite) Composite as Permanent Bone Implants: A Narrative Review. <i>Materials</i> , 2021, 14, 277.	2.9	10
85	Rheological properties of irregular-shaped titanium-hydroxyapatite bimodal powder composite moulded by powder injection moulding. <i>Journal of Materials Research and Technology</i> , 2021, 11, 2255-2264.	5.8	10
86	Rheological Investigation of ZK60 Magnesium Alloy Feedstock for Metal Injection Moulding Using Palm Stearin Based Binder System. <i>Applied Mechanics and Materials</i> , 0, 44-47, 4126-4130.	0.2	9
87	Absolute variation of the mechanical characteristics of halloysite reinforced polyurethane nanocomposites complemented by Taguchi and ANOVA approaches. <i>Results in Physics</i> , 2017, 7, 3287-3300.	4.1	9
88	Structure-property-processing investigation of electrically conductive polypropylene nanocomposites. <i>Science and Engineering of Composite Materials</i> , 2018, 25, 1177-1186.	1.4	9
89	Effects of Die Configuration on the Electrical Conductivity of Polypropylene Reinforced Milled Carbon Fibers: An Application on a Bipolar Plate. <i>Polymers</i> , 2018, 10, 558.	4.5	9
90	Bi-Material Micro-Part of Stainless Steel and Zirconia by Two-Component Micro-Powder Injection Molding: Rheological Properties and Solvent Debinding Behavior. <i>Metals</i> , 2020, 10, 595.	2.3	9

#	ARTICLE	IF	CITATIONS
91	Feedstock properties and debinding mechanism of yttria-stabilized zirconia/ stainless steel 17-4PH micro-components fabricated via two-component micro-powder injection molding process. <i>Ceramics International</i> , 2021, 47, 20476-20485.	4.8	9
92	Optimizing Physio-Mechanical Properties of Halloysite Reinforced Polyurethane Nanocomposites by Taguchi Approach. <i>Science of Advanced Materials</i> , 2017, 9, 949-961.	0.7	9
93	Fabrication of miniature parts using nano-sized powders and an environmentally friendly binder through micro powder injection molding. <i>Microsystem Technologies</i> , 2015, 21, 1131-1136.	2.0	8
94	Electrical Conductivity Performance of Predicted Modified Fibre Contact Model for Multi-Filler Polymer Composite. <i>Polymers</i> , 2019, 11, 1425.	4.5	8
95	Layup sequence and interfacial bonding of additively manufactured polymeric composite: A brief review. <i>Nanotechnology Reviews</i> , 2021, 10, 1853-1872.	5.8	8
96	Rheological properties of titanium-hydroxyapatite with powder space holder composite feedstock for powder injection moulding. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 102, 2591-2599.	3.0	7
97	Improvement of the Electrical-Mechanical Performance of Epoxy/Graphite Composites Based on the Effects of Particle Size and Curing Conditions. <i>Polymers</i> , 2022, 14, 502.	4.5	7
98	Optimization of Micro Metal Injection Molding SS 316L for the Highest Green Strength by Using Taguchi Method. <i>Advanced Materials Research</i> , 2011, 264-265, 135-140.	0.3	6
99	TENSILE PROPERTIES OF UNIDIRECTIONAL KENAF FIBER POLYPROPYLENE COMPOSITE. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.4	6
100	Co-Powder Injection Moulding (Co-PIM) Processing of Titanium Alloy (Ti-6Al-4V) and Hydroxyapatite (HA). <i>Procedia Engineering</i> , 2017, 184, 334-343.	1.2	6
101	Microstructure and physical and mechanical properties of micro cemented carbide injection moulded components. <i>Powder Technology</i> , 2018, 326, 151-158.	4.2	6
102	Influence of Multiwalled Carbon Nanotubes on the Rheological Behavior and Physical Properties of Kenaf Fiber-Reinforced Polypropylene Composites. <i>Polymers</i> , 2020, 12, 2083.	4.5	6
103	Morphology and tensile properties of thermoplastic polyurethane-halloysite nanotube nanocomposites. <i>International Journal of Automotive and Mechanical Engineering</i> , 2015, 12, 2844-2856.	0.9	6
104	Porous titanium alloy/hydroxyapatite composite using powder compaction route. <i>Journal of Mechanical Engineering and Sciences</i> , 2017, 11, 2679-2692.	0.6	6
105	Influence the Filler Orientation on the Performance of Bipolar Plate. <i>Sains Malaysiana</i> , 2019, 48, 669-676.	0.5	6
106	Critical Solid Loading and Rheological Study of WC-10%Co. <i>Applied Mechanics and Materials</i> , 0, 52-54, 97-102.	0.2	5
107	Micro Powder Injection Molding (µPIM): Review. <i>Applied Mechanics and Materials</i> , 0, 52-54, 91-96.	0.2	5
108	Rheological Characterization of Water Atomised Stainless Steel SS316L for Micro MIM. <i>Advanced Materials Research</i> , 2011, 264-265, 129-134.	0.3	5

#	ARTICLE	IF	CITATIONS
109	Quasi-Static Energy Absorption of Pultruded Composite Tubes E-Glass/Polyester under Oblique Loading with Different Cross-Section. <i>Advanced Materials Research</i> , 0, 341-342, 843-847.	0.3	5
110	Reactant Control System for Proton Exchange Membrane Fuel Cell. <i>Procedia Engineering</i> , 2016, 148, 615-620.	1.2	5
111	Kenaf-Biocomposites: Manufacturing, Characterization, and Applications. <i>Green Energy and Technology</i> , 2017, , 225-254.	0.6	5
112	Application of sodium chloride as space holder for powder injection molding of alloy Titanium-Hydroxyapatite composites. <i>Journal of Materials Research and Technology</i> , 2021, 12, 478-486.	5.8	5
113	Effect of Dry and Wet Ball Milling Process on Critical Powder Loading and Mixture Properties of Fine WC-10Co-0.8VC Powder. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014, 59, .	0.4	5
114	Pengoptimuman Proses Penyemperitan Gentian Karbon Terkisar dan Polipropilena bagi Komposit Polimer Pengalir. <i>Sains Malaysiana</i> , 2016, 45, 1913-1921.	0.5	5
115	Effect of Space Holders on Fabrication of Porous Titanium Alloy-Hydroxyapatite Composite through Powder Injection Molding. <i>Sains Malaysiana</i> , 2017, 46, 1651-1657.	0.5	5
116	Effects of Insert Nose Radius and Processing Cutting Parameter on the Surface Roughness of Aisi 316 Stainless Steel. <i>Key Engineering Materials</i> , 0, 447-448, 51-54.	0.4	4
117	Characterization of Fabricated Feedstock Using Nano Powders and a Water-Soluble Binder in Micro Metal Injection Molding. <i>Journal of Nano Research</i> , 2013, 23, 36-42.	0.8	4
118	HA/Ti6Al4V Powder with Palm Stearin Binder System - Feedstock Characterization. <i>Applied Mechanics and Materials</i> , 0, 564, 372-375.	0.2	4
119	Presintered Titanium-Hydroxyapatite Composite Fabricated via PIM Route. <i>Metals</i> , 2021, 11, 318.	2.3	4
120	Sintering Behavior of Bi-Material Micro-Component of 17-4PH Stainless Steel and Yttria-Stabilized Zirconia Produced by Two-Component Micro-Powder Injection Molding Process. <i>Materials</i> , 2022, 15, 2059.	2.9	4
121	Metal Injection Moulding of ZK60 Magnesium Alloy Powder Using Palm Stearin Based Binder System. <i>Advanced Materials Research</i> , 2012, 445, 374-379.	0.3	3
122	CHARACTERIZATION OF HYDROXYAPATITE/TI6AL4V COMPOSITE POWDER UNDER VARIOUS SINTERING TEMPERATURE. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015, 75, .	0.4	3
123	Extrusion Process of Polypropylene Composites Reinforced Milled Carbon Fibre for Conductive Polymer Composite Application. <i>MATEC Web of Conferences</i> , 2018, 248, 01012.	0.2	3
124	Production of Porous Stainless Steel using the Space Holder Method. <i>Sains Malaysiana</i> , 2021, 50, 507-514.	0.5	3
125	The Effects of Maleic Anhydride Grafted PP (MAPP) on the Mechanical Properties of Injection Moulded Kenaf/CNTs/PP Composites. <i>Sains Malaysiana</i> , 2018, 47, 1285-1291.	0.5	3
126	Jig Prototype for Computer-Assisted Total Knee Replacement and Its Flow Simulation. <i>International Journal of Technology</i> , 2016, 7, 132.	0.8	3

#	ARTICLE	IF	CITATIONS
127	Flow Behavior Characteristic for Injection Process Using Nano-Yttria Stabilized Zirconia for Micro Metal Injection Molding (μ MIM). <i>Applied Mechanics and Materials</i> , 0, 44-47, 480-484.	0.2	2
128	Electrical Conductivity and Micro Hardness of Synthetic and Natural Graphite Epoxy Composite. <i>Key Engineering Materials</i> , 0, 447-448, 614-618.	0.4	2
129	The Development of Metal Injection Moulding for ZK60 Magnesium Alloy Using Palm Stearin Based Binder System. <i>Advanced Materials Research</i> , 0, 230-232, 1199-1203.	0.3	2
130	Comparison on Rheology Properties of Polypropylene and Polyethylene as Binder System with Stainless Steel 316L for Metal Injection Moding. <i>Key Engineering Materials</i> , 0, 471-472, 409-414.	0.4	2
131	Effect of Wet Oxidation on the Dispersion and Electrical Properties of Multi-Walled Carbon Nanotubes/Epoxy Nanocomposites. <i>Key Engineering Materials</i> , 0, 471-472, 162-166.	0.4	2
132	Effects of Different Particles Sizes of Graphite on the Engineering Properties of Graphites/Polypropylene Composites on Injection Molding Application. <i>Key Engineering Materials</i> , 0, 471-472, 109-114.	0.4	2
133	Optimization of Injection Parameters Using 16 μ m Stainless Steel Powder (SS316L) at 63 Vol. %, 63.5 Vol. % and 64 Vol. % Powder Loading by Taguchi Method for Metal Injection Molding. <i>Key Engineering Materials</i> , 0, 471-472, 558-562.	0.4	2
134	Effect of mixing parameters on the mixing time and density of composite HA/Ti6Al4V feedstock for powder injection molding. <i>MATEC Web of Conferences</i> , 2017, 101, 03003.	0.2	2
135	Effect of Temperature on the Mechanical Performance of Highly Conductive Composites for HT-PEMFC Application. <i>Jurnal Kejuruteraan</i> , 2018, S11, 25-30.	0.3	2
136	Effects of Vanadium Carbide on Sintered WC-10% Co Produced by Micro-powder Injection Molding. <i>Sains Malaysiana</i> , 2015, 44, 1175-1181.	0.5	2
137	Pengoptimuman Parameter Pengacuan Suntikan terhadap Ketumpatan Jasad Anum untuk Komposit Aloji Titanium-Wolastonit. <i>Sains Malaysiana</i> , 2018, 47, 2869-2875.	0.5	2
138	Effects of the Synthesis Coating Parameters for Metal Bipolar Plates. <i>Sains Malaysiana</i> , 2020, 49, 3179-3188.	0.5	2
139	Modification of the commercial polyester filter media support with electrospun polyethylene terephthalate fibers and its application for air purification. <i>Science and Technology for the Built Environment</i> , 2022, 28, 928-943.	1.7	2
140	Fabrication of Carbon Nanotubes Reinforced Polyethylene Fibers by Melt Spinning: Process Optimization and Mechanical Strength Characterization. <i>Advanced Materials Research</i> , 2007, 26-28, 289-292.	0.3	1
141	Dynamic Thermo-Mechanical Properties of Chemically Surface Modified MWCNTs Reinforced Polymeric Composites. <i>Advanced Materials Research</i> , 2007, 26-28, 285-288.	0.3	1
142	Application of Taguchi Method for Parameters Optimization in Micro Metal Injection Molding. <i>Applied Mechanics and Materials</i> , 2011, 52-54, 244-248.	0.2	1
143	Influence of Polyacrylonitrile (PAN) Concentration on the Mechanical and Physical Properties of Electrospun Fibres. <i>Key Engineering Materials</i> , 0, 471-472, 43-48.	0.4	1
144	Analysis of Energy Absorption on Pultruded Composite Tube under Oblique Loading. <i>Key Engineering Materials</i> , 0, 471-472, 215-220.	0.4	1

#	ARTICLE	IF	CITATIONS
145	Rheological Properties of Cemented Tungsten Carbide Feedstock for Micro Powder Injection. Materials Science Forum, 0, 773-774, 827-832.	0.3	1
146	Characterization of Fabricated Feedstock Using Nano Powders and a Water-Soluble Binder in Micro Metal Injection Molding. Journal of Nano Research, 2013, 25, 174-180.	0.8	1
147	Advantages and Limitations of Using Nano Sized Powders for Powder Injection Molding Process: A Review. Jurnal Teknologi (Sciences and Engineering), 2014, 59, .	0.4	1
148	Effect of Corrosion on the Electrical Conductivity of Metals and Polymer Composite. Jurnal Teknologi (Sciences and Engineering), 2014, 59, .	0.4	1
149	Carbon Fibre Reinforced Polypropylene: An Electrical Conductivity Model. Key Engineering Materials, 0, 791, 29-34.	0.4	1
150	Visualization of the Newly Designed Jig and Fixture for Computer-Assisted Knee Replacement Surgery. Lecture Notes in Computer Science, 2009, , 223-231.	1.3	1
151	Solvent Debinding Process for ZK60 Magnesium Alloy Mim Compact. Jurnal Teknologi (Sciences and) Tj ETQq1 1 0.784314 rgBT /Overlo	0.4	1
152	Pengoptimuman Parameter Sonikasi dan Pengacauan Magnetik bagi Mendapatkan Penyerakan Sebati Komposit Kuprum-Grafin Berdasarkan Sifat Morfologi. Sains Malaysiana, 2018, 47, 1039-1043.	0.5	1
153	Electrospun carboxylâ€functionalised multiâ€walled carbon nanotube/poly(vinyl alcohol) asymmetric pervaporation membrane: Application and modeling. Journal of Applied Polymer Science, 2022, 139, 51953.	2.6	1
154	Electrical Conductivity and Flexural Strength of Graphite/Carbon Nanotubes/Epoxy Nanocomposites. Key Engineering Materials, 2010, 447-448, 643-647.	0.4	0
155	Effects of Molding Parameters and Addition of Fillers on Gate Chip Off Formation during the Degating Process in Transfer Molding. Key Engineering Materials, 0, 447-448, 790-794.	0.4	0
156	Design Approach for Jig in Computer Assisted Total Knee Replacement Surgery. Key Engineering Materials, 0, 447-448, 341-345.	0.4	0
157	Effect of Loading Concentration on the Electrical and Hardness Properties of MWCNT/Epoxy Nanocomposites. Key Engineering Materials, 0, 471-472, 157-161.	0.4	0
158	Effect of the Deposition Time on LSCFâ€SDC Carbonate Thin Film Formation by the Electrophoretic Deposition Method. Advanced Materials Research, 0, 616-618, 1813-1818.	0.3	0
159	Physical, Mechanical and Electrical Properties of W-20 wt.% Cu Composite Produced by Liquid Phase Sintering Process. Advanced Materials Research, 0, 879, 21-26.	0.3	0
160	MOULDABILITY OF WOOD FILLER REINFORCED POLYPROPYLENE COMPOSITE FOR INJECTION MOULDED ENGINE COVER USING MOULD FILING SIMULATION. Jurnal Teknologi (Sciences and Engineering), 2016, 78, .	0.4	0
161	Processing of Stainless Steel (SS316L)-Hydroxyapatite (HA) Powder Composite through Powder Injection Molding. Journal of Physics: Conference Series, 2019, 1198, 042017.	0.4	0
162	Kenaf reinforced polypropylene composites: A numerical simulation. AIP Conference Proceedings, 2021, , .	0.4	0

#	ARTICLE	IF	CITATIONS
163	Enhancing Learning Experience of Novice Surgeon with Virtual Training System for Jig and Fixture Usage. Lecture Notes in Computer Science, 2011, , 238-244.	1.3	0
164	Rheological Behaviour of Novel Feedstock for Manufacturing Porous Stainless Steel via (MIM)-PSH. Jurnal Teknologi (Sciences and Engineering), 2014, 59, .	0.4	0