

# Harald W Platta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1901475/publications.pdf>

Version: 2024-02-01

49  
papers

8,824  
citations

186209

28  
h-index

233338

45  
g-index

49  
all docs

49  
docs citations

49  
times ranked

16644  
citing authors

#	ARTICLE	IF	CITATIONS
1	The ides of MARCH5: The E3 ligase essential for peroxisome degradation by pexophagy. <i>Journal of Cell Biology</i> , 2022, 221, .	2.3	0
2	Guidelines for the use and interpretation of assays for monitoring autophagy (4th) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 702 Td (edition	4.3	1,430
3	The novel peroxin Pex37: the Pxmp2 family joins the peroxisomal fission machinery. <i>FEBS Journal</i> , 2020, 287, 1737-1741.	2.2	1
4	Fluidity and Lipid Composition of Membranes of Peroxisomes, Mitochondria and the ER From Oleic Acid-Induced <i>Saccharomyces cerevisiae</i> . <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 574363.	1.8	10
5	Autophagy Stimulus-Dependent Role of the Small GTPase Ras2 in Peroxisome Degradation. <i>Biomolecules</i> , 2020, 10, 1553.	1.8	0
6	The Peroxisomal PTS1-Import Defect of PEX1- Deficient Cells Is Independent of Pexophagy in <i>Saccharomyces cerevisiae</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 867.	1.8	6
7	Vps10-mediated targeting of Pep4 determines the activity of the vacuole in a substrate-dependent manner. <i>Scientific Reports</i> , 2019, 9, 10557.	1.6	10
8	Vac8 Controls Vacuolar Membrane Dynamics during Different Autophagy Pathways in <i>Saccharomyces cerevisiae</i> . <i>Cells</i> , 2019, 8, 661.	1.8	11
9	The deubiquitination of the PTS1-import receptor Pex5p is required for peroxisomal matrix protein import. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 199-213.	1.9	13
10	mTOR: A Cellular Regulator Interface in Health and Disease. <i>Cells</i> , 2019, 8, 18.	1.8	109
11	The class III phosphatidylinositol 3-kinase Vps34 in <i>Saccharomyces cerevisiae</i> . <i>Biological Chemistry</i> , 2017, 398, 677-685.	1.2	18
12	ATP-driven processes of peroxisomal matrix protein import. <i>Biological Chemistry</i> , 2017, 398, 607-624.	1.2	16
13	Regulation of the Tumor-Suppressor BECLIN 1 by Distinct Ubiquitination Cascades. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2541.	1.8	35
14	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701
15	Regulation of peroxisome dynamics by phosphorylation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 1027-1037.	1.9	41
16	Regulation of peroxisomal matrix protein import by ubiquitination. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2016, 1863, 838-849.	1.9	46
17	Cysteine-specific ubiquitination protects the peroxisomal import receptor Pex5p against proteasomal degradation. <i>Bioscience Reports</i> , 2015, 35, .	1.1	29
18	Autophagy-Related Deubiquitinating Enzymes Involved in Health and Disease. <i>Cells</i> , 2015, 4, 596-621.	1.8	40

#	ARTICLE	IF	CITATIONS
19	Regulation of the Tumor-Suppressor Function of the Class III Phosphatidylinositol 3-Kinase Complex by Ubiquitin and SUMO. <i>Cancers</i> , 2015, 7, 1-29.	1.7	28
20	Structural Insights into Cargo Recognition by the Yeast PTS1 Receptor. <i>Journal of Biological Chemistry</i> , 2015, 290, 26610-26626.	1.6	27
21	The Cytosolic Domain of Pex22p Stimulates the Pex4p-Dependent Ubiquitination of the PTS1-Receptor. <i>PLoS ONE</i> , 2014, 9, e105894.	1.1	24
22	The peroxisomal receptor dislocation pathway: To the exportomer and beyond. <i>Biochimie</i> , 2014, 98, 16-28.	1.3	66
23	The Peroxisomal Exportomer. , 2014, , 347-370.		1
24	FE65 regulates and interacts with the Bloom syndrome protein in dynamic nuclear spheres – potential relevance to Alzheimer's disease. <i>Journal of Cell Science</i> , 2013, 126, 2480-92.	1.2	21
25	The exportomer: the peroxisomal receptor export machinery. <i>Cellular and Molecular Life Sciences</i> , 2013, 70, 1393-1411.	2.4	53
26	Import of proteins into the peroxisomal matrix. <i>Frontiers in Physiology</i> , 2013, 4, 261.	1.3	71
27	Distinct Ubiquitination Cascades Act on the Peroxisomal Targeting Signal Type 2 Co-receptor Pex18p. <i>Traffic</i> , 2013, 14, 1290-1301.	1.3	35
28	Nedd4-dependent lysine-11-linked polyubiquitination of the tumour suppressor Beclin 1. <i>Biochemical Journal</i> , 2012, 441, 399-406.	1.7	134
29	The PtdIns3P-binding Protein Phafin 2 Mediates Epidermal Growth Factor Receptor Degradation by Promoting Endosome Fusion. <i>Traffic</i> , 2012, 13, 1547-1563.	1.3	27
30	Molecular basis of peroxisomal biogenesis disorders caused by defects in peroxisomal matrix protein import. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 1326-1336.	1.8	35
31	The Amyloid Precursor Protein (APP) Family Members are Key Players in S-adenosylmethionine Formation by MAT2A and Modify BACE1 and PSEN1 Gene Expression-Relevance for Alzheimer's Disease. <i>Molecular and Cellular Proteomics</i> , 2012, 11, 1274-1288.	2.5	30
32	Ubiquitination and phosphorylation of Beclin 1 and its binding partners: Tuning class III phosphatidylinositol 3-kinase activity and tumor suppression. <i>FEBS Letters</i> , 2012, 586, 1584-1591.	1.3	77
33	The AAA-type ATPases Pex1p and Pex6p and their role in peroxisomal matrix protein import in <i>Saccharomyces cerevisiae</i> . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012, 1823, 150-158.	1.9	34
34	The RING-type ubiquitin ligases Pex2p, Pex10p and Pex12p form a heteromeric complex that displays enhanced activity in an ubiquitin conjugating enzyme-selective manner. <i>FEBS Journal</i> , 2012, 279, 2060-2070.	2.2	49
35	The phosphoinositide 3-kinase Vps34p is required for pexophagy in <i>Saccharomyces cerevisiae</i> . <i>Biochemical Journal</i> , 2011, 434, 161-170.	1.7	27
36	Endocytosis and signaling. <i>Current Opinion in Cell Biology</i> , 2011, 23, 393-403.	2.6	249

#	ARTICLE	IF	CITATIONS
37	Ubp15p, a Ubiquitin Hydrolase Associated with the Peroxisomal Export Machinery. <i>Journal of Biological Chemistry</i> , 2011, 286, 28223-28234.	1.6	98
38	Cysteine-dependent Ubiquitination of Pex18p Is Linked to Cargo Translocation across the Peroxisomal Membrane. <i>Journal of Biological Chemistry</i> , 2011, 286, 43495-43505.	1.6	76
39	Pex2 and Pex12 Function as Protein-Ubiquitin Ligases in Peroxisomal Protein Import. <i>Molecular and Cellular Biology</i> , 2009, 29, 5505-5516.	1.1	165
40	Protein transport across the peroxisomal membrane. <i>Biological Chemistry</i> , 2009, 390, 745-51.	1.2	32
41	The AAA peroxins Pex1p and Pex6p function as dislocases for the ubiquitinated peroxisomal import receptor Pex5p. <i>Biochemical Society Transactions</i> , 2008, 36, 99-104.	1.6	42
42	Ubiquitination of the peroxisomal import receptor Pex5p is required for its recycling. <i>Journal of Cell Biology</i> , 2007, 177, 197-204.	2.3	184
43	Function of the Ubiquitinâ€Conjugating Enzyme Pex4p and the AAA Peroxin Complex Pex1p/Pex6p in Peroxisomal Matrix Protein Transport. <i>The Enzymes</i> , 2007, , 541-572.	0.7	1
44	The peroxisomal protein import machinery. <i>FEBS Letters</i> , 2007, 581, 2811-2819.	1.3	98
45	Peroxisomal dynamics. <i>Trends in Cell Biology</i> , 2007, 17, 474-484.	3.6	147
46	Membrane Association of the Cycling Peroxisome Import Receptor Pex5p. <i>Journal of Biological Chemistry</i> , 2006, 281, 27003-27015.	1.6	103
47	Functional role of the AAA peroxins in dislocation of the cycling PTS1 receptor back to the cytosol. <i>Nature Cell Biology</i> , 2005, 7, 817-822.	4.6	211
48	Ubiquitination of the peroxisomal import receptor Pex5p. <i>Biochemical Journal</i> , 2004, 384, 37-45.	1.7	162
49	The cycling peroxisomal targeting signal type 1 - receptor Pex5p: reaching the circle's end with ubiquitin. <i>International Journal of Mechanical Engineering and Applications</i> , 0, , .	0.3	1