

Eslam Pourbasheer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1901809/publications.pdf>

Version: 2024-02-01

82
papers

1,564
citations

279798

23
h-index

361022

35
g-index

83
all docs

83
docs citations

83
times ranked

1431
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel visible-light TiO ₂ /Bi ₃ O ₄ Br photocatalysts with n-n heterojunction: Highly impressive performance for elimination of tetracycline and dye contaminants. <i>Optical Materials</i> , 2022, 123, 111831.	3.6	8
2	Extraction of Trace Quantities of Copper Using Novel Modified Magnetite Nanoparticles for Atomic Absorption Spectrometry Analysis. <i>Current Analytical Chemistry</i> , 2022, 18, 907-913.	1.2	1
3	Fluorescence resonance energy transfer between carbon quantum dots and silver nanoparticles: Application to mercuric ion sensing. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021, 245, 118924.	3.9	24
4	Anti-fouling polyethersulfone nanofiltration membranes aided by amine-functionalized boron nitride nanosheets with improved separation performance. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104454.	6.7	26
5	Anti-fouling and permeable polyvinyl chloride nanofiltration membranes embedded by hydrophilic graphene quantum dots for dye wastewater treatment. <i>Journal of Water Process Engineering</i> , 2020, 38, 101652.	5.6	47
6	QSAR study of CK2 inhibitors by GA-MLR and GA-SVM methods. <i>Arabian Journal of Chemistry</i> , 2019, 12, 2141-2149.	4.9	8
7	Application of Advanced Electrochemical Methods with Nanomaterial-based Electrodes as Powerful Tools for Trace Analysis of Drugs and Toxic Compounds. <i>Current Analytical Chemistry</i> , 2019, 15, 143-151.	1.2	10
8	Recent Advances in Biosensors Based Nanostructure for Pharmaceutical Analysis. <i>Current Analytical Chemistry</i> , 2019, 15, 152-158.	1.2	3
9	2,2â€™-(butane-1,4-diylbis(oxy))dibenzaldehyde cross-linked magnetic chitosan nanoparticles as a new adsorbent for the removal of reactive red 239 from aqueous solutions. <i>Materials Chemistry and Physics</i> , 2018, 212, 1-11.	4.0	27
10	Design of a novel optical sensor for determination of trace amounts of copper by UVâ€™visible spectrophotometry in real samples. <i>Applied Organometallic Chemistry</i> , 2018, 32, e4110.	3.5	9
11	Simultaneous Spectrophotometric Determination of Aspirin and Dipyridamole in Pharmaceutical Formulations Using the Multivariate Calibration Methods. <i>Current Pharmaceutical Analysis</i> , 2018, 14, 419-425.	0.6	3
12	Adsorption equilibrium and thermodynamics of anionic reactive dyes from aqueous solutions by using a new modified silica gel with 2,2â€™-(pentane-1,5-diylbis(oxy))dibenzaldehyde. <i>Chemical Engineering Research and Design</i> , 2017, 123, 50-62.	5.6	32
13	Preconcentration and determination of 2â€™mercaptobenzimidazole by dispersive liquidâ€™liquid microextraction and experimental design. <i>Journal of Separation Science</i> , 2017, 40, 2467-2473.	2.5	9
14	Synthesis of silica gel modified with 2,2â€™-(hexane-1,6-diylbis(oxy)) dibenzaldehyde as a new adsorbent for the removal of Reactive Yellow 84 and Reactive Blue 19 dyes from aqueous solutions: Equilibrium and thermodynamic studies. <i>Powder Technology</i> , 2017, 319, 60-70.	4.2	48
15	Synthesis, characterization, and molecular structures of Ni(II) and Cd(II) complexes derived from dithiophosphonate. <i>Heteroatom Chemistry</i> , 2017, 28, e21367.	0.7	0
16	The comparison of partial least squares and principal component regression in simultaneous spectrophotometric determination of ascorbic acid, dopamine and uric acid in real samples. <i>Arabian Journal of Chemistry</i> , 2017, 10, S3451-S3458.	4.9	48
17	Quantitative structure activity relationship study of p38Î± MAP kinase inhibitors. <i>Arabian Journal of Chemistry</i> , 2017, 10, 33-40.	4.9	18
18	QSAR Study of 17Î²-HSD3 Inhibitors by Genetic Algorithm-Support Vector Machine as a Target Receptor for the Treatment of Prostate Cancer. <i>Iranian Journal of Pharmaceutical Research</i> , 2017, 16, 966-980.	0.5	8

#	ARTICLE	IF	CITATIONS
19	QSAR modeling of antimalarial activity of urea derivatives using genetic algorithm and multiple linear regressions. <i>Journal of Saudi Chemical Society</i> , 2016, 20, 282-290.	5.2	48
20	3D-QSAR and molecular docking study of LRRK2 kinase inhibitors by CoMFA and CoMSIA methods. SAR and QSAR in <i>Environmental Research</i> , 2016, 27, 385-407.	2.2	15
21	Preconcentration and determination of ceftazidime in real samples using dispersive liquid-liquid microextraction and high-performance liquid chromatography with the aid of experimental design. <i>Journal of Separation Science</i> , 2016, 39, 4116-4123.	2.5	11
22	Synthesis, characterization, and molecular structures of Ni(II) and Cd(II) complexes derived from dithiophosphonate. <i>Heteroatom Chemistry</i> , 2016, 27, 353-360.	0.7	5
23	Mixed hemimicelles solid-phase extraction based on sodium dodecyl sulfate (SDS)-coated nano-magnets for the spectrophotometric determination of Fingolomid in biological fluids. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2016, 153, 599-604.	3.9	29
24	QSAR study of HCV NS5B polymerase inhibitors using the genetic algorithm-multiple linear regression (GA-MLR). <i>EXCLI Journal</i> , 2016, 15, 38-53.	0.7	7
25	2D and 3D-QSAR analysis of pyrazole-thiazolinone derivatives as EGFR kinase inhibitors by CoMFA and CoMSIA. <i>Current Computer-Aided Drug Design</i> , 2016, 11, 292-303.	1.2	5
26	Biomimetic Electrochemical Sensors Based on Imprinted Polymers for Determination of Mercury Ion. <i>Current Analytical Chemistry</i> , 2016, 13, 62-69.	1.2	7
27	Application of New Advanced Electrochemical Methods Combine with Nano-Based Materials Sensor in Drugs Analysis. <i>Current Analytical Chemistry</i> , 2016, 13, 70-80.	1.2	19
28	P0913 : Interactions study of HCV NSB5 polymerase inhibitors with NSB5 non-structured proteins toward better design of new inhibitors based on molecular docking and pharmacophore methods. <i>Journal of Hepatology</i> , 2015, 62, S687.	3.7	0
29	QSPR study on solubility of some fullerenes derivatives using the genetic algorithms and Multiple linear regression. <i>Journal of Molecular Liquids</i> , 2015, 204, 162-169.	4.9	27
30	Application of genetic algorithm - multiple linear regressions to predict the activity of RSK inhibitors. <i>Journal of the Serbian Chemical Society</i> , 2015, 80, 187-196.	0.8	4
31	3D-QSAR and docking studies on adenosine A _{2A} receptor antagonists by the CoMFA method. SAR and QSAR in <i>Environmental Research</i> , 2015, 26, 461-477.	2.2	18
32	Optimization of dispersive liquid-liquid microextraction combined with high performance liquid chromatography for the analysis of dipyrindamole in water and urine samples. <i>Monatshefte für Chemie</i> , 2015, 146, 1593-1601.	1.8	11
33	QSAR study of VEGFR-2 inhibitors by using genetic algorithm-multiple linear regressions (GA-MLR) and genetic algorithm-support vector machine (GA-SVM): a comparative approach. <i>Medicinal Chemistry Research</i> , 2015, 24, 3037-3046.	2.4	39
34	QSAR study of prolylcarboxypeptidase inhibitors by genetic algorithm: Multiple linear regressions. <i>Journal of Chemical Sciences</i> , 2015, 127, 1243-1251.	1.5	4
35	Analysis of B-Raf $V600E$ inhibitors using 2D and 3D-QSAR, molecular docking and pharmacophore studies. <i>Molecular Diversity</i> , 2015, 19, 915-930.	3.9	8
36	Synthesis and characterization of new modified silica coated magnetite nanoparticles with bisaldehyde as selective adsorbents of Ag(⁺) from aqueous samples. <i>RSC Advances</i> , 2015, 5, 83304-83313.	3.6	25

#	ARTICLE	IF	CITATIONS
37	Simple QSPR Modeling for Prediction of the GC Retention Indices of Essential Oil Compounds. Journal of Essential Oil-bearing Plants: JEOP, 2015, 18, 1298-1309.	1.9	3
38	Catalytic activity and antibacterial properties of nanopolymer-supported copper complex for C&N coupling reactions of amines and nitrogen-containing heterocycles with aryl halides. Monatshefte für Chemie, 2015, 146, 1329-1334.	1.8	8
39	Design of a novel optical sensor for determination of trace amounts of copper by UV/vis spectrophotometry in the real samples. Journal of Industrial and Engineering Chemistry, 2015, 26, 370-374.	5.8	41
40	Prediction of PCE of fullerene (C ₆₀) derivatives as polymer solar cell acceptors by genetic algorithm&multiple linear regression. Journal of Industrial and Engineering Chemistry, 2015, 21, 1058-1067.	5.8	13
41	Prediction of Superoxide Quenching Activity of Fullerene (C ₆₀) Derivatives by Genetic Algorithm-Support Vector Machine. Fullerenes Nanotubes and Carbon Nanostructures, 2015, 23, 290-299.	2.1	8
42	3D-QSAR analysis of MCD inhibitors by CoMFA and CoMSIA. Combinatorial Chemistry and High Throughput Screening, 2015, 18, 751-766.	1.1	3
43	Determination of Optimum Values of Descriptors to Set Filters for Synthetic Tri-Pyrrole Derivatives (Prodiginines) Against Multi Drug Resistant Strain of &Plasmodium Falciparum&. Current Research in Drug Discovery, 2014, 1, 51-59.	0.4	1
44	QSAR study of ACK1 inhibitors by genetic algorithm&multiple linear regression (GA&MLR). Journal of Saudi Chemical Society, 2014, 18, 681-688.	5.2	13
45	3D-QSAR analysis of anti-cancer agents by CoMFA and CoMSIA. Medicinal Chemistry Research, 2014, 23, 800-809.	2.4	10
46	QSAR study of IKK ² inhibitors by the genetic algorithm: multiple linear regressions. Medicinal Chemistry Research, 2014, 23, 57-66.	2.4	22
47	Molecular docking and 3D-QSAR studies on the MAPKAP-K2 inhibitors. Medicinal Chemistry Research, 2014, 23, 2252-2263.	2.4	8
48	QSAR study of Nav1.7 antagonists by multiple linear regression method based on genetic algorithm (GA&MLR). Medicinal Chemistry Research, 2014, 23, 2264-2276.	2.4	9
49	QSAR study of mGlu5 inhibitors by genetic algorithm-multiple linear regressions. Medicinal Chemistry Research, 2014, 23, 3082-3091.	2.4	7
50	QSAR study of $\alpha_1\beta_4$ integrin inhibitors by GA-MLR and GA-SVM methods. Structural Chemistry, 2014, 25, 355-370.	2.0	23
51	Dispersive liquid&liquid microextraction for preconcentration and determination of phenytoin in real samples using response surface methodology-high performance liquid chromatography. RSC Advances, 2014, 4, 62190-62196.	3.6	17
52	2D and 3D Quantitative Structure&Activity Relationship Study of Hepatitis C Virus NS5B Polymerase Inhibitors by Comparative Molecular Field Analysis and Comparative Molecular Similarity Indices Analysis Methods. Journal of Chemical Information and Modeling, 2014, 54, 2902-2914.	5.4	46
53	Simultaneous spectrophotometric determination of ceftazidime and sulbactam using multivariate calibration methods. RSC Advances, 2014, 4, 41039-41044.	3.6	17
54	QSAR study on hERG inhibitory effect of kappa opioid receptor antagonists by linear and non-linear methods. Medicinal Chemistry Research, 2013, 22, 4047-4058.	2.4	18

#	ARTICLE	IF	CITATIONS
55	QSAR study on the histamine (H3) receptor antagonists using the genetic algorithm: Multi parameter linear regression. <i>Journal of the Serbian Chemical Society</i> , 2012, 77, 639-650.	0.8	4
56	Quantitative Structure-Activity Relationship Study of Amino Acid Derivatives as Histone Deacetylase Inhibitors using the Genetic Algorithm – Multiple Linear Regression. <i>Analytical Chemistry Letters</i> , 2012, 2, 33-43.	1.0	2
57	An efficient piecewise linear model for predicting activity of caspase-3 inhibitors. <i>DARU, Journal of Pharmaceutical Sciences</i> , 2012, 20, 31.	2.0	13
58	Prediction of Solubility of Fullerene C60 in Various Organic Solvents by Genetic Algorithm-Multiple Linear Regression. <i>Fullerenes Nanotubes and Carbon Nanostructures</i> , 2011, 19, 585-598.	2.1	16
59	Simultaneous spectrophotometric determination of xanthine, hypoxanthine and uric acid in real matrix by orthogonal signal correction-partial least squares. <i>Journal of the Iranian Chemical Society</i> , 2011, 8, 1113-1119.	2.2	18
60	QSAR study of C allosteric binding site of HCV NS5B polymerase inhibitors by support vector machine. <i>Molecular Diversity</i> , 2011, 15, 645-653.	3.9	20
61	QSAR study on melanocortin-4 receptors by support vector machine. <i>European Journal of Medicinal Chemistry</i> , 2010, 45, 1087-1093.	5.5	32
62	Simultaneous Spectrophotometric Determination of Thiouracil and Mercaptobenzimidazole in Animal Tissue Using Multivariate Calibration Methods: Concerns and Rapid Methods for Detection. <i>Journal of Food Science</i> , 2010, 75, C135-9.	3.1	7
63	Quantitative structure-activity relationship (QSAR) study of interleukin-1 receptor associated kinase 4 (IRAK-4) inhibitor activity by the genetic algorithm and multiple linear regression (GA-MLR) method. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2010, 25, 844-853.	5.2	36
64	Quantitative structure-retention relationship (QSRR) models for predicting the GC retention times of essential oil components. <i>Acta Chromatographica</i> , 2010, 22, 357-373.	1.3	2
65	Application of principal component-genetic algorithm-artificial neural network for prediction acidity constant of various nitrogen-containing compounds in water. <i>Monatshefte für Chemie</i> , 2009, 140, 15-27.	1.8	46
66	Spectrophotometric simultaneous determination of ceratine, creatinine, and uric acid in real samples by orthogonal signal correction-partial least squares regression. <i>Monatshefte für Chemie</i> , 2009, 140, 685-691.	1.8	13
67	Support Vector Machine-Based Quantitative Structure-Activity Relationship Study of Cholesteryl Ester Transfer Protein Inhibitors. <i>Chemical Biology and Drug Design</i> , 2009, 73, 558-571.	3.2	14
68	Quantitative Structure-Activity Relationship Study on the Anti-HIV Activity of Novel Naphthylthio HEPT Analogs. <i>Chemical Biology and Drug Design</i> , 2009, 74, 165-172.	3.2	7
69	Investigation of different linear and nonlinear chemometric methods for modeling of retention index of essential oil components: Concerns to support vector machine. <i>Journal of Hazardous Materials</i> , 2009, 166, 853-859.	12.4	90
70	Application of genetic algorithm-support vector machine (GA-SVM) for prediction of BK-channels activity. <i>European Journal of Medicinal Chemistry</i> , 2009, 44, 5023-5028.	5.5	93
71	Development of a New Combined Chemometrics Method, Applied in the Simultaneous Voltammetric Determination of Cinnamic Acid and 3, 4-Dihydroxy Benzoic Acid. <i>Current Analytical Chemistry</i> , 2009, 5, 42-47.	1.2	10
72	Prediction of basicity constants of various pyridines in aqueous solution using a principal component-genetic algorithm-artificial neural network. <i>Monatshefte für Chemie</i> , 2008, 139, 1423-1431.	1.8	32

#	ARTICLE	IF	CITATIONS
73	QSRR Study of GC Retention Indices of Essential-Oil Compounds by Multiple Linear Regression with a Genetic Algorithm. <i>Chromatographia</i> , 2008, 67, 917-922.	1.3	62
74	Exploring QSARs for Antiviral Activity of 4-(Alkylamino)-6-(2-hydroxyethyl)-2-methylthiopyrimidines by Support Vector Machine. <i>Chemical Biology and Drug Design</i> , 2008, 72, 205-216.	3.2	26
75	QSAR Study of 2-(1-Propylpiperidin-4-yl)-1H-Benzimidazole-4-Carboxamide as PARP Inhibitors for Treatment of Cancer. <i>Chemical Biology and Drug Design</i> , 2008, 72, 575-584.	3.2	22
76	Genetic-Algorithm-Based Wavelength Selection in Multicomponent Spectrophotometric Determination by PLS: Application on Ascorbic Acid and Uric Acid Mixture. <i>Journal of the Chinese Chemical Society</i> , 2008, 55, 163-170.	1.4	20
77	QSPR Study of the Distribution Coefficient Property for Hydantoin and 5-Arylidene Derivatives. A Genetic Algorithm Application for the Variable Selection in the MLR and PLS Methods. <i>Journal of the Chinese Chemical Society</i> , 2008, 55, 1086-1093.	1.4	12
78	Development and Validation of a Rapid Chemometrics-Assisted Spectrophotometry and Liquid Chromatography Methods for the Simultaneous Determination of the Phenylalanine, Tryptophan and Tyrosine in the Pharmaceutical Products. <i>Current Pharmaceutical Analysis</i> , 2008, 4, 231-237.	0.6	15
79	Prediction of Melting Point for Drug-like Compounds Using Principal Component-Genetic Algorithm-Artificial Neural Network. <i>Bulletin of the Korean Chemical Society</i> , 2008, 29, 833-841.	1.9	41
80	Comparative Study of the Derivative and Partial Least Squares Methods Applied to the Spectrophotometric Simultaneous Determination of Atorvastatin and Amlodipine from their Combined Drug Products. <i>Current Pharmaceutical Analysis</i> , 2007, 3, 268-272.	0.6	29
81	A quantitative structure-activity relationship study on CXL017 derivatives as effective drugs for cancer treatment. <i>Journal of the Chinese Chemical Society</i> , 0, , .	1.4	1
82	Magnetic solid-phase extraction and spectrophotometric determination of pseudoephedrine in real samples. <i>Journal of the Chinese Chemical Society</i> , 0, , .	1.4	3