

# Addie Middleton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1902236/publications.pdf>

Version: 2024-02-01

47  
papers

1,971  
citations

471061

17  
h-index

264894

42  
g-index

47  
all docs

47  
docs citations

47  
times ranked

3217  
citing authors

#	ARTICLE	IF	CITATIONS
1	Walking Speed: The Functional Vital Sign. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 314-322.	0.5	770
2	Determining Risk of Falls in Community Dwelling Older Adults: A Systematic Review and Meta-analysis Using Posttest Probability. <i>Journal of Geriatric Physical Therapy</i> , 2017, 40, 1-36.	0.6	355
3	Effect of Home- and Community-Based Physical Activity Interventions on Physical Function Among Cancer Survivors: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1652-1665.	0.5	86
4	COVID-19 Pandemic and Beyond: Considerations and Costs of Telehealth Exercise Programs for Older Adults With Functional Impairments Living at Home—Lessons Learned From a Pilot Case Study. <i>Physical Therapy</i> , 2020, 100, 1278-1288.	1.1	79
5	Self-Selected and Maximal Walking Speeds Provide Greater Insight Into Fall Status Than Walking Speed Reserve Among Community-Dwelling Older Adults. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 475-482.	0.7	65
6	Self-Selected Walking Speed Is Predictive of Daily Ambulatory Activity in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 214-222.	0.5	43
7	Using clinical and robotic assessment tools to examine the feasibility of pairing tDCS with upper extremity physical therapy in patients with stroke and TBI: A consideration-of-concept pilot study. <i>NeuroRehabilitation</i> , 2014, 35, 741-754.	0.5	38
8	Concurrent validity of walking speed values calculated via the GAITRite electronic walkway and 3 meter walk test in the chronic stroke population. <i>Physiotherapy Theory and Practice</i> , 2014, 30, 183-188.	0.6	37
9	Cortical disconnection of the ipsilesional primary motor cortex is associated with gait speed and upper extremity motor impairment in chronic left hemispheric stroke. <i>Human Brain Mapping</i> , 2018, 39, 120-132.	1.9	35
10	Balance impairment limits ability to increase walking speed in individuals with chronic stroke. <i>Disability and Rehabilitation</i> , 2017, 39, 497-502.	0.9	32
11	Motor and Cognitive Functional Status Are Associated with 30-day Unplanned Rehospitalization Following Post-Acute Care in Medicare Fee-for-Service Beneficiaries. <i>Journal of General Internal Medicine</i> , 2016, 31, 1427-1434.	1.3	27
12	Health Services Research in Rehabilitation and Disability—The Time is Now. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 198-203.	0.5	26
13	Body Weight—Supported Treadmill Training Is No Better Than Overground Training for Individuals with Chronic Stroke: A Randomized Controlled Trial. <i>Topics in Stroke Rehabilitation</i> , 2014, 21, 462-476.	1.0	24
14	Functional Status Is Associated With 30-Day Potentially Preventable Readmissions Following Skilled Nursing Facility Discharge Among Medicare Beneficiaries. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 348-354.e4.	1.2	24
15	New Institutionalization in Long-Term Care After Hospital Discharge to Skilled Nursing Facility. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 56-63.	1.3	24
16	Trajectories Over the First Year of Long-Term Care Nursing Home Residence. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 333-341.	1.2	23
17	Functional Status Is Associated With 30-Day Potentially Preventable Hospital Readmissions After Inpatient Rehabilitation Among Aged Medicare Fee-for-Service Beneficiaries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1067-1076.	0.5	23
18	Impact of Diabetes on 90-Day Episodes of Care After Elective Total Joint Arthroplasty Among Medicare Beneficiaries. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 2157-2165.	1.4	20

#	ARTICLE	IF	CITATIONS
19	Individuals With Chronic Traumatic Brain Injury Improve Walking Speed and Mobility With Intensive Mobility Training. Archives of Physical Medicine and Rehabilitation, 2014, 95, 1454-1460.	0.5	19
20	Outcomes Over 90-Day Episodes of Care in Medicare Fee-for-Service Beneficiaries Receiving Joint Arthroplasty. Journal of Arthroplasty, 2017, 32, 2639-2647.e1.	1.5	18
21	Dementia Severity Associated With Increased Risk of Potentially Preventable Readmissions During Home Health Care. Journal of the American Medical Directors Association, 2020, 21, 519-524.e3.	1.2	18
22	Functional Status Is Associated With 30-Day Potentially Preventable Readmissions Following Home Health Care. Medical Care, 2019, 57, 145-151.	1.1	18
23	The six-minute walk test as a fall risk screening tool in community programs for persons with stroke: a cross-sectional analysis. Topics in Stroke Rehabilitation, 2020, 27, 118-126.	1.0	15
24	Upper and Lower Limb Motor Function Correlates with Ipsilesional Corticospinal Tract and Red Nucleus Structural Integrity in Chronic Stroke: A Cross-Sectional, ROI-Based MRI Study. Behavioural Neurology, 2021, 2021, 1-10.	1.1	14
25	Facility and Geographic Variation in Rates of Successful Community Discharge After Inpatient Rehabilitation Among Medicare Fee-for-Service Beneficiaries. JAMA Network Open, 2018, 1, e184332.	2.8	13
26	Readmission Patterns Over 90-Day Episodes of Care Among Medicare Fee-for-Service Beneficiaries Discharged to Post-acute Care. Journal of the American Medical Directors Association, 2018, 19, 896-901.	1.2	13
27	Effects of Acute Postacute Continuity on Community Discharge and 30-Day Rehospitalization Following Inpatient Rehabilitation. Health Services Research, 2017, 52, 1631-1646.	1.0	11
28	Longitudinal Investigation of Rehospitalization Patterns in Spinal Cord Injury and Traumatic Brain Injury Among Medicare Beneficiaries. Archives of Physical Medicine and Rehabilitation, 2017, 98, 997-1003.	0.5	10
29	Improvement During Inpatient Rehabilitation Among Older Adults With Guillain-Barré Syndrome, Multiple Sclerosis, Parkinson Disease, and Stroke. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 879-884.	0.7	10
30	Program Interruptions and Short-Stay Transfers Represent Potential Targets for Inpatient Rehabilitation Care-Improvement Efforts. American Journal of Physical Medicine and Rehabilitation, 2016, 95, 850-861.	0.7	9
31	Function and Caregiver Support Associated With Readmissions During Home Health for Individuals With Dementia. Archives of Physical Medicine and Rehabilitation, 2020, 101, 1009-1016.	0.5	8
32	Measurements of Weight Bearing Asymmetry Using the Nintendo Wii Fit Balance Board Are Not Reliable for Older Adults and Individuals With Stroke. Journal of Geriatric Physical Therapy, 2017, 40, 37-41.	0.6	7
33	Hospital Variation in Rates of New Institutionalizations Within 6 Months of Discharge. Journal of the American Geriatrics Society, 2017, 65, 1206-1213.	1.3	7
34	Potentially Preventable Within-Stay Readmissions Among Medicare Fee-for-Service Beneficiaries Receiving Inpatient Rehabilitation. PM and R, 2017, 9, 1095-1105.	0.9	7
35	Differences Between Skilled Nursing Facilities in Risk of Subsequent Long-Term Care Placement. Journal of the American Geriatrics Society, 2018, 66, 1880-1886.	1.3	7
36	Lessons Learned: The Difficulties of Incorporating Intensity Principles Into Inpatient Stroke Rehabilitation. Archives of Rehabilitation Research and Clinical Translation, 2020, 2, 100052.	0.5	6

#	ARTICLE	IF	CITATIONS
37	Variation in Facility-Level Rates of All-Cause and Potentially Preventable 30-Day Hospital Readmissions Among Medicare Fee-for-Service Beneficiaries After Discharge From Postacute Inpatient Rehabilitation. <i>JAMA Network Open</i> , 2019, 2, e1917559.	2.8	6
38	Intrarater and interrater reliability of a hand-held dynamometric technique to quantify palmar thumb abduction strength in individuals with and without carpal tunnel syndrome. <i>Journal of Hand Therapy</i> , 2018, 31, 554-561.	0.7	5
39	Implementing stratified care for acute low back pain in primary care using the STarT Back instrument: a process evaluation within the context of a large pragmatic cluster randomized trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 776.	0.8	5
40	Higher Frequency of Acute Occupational Therapy Services Is Associated With Reduced Hospital Readmissions. <i>American Journal of Occupational Therapy</i> , 2022, 76, .	0.1	5
41	Mobility Status and Acute Care Physical Therapy Utilization: The Moderating Roles of Age, Significant Others, and Insurance Type. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1600-1606.e1.	0.5	4
42	Same But Different: FIM Summary Scores May Mask Variability in Physical Functioning Profiles. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1479-1482.e1.	0.5	3
43	A Bayesian analysis of non-significant rehabilitation findings: Evaluating the evidence in favour of truly absent treatment effects. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101425.	1.1	1
44	Evaluating the Strength of Evidence in Favor of Rehabilitation Effects: A Bayesian Analysis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101503.	1.1	1
45	FUNCTIONAL STATUS ASSOCIATED WITH RISK OF READMISSION DURING HOME HEALTH CARE FOR PATIENTS WITH DEMENTIA. <i>Innovation in Aging</i> , 2019, 3, S823-S823.	0.0	0
46	GREATER DEMENTIA SEVERITY IS ASSOCIATED WITH INCREASED RISK OF POTENTIALLY PREVENTABLE READMISSIONS DURING HOME HEALTH CARE. <i>Innovation in Aging</i> , 2019, 3, S119-S120.	0.0	0
47	Risk Factors for Disability Progression Among Mexican-American Older Adults. <i>American Journal of Occupational Therapy</i> , 2018, 72, 7211510193p1-7211510193p1.	0.1	0