

Addie Middleton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1902236/publications.pdf>

Version: 2024-02-01

47
papers

1,971
citations

471061

17
h-index

264894

42
g-index

47
all docs

47
docs citations

47
times ranked

3217
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Evaluating the Strength of Evidence in Favor of Rehabilitation Effects: A Bayesian Analysis. <i>Annals of Physical and Rehabilitation Medicine</i> , 2022, 65, 101503. | 1.1 | 1 |
| 2 | Mobility Status and Acute Care Physical Therapy Utilization: The Moderating Roles of Age, Significant Others, and Insurance Type. <i>Archives of Physical Medicine and Rehabilitation</i> , 2022, 103, 1600-1606.e1. | 0.5 | 4 |
| 3 | Higher Frequency of Acute Occupational Therapy Services Is Associated With Reduced Hospital Readmissions. <i>American Journal of Occupational Therapy</i> , 2022, 76, . | 0.1 | 5 |
| 4 | A Bayesian analysis of non-significant rehabilitation findings: Evaluating the evidence in favour of truly absent treatment effects. <i>Annals of Physical and Rehabilitation Medicine</i> , 2021, 64, 101425. | 1.1 | 1 |
| 5 | Upper and Lower Limb Motor Function Correlates with Ipsilesional Corticospinal Tract and Red Nucleus Structural Integrity in Chronic Stroke: A Cross-Sectional, ROI-Based MRI Study. <i>Behavioural Neurology</i> , 2021, 2021, 1-10. | 1.1 | 14 |
| 6 | The six-minute walk test as a fall risk screening tool in community programs for persons with stroke: a cross-sectional analysis. <i>Topics in Stroke Rehabilitation</i> , 2020, 27, 118-126. | 1.0 | 15 |
| 7 | Dementia Severity Associated With Increased Risk of Potentially Preventable Readmissions During Home Health Care. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 519-524.e3. | 1.2 | 18 |
| 8 | Implementing stratified care for acute low back pain in primary care using the STarT Back instrument: a process evaluation within the context of a large pragmatic cluster randomized trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 776. | 0.8 | 5 |
| 9 | COVID-19 Pandemic and Beyond: Considerations and Costs of Telehealth Exercise Programs for Older Adults With Functional Impairments Living at Home—Lessons Learned From a Pilot Case Study. <i>Physical Therapy</i> , 2020, 100, 1278-1288. | 1.1 | 79 |
| 10 | Lessons Learned: The Difficulties of Incorporating Intensity Principles Into Inpatient Stroke Rehabilitation. <i>Archives of Rehabilitation Research and Clinical Translation</i> , 2020, 2, 100052. | 0.5 | 6 |
| 11 | Function and Caregiver Support Associated With Readmissions During Home Health for Individuals With Dementia. <i>Archives of Physical Medicine and Rehabilitation</i> , 2020, 101, 1009-1016. | 0.5 | 8 |
| 12 | Impact of Diabetes on 90-Day Episodes of Care After Elective Total Joint Arthroplasty Among Medicare Beneficiaries. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 2157-2165. | 1.4 | 20 |
| 13 | FUNCTIONAL STATUS ASSOCIATED WITH RISK OF READMISSION DURING HOME HEALTH CARE FOR PATIENTS WITH DEMENTIA. <i>Innovation in Aging</i> , 2019, 3, S823-S823. | 0.0 | 0 |
| 14 | GREATER DEMENTIA SEVERITY IS ASSOCIATED WITH INCREASED RISK OF POTENTIALLY PREVENTABLE READMISSIONS DURING HOME HEALTH CARE. <i>Innovation in Aging</i> , 2019, 3, S119-S120. | 0.0 | 0 |
| 15 | Variation in Facility-Level Rates of All-Cause and Potentially Preventable 30-Day Hospital Readmissions Among Medicare Fee-for-Service Beneficiaries After Discharge From Postacute Inpatient Rehabilitation. <i>JAMA Network Open</i> , 2019, 2, e1917559. | 2.8 | 6 |
| 16 | Functional Status Is Associated With 30-Day Potentially Preventable Readmissions Following Home Health Care. <i>Medical Care</i> , 2019, 57, 145-151. | 1.1 | 18 |
| 17 | Functional Status Is Associated With 30-Day Potentially Preventable Readmissions Following Skilled Nursing Facility Discharge Among Medicare Beneficiaries. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 348-354.e4. | 1.2 | 24 |
| 18 | Same But Different: FIM Summary Scores May Mask Variability in Physical Functioning Profiles. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1479-1482.e1. | 0.5 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Trajectories Over the First Year of Long-Term Care Nursing Home Residence. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 333-341. | 1.2 | 23 |
| 20 | Intrarater and interrater reliability of a hand-held dynamometric technique to quantify palmar thumb abduction strength in individuals with and without carpal tunnel syndrome. <i>Journal of Hand Therapy</i> , 2018, 31, 554-561. | 0.7 | 5 |
| 21 | Cortical disconnection of the ipsilesional primary motor cortex is associated with gait speed and upper extremity motor impairment in chronic left hemispheric stroke. <i>Human Brain Mapping</i> , 2018, 39, 120-132. | 1.9 | 35 |
| 22 | New Institutionalization in Long-Term Care After Hospital Discharge to Skilled Nursing Facility. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 56-63. | 1.3 | 24 |
| 23 | Health Services Research in Rehabilitation and Disability—The Time is Now. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 198-203. | 0.5 | 26 |
| 24 | Facility and Geographic Variation in Rates of Successful Community Discharge After Inpatient Rehabilitation Among Medicare Fee-for-Service Beneficiaries. <i>JAMA Network Open</i> , 2018, 1, e184332. | 2.8 | 13 |
| 25 | Differences Between Skilled Nursing Facilities in Risk of Subsequent Long-Term Care Placement. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1880-1886. | 1.3 | 7 |
| 26 | Improvement During Inpatient Rehabilitation Among Older Adults With Guillain-Barré Syndrome, Multiple Sclerosis, Parkinson Disease, and Stroke. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 879-884. | 0.7 | 10 |
| 27 | Readmission Patterns Over 90-Day Episodes of Care Among Medicare Fee-for-Service Beneficiaries Discharged to Post-acute Care. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 896-901. | 1.2 | 13 |
| 28 | Functional Status Is Associated With 30-Day Potentially Preventable Hospital Readmissions After Inpatient Rehabilitation Among Aged Medicare Fee-for-Service Beneficiaries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1067-1076. | 0.5 | 23 |
| 29 | Risk Factors for Disability Progression Among Mexican-American Older Adults. <i>American Journal of Occupational Therapy</i> , 2018, 72, 7211510193p1-7211510193p1. | 0.1 | 0 |
| 30 | Balance impairment limits ability to increase walking speed in individuals with chronic stroke. <i>Disability and Rehabilitation</i> , 2017, 39, 497-502. | 0.9 | 32 |
| 31 | Measurements of Weight Bearing Asymmetry Using the Nintendo Wii Fit Balance Board Are Not Reliable for Older Adults and Individuals With Stroke. <i>Journal of Geriatric Physical Therapy</i> , 2017, 40, 37-41. | 0.6 | 7 |
| 32 | Hospital Variation in Rates of New Institutionalizations Within 6 Months of Discharge. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1206-1213. | 1.3 | 7 |
| 33 | Longitudinal Investigation of Rehospitalization Patterns in Spinal Cord Injury and Traumatic Brain Injury Among Medicare Beneficiaries. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 997-1003. | 0.5 | 10 |
| 34 | Effect of Home- and Community-Based Physical Activity Interventions on Physical Function Among Cancer Survivors: A Systematic Review and Meta-Analysis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017, 98, 1652-1665. | 0.5 | 86 |
| 35 | Outcomes Over 90-Day Episodes of Care in Medicare Fee-for-Service Beneficiaries Receiving Joint Arthroplasty. <i>Journal of Arthroplasty</i> , 2017, 32, 2639-2647.e1. | 1.5 | 18 |
| 36 | Potentially Preventable Within-Stay Readmissions Among Medicare Fee-for-Service Beneficiaries Receiving Inpatient Rehabilitation. <i>PM and R</i> , 2017, 9, 1095-1105. | 0.9 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Effects of Acute Postacute Continuity on Community Discharge and 30-Day Rehospitalization Following Inpatient Rehabilitation. <i>Health Services Research</i> , 2017, 52, 1631-1646. | 1.0 | 11 |
| 38 | Determining Risk of Falls in Community Dwelling Older Adults: A Systematic Review and Meta-analysis Using Posttest Probability. <i>Journal of Geriatric Physical Therapy</i> , 2017, 40, 1-36. | 0.6 | 355 |
| 39 | Self-Selected and Maximal Walking Speeds Provide Greater Insight Into Fall Status Than Walking Speed Reserve Among Community-Dwelling Older Adults. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 475-482. | 0.7 | 65 |
| 40 | Motor and Cognitive Functional Status Are Associated with 30-day Unplanned Rehospitalization Following Post-Acute Care in Medicare Fee-for-Service Beneficiaries. <i>Journal of General Internal Medicine</i> , 2016, 31, 1427-1434. | 1.3 | 27 |
| 41 | Self-Selected Walking Speed Is Predictive of Daily Ambulatory Activity in Older Adults. <i>Journal of Aging and Physical Activity</i> , 2016, 24, 214-222. | 0.5 | 43 |
| 42 | Program Interruptions and Short-Stay Transfers Represent Potential Targets for Inpatient Rehabilitation Care-Improvement Efforts. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2016, 95, 850-861. | 0.7 | 9 |
| 43 | Walking Speed: The Functional Vital Sign. <i>Journal of Aging and Physical Activity</i> , 2015, 23, 314-322. | 0.5 | 770 |
| 44 | Using clinical and robotic assessment tools to examine the feasibility of pairing tDCS with upper extremity physical therapy in patients with stroke and TBI: A consideration-of-concept pilot study. <i>NeuroRehabilitation</i> , 2014, 35, 741-754. | 0.5 | 38 |
| 45 | Body Weight-Supported Treadmill Training Is No Better Than Overground Training for Individuals with Chronic Stroke: A Randomized Controlled Trial. <i>Topics in Stroke Rehabilitation</i> , 2014, 21, 462-476. | 1.0 | 24 |
| 46 | Concurrent validity of walking speed values calculated via the GAITRite electronic walkway and 3 meter walk test in the chronic stroke population. <i>Physiotherapy Theory and Practice</i> , 2014, 30, 183-188. | 0.6 | 37 |
| 47 | Individuals With Chronic Traumatic Brain Injury Improve Walking Speed and Mobility With Intensive Mobility Training. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014, 95, 1454-1460. | 0.5 | 19 |