
## Dick J Veltman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1902738/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Common genetic variants influence human subcortical brain structures. Nature, 2015, 520, 224-229.   | 13.7 | 772       |
| 2  | The ENIGMA Consortium: large-scale collaborative analyses of neuroimaging and genetic data. Brain<br>Imaging and Behavior, 2014, 8, 153-182.  | 1.1  | 696       |
| 3  | Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the<br>Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. Biological<br>Psychiatry, 2018, 84, 644-654. | 0.7  | 627       |
| 4  | Identification of common variants associated with human hippocampal and intracranial volumes.<br>Nature Genetics, 2012, 44, 552-561.  | 9.4  | 594       |
| 5  | The genetic architecture of the human cerebral cortex. Science, 2020, 367, .  | 6.0  | 450       |
| 6  | ENIGMA and global neuroscience: A decade of large-scale studies of the brain in health and disease across more than 40 countries. Translational Psychiatry, 2020, 10, 100.  | 2.4  | 365       |
| 7  | Smaller Hippocampal Volume in Posttraumatic Stress Disorder: A Multisite ENIGMA-PGC Study:<br>Subcortical Volumetry Results From Posttraumatic Stress Disorder Consortia. Biological Psychiatry,<br>2018, 83, 244-253.            | 0.7  | 335       |
| 8  | GLP-1 Receptor Activation Modulates Appetite- and Reward-Related Brain Areas in Humans. Diabetes, 2014, 63, 4186-4196.  | 0.3  | 264       |
| 9  | Novel genetic loci associated with hippocampal volume. Nature Communications, 2017, 8, 13624.   | 5.8  | 250       |
| 10 | ABERRANT RESTING-STATE BRAIN ACTIVITY IN POSTTRAUMATIC STRESS DISORDER: A META-ANALYSIS AND SYSTEMATIC REVIEW. Depression and Anxiety, 2016, 33, 592-605.   | 2.0  | 241       |
| 11 | White matter disturbances in major depressive disorder: a coordinated analysis across 20 international cohorts in the ENIGMA MDD working group. Molecular Psychiatry, 2020, 25, 1511-1525.  | 4.1  | 218       |
| 12 | Novel genetic loci underlying human intracranial volume identified through genome-wide association. Nature Neuroscience, 2016, 19, 1569-1582.   | 7.1  | 213       |
| 13 | Reward functioning in PTSD: A systematic review exploring the mechanisms underlying anhedonia.<br>Neuroscience and Biobehavioral Reviews, 2015, 51, 189-204.  | 2.9  | 197       |
| 14 | Cortical Abnormalities Associated With Pediatric and Adult Obsessive-Compulsive Disorder: Findings<br>From the ENIGMA Obsessive-Compulsive Disorder Working Group. American Journal of Psychiatry,<br>2018, 175, 453-462.         | 4.0  | 197       |
| 15 | Genetic architecture of subcortical brain structures in 38,851 individuals. Nature Genetics, 2019, 51, 1624-1636.   | 9.4  | 192       |
| 16 | ENIGMA and the individual: Predicting factors that affect the brain in 35 countries worldwide.<br>NeuroImage, 2017, 145, 389-408.   | 2.1  | 173       |
| 17 | Computational metaâ€analysis of statistical parametric maps in major depression. Human Brain Mapping,<br>2016, 37, 1393-1404.   | 1.9  | 158       |
| 18 | Human subcortical brain asymmetries in 15,847 people worldwide reveal effects of age and sex. Brain<br>Imaging and Behavior, 2017, 11, 1497-1514.   | 1.1  | 144       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3–90 years. Human<br>Brain Mapping, 2022, 43, 431-451.   | 1.9 | 143       |
| 20 | Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. Molecular Psychiatry, 2021, 26, 5124-5139.  | 4.1 | 136       |
| 21 | Compensatory Frontoparietal Activity During Working Memory: An Endophenotype of<br>Obsessive-Compulsive Disorder. Biological Psychiatry, 2014, 76, 878-887.  | 0.7 | 130       |
| 22 | ENIGMA MDD: seven years of global neuroimaging studies of major depression through worldwide data sharing. Translational Psychiatry, 2020, 10, 172.  | 2.4 | 121       |
| 23 | Intranasal Oxytocin Normalizes Amygdala Functional Connectivity in Posttraumatic Stress Disorder.<br>Neuropsychopharmacology, 2016, 41, 2041-2051.   | 2.8 | 118       |
| 24 | Recovery of neurocognitive functions following sustained abstinence after substance dependence and implications for treatment. Clinical Psychology Review, 2014, 34, 531-550.                          | 6.0 | 109       |
| 25 | Intranasal oxytocin as strategy for medication-enhanced psychotherapy of PTSD: Salience processing and fear inhibition processes. Psychoneuroendocrinology, 2014, 40, 242-256.                         | 1.3 | 107       |
| 26 | Structural and Functional Brain Abnormalities Associated With Exposure to Different Childhood<br>Trauma Subtypes: A Systematic Review of Neuroimaging Findings. Frontiers in Psychiatry, 2018, 9, 329. | 1.3 | 106       |
| 27 | Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. Translational Psychiatry, 2018, 8, 241.               | 2.4 | 87        |
| 28 | Puberty suppression and executive functioning: An fMRI-study in adolescents with gender dysphoria.<br>Psychoneuroendocrinology, 2015, 56, 190-199.   | 1.3 | 84        |
| 29 | Childhood adversity impacts on brain subcortical structures relevant to depression. Journal of<br>Psychiatric Research, 2017, 86, 58-65.   | 1.5 | 81        |
| 30 | Intranasal Oxytocin Administration Dampens Amygdala Reactivity towards Emotional Faces in Male<br>and Female PTSD Patients. Neuropsychopharmacology, 2016, 41, 1495-1504.                              | 2.8 | 80        |
| 31 | State-Dependent Differences in Emotion Regulation Between Unmedicated Bipolar Disorder and Major<br>Depressive Disorder. JAMA Psychiatry, 2015, 72, 687.   | 6.0 | 77        |
| 32 | Greater male than female variability in regional brain structure across the lifespan. Human Brain<br>Mapping, 2022, 43, 470-499.   | 1.9 | 76        |
| 33 | Brain structural abnormalities in obesity: relation to age, genetic risk, and common psychiatric<br>disorders. Molecular Psychiatry, 2021, 26, 4839-4852.  | 4.1 | 76        |
| 34 | Endogenous GLP-1 mediates postprandial reductions in activation in central reward and satiety areas in patients with type 2 diabetes. Diabetologia, 2015, 58, 2688-2698.                               | 2.9 | 72        |
| 35 | Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3–90 years. Human<br>Brain Mapping, 2022, 43, 452-469.  | 1.9 | 72        |
| 36 | Regional volumes and spatial volumetric distribution of gray matter in the gender dysphoric brain.<br>Psychoneuroendocrinology, 2015, 55, 59-71.   | 1.3 | 69        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Altered white matter microstructural organization in posttraumatic stress disorder across 3047<br>adults: results from the PGC-ENIGMA PTSD consortium. Molecular Psychiatry, 2021, 26, 4315-4330.       | 4.1 | 69        |
| 38 | Voxel-based morphometry multi-center mega-analysis of brain structure in social anxiety disorder.<br>NeuroImage: Clinical, 2017, 16, 678-688.   | 1.4 | 68        |
| 39 | What we learn about bipolar disorder from largeâ€scale neuroimaging: Findings and future directions<br>from the <scp>ENIGMA</scp> Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 56-82. | 1.9 | 67        |
| 40 | Liraglutide Reduces CNS Activation in Response to Visual Food Cues Only After Short-term Treatment<br>in Patients With Type 2 Diabetes. Diabetes Care, 2016, 39, 214-221.                               | 4.3 | 65        |
| 41 | Opposite brain emotion-regulation patterns in identity states of dissociative identity disorder: A PET study and neurobiological model. Psychiatry Research - Neuroimaging, 2014, 223, 236-243.         | 0.9 | 64        |
| 42 | Evidence-based treatment for adult women with child abuse-related Complex PTSD: a quantitative review. Högre Utbildning, 2014, 5, 23613.  | 1.4 | 64        |
| 43 | Alterations in white matter volume and integrity in obesity and type 2 diabetes. Metabolic Brain Disease, 2016, 31, 621-629.  | 1.4 | 64        |
| 44 | Subcortical shape alterations in major depressive disorder: Findings from the ENIGMA major depressive disorder working group. Human Brain Mapping, 2022, 43, 341-351.                                   | 1.9 | 64        |
| 45 | Hypothalamic Response to the Chemo-Signal Androstadienone in Gender Dysphoric Children and<br>Adolescents. Frontiers in Endocrinology, 2014, 5, 60.   | 1.5 | 63        |
| 46 | Incentive Processing in Persistent Disruptive Behavior and Psychopathic Traits: A Functional Magnetic<br>Resonance Imaging Study in Adolescents. Biological Psychiatry, 2015, 78, 615-624.              | 0.7 | 63        |
| 47 | Grey Matter Changes Associated with Heavy Cannabis Use: A Longitudinal sMRI Study. PLoS ONE, 2016, 11, e0152482.  | 1.1 | 62        |
| 48 | Intranasal oxytocin increases neural responses to social reward in post-traumatic stress disorder.<br>Social Cognitive and Affective Neuroscience, 2017, 12, 212-223.                                   | 1.5 | 60        |
| 49 | Changes in brain white matter integrity after systemic treatment for breast cancer: a prospective longitudinal study. Brain Imaging and Behavior, 2018, 12, 324-334.                                    | 1.1 | 60        |
| 50 | Interactive impact of childhood maltreatment, depression, and age on cortical brain structure:<br>mega-analytic findings from a large multi-site cohort. Psychological Medicine, 2020, 50, 1020-1031.   | 2.7 | 59        |
| 51 | Cue Reactivity Is Associated with Duration and Severity of Alcohol Dependence: An fMRI Study. PLoS<br>ONE, 2014, 9, e84560.   | 1.1 | 58        |
| 52 | Decreased Resting-State Connectivity between Neurocognitive Networks in Treatment Resistant<br>Depression. Frontiers in Psychiatry, 2015, 6, 28.  | 1.3 | 55        |
| 53 | Loss of brain graph network efficiency in alcohol dependence. Addiction Biology, 2017, 22, 523-534.   | 1.4 | 55        |
| 54 | Decreased uncinate fasciculus tract integrity in male. Journal of Psychiatry and Neuroscience, 2017, 42, 331-342.   | 1.4 | 55        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Distinguishing medicationâ€free subjects with unipolar disorder from subjects with bipolar disorder:<br>state matters. Bipolar Disorders, 2016, 18, 612-623.  | 1.1 | 54        |
| 56 | Emotional eating is associated with increased brain responses to food"ues and reduced sensitivity to GLPâ€1 receptor activation. Obesity, 2015, 23, 2075-2082.  | 1.5 | 52        |
| 57 | Cortical volume abnormalities in posttraumatic stress disorder: an ENIGMA-psychiatric genomics consortium PTSD workgroup mega-analysis. Molecular Psychiatry, 2021, 26, 4331-4343.  | 4.1 | 52        |
| 58 | ENICMAâ€DTI: Translating reproducible white matter deficits into personalized vulnerability metrics in crossâ€diagnostic psychiatric research. Human Brain Mapping, 2022, 43, 194-206.  | 1.9 | 52        |
| 59 | Intranasal Oxytocin Affects Amygdala Functional Connectivity after Trauma Script-Driven Imagery in<br>Distressed Recently Trauma-Exposed Individuals. Neuropsychopharmacology, 2016, 41, 1286-1296.                                 | 2.8 | 51        |
| 60 | An overview of the first 5 years of the ENIGMA obsessive–compulsive disorder working group: The power of worldwide collaboration. Human Brain Mapping, 2022, 43, 23-36.   | 1.9 | 51        |
| 61 | <scp>Megaâ€analysis</scp> methods in <scp>ENIGMA</scp> : The experience of the generalized anxiety disorder working group. Human Brain Mapping, 2022, 43, 255-277.  | 1.9 | 51        |
| 62 | Intranasal oxytocin enhances neural processing of monetary reward and loss in post-traumatic stress disorder and traumatized controls. Psychoneuroendocrinology, 2016, 66, 228-237.   | 1.3 | 50        |
| 63 | Elevated Postoperative Endogenous GLP-1 Levels Mediate Effects of Roux-en-Y Gastric Bypass on Neural<br>Responsivity to Food Cues. Diabetes Care, 2017, 40, 1522-1529.  | 4.3 | 50        |
| 64 | Neurophysiological effects of modafinil on cue-exposure in cocaine dependence: A randomized<br>placeboâ€controlled cross-over study using pharmacological fMRI. Addictive Behaviors, 2013, 38,<br>1509-1517.                        | 1.7 | 47        |
| 65 | Effects of intranasal oxytocin on amygdala reactivity to emotional faces in recently trauma-exposed individuals. Social Cognitive and Affective Neuroscience, 2016, 11, 327-336.  | 1.5 | 45        |
| 66 | Do sex differences in CEOAEs and 2D:4D ratios reflect androgen exposure? A study in women with complete androgen insensitivity syndrome. Biology of Sex Differences, 2017, 8, 11.   | 1.8 | 45        |
| 67 | Cognitive Impairment in a Subset of Breast Cancer Patients After Systemic Therapy—Results From a<br>Longitudinal Study. Journal of Pain and Symptom Management, 2016, 52, 560-569.e1.   | 0.6 | 44        |
| 68 | Compensatory fronto-parietal hyperactivation during set-shifting in unmedicated patients with<br>Parkinson's disease. Neuropsychologia, 2015, 68, 107-116.  | 0.7 | 42        |
| 69 | Episodic memory function is affected by lifestyle factors: a 14-year follow-up study in an elderly population. Aging, Neuropsychology, and Cognition, 2017, 24, 528-542.  | 0.7 | 42        |
| 70 | Parametric fMRI analysis of visual encoding in the human medial temporal lobe. , 1999, 9, 637-643.  |     | 41        |
| 71 | In vivo hippocampal subfield volumes in bipolar disorder—A megaâ€analysis from The Enhancing Neuro<br>Imaging Genetics through <scp>Metaâ€Analysis</scp> Bipolar Disorder Working Group. Human Brain<br>Mapping, 2022, 43, 385-398. | 1.9 | 41        |
| 72 | Changes in brain activation in breast cancer patients depend on cognitive domain and treatment type.<br>PLoS ONE, 2017, 12, e0171724.   | 1.1 | 41        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Altered inhibitionâ€related frontolimbic connectivity in obsessive–compulsive disorder. Human Brain<br>Mapping, 2015, 36, 4064-4075.   | 1.9 | 40        |
| 74 | Neurophysiological Effects of Sleep Deprivation in Healthy Adults, a Pilot Study. PLoS ONE, 2015, 10, e0116906.  | 1.1 | 40        |
| 75 | Failure of stop and go in de novo Parkinson's disease—a functional magnetic resonance imaging study.<br>Neurobiology of Aging, 2015, 36, 470-475.  | 1.5 | 39        |
| 76 | No Alterations of Brain Structural Asymmetry in Major Depressive Disorder: An ENIGMA Consortium<br>Analysis. American Journal of Psychiatry, 2019, 176, 1039-1049.   | 4.0 | 39        |
| 77 | Similar cortical but not subcortical gray matter abnormalities in women with posttraumatic stress<br>disorder with versus without dissociative identity disorder. Psychiatry Research - Neuroimaging, 2015,<br>231, 308-319. | 0.9 | 38        |
| 78 | Social support, oxytocin, and PTSD. Högre Utbildning, 2014, 5, 26513.  | 1.4 | 37        |
| 79 | Neural Activation During Mental Rotation in Complete Androgen Insensitivity Syndrome: The Influence of Sex Hormones and Sex Chromosomes. Cerebral Cortex, 2016, 26, 1036-1045.   | 1.6 | 37        |
| 80 | Brain training improves recovery after stroke but waiting list improves equally: A multicenter randomized controlled trial of a computer-based cognitive flexibility training. PLoS ONE, 2017, 12, e0172993.                 | 1.1 | 36        |
| 81 | Aiding the diagnosis of dissociative identity disorder: pattern recognition study of brain biomarkers.<br>British Journal of Psychiatry, 2019, 215, 536-544.   | 1.7 | 35        |
| 82 | Subcortical surface morphometry in substance dependence: An ENIGMA addiction working group study. Addiction Biology, 2020, 25, e12830.   | 1.4 | 33        |
| 83 | Dissociative identity disorder: out of the shadows at last?. British Journal of Psychiatry, 2021, 219, 413-414.  | 1.7 | 33        |
| 84 | Male-typical visuospatial functioning in gynephilic girls with gender dysphoria — organizational and activational effects of testosterone. Journal of Psychiatry and Neuroscience, 2016, 41, 395-404.                        | 1.4 | 33        |
| 85 | <scp>ENIGMAâ€anxiety</scp> working group: Rationale for and organization<br>of <scp>largeâ€scale</scp> neuroimaging studies of anxiety disorders. Human Brain Mapping, 2022, 43,<br>83-112.                                  | 1.9 | 31        |
| 86 | Brain structural correlates of insomnia severity in 1053 individuals with major depressive disorder: results from the ENIGMA MDD Working Group. Translational Psychiatry, 2020, 10, 425.                                     | 2.4 | 31        |
| 87 | Contributing factors to advanced brain aging in depression and anxiety disorders. Translational Psychiatry, 2021, 11, 402.   | 2.4 | 31        |
| 88 | Tic-Related Versus Tic-Free Obsessive-Compulsive Disorder. Journal of Clinical Psychiatry, 2016, 77, e1240-e1247.  | 1.1 | 31        |
| 89 | Default Mode Network Connectivity and Social Dysfunction in Major Depressive Disorder. Scientific Reports, 2020, 10, 194.  | 1.6 | 29        |
| 90 | Brain Correlates of Suicide Attempt in 18,925 Participants Across 18 International Cohorts. Biological<br>Psychiatry, 2021, 90, 243-252.   | 0.7 | 29        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | The influence of computer-based cognitive flexibility training on subjective cognitive well-being after stroke: A multi-center randomized controlled trial. PLoS ONE, 2017, 12, e0187582.   | 1.1 | 28        |
| 92  | Enhanced striatal responses during expectancy coding in alcohol dependence. Drug and Alcohol<br>Dependence, 2014, 142, 204-208.   | 1.6 | 27        |
| 93  | The associations of depression and hypertension with brain volumes: Independent or interactive?.<br>NeuroImage: Clinical, 2015, 8, 79-86.   | 1.4 | 27        |
| 94  | Abnormalities in metabolite concentrations in tourette's disorder and obsessive-compulsive<br>disorder—A proton magnetic resonance spectroscopy study. Psychoneuroendocrinology, 2017, 77,<br>211-217.  | 1.3 | 27        |
| 95  | Effects of intranasal oxytocin on distraction as emotion regulation strategy in patients with post-traumatic stress disorder. European Neuropsychopharmacology, 2019, 29, 266-277.  | 0.3 | 27        |
| 96  | Cross disorder comparisons of brain structure in schizophrenia, bipolar disorder, major depressive<br>disorder, and 22q11.2 deletion syndrome: A review of <scp>ENIGMA</scp> findings. Psychiatry and<br>Clinical Neurosciences, 2022, 76, 140-161.                           | 1.0 | 27        |
| 97  | Altered Functional Connectivity in Resting State Networks in Tourette's Disorder. Frontiers in Human<br>Neuroscience, 2018, 12, 363.  | 1.0 | 26        |
| 98  | Differential relations of suicidality in depression to brain activation during emotional and executive processing. Journal of Psychiatric Research, 2018, 105, 78-85.   | 1.5 | 25        |
| 99  | Assessment of brain age in posttraumatic stress disorder: Findings from the ENIGMA PTSD and brain age working groups. Brain and Behavior, 2022, 12, e2413.  | 1.0 | 25        |
| 100 | Cortical and subcortical gray matter structural alterations in normoglycemic obese and type 2<br>diabetes patients: relationship with adiposity, glucose, and insulin. Metabolic Brain Disease, 2018, 33,<br>1211-1222.   | 1.4 | 24        |
| 101 | Cortical and subcortical brain structure in generalized anxiety disorder: findings from 28 research sites in the ENIGMA-Anxiety Working Group. Translational Psychiatry, 2021, 11, 502.   | 2.4 | 24        |
| 102 | Does polycystic ovary syndrome affect cognition? A functional magnetic resonance imaging study exploring working memory. Fertility and Sterility, 2016, 105, 1314-1321.e1.  | 0.5 | 23        |
| 103 | Associations between depression, lifestyle and brain structure: A longitudinal MRI study. NeuroImage, 2021, 231, 117834.  | 2.1 | 23        |
| 104 | The effect of clozapine and risperidone on attentional bias in patients with schizophrenia and a cannabis use disorder: An fMRI study. Journal of Psychopharmacology, 2014, 28, 633-642.  | 2.0 | 22        |
| 105 | The Effect of High-Frequency Repetitive Transcranial Magnetic Stimulation on Emotion Processing,<br>Reappraisal, and Craving in Alcohol Use Disorder Patients and Healthy Controls: A Functional<br>Magnetic Resonance Imaging Study. Frontiers in Psychiatry, 2019, 10, 272. | 1.3 | 22        |
| 106 | The effect of computer-based cognitive flexibility training on recovery of executive function after stroke: rationale, design and methods of the TAPASS study. BMC Neurology, 2015, 15, 144.  | 0.8 | 21        |
| 107 | Brain sexual differentiation and effects of cross-sex hormone therapy in transpeople: A resting-state functional magnetic resonance study. Neurophysiologie Clinique, 2017, 47, 361-370.  | 1.0 | 21        |
| 108 | Giving others the option of choice: An fMRI study on low-cost cooperation. Neuropsychologia, 2018, 109, 1-9.  | 0.7 | 21        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Comparing the effect of clozapine and risperidone on cue reactivity in male patients with<br>schizophrenia and a cannabis use disorder: A randomized fMRI study. Schizophrenia Research, 2018,<br>194, 32-38.  | 1.1 | 20        |
| 110 | Trans-diagnostic comparison of response inhibition in Tourette's disorder and obsessive-compulsive<br>disorder. World Journal of Biological Psychiatry, 2018, 19, 527-537.   | 1.3 | 20        |
| 111 | Occupancy of serotonin transporters in the amygdala by paroxetine in association with attenuation of left amygdala activation by negative faces in major depressive disorder. Psychiatry Research - Neuroimaging, 2014, 221, 155-161.  | 0.9 | 17        |
| 112 | Brain Activation During Emotional Memory Processing Associated with Subsequent Course of Depression. Neuropsychopharmacology, 2015, 40, 2454-2463.   | 2.8 | 17        |
| 113 | Fear extinction, persistent disruptive behavior and psychopathic traits: fMRI in late adolescence.<br>Social Cognitive and Affective Neuroscience, 2016, 11, 1027-1035.  | 1.5 | 17        |
| 114 | The impact of personality on memory function in older adults—results from the Longitudinal Aging<br>Study Amsterdam. International Journal of Geriatric Psychiatry, 2017, 32, 798-804.   | 1.3 | 17        |
| 115 | Emotion Processing, Reappraisal, and Craving in Alcohol Dependence: A Functional Magnetic<br>Resonance Imaging Study. Frontiers in Psychiatry, 2019, 10, 227.  | 1.3 | 17        |
| 116 | Gender-related neuroanatomical differences in alcohol dependence: findings from the ENIGMA<br>Addiction Working Group. NeuroImage: Clinical, 2021, 30, 102636.   | 1.4 | 17        |
| 117 | Expansion of hippocampal and amygdala shape in posttraumatic stress and early life stress.<br>NeuroImage: Clinical, 2019, 24, 101982.  | 1.4 | 16        |
| 118 | Emotion Regulation in Obsessive-Compulsive Disorder, Unaffected Siblings, and Unrelated Healthy<br>Control Participants. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2019, 4,<br>352-360.  | 1.1 | 13        |
| 119 | Longitudinal brain changes in MDD during emotional encoding: effects of presence and persistence of symptomatology. Psychological Medicine, 2020, 50, 1316-1326.   | 2.7 | 13        |
| 120 | Using fMRI to Investigate Memory in Young Children Born Small for Gestational Age. PLoS ONE, 2015, 10, e0129721.   | 1.1 | 12        |
| 121 | A neurostructural biomarker of dissociative amnesia: a hippocampal study in dissociative identity disorder. Psychological Medicine, 2023, 53, 805-813.   | 2.7 | 11        |
| 122 | White matter architecture in major depression with anxious distress symptoms. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94, 109664.  | 2.5 | 10        |
| 123 | Effects of Insulin Detemir and NPH Insulin on Body Weight and Appetite-Regulating Brain Regions in<br>Human Type 1 Diabetes: A Randomized Controlled Trial. PLoS ONE, 2014, 9, e94483.   | 1.1 | 10        |
| 124 | DISC1 gene and affective psychopathology: A combined structural and functional MRI study. Journal of Psychiatric Research, 2015, 61, 150-157.  | 1.5 | 9         |
| 125 | Dissociative identity state-dependent working memory in dissociative identity disorder: a controlled functional magnetic resonance imaging study. BJPsych Open, 2022, 8, e82.  | 0.3 | 9         |
| 126 | Cerebral effects of glucagonâ€like peptideâ€1 receptor blockade before and after <scp>Rouxâ€enâ€Y</scp><br>gastric bypass surgery in obese women: A proofâ€ofâ€concept restingâ€state <scp>functional MRI</scp><br>study. Diabetes, Obesity and Metabolism, 2021, 23, 415-424. | 2.2 | 8         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Food-Related Brain Activation Measured by fMRI in Adults with Prader–Willi Syndrome. Journal of<br>Clinical Medicine, 2021, 10, 5133.   | 1.0 | 7         |
| 128 | Patterns of Recovery From Early Posttraumatic Stress Symptoms After a Preventive Intervention With<br>Oxytocin: Hormonal Contraception Use Is a Prognostic Factor. Biological Psychiatry, 2019, 85, e71-e73.  | 0.7 | 6         |
| 129 | The associations between childhood trauma and work functioning in adult workers with and without depressive and anxiety disorders. European Psychiatry, 2020, 63, e76.  | 0.1 | 5         |
| 130 | Neural correlates of anxious distress in depression: A neuroimaging study of reactivity to emotional faces and restingâ€state functional connectivity. Depression and Anxiety, 2022, 39, 573-585.   | 2.0 | 5         |
| 131 | Social Mindfulness and Psychosis: Neural Response to Socially Mindful Behavior in First-Episode<br>Psychosis and Patients at Clinical High-Risk. Frontiers in Human Neuroscience, 2019, 13, 47.   | 1.0 | 4         |
| 132 | Transient Cognitive Impairment and White Matter Hyperintensities in Severely Depressed Older<br>Patients Treated With Electroconvulsive Therapy. American Journal of Geriatric Psychiatry, 2021, 29,<br>1117-1128.  | 0.6 | 4         |
| 133 | Normal amygdala morphology in dissociative identity disorder. BJPsych Open, 2022, 8, e70.   | 0.3 | 4         |
| 134 | Response to "Treatment compliance and effectiveness in complex PTSD patients with co-morbid<br>personality disorder undergoing stabilizing cognitive behavioral group treatment: a preliminary<br>study―– authors' reply. Högre Utbildning, 2014, 5, 23792. | 1.4 | 2         |
| 135 | Alterations in the inferior fronto-occipital fasciculus – a specific neural correlate of gender incongruence?. Psychological Medicine, 2023, 53, 3461-3470.   | 2.7 | 2         |
| 136 | Remodeling of the Cortical Structural Connectome in Posttraumatic Stress Disorder: Results From<br>the ENIGMA-PGC Posttraumatic Stress Disorder Consortium. Biological Psychiatry: Cognitive<br>Neuroscience and Neuroimaging, 2022, 7, 935-948.            | 1.1 | 2         |
| 137 | The role of educational attainment and brain morphology in major depressive disorder: Findings from the ENIGMA major depressive disorder consortium , 2022, 131, 664-673.   |     | 2         |