

# Macarena Muñoz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1902897/publications.pdf>

Version: 2024-02-01

61  
papers

2,797  
citations

172207

29  
h-index

174990

52  
g-index

62  
all docs

62  
docs citations

62  
times ranked

3321  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Catalytic hydrodehalogenation of the flame retardant tetrabromobisphenol A by alumina-supported Pd, Rh and Pt catalysts. <i>Chemical Engineering Journal Advances</i> , 2022, 9, 100212.   | 2.4  | 2         |
| 2  | Application of catalytic hydrodehalogenation in drinking water treatment for organohalogenated micropollutants removal: A review. <i>Journal of Hazardous Materials Advances</i> , 2022, 5, 100047.                                  | 1.2  | 1         |
| 3  | Carbon-encapsulated iron nanoparticles as reusable adsorbents for micropollutants removal from water. <i>Separation and Purification Technology</i> , 2021, 257, 117974.   | 3.9  | 29        |
| 4  | Overview of toxic cyanobacteria and cyanotoxins in Ibero-American freshwaters: Challenges for risk management and opportunities for removal by advanced technologies. <i>Science of the Total Environment</i> , 2021, 761, 143197.   | 3.9  | 30        |
| 5  | A comparative study among catalytic wet air oxidation, Fenton, and Photo-Fenton technologies for the on-site treatment of hospital wastewater. <i>Journal of Environmental Management</i> , 2021, 290, 112624.                       | 3.8  | 47        |
| 6  | Palladium-based Catalytic Membrane Reactor for the continuous flow hydrodechlorination of chlorinated micropollutants. <i>Applied Catalysis B: Environmental</i> , 2021, 293, 120235.  | 10.8 | 23        |
| 7  | Innovative iron oxide foams for the removal of micropollutants by Catalytic Wet Peroxide Oxidation: Assessment of long-term operation under continuous mode. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 105914. | 3.3  | 5         |
| 8  | Adsorption of micropollutants onto realistic microplastics: Role of microplastic nature, size, age, and NOM fouling. <i>Chemosphere</i> , 2021, 283, 131085.   | 4.2  | 79        |
| 9  | On the deactivation and regeneration of Pd/Al <sub>2</sub> O <sub>3</sub> catalyst for aqueous-phase hydrodechlorination of diluted chlorpromazine solution. <i>Catalysis Today</i> , 2020, 356, 255-259.                            | 2.2  | 5         |
| 10 | Role of the pore structure of Fe/C catalysts on heterogeneous Fenton oxidation. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 102921.  | 3.3  | 11        |
| 11 | Boosting the catalytic activity of natural magnetite for wet peroxide oxidation. <i>Environmental Science and Pollution Research</i> , 2020, 27, 1176-1185.  | 2.7  | 13        |
| 12 | Fast oxidation of the neonicotinoid pesticides listed in the EU Decision 2018/840 from aqueous solutions. <i>Separation and Purification Technology</i> , 2020, 235, 116168.   | 3.9  | 25        |
| 13 | Catalytic Hydrodehalogenation of Haloacetic Acids: A Kinetic Study. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 17779-17785.  | 1.8  | 7         |
| 14 | Catalytic Wet Peroxide Oxidation of Cylindrospermopsin over Magnetite in a Continuous Fixed-Bed Reactor. <i>Catalysts</i> , 2020, 10, 1250.  | 1.6  | 6         |
| 15 | CWPO intensification by induction heating using magnetite as catalyst. <i>Journal of Environmental Chemical Engineering</i> , 2020, 8, 104085.   | 3.3  | 17        |
| 16 | Catalyst deactivation in the hydrodechlorination of micropollutants. A case of study with neonicotinoid pesticides. <i>Journal of Water Process Engineering</i> , 2020, 38, 101550.  | 2.6  | 3         |
| 17 | Condensation By-Products in Wet Peroxide Oxidation: Fouling or Catalytic Promotion? Part I. Evidences of an Autocatalytic Process. <i>Catalysts</i> , 2019, 9, 516.  | 1.6  | 7         |
| 18 | Degradation of widespread cyanotoxins with high impact in drinking water (microcystins,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62 Td (  | 5.3  | 30        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Catalytic hydrodechlorination as polishing step in drinking water treatment for the removal of chlorinated micropollutants. <i>Separation and Purification Technology</i> , 2019, 227, 115717.                      | 3.9  | 16        |
| 20 | Condensation By-Products in Wet Peroxide Oxidation: Fouling or Catalytic Promotion? Part II: Activity, Nature and Stability. <i>Catalysts</i> , 2019, 9, 518.   | 1.6  | 3         |
| 21 | Editorial Catalysts: Special Issue on Trends in Catalytic Wet Peroxide Oxidation Processes. <i>Catalysts</i> , 2019, 9, 918.  | 1.6  | 3         |
| 22 | Effective Adsorption of Methylene Blue dye onto Magnetic Nanocomposites. Modeling and Reuse Studies. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4563.   | 1.3  | 48        |
| 23 | Efficient removal of the pharmaceutical pollutants included in the EU Watch List (Decision 2015/495) by modified magnetite/H <sub>2</sub> O <sub>2</sub> . <i>Chemical Engineering Journal</i> , 2019, 376, 120265. | 6.6  | 15        |
| 24 | Kinetics of imidazolium-based ionic liquids degradation in aqueous solution by Fenton oxidation. <i>Environmental Science and Pollution Research</i> , 2018, 25, 34811-34817.                                       | 2.7  | 10        |
| 25 | Highly efficient removal of pharmaceuticals from water by well-defined carbide-derived carbons. <i>Chemical Engineering Journal</i> , 2018, 347, 595-606.   | 6.6  | 34        |
| 26 | Antibiotics abatement in synthetic and real aqueous matrices by H <sub>2</sub> O <sub>2</sub> /natural magnetite. <i>Catalysis Today</i> , 2018, 313, 142-147.  | 2.2  | 32        |
| 27 | Fast degradation of diclofenac by catalytic hydrodechlorination. <i>Chemosphere</i> , 2018, 213, 141-148.   | 4.2  | 28        |
| 28 | Stable Immobilization of Size-Controlled Bimetallic Nanoparticles in Photonic Crystal Fiber Microreactor. <i>Chemie-Ingenieur-Technik</i> , 2018, 90, 653-659.  | 0.4  | 8         |
| 29 | Tuning the Electrocatalytic Performance of Ionic Liquid Modified Pt Catalysts for the Oxygen Reduction Reaction via Cationic Chain Engineering. <i>ACS Catalysis</i> , 2018, 8, 8244-8254.                          | 5.5  | 82        |
| 30 | Exploring the role of the catalytic support sorption capacity on the hydrodechlorination kinetics by the use of carbide-derived carbons. <i>Applied Catalysis B: Environmental</i> , 2017, 203, 591-598.            | 10.8 | 15        |
| 31 | Application of CWPO to the treatment of pharmaceutical emerging pollutants in different water matrices with a ferromagnetic catalyst. <i>Journal of Hazardous Materials</i> , 2017, 331, 45-54.                     | 6.5  | 64        |
| 32 | Nanoscale Fe/Ag particles activated persulfate: optimization using response surface methodology. <i>Water Science and Technology</i> , 2017, 75, 2216-2224.   | 1.2  | 12        |
| 33 | Combining HDC and CWPO for the removal of p-chloro-m-cresol from water under ambient-like conditions. <i>Applied Catalysis B: Environmental</i> , 2017, 216, 20-29.   | 10.8 | 13        |
| 34 | Treatment of hospital wastewater through the CWPO-Photoassisted process catalyzed by ilmenite. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 4337-4343.   | 3.3  | 35        |
| 35 | Polymer-based spherical activated carbon as catalytic support for hydrodechlorination reactions. <i>Applied Catalysis B: Environmental</i> , 2017, 218, 498-505.  | 10.8 | 31        |
| 36 | Naturally-occurring iron minerals as inexpensive catalysts for CWPO. <i>Applied Catalysis B: Environmental</i> , 2017, 203, 166-173.  | 10.8 | 61        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 37 | Accelerating Oxygen-Reduction Catalysts through Preventing Poisoning with Non-Reactive Species by Using Hydrophobic Ionic Liquids. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 2257-2261.                       | 7.2  | 125       |
| 38 | Aktivitätssteigerung von Sauerstoffreduktionskatalysatoren durch Unterdrückung der Katalysatorvergiftung mittels hydrophober ionischer Flüssigkeiten. <i>Angewandte Chemie</i> , 2016, 128, 2298-2302.                           | 1.6  | 10        |
| 39 | Polymer-Based Spherical Activated Carbon as Easy-Handle Catalyst Support for Hydrogenation Reactions. <i>Chemical Engineering and Technology</i> , 2016, 39, 276-284.  | 0.9  | 22        |
| 40 | Boosting the Activity in Supported Ionic Liquid-Phase-Catalyzed Hydroformylation via Surface Functionalization of the Carbon Support. <i>ACS Catalysis</i> , 2016, 6, 2280-2286.   | 5.5  | 30        |
| 41 | Synthesis of high surface area carbon adsorbents prepared from pine sawdust- <i>Onopordum acanthium</i> L. for nonsteroidal anti-inflammatory drugs adsorption. <i>Journal of Environmental Management</i> , 2016, 183, 294-305. | 3.8  | 56        |
| 42 | Application of intensified Fenton oxidation to the treatment of hospital wastewater: Kinetics, ecotoxicity and disinfection. <i>Journal of Environmental Chemical Engineering</i> , 2016, 4, 4107-4112.                          | 3.3  | 45        |
| 43 | Degradation of imidazolium-based ionic liquids by catalytic wet peroxide oxidation with carbon and magnetic iron catalysts. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 2882-2887.                       | 1.6  | 18        |
| 44 | Size-controlled PtNi nanoparticles as highly efficient catalyst for hydrodechlorination reactions. <i>Applied Catalysis B: Environmental</i> , 2016, 192, 1-7.   | 10.8 | 45        |
| 45 | Deducing kinetic constants for the hydrodechlorination of 4-chlorophenol using high adsorption capacity catalysts. <i>Chemical Engineering Journal</i> , 2016, 285, 228-235.   | 6.6  | 37        |
| 46 | Boosting Performance of Low Temperature Fuel Cell Catalysts by Subtle Ionic Liquid Modification. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 3562-3570.   | 4.0  | 90        |
| 47 | Application of Fenton-like oxidation as pre-treatment for carbamazepine biodegradation. <i>Chemical Engineering Journal</i> , 2015, 264, 856-862.  | 6.6  | 60        |
| 48 | Role of the chemical structure of ionic liquids in their ecotoxicity and reactivity towards Fenton oxidation. <i>Separation and Purification Technology</i> , 2015, 150, 252-256.  | 3.9  | 36        |
| 49 | Preparation of magnetite-based catalysts and their application in heterogeneous Fenton oxidation – A review. <i>Applied Catalysis B: Environmental</i> , 2015, 176-177, 249-265.   | 10.8 | 593       |
| 50 | Trends in the Intensification of the Fenton Process for Wastewater Treatment: An Overview. <i>Critical Reviews in Environmental Science and Technology</i> , 2015, 45, 2611-2692.  | 6.6  | 191       |
| 51 | Ionic liquids breakdown by Fenton oxidation. <i>Catalysis Today</i> , 2015, 240, 16-21.  | 2.2  | 64        |
| 52 | Degradation of imidazolium-based ionic liquids in aqueous solution by Fenton oxidation. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1197-1202.   | 1.6  | 53        |
| 53 | Improved $\gamma$ -alumina-supported Pd and Rh catalysts for hydrodechlorination of chlorophenols. <i>Applied Catalysis A: General</i> , 2014, 488, 78-85.   | 2.2  | 35        |
| 54 | Application of intensified Fenton oxidation to the treatment of sawmill wastewater. <i>Chemosphere</i> , 2014, 109, 34-41.   | 4.2  | 57        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | Combining efficiently catalytic hydrodechlorination and wet peroxide oxidation (HDCâ€“CWPO) for the abatement of organochlorinated water pollutants. Applied Catalysis B: Environmental, 2014, 150-151, 197-203. | 10.8 | 22        |
| 56 | Improved wet peroxide oxidation strategies for the treatment of chlorophenols. Chemical Engineering Journal, 2013, 228, 646-654.   | 6.6  | 25        |
| 57 | Chlorophenols breakdown by a sequential hydrodechlorination-oxidation treatment with a magnetic Pdâ€“Fe/Î³-Al2O3 catalyst. Water Research, 2013, 47, 3070-3080.  | 5.3  | 45        |
| 58 | A ferromagnetic Î³-alumina-supported iron catalyst for CWPO. Application to chlorophenols. Applied Catalysis B: Environmental, 2013, 136-137, 218-224.   | 10.8 | 77        |
| 59 | Triclosan breakdown by Fenton-like oxidation. Chemical Engineering Journal, 2012, 198-199, 275-281.  | 6.6  | 64        |
| 60 | Chlorinated Byproducts from the Fenton-like Oxidation of Polychlorinated Phenols. Industrial & Engineering Chemistry Research, 2012, 51, 13092-13099.  | 1.8  | 36        |
| 61 | Assessment of the generation of chlorinated byproducts upon Fenton-like oxidation of chlorophenols at different conditions. Journal of Hazardous Materials, 2011, 190, 993-1000.                                 | 6.5  | 109       |