

Giovanna Tranfo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1903758/giovanna-tranfo-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

971
citations

19
h-index

28
g-index

73
ext. papers

1,146
ext. citations

3.4
avg. IF

4.05
L-index

#	Paper	IF	Citations
58	Urinary phthalate monoesters concentration in couples with infertility problems. <i>Toxicology Letters</i> , 2012 , 213, 15-20	4.4	68
57	Low air levels of benzene: correlation between biomarkers of exposure and genotoxic effects. <i>Toxicology Letters</i> , 2010 , 192, 22-8	4.4	55
56	Comparison of exposure assessment methods in occupational exposure to benzene in gasoline filling-station attendants. <i>Toxicology Letters</i> , 2006 , 162, 146-52	4.4	55
55	Trace determination of anthracyclines in urine: a new high-performance liquid chromatography/tandem mass spectrometry method for assessing exposure of hospital personnel. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 2426-36	2.2	45
54	First Results of the Carbonaceous Aerosol in Rome and Environs (CARE) Experiment: Beyond Current Standards for PM10. <i>Atmosphere</i> , 2017 , 8, 249	2.7	42
53	Correlation between environmental and biological monitoring of exposure to benzene in petrochemical industry operators. <i>Toxicology Letters</i> , 2010 , 192, 17-21	4.4	39
52	Occupational exposure to antineoplastic agents induces a high level of chromosome damage. Lack of an effect of GST polymorphisms. <i>Toxicology and Applied Pharmacology</i> , 2007 , 223, 46-55	4.6	39
51	Urinary metabolite concentrations of phthalate metabolites in Central Italy healthy volunteers determined by a validated HPLC/MS/MS analytical method. <i>International Journal of Hygiene and Environmental Health</i> , 2013 , 216, 481-5	6.9	37
50	Comparison between external and internal standard calibration in the validation of an analytical method for 1-hydroxypyrene in human urine by high-performance liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 1013-8	2.2	36
49	Low occupational exposure to benzene in a petrochemical plant: modulating effect of genetic polymorphisms and smoking habit on the urinary t,t-MA/SPMA ratio. <i>Toxicology Letters</i> , 2012 , 213, 57-62	4.4	30
48	Determination of free and total S-phenylmercapturic acid by HPLC/MS/MS in the biological monitoring of benzene exposure. <i>Biomarkers</i> , 2007 , 12, 111-22	2.6	30
47	Influence of glutathione S-transferases polymorphisms on biological monitoring of exposure to low doses of benzene. <i>Toxicology Letters</i> , 2012 , 213, 63-8	4.4	24
46	Indoor exposure to airborne endotoxin: a review of the literature on sampling and analysis methods. <i>Industrial Health</i> , 2013 , 51, 237-55	2.5	24
45	Validation of an HPLC/MS/MS method with isotopic dilution for quantitative determination of trans,trans-muconic acid in urine samples of workers exposed to low benzene concentrations. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 867, 26-31	3.2	24
44	Cross Sectional Study on Exposure to BPA and Phthalates and Semen Parameters in Men Attending a Fertility Center. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	23
43	An optimized sampling and GC-MS analysis method for benzene in exhaled breath, as a biomarker for occupational exposure. <i>Talanta</i> , 1999 , 50, 409-12	6.2	22
42	Circulating microRNAs as potential biomarkers of occupational exposure to low dose organic solvents. <i>Toxicology Reports</i> , 2019 , 6, 126-135	4.8	21

41	Association of exposure to benzene and smoking with oxidative damage to nucleic acids by means of biological monitoring of general population volunteers. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 13885-13894	5.1	19
40	Otoacoustic emission sensitivity to exposure to styrene and noise. <i>Journal of the Acoustical Society of America</i> , 2013 , 134, 3739-48	2.2	19
39	Urinary Cotinine Concentration and Self-Reported Smoking Status in 1075 Subjects Living in Central Italy. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	19
38	Temporal Trends of Urinary Phthalate Concentrations in Two Populations: Effects of REACH Authorization after Five Years. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	18
37	Biomarkers of susceptibility following benzene exposure: influence of genetic polymorphisms on benzene metabolism and health effects. <i>Biomarkers in Medicine</i> , 2016 , 10, 145-63	2.3	17
36	Cytogenetic biomonitoring on a group of petroleum refinery workers. <i>Environmental and Molecular Mutagenesis</i> , 2011 , 52, 440-7	3.2	17
35	Safe and Effective Use of Ozone as Air and Surface Disinfectant in the Conjunction of Covid-19. <i>Gases</i> , 2021 , 1, 19-32		15
34	Quantification of 1-hydroxypyrene, 1- and 2-hydroxynaphthalene, 3-hydroxybenzo[a]pyrene and 6-hydroxynitropyrene by HPLC-MS/MS in human urine as exposure biomarkers for environmental and occupational surveys. <i>Biomarkers</i> , 2017 , 22, 575-583	2.6	14
33	Influence of genetic polymorphism on t,t-MA/S-PMA ratio in 301 benzene exposed subjects. <i>Toxicology Letters</i> , 2014 , 231, 205-12	4.4	14
32	Levels of Urinary Biomarkers of Oxidatively Generated Damage to DNA and RNA in Different Groups of Workers Compared to General Population. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	13
31	Effect of Benzene Exposure on the Urinary Biomarkers of Nucleic Acid Oxidation in Two Cohorts of Gasoline Pump Attendants. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	13
30	Evidence of association between aerosol properties and in-vitro cellular oxidative response to PM1, oxidative potential of PM2.5, a biomarker of RNA oxidation, and its dependency on combustion sources. <i>Atmospheric Environment</i> , 2019 , 213, 444-455	5.3	13
29	Oxidative stress biomarkers and otoacoustic emissions in humans exposed to styrene and noise. <i>International Journal of Audiology</i> , 2016 , 55, 523-31	2.6	12
28	Biological monitoring of low level exposure to benzene in an oil refinery: Effect of modulating factors. <i>Toxicology Letters</i> , 2018 , 298, 70-75	4.4	12
27	Biomarkers of early genotoxicity and oxidative stress for occupational risk assessment of exposure to styrene in the fibreglass reinforced plastic industry. <i>Toxicology Letters</i> , 2018 , 298, 53-59	4.4	12
26	Influence of genetic polymorphisms of styrene-metabolizing enzymes on the levels of urinary biomarkers of styrene exposure. <i>Toxicology Letters</i> , 2015 , 233, 156-62	4.4	10
25	Biomonitoring for Exposure Assessment to Styrene in the Fibreglass Reinforced Plastic Industry: Determinants and Interferents. <i>Annals of Occupational Hygiene</i> , 2015 , 59, 1000-11		9
24	Biomonitoring of Urinary Benzene Metabolite SPMA in the General Population in Central Italy. <i>Toxics</i> , 2018 , 6,	4.7	9

23	Occupational exposure to styrene in the fibreglass reinforced plastic industry: comparison between two different manufacturing processes. <i>Medicina Del Lavoro</i> , 2012 , 103, 402-12	1.9	9
22	Quantitative determination of the 1,3-butadiene urinary metabolite 1,2-dihydroxybutyl mercapturic acid by high-performance liquid chromatography/tandem mass spectrometry using polynomial calibration curves. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 1388-93	3.2	8
21	Validation of a radial diffusive sampler for measuring occupational exposure to 1,3-butadiene. <i>Journal of Chromatography A</i> , 2014 , 1353, 114-20	4.5	7
20	Species Discrimination Using a Gas Sensor Array. <i>Sensors</i> , 2020 , 20,	3.8	7
19	Occupational exposure to volatile organic compounds affects microRNA profiling: Towards the identification of novel biomarkers. <i>Toxicology Reports</i> , 2020 , 7, 700-710	4.8	6
18	Levels of urinary metabolites of four PAHs and cotinine determined in 1016 volunteers living in Central Italy. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 28772-28779	5.1	6
17	Direct and Oxidative DNA Damage in a Group of Painters Exposed to VOCs: Dose - Response Relationship. <i>Frontiers in Public Health</i> , 2020 , 8, 445	6	6
16	Susceptibility biomarker detection in urine exfoliate DNA. <i>Biomarkers in Medicine</i> , 2017 , 11, 957-966	2.3	5
15	Phenyl-modified hybrid organic-inorganic microporous films as high efficient platforms for styrene sensing. <i>Microporous and Mesoporous Materials</i> , 2020 , 294, 109877	5.3	5
14	Targeted and untargeted metabolomics applied to occupational exposure to hyperbaric atmosphere. <i>Toxicology Letters</i> , 2020 , 328, 28-34	4.4	4
13	Distortion product otoacoustic emission sensitivity to different solvents in a population of industrial painters. <i>International Journal of Audiology</i> , 2020 , 59, 443-454	2.6	4
12	Is it possible to use biomonitoring for the quantitative assessment of formaldehyde occupational exposure?. <i>Biomarkers in Medicine</i> , 2016 , 10, 1287-1303	2.3	4
11	Urinary Oxidative Stress Biomarkers in Workers of a Titanium Dioxide Based Pigment Production Plant. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	3
10	Validation of a high performance liquid chromatography-tandem mass spectrometry method for hydroxy fatty acids as environmental markers of lipopolysaccharide. <i>Journal of Chromatography A</i> , 2014 , 1353, 65-70	4.5	3
9	Comparison of hydrolysis and HPLC/MS/MS procedure with ELISA assay for the determination of S-phenylmercapturic acid as a biomarker of benzene exposure in human urine. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2010 , 878, 2529-33	3.2	3
8	High-performance liquid chromatographic determination of n-methylformamide, a biological index for occupational exposure to dimethylformamide. <i>Journal of Chromatography A</i> , 1999 , 847, 19-24	4.5	3
7	Occupational Exposure in Industrial Painters: Sensitive and Noninvasive Biomarkers to Evaluate Early Cytotoxicity, Genotoxicity and Oxidative Stress. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
6	Female Reproductive Health and Exposure to Phthalates and Bisphenol A: A Cross Sectional Study. <i>Toxics</i> , 2021 , 9,	4.7	2

5	LC Determination of the Skin Exposure to Oxamyl on Greenhouse Workers and Comparison Between DAD and MSMS Detection. <i>Chromatographia</i> , 2010 , 72, 281-287	2.1	1
4	Low-Cost Benzene Toluene Xylene Measurement Gas System Based on the Mini Chromatographic Cartridge. <i>Sensors</i> , 2020 , 21,	3.8	1
3	Chemometric Study of the Correlation between Human Exposure to Benzene and PAHs and Urinary Excretion of Oxidative Stress Biomarkers. <i>Atmosphere</i> , 2020 , 11, 1341	2.7	1
2	Biomonitoring of Exposure to Urban Pollutants and Oxidative Stress during the COVID-19 Lockdown in Rome Residents. <i>Toxics</i> , 2022 , 10, 267	4.7	1
1	Role of Sensors for Volatile Chemicals in the Prevention of Occupational Diseases. <i>Lecture Notes in Electrical Engineering</i> , 2023 , 127-132	0.2	