Mariola Herbet

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1904834/mariola-herbet-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36
papers

260
papers

40
ext. papers

260
papers

461
ext. citations

3.7
avg, IF

14
g-index

3.73
L-index

#	Paper	IF	Citations
36	The novel adamantane derivatives as potential mediators of inflammation and neural plasticity in diabetes mice with cognitive impairment <i>Scientific Reports</i> , 2022 , 12, 6708	4.9	1
35	Regulation of Neuroinflammatory Signaling by PPAR Agonist in Mouse Model of Diabetes. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 5502	6.3	O
34	Role of the Intestinal Microbiome, Intestinal Barrier and Psychobiotics in Depression. <i>Nutrients</i> , 2021 , 13,	6.7	14
33	The Role of Molecular and Inflammatory Indicators in the Assessment of Cognitive Dysfunction in a Mouse Model of Diabetes. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
32	Beneficial effects of combined administration of fluoxetine and mitochondria-targeted antioxidant at in behavioural and molecular studies in mice model of depression. <i>Behavioural Brain Research</i> , 2021 , 405, 113185	3.4	3
31	The Interaction of Selective A1 and A2A Adenosine Receptor Antagonists with Magnesium and Zinc Ions in Mice: Behavioural, Biochemical and Molecular Studies. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
30	Acetylcholinesterase Inhibitors in the Treatment of Neurodegenerative Diseases and the Role of Acetylcholinesterase in their Pathogenesis. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	9
29	Chronic Stress and Oxidative Stress as Common Factors of the Pathogenesis of Depression and Alzheimer Disease: The Role of Antioxidants in Prevention and Treatment. <i>Antioxidants</i> , 2021 , 10,	7.1	5
28	HPA Axis in the Pathomechanism of Depression and Schizophrenia: New Therapeutic Strategies Based on Its Participation. <i>Brain Sciences</i> , 2021 , 11,	3.4	9
27	The COVID-19 Irelated problems encountered by nursing homes in Poland and the steps undertaken to prevent disease spread in the first phase of the epidemic. <i>Current Issues in Pharmacy and Medical Sciences</i> , 2021 , 34, 206-211	0.5	
26	Pioglitazone as a modulator of the chemoresistance of renal cell adenocarcinoma to methotrexate. <i>Oncology Reports</i> , 2020 , 43, 1019-1030	3.5	2
25	New benzenesulphonohydrazide derivatives as potential antitumour agents. <i>Oncology Letters</i> , 2020 , 20, 136	2.6	3
24	Apigenin and hesperidin augment the toxic effect of doxorubicin against HepG2 cells. <i>BMC Pharmacology & Doxicology</i> , 2019 , 20, 22	2.6	19
23	Monoaminergic system is implicated in the antidepressant-like effect of hyperoside and protocatechuic acid isolated from Impatiens glandulifera Royle in mice. <i>Neurochemistry International</i> , 2019 , 128, 206-214	4.4	15
22	Inhibition of glycolysis disrupts cellular antioxidant defense and sensitizes HepG2 cells to doxorubicin treatment. <i>FEBS Open Bio</i> , 2019 , 9, 959-972	2.7	16
21	Edaravone presents antidepressant-like activity in corticosterone model of depression in mice with possible role of Fkbp5, Comt, Adora1 and Slc6a15 genes. <i>Toxicology and Applied Pharmacology</i> , 2019 , 380, 114689	4.6	6
20	Altered expression of genes involved in brain energy metabolism as adaptive responses in rats exposed to chronic variable stress; changes in cortical level of glucogenic and neuroactive amino acids. <i>Molecular Medicine Reports</i> , 2019 , 19, 2386-2396	2.9	5

Anxiolytic-like effects of the new arylpiperazine derivatives containing isonicotinic and picolinic nuclei: behavioral and biochemical studies. <i>Fundamental and Clinical Pharmacology</i> , 2019 , 33, 254-266	3.1	1
Novel 2,3-disubstituted 1,3-thiazolidin-4-one derivatives as potential antitumor agents in renal cell adenocarcinoma. <i>Oncology Reports</i> , 2019 , 41, 693-701	3.5	1
New hydrazide-hydrazones and 1,3-thiazolidin-4-ones with 3-hydroxy-2-naphthoic moiety: Synthesis, in vitro and in vivo studies. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 103, 1337-1347	7.5	17
8-Cyclopentyl-1,3-dimethylxanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. <i>Saudi Pharmaceutical Journal</i> , 2018 , 26, 694	4 476 2	7
Withdrawal of caffeine after its chronic administration modifies the antidepressant-like activity of atypical antidepressants in mice. Changes in cortical expression of Comt, Slc6a15 and Adora1 genes. <i>Psychopharmacology</i> , 2018 , 235, 2423-2434	4.7	5
-Tocopherol Ameliorates Redox Equilibrium and Reduces Inflammatory Response Caused by Chronic Variable Stress. <i>BioMed Research International</i> , 2018 , 2018, 7210783	3	10
Resveratrol Limits Lipogenesis and Enhance Mitochondrial Activity in HepG2 Cells. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018 , 21, 504-515	3.4	7
Chronic Variable Stress Is Responsible for Lipid and DNA Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 7313090	6.7	26
The beneficial effects of resveratrol on steatosis and mitochondrial oxidative stress in HepG2 cells. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017 , 95, 1442-1453	2.4	21
Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reuptake inhibitors in the forced swim and tail suspension tests in mice. Effects on Comt, Slc6a15 and Adora1 gene expression. <i>Toxicology and Applied Pharmacology</i> , 2017 , 337, 95-103	4.6	8
The Positive Synergism of CPT and MK-801 in Behavioral Tests and in Reduction of Environmental Stress and Redox Signaling Changes in Mice Cerebral Cortex. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 837-845	2.6	2
Estimation of oxidative stress parameters in rats after simultaneous administration of rosuvastatin with antidepressants. <i>Pharmacological Reports</i> , 2016 , 68, 172-6	3.9	12
Preliminary Pharmacological Screening of Some Thiosemicarbazide, s-triazole, and Thiadiazole Derivatives. <i>CNS and Neurological Disorders - Drug Targets</i> , 2016 , 15, 730-9	2.6	1
Effect of the interaction between atorvastatin and selective serotonin reuptake inhibitors on the blood redox equilibrium. <i>Experimental and Therapeutic Medicine</i> , 2016 , 12, 3440-3444	2.1	8
Impact of combined treatment with rosuvastatin and antidepressants on liver and kidney function in rats. <i>Experimental and Therapeutic Medicine</i> , 2016 , 11, 1459-1464	2.1	4
Determination of Lipophilicity of Allyl Thiosemicarbazide, N1-Thiocarbamylamidrazone Derivatives, and their Cyclic Products by RP-HPLC, RP-TLC, and Theoretical Methods: Effects of Selected Compounds on the CNS of Mice. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 ,	1.3	3
EVALUATION OF SELECTED BIOCHEMICAL PARAMETERS OF OXIDATIVE STRESS IN RATS PRETREATED WITH ROSUVASTATIN AND FLUOXETINE. <i>Acta Poloniae Pharmaceutica</i> , 2015 , 72, 261-5	1.3	5
Influence of combined therapy with rosuvastatin and amitriptyline on the oxidation-reduction status in rats. <i>Acta Poloniae Pharmaceutica</i> , 2013 , 70, 913-7	1.3	3
	nuclei: behavioral and biochemical studies. <i>Fundamental and Clinical Pharmacology</i> , 2019, 33, 254-266 Novel 2,3-disubstituted 1,3-thiazolidin-4-one derivatives as potential antitumor agents in renal cell adenocarcinoma. <i>Oncology Reports</i> , 2019, 41, 693-701 New hydrazide-hydrazones and 1,3-thiazolidin-4-ones with 3-hydroxy-2-naphthoic moiety: Synthesis, in vitro and in vivo studies. <i>Biomedicine and Pharmacotherapy</i> , 2018, 103, 1337-1347 8-Cyclopentyl-1,3-dimethykanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. <i>Saudi Pharmaceutical Journal</i> , 2018, 26, 694 Withdrawal of caffeine after its chronic administration modifies the antidepressant-like activity of atypical antidepressants in mice. Changes in cortical expression of Comt, Slc6a15 and Adora1 genes. <i>Psychopharmacology</i> , 2018, 235, 2423-2434 -Tocopherol Ameliorates Redox Equilibrium and Reduces Inflammatory Response Caused by Chronic Variable Stress. <i>BioMed Research International</i> , 2018, 2018, 7210783 Resveratrol Limits Lipogenesis and Enhance Mitochondrial Activity in HepG2 Cells. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018, 21, 504-515 Chronic Variable Stress Is Responsible for Lipid and DNA Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2017, 2017, 7313090 The beneficial effects of resveratrol on steatosis and mitochondrial oxidative stress in HepG2 cells. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017, 95, 1442-1453 Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reputake inhibitors in the Forced swim and tall suspension tests in mice. Effects on Com, Sic6a15 and Adora1 gene expression. <i>Toxicology and Applied Pharmacology</i> , 2017, 337, 95-103 The Positive Synergism of CPT and MK-801 in Behavioral Tests and in Reduction of Environmental Stress and Redox Signaling Changes in Mice Cerebral Co	Novel 2,3-disubstituted 1,3-thiazolidin-4-one derivatives as potential antitumor agents in renal cell adenocarcinoma. Oncology Reports, 2019, 41, 693-701 3.5 New hydrazide-hydrazones and 1,3-thiazolidin-4-ones with 3-hydroxy-2-naphthoic moiety: Synthesis, in vitro and in vivo studies. Biomedicine and Pharmacotherapy, 2018, 103, 1337-1347 7.5 8-Cyclopentyl-1,3-dimethylyanthine enhances effectiveness of antidepressant in behavioral tests and modulates redox balance in the cerebral cortex of mice. Saudi Pharmaceutical Journal, 2018, 26, 694-7b2 Withdrawal of caffeine after its chronic administration modifies the antidepressant-like activity of atypical antidepressants in mice. Changes in cortical expression of Comt, Slc6a15 and Adora1 qenes. Psychopharmacology, 2018, 235, 2423-2434 -Tocopherol Ameliorates Redox Equilibrium and Reduces Inflammatory Response Caused by Chronic Variable Stress. BioMed Research International, 2018, 2018, 7210783 3. Resveratrol Limits Lipogenesis and Enhance Mitochondrial Activity in HepG2 Cells. Journal of Pharmacy and Pharmaceutical Sciences, 2018, 21, 504-515 Chronic Variable Stress Is Responsible for Lipid and DNA Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. Oxidative Disorders and Activation of Oxidative Stress Response Genes in the Brain of Rats. Oxidative Medicine and Cellular Longevity, 2017, 2017, 7313090 The beneficial effects of resveratrol on steatosis and mitochondrial oxidative stress in HepG2 cells. Canadian Journal of Physiology and Pharmacology, 2017, 95, 1442-1453 Chronic treatment with caffeine and its withdrawal modify the antidepressant-like activity of selective serotonin reuptake inhibitors in the forced swim and tail suspension tests in mice. Effects on Comb. Slc6a15 and Adora1 gene expression. Toxicology and Applied Pharmacology, 2017, 337, 95-103 Ferbandian of Oxidative stress parameters in rats after simultaneous administration of rosuvastatin with antidepressants. Pharmacological Reports, 2016, 68, 172-6

Assessment of oxidative stress parameters in rats pretreated with Ukrain and amitriptyline. *Current Issues in Pharmacy and Medical Sciences*, **2012**, 25, 262-265

0.5