

# Kristy A Nielson

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1905543/publications.pdf>

Version: 2024-02-01

93  
papers

4,167  
citations

94269

37  
h-index

123241

61  
g-index

100  
all docs

100  
docs citations

100  
times ranked

4751  
citing authors

#	ARTICLE	IF	CITATIONS
1	Subjective Well-Being and Bilateral Anterior Insula Functional Connectivity After Exercise Intervention in Older Adults With Mild Cognitive Impairment. <i>Frontiers in Neuroscience</i> , 2022, 16, .	1.4	2
2	A systematic review of cognitive event-related potentials in mild cognitive impairment and Alzheimer's disease. <i>Behavioural Brain Research</i> , 2021, 396, 112904.	1.2	38
3	The role of alexithymia in memory and executive functioning across the lifespan. <i>Cognition and Emotion</i> , 2021, 35, 524-539.	1.2	15
4	Association Between Greater Cerebellar Network Connectivity and Improved Phonemic Fluency Performance After Exercise Training in Older Adults. <i>Cerebellum</i> , 2021, 20, 542-555.	1.4	14
5	Cognitive-emotional processing in alexithymia: an integrative review. <i>Cognition and Emotion</i> , 2021, 35, 449-487.	1.2	47
6	Having no words for feelings: alexithymia as a fundamental personality dimension at the interface of cognition and emotion. <i>Cognition and Emotion</i> , 2021, 35, 435-448.	1.2	19
7	Exercise Training-Related Changes in Cortical Gray Matter Diffusivity and Cognitive Function in Mild Cognitive Impairment and Healthy Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 645258.	1.7	14
8	Event-Related Potentials, Inhibition, and Risk for Alzheimer's Disease Among Cognitively Intact Elders. <i>Journal of Alzheimer's Disease</i> , 2021, 80, 1413-1428.	1.2	8
9	Five-Year Change in Body Mass Index Predicts Conversion to Mild Cognitive Impairment or Dementia Only in APOE $\epsilon$ 4 Allele Carriers. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 189-199.	1.2	5
10	Hippocampal Functional Connectivity and Memory Performance After Exercise Intervention in Older Adults with Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2021, 82, 1015-1031.	1.2	14
11	Temporal Dynamics of Event-Related Potentials during Inhibitory Control Characterize Age-Related Neural Compensation. <i>Symmetry</i> , 2021, 13, 2323.	1.1	11
12	A review of minority stress as a risk factor for cognitive decline in lesbian, gay, bisexual, and transgender (LGBT) elders. <i>Journal of Gay and Lesbian Mental Health</i> , 2020, 24, 2-19.	0.8	66
13	Episodic Memory and Hippocampal Volume Predict 5-Year Mild Cognitive Impairment Conversion in Healthy Apolipoprotein $\mu$ 4 Carriers. <i>Journal of the International Neuropsychological Society</i> , 2020, 26, 733-738.	1.2	7
14	Oscillations in neural drive and age-related reductions in force steadiness with a cognitive challenge. <i>Journal of Applied Physiology</i> , 2019, 126, 1056-1065.	1.2	22
15	Resting Cerebral Blood Flow After Exercise Training in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 671-684.	1.2	71
16	Force Steadiness During a Cognitively Challenging Motor Task Is Predicted by Executive Function in Older Adults. <i>Frontiers in Physiology</i> , 2018, 9, 1316.	1.3	5
17	Differential 5-year brain atrophy rates in cognitively declining and stable APOE- $\mu$ 4 elders.. <i>Neuropsychology</i> , 2018, 32, 647-653.	1.0	12
18	Exercise Training Related Changes in Verbal Fluency in Healthy Older Adults and Mild Cognitive Impairment. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 86-87.	0.2	0

#	ARTICLE	IF	CITATIONS
19	Motor timing intraindividual variability in amnesic mild cognitive impairment and cognitively intact elders at genetic risk for Alzheimer's disease. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2017, 39, 866-875.	0.8	7
20	Exercise Training and Functional Connectivity Changes in Mild Cognitive Impairment and Healthy Elders. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 845-856.	1.2	114
21	Post-learning arousal enhances veridical memory and reduces false memory in the Deese-Roediger-McDermott paradigm. <i>Neurobiology of Learning and Memory</i> , 2017, 144, 198-207.	1.0	6
22	Diffusion Tensor Imaging Predictors of Episodic Memory Decline in Healthy Elders at Genetic Risk for Alzheimer's Disease. <i>Journal of the International Neuropsychological Society</i> , 2016, 22, 1005-1015.	1.2	23
23	Five-Year Longitudinal Brain Volume Change in Healthy Elders at Genetic Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2016, 55, 1363-1377.	1.2	41
24	Exercise Training Alters Resting Cerebral Blood Flow. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 821-822.	0.2	0
25	Interactive effects of physical activity and APOE- $\epsilon$ 4 on white matter tract diffusivity in healthy elders. <i>NeuroImage</i> , 2016, 131, 102-112.	2.1	41
26	Individuals with MCI Exhibit Stronger Posterior Functional Connectivity than Healthy Elders after a 12-week Walking Intervention. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 1053.	0.2	0
27	Improved Cardiorespiratory Fitness Is Associated with Increased Cortical Thickness in Mild Cognitive Impairment. <i>Journal of the International Neuropsychological Society</i> , 2015, 21, 757-767.	1.2	74
28	P2-302: Effects of a 12-week exercise intervention on resting state brain networks in mild cognitive impairment and healthy elders. , 2015, 11, P608-P608.		0
29	P4-043: Aerobic fitness-associated increases in cortical thickness in mild cognitive impairment. , 2015, 11, P782-P783.		0
30	Executive functioning and risk for Alzheimer's disease in the cognitively intact: Family history predicts Wisconsin Card Sorting Test performance.. <i>Neuropsychology</i> , 2015, 29, 582-591.	1.0	25
31	Alexithymia impairs the cognitive control of negative material while facilitating the recall of neutral material in both younger and older adults. <i>Cognition and Emotion</i> , 2015, 29, 442-459.	1.2	20
32	Genetic risk for Alzheimer's disease alters the five-year trajectory of semantic memory activation in cognitively intact elders. <i>NeuroImage</i> , 2015, 111, 136-146.	2.1	39
33	Sex Differences in Arm Muscle Fatigability With Cognitive Demand in Older Adults. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 2568-2577.	0.7	18
34	Age and sex differences in steadiness of elbow flexor muscles with imposed cognitive demand. <i>European Journal of Applied Physiology</i> , 2015, 115, 1367-1379.	1.2	40
35	Physical activity reduces hippocampal atrophy in elders at genetic risk for Alzheimer's disease. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 61.	1.7	110
36	Motor Variability during Sustained Contractions Increases with Cognitive Demand in Older Adults. <i>Frontiers in Aging Neuroscience</i> , 2014, 6, 97.	1.7	42

#	ARTICLE	IF	CITATIONS
37	Effects Of A 12-week Exercise Intervention On Default Mode Network Connectivity In MCI Patients. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 678.	0.2	0
38	Stressor-induced increase in muscle fatigability of young men and women is predicted by strength but not voluntary activation. <i>Journal of Applied Physiology</i> , 2014, 116, 767-778.	1.2	38
39	Performance variability during a multitrial list-learning task as a predictor of future cognitive decline in healthy elders. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2014, 36, 236-243.	0.8	9
40	Brain areas associated with force steadiness and intensity during isometric ankle dorsiflexion in men and women. <i>Experimental Brain Research</i> , 2014, 232, 3133-3145.	0.7	34
41	Muscle tension induced after learning enhances long-term narrative and visual memory in healthy older adults. <i>Neurobiology of Learning and Memory</i> , 2014, 109, 144-150.	1.0	15
42	Interactions Between Physical Activity and APOE- $\epsilon$ 4 Risk for Alzheimer's Disease on Longitudinal Hippocampal Volume Change. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 282.	0.2	0
43	Physical Activity and Brain Function in Older Adults at Increased Risk for Alzheimer's Disease. <i>Brain Sciences</i> , 2013, 3, 54-83.	1.1	52
44	Semantic Memory Functional MRI and Cognitive Function after Exercise Intervention in Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2013, 37, 197-215.	1.2	121
45	Comparison of Semantic and Episodic Memory BOLD fMRI Activation in Predicting Cognitive Decline in Older Adults. <i>Journal of the International Neuropsychological Society</i> , 2013, 19, 11-21.	1.2	21
46	Recognition of famous names predicts cognitive decline in healthy elders.. <i>Neuropsychology</i> , 2013, 27, 333-342.	1.0	16
47	Lifestyle and Genetic Contributions to Cognitive Decline and Hippocampal Structure and Function in Healthy Aging. <i>Current Alzheimer Research</i> , 2012, 9, 436-446.	0.7	69
48	Memory modulation in the classroom: Selective enhancement of college examination performance by arousal induced after lecture. <i>Neurobiology of Learning and Memory</i> , 2012, 98, 12-16.	1.0	29
49	Functional magnetic resonance imaging of semantic memory as a presymptomatic biomarker of Alzheimer's disease risk. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012, 1822, 442-456.	1.8	31
50	Interactive effects of physical activity and APOE- $\epsilon$ 4 on BOLD semantic memory activation in healthy elders. <i>NeuroImage</i> , 2011, 54, 635-644.	2.1	100
51	Effects of Exercise Training on fMRI Activation and Hippocampal Blood Flow in Mild Cognitive Impairment. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 617-618.	0.2	3
52	Does physical activity influence semantic memory activation in amnesic mild cognitive impairment?. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 60-62.	0.9	21
53	Reduction of the misinformation effect by arousal induced after learning. <i>Cognition</i> , 2010, 117, 237-242.	1.1	19
54	Memory for emotionally provocative words in alexithymia: A role for stimulus relevance. <i>Consciousness and Cognition</i> , 2010, 19, 1062-1068.	0.8	18

#	ARTICLE	IF	CITATIONS
55	Prediction of Cognitive Decline in Healthy Older Adults using fMRI. <i>Journal of Alzheimer's Disease</i> , 2010, 21, 871-885.	1.2	62
56	Common neural systems associated with the recognition of famous faces and names: An event-related fMRI study. <i>Brain and Cognition</i> , 2010, 72, 491-498.	0.8	34
57	Semantic memory activation in amnesic mild cognitive impairment. <i>Brain</i> , 2009, 132, 2068-2078.	3.7	101
58	Semantic memory activation in individuals at risk for developing Alzheimer disease. <i>Neurology</i> , 2009, 73, 612-620.	1.5	70
59	Semantic knowledge for famous names in mild cognitive impairment. <i>Journal of the International Neuropsychological Society</i> , 2009, 15, 9-18.	1.2	31
60	Gender-specific disruptions in emotion processing in younger adults with depression. <i>Depression and Anxiety</i> , 2009, 26, 182-189.	2.0	52
61	Modulation of long-term memory by arousal in alexithymia: The role of interpretation. <i>Consciousness and Cognition</i> , 2009, 18, 786-793.	0.8	31
62	Enhanced post-learning memory consolidation is influenced by arousal predisposition and emotion regulation but not by stimulus valence or arousal. <i>Neurobiology of Learning and Memory</i> , 2009, 92, 70-79.	1.0	54
63	Sex Differences In Brain Activation During Submaximal Isometric Contractions Of The Lower Extremity. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 433.	0.2	0
64	Physical Activity Is Associated With Greater Brain Activation During Memory In Adults At Risk For Alzheimer's Disease. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 71.	0.2	0
65	Temporally Graded Activation of Neocortical Regions in Response to Memories of Different Ages. <i>Journal of Cognitive Neuroscience</i> , 2007, 19, 1113-1124.	1.1	32
66	The sensitivity and psychometric properties of a brief computer-based cognitive screening battery in a depression clinic. <i>Psychiatry Research</i> , 2007, 152, 143-154.	1.7	43
67	Positive and negative sources of emotional arousal enhance long-term word-list retention when induced as long as 30min after learning. <i>Neurobiology of Learning and Memory</i> , 2007, 88, 40-47.	1.0	112
68	A task to manipulate attentional load, set-shifting, and inhibitory control: Convergent validity and test-retest reliability of the Parametric Go/No-Go Test. <i>Journal of Clinical and Experimental Neuropsychology</i> , 2007, 29, 842-853.	0.8	126
69	An evaluation of distinct volumetric and functional MRI contributions toward understanding age and task performance: A study in the basal ganglia. <i>Brain Research</i> , 2007, 1135, 58-68.	1.1	30
70	Age-related functional recruitment for famous name recognition: An event-related fMRI study. <i>Neurobiology of Aging</i> , 2006, 27, 1494-1504.	1.5	48
71	Medial temporal lobe activity for recognition of recent and remote famous names: an event-related fMRI study. <i>Neuropsychologia</i> , 2005, 43, 693-703.	0.7	84
72	The effects of non-contingent extrinsic and intrinsic rewards on memory consolidation. <i>Neurobiology of Learning and Memory</i> , 2005, 84, 42-48.	1.0	54

#	ARTICLE	IF	CITATIONS
73	Memory enhancement by a semantically unrelated emotional arousal source induced after learning. <i>Neurobiology of Learning and Memory</i> , 2005, 84, 49-56.	1.0	103
74	fMRI of healthy older adults during Stroop interference. <i>NeuroImage</i> , 2004, 21, 192-200.	2.1	228
75	Comparability of functional MRI response in young and old during inhibition. <i>NeuroReport</i> , 2004, 15, 129-133.	0.6	40
76	Frontal recruitment during response inhibition in older adults replicated with fMRI. <i>NeuroImage</i> , 2003, 20, 1384-1392.	2.1	96
77	Differences in the functional neuroanatomy of inhibitory control across the adult life span.. <i>Psychology and Aging</i> , 2002, 17, 56-71.	1.4	313
78	Temporal Dynamics of Brain Activity in Human Memory Processes. <i>Nonlinear Dynamics, Psychology, and Life Sciences</i> , 2002, 6, 323-334.	0.2	2
79	Differences in the functional neuroanatomy of inhibitory control across the adult life span. <i>Psychology and Aging</i> , 2002, 17, 56-71.	1.4	167
80	Intact Physiological Response to Arousal with Impaired Emotional Recognition in Alexithymia. <i>Psychotherapy and Psychosomatics</i> , 2001, 70, 92-102.	4.0	116
81	Chronic Propranolol Induces Deficits in Retention but Not Acquisition Performance in the Water Maze in Mice. <i>Neurobiology of Learning and Memory</i> , 2000, 74, 17-26.	1.0	18
82	Chronic Administration of Propranolol Impairs Inhibitory Avoidance Retention in Mice. <i>Neurobiology of Learning and Memory</i> , 1999, 71, 248-257.	1.0	23
83	Psychiatric Complications of Dementia: Impact on Caregivers. <i>Dementia and Geriatric Cognitive Disorders</i> , 1998, 9, 50-55.	0.7	53
84	Caregiver and Clinician Assessment of Behavioral Disturbances: The California Dementia Behavior Questionnaire. <i>International Psychogeriatrics</i> , 1997, 9, 155-174.	0.6	10
85	The progression of $\beta^2$ -amyloid deposition in the frontal cortex of the aged canine. <i>Brain Research</i> , 1997, 774, 35-43.	1.1	87
86	Arousal-Induced Modulation of Memory Storage Processes in Humans. <i>Neurobiology of Learning and Memory</i> , 1996, 66, 133-142.	1.0	66
87	Apolipoprotein $\epsilon$ Genotyping of Diabetic Dementia Patients: Is Diabetes Rare in Alzheimer's Disease?. <i>Journal of the American Geriatrics Society</i> , 1996, 44, 897-904.	1.3	60
88	Constructional apraxia in Alzheimer's disease correlates with neuritic neuropathology in occipital cortex. <i>Brain Research</i> , 1996, 741, 284-293.	1.1	41
89	Low-Dose Propranolol Reduces Aggression and Agitation Resembling That Associated with Orbitofrontal Dysfunction in Elderly Demented Patients. <i>Alzheimer Disease and Associated Disorders</i> , 1995, 9, 233-237.	0.6	20
90	Low-Dose Propranolol Reduces Aggression and Agitation Resembling That Associated with Orbitofrontal Dysfunction in Elderly Demented Patients. <i>Alzheimer Disease and Associated Disorders</i> , 1995, 9, 233-237.	0.6	46

#	ARTICLE	IF	CITATIONS
91	Acquisition and Long-Term Retention of a Fine Motor Skill in Alzheimers-Disease. Brain and Cognition, 1995, 29, 294-306.	0.8	50
92	Beta-adrenergic receptor antagonist antihypertensive medications impair arousal-induced modulation of working memory in Elderly Humans. Behavioral and Neural Biology, 1994, 62, 190-200.	2.3	89
93	Memory and Executive Functions in Alexithymia. , 0, , 78-89.		9