

Chuyen T H Nguyen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1906166/publications.pdf>

Version: 2024-02-01

27
papers

256
citations

933447

10
h-index

996975

15
g-index

27
all docs

27
docs citations

27
times ranked

411
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum soluble interleukin-2 receptor level is more sensitive than angiotensin-converting enzyme or lysozyme for diagnosis of sarcoidosis and may be a marker of multiple organ involvement. <i>Journal of Dermatology</i> , 2017, 44, 789-797.	1.2	63
2	Small-Vessel Vasculopathy Due to Aberrant Autophagy in LAMP-2 Deficiency. <i>Scientific Reports</i> , 2018, 8, 3326.	3.3	24
3	TARC expression in the circulation and cutaneous granulomas correlates with disease severity and indicates Th2-mediated progression in patients with sarcoidosis. <i>Allergology International</i> , 2018, 67, 487-495.	3.3	20
4	Early cutaneous eruptions after oral hydroxychloroquine in a lupus erythematosus patient: A case report and review of the published work. <i>Journal of Dermatology</i> , 2018, 45, 344-348.	1.2	18
5	Basophil count is a sensitive marker for clinical progression in a chronic spontaneous urticaria patient treated with omalizumab. <i>Allergology International</i> , 2019, 68, 388-390.	3.3	15
6	Up-regulated expression of CD86 on circulating intermediate monocytes correlated with disease severity in psoriasis. <i>Journal of Dermatological Science</i> , 2018, 90, 135-143.	1.9	14
7	Palisaded neutrophilic and granulomatous dermatitis associated with systemic lupus erythematosus: possible involvement of CD163 ⁺ M2 macrophages in two cases, and a review of published works. <i>Lupus</i> , 2018, 27, 2220-2227.	1.6	14
8	Exploring the imbalance of circulating follicular helper CD4 ⁺ T cells in sarcoidosis patients. <i>Journal of Dermatological Science</i> , 2020, 97, 216-224.	1.9	14
9	Imbalance toward TFH 1 cells playing a role in aberrant B cell differentiation in systemic sclerosis. <i>Rheumatology</i> , 2021, 60, 1553-1562.	1.9	14
10	Annular lesions of cutaneous sarcoidosis with granulomatous vasculitis. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 494-496.	1.3	11
11	Cardiac amyloidosis mimicking acute coronary syndrome: a case report and literature review. <i>European Heart Journal - Case Reports</i> , 2020, 4, 1-7.	0.6	9
12	Clinical and laboratory parameters predicting cancer in dermatomyositis patients with anti-TIF1 ³ antibodies. <i>Journal of Dermatological Science</i> , 2021, 104, 177-184.	1.9	6
13	Solar urticaria with an augmentation spectrum in a child. <i>Journal of Dermatology</i> , 2017, 44, e214-e215.	1.2	5
14	Protein contact dermatitis induced by cabbage with recurrent symptoms after oral intake. <i>Journal of Dermatology</i> , 2017, 44, e252-e253.	1.2	5
15	Psoriatic skin lesions induced by abatacept: Case report and review of the published work. <i>Journal of Dermatology</i> , 2017, 44, 845-846.	1.2	5
16	Clinical characteristics of sarcoidosis patients with systemic sclerosis-specific autoantibody: Possible involvement of thymus and activation-regulated chemokine and a review of the published works. <i>Journal of Dermatology</i> , 2019, 46, 577-583.	1.2	5
17	Annularly arranged nodular pretibial myxedema after 7-year treatment of Graves' disease. <i>Journal of Dermatology</i> , 2018, 45, 110-111.	1.2	4
18	Reactive Hemophagocytic Lymphohistiocytosis-Associated Kikuchi-Fujimoto Disease After a <i>Staphylococcus epidermidis</i> Cutaneous Infection. <i>Journal of Clinical Rheumatology</i> , 2021, 27, e96-e97.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Increased plasma lipocalin-2 levels correlate with disease severity and may be a marker of acute inflammatory response in patients with psoriasis. <i>Dermatology Reports</i> , 2022, 14, .	0.8	3
20	Circulating intermediate monocytes produce TARC in sarcoidosis. <i>Allergology International</i> , 2020, 69, 310-312.	3.3	2
21	Cutaneous Manifestations Indicate an Underlying Polycythemia Vera. <i>Journal of Clinical Rheumatology</i> , 2021, 27, e109-e110.	0.9	1
22	Serological biomarkers of granuloma progression in sarcoidosis. <i>Trends in Immunotherapy</i> , 2020, 4, 27.	0.2	1
23	CCL 2 serves as a downstream effector of interleukin-1 ^β and tumour necrosis factor- α signalling in Schnitzler syndrome. <i>British Journal of Dermatology</i> , 2019, 180, 706-707.	1.5	0
24	Hydroxychloroquine for the treatment of lupus erythematosus with cutaneous involvement: clinical efficacy and serial analysis of anti-DNA antibody levels. <i>European Journal of Dermatology</i> , 2019, 29, 557-559.	0.6	0
25	A rare case report with diffuse "sclerodermoid appearance" due to systemic amyloidosis. <i>Australasian Journal of Dermatology</i> , 2021, 62, e458-e460.	0.7	0
26	Increased serum interleukin-17A levels correlate with disease severity and poor prognostic factors in patients with alopecia areata. <i>Dermatology Reports</i> , 0, , .	0.8	0
27	Topical potent corticosteroids and R-CDOP improved mycosis fungoides after 20 years treatment as tinea corporis. <i>Trends in Immunotherapy</i> , 2022, 6, .	0.2	0