

# Will Edwards

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1907727/publications.pdf>

Version: 2024-02-01

72  
papers

2,220  
citations

236833

25  
h-index

243529

44  
g-index

72  
all docs

72  
docs citations

72  
times ranked

3685  
citing authors

#	ARTICLE	IF	CITATIONS
1	Captivating color: evidence for optimal stimulus design in a polymorphic prey lure. <i>Behavioral Ecology</i> , 2022, 33, 670-678.	1.0	3
2	An endangered bird calls less when invasive birds are calling. <i>Journal of Avian Biology</i> , 2021, 52, .	0.6	4
3	Structural Recovery of Logged Forests in the Solomon Islands: Implications for Conservation and Management. <i>Tropical Conservation Science</i> , 2021, 14, 194008292110281.	0.6	4
4	Effective ecosystem monitoring requires a multi-scaled approach. <i>Biological Reviews</i> , 2020, 95, 1706-1719.	4.7	38
5	Richness of Primary Producers and Consumer Abundance Mediate Epiphyte Loads in a Tropical Seagrass System. <i>Diversity</i> , 2020, 12, 384.	0.7	6
6	TERN, Australia's land observatory: addressing the global challenge of forecasting ecosystem responses to climate variability and change. <i>Environmental Research Letters</i> , 2019, 14, 095004.	2.2	34
7	Land management strategies can increase oil palm plantation use by some terrestrial mammals in Colombia. <i>Scientific Reports</i> , 2019, 9, 7812.	1.6	39
8	Liana cover in the canopies of rainforest trees is not predicted by local ground-based measures. <i>Austral Ecology</i> , 2019, 44, 759-767.	0.7	12
9	Edge disturbance drives liana abundance increase and alteration of liana-host tree interactions in tropical forest fragments. <i>Ecology and Evolution</i> , 2018, 8, 4237-4251.	0.8	53
10	Temporal variation in abundance of leaf litter beetles and ants in an Australian lowland tropical rainforest is driven by climate and litter fall. <i>Biodiversity and Conservation</i> , 2018, 27, 2625-2640.	1.2	9
11	Can dispersal investment explain why tall plant species achieve longer dispersal distances than short plant species?. <i>New Phytologist</i> , 2018, 217, 407-415.	3.5	44
12	Seasonal patterns in rainforest litterfall: Detecting endogenous and environmental influences from long-term sampling. <i>Austral Ecology</i> , 2018, 43, 225-235.	0.7	7
13	Identifying critical limits in oil palm cover for the conservation of terrestrial mammals in Colombia. <i>Biological Conservation</i> , 2018, 227, 65-73.	1.9	28
14	Terrestrial mammal responses to oil palm dominated landscapes in Colombia. <i>PLoS ONE</i> , 2018, 13, e0197539.	1.1	32
15	Forest edge disturbance increases rattan abundance in tropical rain forest fragments. <i>Scientific Reports</i> , 2017, 7, 6071.	1.6	13
16	Plant functional groups within a tropical forest exhibit different wood functional anatomy. <i>Functional Ecology</i> , 2017, 31, 582-591.	1.7	27
17	Incomplete offspring sex bias in Australian populations of the butterfly <i>Eurema hecabe</i> . <i>Heredity</i> , 2017, 118, 284-292.	1.2	1
18	Degraded tropical rain forests possess valuable carbon storage opportunities in a complex, forested landscape. <i>Scientific Reports</i> , 2016, 6, 30012.	1.6	20

#	ARTICLE	IF	CITATIONS
19	Factors influencing tree diversity and compositional change across logged forests in the Solomon Islands. <i>Forest Ecology and Management</i> , 2016, 372, 53-63.	1.4	14
20	The Impacts of Oil Palm Agriculture on Colombia's Biodiversity: What We Know and Still Need to Know. <i>Tropical Conservation Science</i> , 2015, 8, 828-845.	0.6	39
21	Can Lianas Assist in Rainforest Restoration?. <i>Tropical Conservation Science</i> , 2015, 8, 257-273.	0.6	15
22	Dynamics of Logging in Solomon Islands: The Need for Restoration and Conservation Alternatives. <i>Tropical Conservation Science</i> , 2015, 8, 718-731.	0.6	36
23	Forest Structure, Plant Diversity and Local Endemism in a Highly Varied New Guinea Landscape. <i>Tropical Conservation Science</i> , 2015, 8, 284-300.	0.6	5
24	Generalised Extreme Value Distributions Provide a Natural Hypothesis for the Shape of Seed Mass Distributions. <i>PLoS ONE</i> , 2015, 10, e0121724.	1.1	4
25	Using phylogenetic diversity to identify ancient rain forest refugia and diversification zones in a biodiversity hotspot. <i>Diversity and Distributions</i> , 2015, 21, 279-289.	1.9	50
26	The specialization and structure of antagonistic and mutualistic networks of beetles on rainforest canopy trees. <i>Biological Journal of the Linnean Society</i> , 2015, 114, 287-295.	0.7	19
27	Validating Community-Led Forest Biomass Assessments. <i>PLoS ONE</i> , 2015, 10, e0130529.	1.1	9
28	Sea turtle rehabilitation success increases with body size and differs among species. <i>Endangered Species Research</i> , 2015, 29, 13-21.	1.2	16
29	Canopy invertebrate community composition on rainforest trees: Different microhabitats support very different invertebrate communities. <i>Austral Ecology</i> , 2014, 39, 367-377.	0.7	11
30	Long-term changes in liana abundance and forest dynamics in undisturbed Amazonian forests. <i>Ecology</i> , 2014, 95, 1604-1611.	1.5	96
31	Apparent environmental synergism drives the dynamics of Amazonian forest fragments. <i>Ecology</i> , 2014, 95, 3018-3026.	1.5	41
32	Color Polymorphism in Spiny Spiders ( <i>Gasteracantha fornicata</i> ): Testing the Adaptive Significance of a Geographically Clinal Lure. <i>Ethology</i> , 2013, 119, 1126-1137.	0.5	19
33	Diurnal effectiveness of pollination by bees and flies in agricultural <i>Brassica rapa</i> : Implications for ecosystem resilience. <i>Basic and Applied Ecology</i> , 2013, 14, 20-27.	1.2	53
34	Body size variation among invertebrates inhabiting different canopy microhabitat: flower visitors are smaller. <i>Ecological Entomology</i> , 2013, 38, 101-111.	1.1	11
35	Variation in beetle community structure across five microhabitats in Australian tropical rainforest trees. <i>Insect Conservation and Diversity</i> , 2013, 6, 463-472.	1.4	19
36	Insects on flowers. <i>Communicative and Integrative Biology</i> , 2013, 6, e22509.	0.6	1

#	ARTICLE	IF	CITATIONS
37	Sprouting and genetic structure vary with flood disturbance in the tropical riverine paperbark tree, <i>Melaleuca leucadendra</i> (Myrtaceae). <i>American Journal of Botany</i> , 2013, 100, 2250-2260.	0.8	10
38	Specialization of rainforest canopy beetles to host trees and microhabitats: not all specialists are leaf-feeding herbivores. <i>Biological Journal of the Linnean Society</i> , 2013, 109, 215-228.	0.7	24
39	Palau's Rare and Threatened Palm <i>Ponapea palauensis</i> (Arecaceae): Population Density, Distribution, and Threat Assessment. <i>Pacific Science</i> , 2013, 67, 599-607.	0.2	3
40	Correlations between physical and chemical defences in plants: tradeoffs, syndromes, or just many different ways to skin a herbivorous cat?. <i>New Phytologist</i> , 2013, 198, 252-263.	3.5	124
41	Marine turtle nest depredation by feral pigs ( <i>Sus scrofa</i> ) on the Western Cape York Peninsula, Australia: implications for management. <i>Wildlife Research</i> , 2013, 40, 377.	0.7	25
42	The limit to the distribution of a rainforest marsupial folivore is consistent with the thermal intolerance hypothesis. <i>Oecologia</i> , 2012, 168, 889-899.	0.9	35
43	Spatial and temporal variation in pollinator effectiveness: do unmanaged insects provide consistent pollination services to mass flowering crops?. <i>Journal of Applied Ecology</i> , 2012, 49, 126-134.	1.9	89
44	Feeding guild structure of beetles on Australian tropical rainforest trees reflects microhabitat resource availability. <i>Journal of Animal Ecology</i> , 2012, 81, 1086-1094.	1.3	44
45	Size is not everything for desiccation-sensitive seeds. <i>Journal of Ecology</i> , 2012, 100, 1131-1140.	1.9	27
46	The Overlooked Biodiversity of Flower-Visiting Invertebrates. <i>PLoS ONE</i> , 2012, 7, e45796.	1.1	37
47	Pollen transport differs among bees and flies in a human-modified landscape. <i>Diversity and Distributions</i> , 2011, 17, 519-529.	1.9	86
48	Putting plant resistance traits on the map: a test of the idea that plants are better defended at lower latitudes. <i>New Phytologist</i> , 2011, 191, 777-788.	3.5	155
49	Not so simple after all: searching for ecological advantages of compound leaves. <i>Oikos</i> , 2011, 120, 813-821.	1.2	29
50	Dispersal of Desiccation-Sensitive Seeds is not Coincident with High Rainfall in a Seasonal Tropical Forest in Australia. <i>Biotropica</i> , 2010, 42, 271-275.	0.8	7
51	How long does it take for different seeds to dry?. <i>Functional Plant Biology</i> , 2010, 37, 575.	1.1	6
52	Alternative pollinator taxa are equally efficient but not as effective as the honeybee in a mass flowering crop. <i>Journal of Applied Ecology</i> , 2009, 46, 1080-1087.	1.9	239
53	Re-contemplate an entangled bank: <i>The Power of Movement in Plants</i> revisited. <i>Botanical Journal of the Linnean Society</i> , 2009, 160, 111-118.	0.8	19
54	Is optimal foraging a realistic expectation in orb-weaver spiders?. <i>Ecological Entomology</i> , 2009, 34, 527-534.	1.1	10

#	ARTICLE	IF	CITATIONS
55	Wood density predicts plant damage and vegetative recovery rates caused by cyclone disturbance in tropical rainforest tree species of North Queensland, Australia. <i>Austral Ecology</i> , 2008, 33, 442-450.	0.7	101
56	The global trend in plant twining direction. <i>Global Ecology and Biogeography</i> , 2007, 16, 795-800.	2.7	34
57	Differences in resprouting ability are not related to seed size or seedling growth in four riparian woody species. <i>Journal of Ecology</i> , 2007, 95, 840-850.	1.9	8
58	Supplementary pollination in the production of custard apple ( <i>Annonasp.</i> ) – the effect of pollen source. <i>Journal of Horticultural Science and Biotechnology</i> , 2006, 81, 78-83.	0.9	14
59	The evolution of rewards: seed dispersal, seed size and elaiosome size. <i>Journal of Ecology</i> , 2006, 94, 687-694.	1.9	72
60	Plants reward seed dispersers in proportion to their effort: The relationship between pulp mass and seed mass in vertebrate dispersed plants. <i>Evolutionary Ecology</i> , 2006, 20, 365-376.	0.5	9
61	Egg production across a 40-week period in the phasmid <i>Sipylloidea</i> sp. ( <i>Diapheromeridae</i> ) from a tropical rain forest, north Queensland, Australia. <i>Australian Journal of Entomology</i> , 2005, 44, 364-368.	1.1	0
62	Architectural constraint in fruit production of <i>Crotalaria spectabilis</i> ( <i>Fabaceae</i> ). <i>Plant Species Biology</i> , 2005, 20, 41-46.	0.6	7
63	Resprouting of saplings following a tropical rainforest fire in north-east Queensland, Australia. <i>Austral Ecology</i> , 2005, 30, 817-826.	0.7	20
64	Seedling Mortality Due to Drought and Fire Associated with the 2002 El Nino Event in a Tropical Rain Forest in North-East Queensland, Australia. <i>Biotropica</i> , 2005, 38, 051122071755003.	0.8	17
65	Within- and between-species patterns of allocation to pulp and seed in vertebrate dispersed plants. <i>Oikos</i> , 2005, 110, 109-114.	1.2	10
66	The potential for predation induced somatic embryogenesis in storage cotyledons. <i>Oikos</i> , 2005, 111, 215-220.	1.2	2
67	Multiple resprouting from diaspores and single cotyledons in the Australian tropical tree species <i>Idiospermum australiense</i> . <i>Journal of Tropical Ecology</i> , 2002, 18, 943-948.	0.5	9
68	Distribution of <i>Phytophthora cinnamomi</i> at different spatial scales: When can a negative result be considered positively?. <i>Austral Ecology</i> , 2002, 27, 459-462.	0.7	17
69	Idiosyncratic phenomenon of regeneration from cotyledons in the idiot fruit tree, <i>Idiospermum australiense</i> . <i>Austral Ecology</i> , 2001, 26, 254-258.	0.7	11
70	Families with highest proportions of rare species are not consistent between floras. <i>Journal of Biogeography</i> , 2000, 27, 733-740.	1.4	20
71	Rarity within taxonomic lineages and the use of taxa above the level of species. <i>Ecography</i> , 1998, 21, 625-629.	2.1	9
72	Reserve mass and dispersal investment in relation to geographic range of plant species: phylogenetically independent contrasts. <i>Journal of Biogeography</i> , 1996, 23, 329-338.	1.4	59