

# Piper S Meyer-Kalos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1907732/publications.pdf>

Version: 2024-02-01

26  
papers

1,147  
citations

759233

12  
h-index

610901

24  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1238  
citing authors

| #  | ARTICLE                                                                                                                                                                                                                                                         | IF   | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1  | Comprehensive Versus Usual Community Care for First-Episode Psychosis: 2-Year Outcomes From the NIMH RAISE Early Treatment Program. <i>American Journal of Psychiatry</i> , 2016, 173, 362-372.                                                                 | 7.2  | 601       |
| 2  | The NAVIGATE Program for First-Episode Psychosis: Rationale, Overview, and Description of Psychosocial Components. <i>Psychiatric Services</i> , 2015, 66, 680-690.                                                                                             | 2.0  | 179       |
| 3  | Demographic and clinical correlates of substance use disorders in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 194, 4-12.                                                                                                                     | 2.0  | 65        |
| 4  | Impact of comprehensive treatment for first episode psychosis on substance use outcomes: A randomized controlled trial. <i>Psychiatry Research</i> , 2018, 268, 303-311.                                                                                        | 3.3  | 44        |
| 5  | Implementation and fidelity assessment of the NAVIGATE treatment program for first episode psychosis in a multi-site study. <i>Schizophrenia Research</i> , 2019, 204, 271-281.                                                                                 | 2.0  | 31        |
| 6  | Psychological well-being and mental health recovery in the NIMH RAISE early treatment program. <i>Schizophrenia Research</i> , 2017, 185, 167-172.                                                                                                              | 2.0  | 29        |
| 7  | Off-hours use of a smartphone intervention to extend support for individuals with schizophrenia spectrum disorders recently discharged from a psychiatric hospital. <i>Schizophrenia Research</i> , 2019, 206, 200-208.                                         | 2.0  | 24        |
| 8  | Health Technology Intervention After Hospitalization for Schizophrenia: Service Utilization and User Satisfaction. <i>Psychiatric Services</i> , 2016, 67, 1035-1038.                                                                                           | 2.0  | 23        |
| 9  | Coordinated Technology-Delivered Treatment to Prevent Rehospitalization in Schizophrenia: A Novel Model of Care. <i>Psychiatric Services</i> , 2016, 67, 444-447.                                                                                               | 2.0  | 22        |
| 10 | Character strengths of individuals with first episode psychosis in Individual Resiliency Training. <i>Schizophrenia Research</i> , 2018, 195, 448-454.                                                                                                          | 2.0  | 22        |
| 11 | Perceived Autonomy Support in the NIMH RAISE Early Treatment Program. <i>Psychiatric Services</i> , 2017, 68, 916-922.                                                                                                                                          | 2.0  | 15        |
| 12 | The therapeutic alliance in individual resiliency training for first episode psychosis: Relationship with treatment outcomes and therapy participation.. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 734-744.                              | 2.0  | 15        |
| 13 | Focusing on recovery goals improves motivation in first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1629-1637.                                                                                                         | 3.1  | 12        |
| 14 | Causal pathways to social and occupational functioning in the first episode of schizophrenia: uncovering unmet treatment needs. <i>Psychological Medicine</i> , 2023, 53, 2041-2049.                                                                            | 4.5  | 11        |
| 15 | Opportunities for Integrating Physical Health Within Assertive Community Treatment Teams: Results from Practitioner Focus Groups. <i>Community Mental Health Journal</i> , 2017, 53, 306-315.                                                                   | 2.0  | 8         |
| 16 | Enhancing stress reactivity and wellbeing in early schizophrenia: A pilot study of individual coping awareness therapy (I-CAT). <i>Schizophrenia Research</i> , 2018, 201, 413-414.                                                                             | 2.0  | 8         |
| 17 | The impact of COVID-19 on coordinated specialty care (CSC) for people with first episode psychosis (FEP): Preliminary observations, and recommendations, from the United States, Israel and China. <i>Counselling Psychology Quarterly</i> , 2021, 34, 387-410. | 2.3  | 8         |
| 18 | What are the key ingredients of optimal psychosocial treatment for persons recovering from a first episode of psychosis?. <i>World Psychiatry</i> , 2017, 16, 266-267.                                                                                          | 10.4 | 5         |

| #  | ARTICLE                                                                                                                                                                                                        | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Client predictors of the therapeutic alliance in individual resiliency training for first episode psychosis. <i>Schizophrenia Research</i> , 2019, 204, 375-380.                                               | 2.0 | 5         |
| 20 | Enhancing stress reactivity and wellbeing in early schizophrenia: A randomized controlled trial of Integrated Coping Awareness Therapy (I-CAT). <i>Schizophrenia Research</i> , 2021, 235, 91-101.             | 2.0 | 5         |
| 21 | Factor structure of therapist fidelity to individual resiliency training in the Recovery After an Initial Schizophrenia Episode Early Treatment Program. <i>Microbial Biotechnology</i> , 2018, 12, 1052-1063. | 1.7 | 4         |
| 22 | Targeting Cognition and Motivation in Coordinated Specialty Care for Early Psychosis: A Grant Report. <i>Journal of Psychiatry and Brain Science</i> , 2020, 5, .                                              | 0.5 | 3         |
| 23 | The use of diary methods to evaluate daily experiences in first-episode psychosis. <i>Psychiatry Research</i> , 2022, 312, 114548.                                                                             | 3.3 | 3         |
| 24 | Relapse prevention through health technology program reduces hospitalization in schizophrenia. <i>Psychological Medicine</i> , 2023, 53, 4114-4120.                                                            | 4.5 | 3         |
| 25 | Introspective accuracy for substance use across a year of treatment for first episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100200.                                                  | 1.3 | 1         |
| 26 | Brief report describing the integration of two psychotherapy evidence-based practices within coordinated specialty care services for early psychosis.. <i>Psychological Services</i> , 2021, 18, 164-169.      | 1.5 | 0         |