

# Piper S Meyer-Kalos

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1907732/publications.pdf>

Version: 2024-02-01

26  
papers

1,147  
citations

759233

12  
h-index

610901

24  
g-index

27  
all docs

27  
docs citations

27  
times ranked

1238  
citing authors

#	ARTICLE	IF	CITATIONS
1	Causal pathways to social and occupational functioning in the first episode of schizophrenia: uncovering unmet treatment needs. <i>Psychological Medicine</i> , 2023, 53, 2041-2049.	4.5	11
2	Relapse prevention through health technology program reduces hospitalization in schizophrenia. <i>Psychological Medicine</i> , 2023, 53, 4114-4120.	4.5	3
3	The use of diary methods to evaluate daily experiences in first-episode psychosis. <i>Psychiatry Research</i> , 2022, 312, 114548.	3.3	3
4	The impact of COVID-19 on coordinated specialty care (CSC) for people with first episode psychosis (FEP): Preliminary observations, and recommendations, from the United States, Israel and China. <i>Counselling Psychology Quarterly</i> , 2021, 34, 387-410.	2.3	8
5	Brief report describing the integration of two psychotherapy evidence-based practices within coordinated specialty care services for early psychosis.. <i>Psychological Services</i> , 2021, 18, 164-169.	1.5	0
6	Enhancing stress reactivity and wellbeing in early schizophrenia: A randomized controlled trial of Integrated Coping Awareness Therapy (I-CAT). <i>Schizophrenia Research</i> , 2021, 235, 91-101.	2.0	5
7	Introspective accuracy for substance use across a year of treatment for first episode psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100200.	1.3	1
8	Focusing on recovery goals improves motivation in first-episode psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 1629-1637.	3.1	12
9	Targeting Cognition and Motivation in Coordinated Specialty Care for Early Psychosis: A Grant Report. <i>Journal of Psychiatry and Brain Science</i> , 2020, 5, .	0.5	3
10	Client predictors of the therapeutic alliance in individual resiliency training for first episode psychosis. <i>Schizophrenia Research</i> , 2019, 204, 375-380.	2.0	5
11	Implementation and fidelity assessment of the NAVIGATE treatment program for first episode psychosis in a multi-site study. <i>Schizophrenia Research</i> , 2019, 204, 271-281.	2.0	31
12	Off-hours use of a smartphone intervention to extend support for individuals with schizophrenia spectrum disorders recently discharged from a psychiatric hospital. <i>Schizophrenia Research</i> , 2019, 206, 200-208.	2.0	24
13	The therapeutic alliance in individual resiliency training for first episode psychosis: Relationship with treatment outcomes and therapy participation.. <i>Journal of Consulting and Clinical Psychology</i> , 2019, 87, 734-744.	2.0	15
14	Factor structure of therapist fidelity to individual resiliency training in the Recovery After an Initial Schizophrenia Episode Early Treatment Program. <i>Microbial Biotechnology</i> , 2018, 12, 1052-1063.	1.7	4
15	Demographic and clinical correlates of substance use disorders in first episode psychosis. <i>Schizophrenia Research</i> , 2018, 194, 4-12.	2.0	65
16	Character strengths of individuals with first episode psychosis in Individual Resiliency Training. <i>Schizophrenia Research</i> , 2018, 195, 448-454.	2.0	22
17	Impact of comprehensive treatment for first episode psychosis on substance use outcomes: A randomized controlled trial. <i>Psychiatry Research</i> , 2018, 268, 303-311.	3.3	44
18	Enhancing stress reactivity and wellbeing in early schizophrenia: A pilot study of individual coping awareness therapy (I-CAT). <i>Schizophrenia Research</i> , 2018, 201, 413-414.	2.0	8

#	ARTICLE	IF	CITATIONS
19	Perceived Autonomy Support in the NIMH RAISE Early Treatment Program. <i>Psychiatric Services</i> , 2017, 68, 916-922.	2.0	15
20	Psychological well-being and mental health recovery in the NIMH RAISE early treatment program. <i>Schizophrenia Research</i> , 2017, 185, 167-172.	2.0	29
21	What are the key ingredients of optimal psychosocial treatment for persons recovering from a first episode of psychosis?. <i>World Psychiatry</i> , 2017, 16, 266-267.	10.4	5
22	Opportunities for Integrating Physical Health Within Assertive Community Treatment Teams: Results from Practitioner Focus Groups. <i>Community Mental Health Journal</i> , 2017, 53, 306-315.	2.0	8
23	Health Technology Intervention After Hospitalization for Schizophrenia: Service Utilization and User Satisfaction. <i>Psychiatric Services</i> , 2016, 67, 1035-1038.	2.0	23
24	Coordinated Technology-Delivered Treatment to Prevent Rehospitalization in Schizophrenia: A Novel Model of Care. <i>Psychiatric Services</i> , 2016, 67, 444-447.	2.0	22
25	Comprehensive Versus Usual Community Care for First-Episode Psychosis: 2-Year Outcomes From the NIMH RAISE Early Treatment Program. <i>American Journal of Psychiatry</i> , 2016, 173, 362-372.	7.2	601
26	The NAVIGATE Program for First-Episode Psychosis: Rationale, Overview, and Description of Psychosocial Components. <i>Psychiatric Services</i> , 2015, 66, 680-690.	2.0	179