

# Bektas Tepe

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/1908093/bektas-tepe-publications-by-citations.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109  
papers

5,056  
citations

36  
h-index

69  
g-index

114  
ext. papers

5,572  
ext. citations

4.5  
avg, IF

5.68  
L-index

#	Paper	IF	Citations
109	Antimicrobial and antioxidant activities of the essential oil and various extracts of <i>Salvia tomentosa</i> Miller (Lamiaceae). <i>Food Chemistry</i> , <b>2005</b> , 90, 333-340	8.5	440
108	Antioxidant and antimicrobial activity of the essential oil and methanol extracts of <i>Achillea millefolium</i> subsp. <i>millefolium</i> Afan. (Asteraceae). <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 87, 215-20	5	376
107	Antimicrobial and antioxidant activity of the essential oil and methanol extracts of <i>Thymus pectinatus</i> Fisch. et Mey. Var. <i>pectinatus</i> (Lamiaceae). <i>Journal of Agricultural and Food Chemistry</i> , <b>2003</b> , 51, 63-7	5.7	246
106	The in vitro antimicrobial and antioxidant activities of the essential oils and methanol extracts of endemic <i>Thymus spathulifolius</i> . <i>Food Control</i> , <b>2004</b> , 15, 627-634	6.2	242
105	Antimicrobial and antioxidative activities of the essential oils and methanol extracts of <i>Salvia cryptantha</i> (Montbret et Aucher ex Benth.) and <i>Salvia multicaulis</i> (Vahl). <i>Food Chemistry</i> , <b>2004</b> , 84, 519-525	8.5	225
104	Screening of the antioxidant potentials of six <i>Salvia</i> species from Turkey. <i>Food Chemistry</i> , <b>2006</b> , 95, 200-204	8.5	215
103	In vitro antioxidant, antimicrobial, and antiviral activities of the essential oil and various extracts from herbal parts and callus cultures of <i>Origanum acutidens</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 3309-12	5.7	183
102	Chemical composition, antioxidant and antimicrobial properties of the essential oils of three <i>Salvia</i> species from Turkish flora. <i>Bioresource Technology</i> , <b>2008</b> , 99, 4096-104	11	171
101	In vitro antimicrobial and antioxidant activities of the essential oils and various extracts of <i>Thymus eigi</i> M. Zohary et P.H. Davis. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 1132-7	5.7	162
100	Antioxidant and DNA damage protection potentials of selected phenolic acids. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 77, 12-21	4.7	150
99	Antioxidative activity of the essential oils of <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>sipyleus</i> and <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>rosulans</i> . <i>Journal of Food Engineering</i> , <b>2005</b> , 66, 447-454	6	121
98	Antioxidant potentials and rosmarinic acid levels of the methanolic extracts of <i>Salvia virgata</i> (Jacq), <i>Salvia staminea</i> (Montbret & Aucher ex Benth) and <i>Salvia verbenaca</i> (L.) from Turkey. <i>Bioresource Technology</i> , <b>2008</b> , 99, 1584-8	11	93
97	Investigation of the antioxidant properties of <i>Ferula orientalis</i> L. using a suitable extraction procedure. <i>Food Chemistry</i> , <b>2007</b> , 100, 584-589	8.5	89
96	Antioxidant activity of the essential oil and various extracts of <i>Nepeta flavida</i> Hub.-Mor. from Turkey. <i>Food Chemistry</i> , <b>2007</b> , 103, 1358-1364	8.5	88
95	Studies on the antioxidant activity of essential oil and different solvent extracts of <i>Vitexagnuscastus</i> L. fruits from Turkey. <i>Food and Chemical Toxicology</i> , <b>2009</b> , 47, 2479-83	4.7	85
94	Evaluation of the antioxidant activity of four edible mushrooms from the Central Anatolia, Eskisehir - Turkey: <i>Lactarius deterrimus</i> , <i>Suillus collitinus</i> , <i>Boletus edulis</i> , <i>Xerocomus chrysenteron</i> . <i>Bioresource Technology</i> , <b>2008</b> , 99, 6651-5	11	85
93	Antioxidant potentials and rosmarinic acid levels of the methanolic extracts of <i>Salvia verticillata</i> (L.) subsp. <i>verticillata</i> and <i>S. verticillata</i> (L.) subsp. <i>amasiaca</i> (Freyn & Bornm.) Bornm. <i>Food Chemistry</i> , <b>2007</b> , 100, 985-989	8.5	81

92	Screening of the antioxidative and antimicrobial properties of the essential oils of Pimpinella anisetum and Pimpinella flabellifolia from Turkey. <i>Food Chemistry</i> , <b>2006</b> , 97, 719-724	8.5	80
91	In vitro antioxidant activities of the methanol extracts of five Allium species from Turkey. <i>Food Chemistry</i> , <b>2005</b> , 92, 89-92	8.5	74
90	Studies on the antioxidant activity of the essential oil and methanol extract of Marrubium globosum subsp. globosum (Lamiaceae) by three different chemical assays. <i>Bioresource Technology</i> , <b>2008</b> , 99, 4239-46	11	70
89	Compositions and the in vitro antimicrobial activities of the essential oils of Achillea setacea and Achillea teretifolia (Compositae). <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 83, 117-21	5	66
88	Salvia cadmica: Phenolic composition and biological activity. <i>Industrial Crops and Products</i> , <b>2016</b> , 85, 204-212	3.9	65
87	Determination of chemical profile, antioxidant, DNA damage protection and antiamebic activities of Teucrium polium and Stachys iberica. <i>Phytotherapy</i> , <b>2011</b> , 82, 237-46	3.2	62
86	In vitro antioxidant activities of the methanol extracts of four Helichrysum species from Turkey. <i>Food Chemistry</i> , <b>2005</b> , 90, 685-689	8.5	62
85	The in vitro antioxidative properties of the essential oils and methanol extracts of Satureja spicigera (K. Koch.) Boiss. and Satureja cuneifolia ten. <i>Food Chemistry</i> , <b>2007</b> , 100, 339-343	8.5	60
84	A pharmacological and phytochemical overview on Satureja. <i>Pharmaceutical Biology</i> , <b>2016</b> , 54, 375-412	3.8	59
83	Antimicrobial and antioxidative activity of the essential oil and various extracts of Cyclotrichium organifolium (Labill.) Manden. & Scheng.. <i>Journal of Food Engineering</i> , <b>2005</b> , 69, 335-342	6	59
82	Screening of antioxidative properties of the methanolic extracts of Pelargonium endlicherianum Fenzl., Verbascum wiedemannianum Fisch. & Mey., Sideritis libanotica Labill. subsp. linearis (Benth.) Borm., Centaurea mucronifera DC. and Hieracium cappadocicum Freyn from Turkish flora. <i>Food Chemistry</i> , <b>2006</b> , 98, 9-13	8.5	56
81	Metal concentration and antioxidant activity of edible mushrooms from Turkey. <i>Food Chemistry</i> , <b>2015</b> , 175, 549-55	8.5	53
80	Chemical composition and antioxidant activity of the essential oil of Clinopodium vulgare L.. <i>Food Chemistry</i> , <b>2007</b> , 103, 766-770	8.5	48
79	Evaluation of metal concentration and antioxidant activity of three edible mushrooms from Mugla, Turkey. <i>Food and Chemical Toxicology</i> , <b>2010</b> , 48, 1230-3	4.7	47
78	Chemical characterization and biological activity of Onosma gigantea extracts. <i>Industrial Crops and Products</i> , <b>2018</b> , 115, 323-329	5.9	46
77	The Role of Nisin, Monolaurin, and EDTA in Antibacterial Effect of Rosmarinus Officinalis L. and Cinnamomum Zeylanicum Blume Essential Oils on Foodborne Pathogens. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , <b>2016</b> , 19, 1709-1720	1.7	44
76	Screening of the antioxidative properties and total phenolic contents of three endemic Tanacetum subspecies from Turkish flora. <i>Bioresource Technology</i> , <b>2007</b> , 98, 3076-9	11	43
75	Production and optimisation of rosmarinic acid by Satureja hortensis L. callus cultures. <i>Natural Product Research</i> , <b>2007</b> , 21, 1133-44	2.3	37

74	Phenolic content, enzyme inhibitory and antioxidative activity potentials of <i>Phlomis nissolii</i> and <i>P. pungens</i> var. <i>pungens</i> . <i>Industrial Crops and Products</i> , <b>2014</b> , 62, 333-340	5.9	36
73	Screening of the Antioxidant Activity of the Essential Oil and Methanol Extract of <i>Mentha pulegium</i> L. From Turkey. <i>Spectroscopy Letters</i> , <b>2012</b> , 45, 352-358	1.1	35
72	The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of <i>Origanum syriacum</i> L var <i>bevanii</i> . <i>Journal of the Science of Food and Agriculture</i> , <b>2004</b> , 84, 1389-1396	4.3	35
71	<i>Onosma heterophyllum</i> : Phenolic composition, enzyme inhibitory and antioxidant activities. <i>Industrial Crops and Products</i> , <b>2018</b> , 111, 179-184	5.9	33
70	Essential oil composition and antioxidant activity of <i>Thymus longicaulis</i> C. Presl subsp. <i>longicaulis</i> var. <i>longicaulis</i> . <i>Food and Chemical Toxicology</i> , <b>2010</b> , 48, 1801-5	4.7	33
69	Evaluation of antioxidant activities of 3 edible mushrooms: <i>Ramaria flava</i> (Schaeff.: Fr.) Quil, <i>Rhizopogon roseolus</i> (Corda) T.M. Fries., and <i>Russula delica</i> Fr.. <i>Food Science and Biotechnology</i> , <b>2010</b> , 19, 691-696	3	32
68	Composition of the essential oils of <i>Tanacetum argyrophyllum</i> (C. Koch) Tvetzel. var. <i>argyrophyllum</i> and <i>Tanacetum parthenium</i> (L.) Schultz Bip. (Asteraceae) from Turkey. <i>Biochemical Systematics and Ecology</i> , <b>2005</b> , 33, 511-516	1.4	32
67	In vitro amoebicidal activity of <i>Origanum syriacum</i> and <i>Origanum laevigatum</i> on <i>Acanthamoeba castellanii</i> cysts and trophozoites. <i>Experimental Parasitology</i> , <b>2012</b> , 131, 20-4	2.1	30
66	Medicinal Uses, Phytochemistry, and Pharmacology of <i>Origanum onites</i> (L.): A Review. <i>Chemistry and Biodiversity</i> , <b>2016</b> , 13, 504-20	2.5	30
65	In vitro amoebicidal activity of four <i>Peucedanum</i> species on <i>Acanthamoeba castellanii</i> cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 167-74	2.4	28
64	In vitro evaluation of the amoebicidal activity of garlic ( <i>Allium sativum</i> ) extract on <i>Acanthamoeba castellanii</i> and its cytotoxic potential on corneal cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , <b>2008</b> , 24, 8-14	2.6	28
63	Antitumoral effects of <i>Melissa officinalis</i> on breast cancer in vitro and in vivo. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2012</b> , 13, 2765-70	1.7	25
62	Determination of the antimicrobial and antioxidative properties and total phenolics of two "endemic" Lamiaceae species from Turkey: <i>Ballota rotundifolia</i> L. and <i>Teucrium chamaedrys</i> C. Koch. <i>Plant Foods for Human Nutrition</i> , <b>2009</b> , 64, 135-40	3.9	24
61	Effect of black mulberry ( <i>Morus nigra</i> ) extract treatment on cognitive impairment and oxidative stress status of D-galactose-induced aging mice. <i>Pharmaceutical Biology</i> , <b>2016</b> , 54, 1052-64	3.8	21
60	Metal concentrations of wild edible mushrooms from Turkey. <i>Ecology of Food and Nutrition</i> , <b>2012</b> , 51, 346-63	1.9	20
59	In vitro effectiveness of <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>sipyleus</i> on <i>Acanthamoeba castellanii</i> and its cytotoxic potential on corneal cells. <i>Parasitology Research</i> , <b>2007</b> , 101, 1551-5	2.4	20
58	In vitro amoebicidal activity of <i>Salvia staminea</i> and <i>Salvia caespitosa</i> on <i>Acanthamoeba castellanii</i> and their cytotoxic potentials on corneal cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , <b>2009</b> , 25, 293-8	2.6	19
57	A significant by-product of the industrial processing of pistachios: shell skin IRP-HPLC analysis, and antioxidant and enzyme inhibitory activities of the methanol extracts of <i>Pistacia vera</i> L. shell skins cultivated in Gaziantep, Turkey. <i>RSC Advances</i> , <b>2016</b> , 6, 1203-1209	3.7	18

56	Effect of Capparis spinosa L. on cognitive impairment induced by D-galactose in mice via inhibition of oxidative stress. <i>Turkish Journal of Medical Sciences</i> , <b>2015</b> , 45, 1127-36	2.7	18
55	In vitro amoebicidal activities of <i>Satureja cuneifolia</i> and <i>Melissa officinalis</i> on <i>Acanthamoeba castellanii</i> cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 2175-80	2.4	18
54	Evaluation of in vitro effect of <i>Morus rubra</i> (red mulberry) on survival of periodontal ligament cells. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2008</b> , 105, e66-9		17
53	Phenolic composition, antioxidant and enzyme inhibitory activities of acetone, methanol and water extracts of <i>Clinopodium vulgare</i> L. subsp. <i>vulgare</i> L.. <i>Industrial Crops and Products</i> , <b>2015</b> , 76, 961-966	5.9	16
52	<i>Phlomis armeniaca</i> : Phenolic compounds, enzyme inhibitory and antioxidant activities. <i>Industrial Crops and Products</i> , <b>2015</b> , 78, 95-101	5.9	16
51	Phenolic profile, enzyme inhibitory and antioxidant activities of two endemic <i>Nepeta</i> species: <i>Nepeta nuda</i> subsp. <i>glandulifera</i> and <i>N. cadmea</i> . <i>South African Journal of Botany</i> , <b>2019</b> , 120, 298-301	2.9	16
50	Phenolic profile, antioxidant and enzyme inhibitory potential of <i>Onosma tauricum</i> var. <i>tauricum</i> . <i>Industrial Crops and Products</i> , <b>2018</b> , 125, 549-555	5.9	16
49	Chemical composition, antioxidant, and enzyme inhibitory activities of the essential oils of three species as well as their fatty acid compositions. <i>Food Science and Biotechnology</i> , <b>2016</b> , 25, 687-693	3	15
48	In vitro amoebicidal activity of four <i>Allium</i> species on <i>Acanthamoeba castellanii</i> and their cytotoxic potentials on corneal cells. <i>Parasitology Research</i> , <b>2007</b> , 101, 397-402	2.4	14
47	analysis of the interactions of certain flavonoids with the receptor-binding domain of 2019 novel coronavirus and cellular proteases and their pharmacokinetic properties. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2020</b> , 1-15	3.6	14
46	Fatty acid composition, enzyme inhibitory, and antioxidant activities of the ethanol extracts of selected wild edible plants consumed as vegetables in the Aegean region of Turkey. <i>International Journal of Food Properties</i> , <b>2017</b> , 20, 560-572	3	13
45	<i>Onosma pulchra</i> : Phytochemical composition, antioxidant, skin-whitening and anti-diabetic activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112632	5.9	13
44	Screening of the in vitro amoebicidal activities of <i>Pastinaca armena</i> (Fisch. & C.A.Mey.) and <i>Inula oculus-christi</i> (L.) on <i>Acanthamoeba castellanii</i> cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 565-70	2.4	13
43	In vitro amoebicidal activities of <i>Teucrium polium</i> and <i>T. chamaedrys</i> on <i>Acanthamoeba castellanii</i> trophozoites and cysts. <i>Parasitology Research</i> , <b>2012</b> , 110, 1773-8	2.4	13
42	Influence of Storage Media Containing <i>Salvia officinalis</i> on Survival of Periodontal Ligament Cells. <i>Journal of Contemporary Dental Practice</i> , <b>2008</b> , 9, 17-24	0.7	13
41	An alternative antioxidative and enzyme inhibitory agent from Turkey: <i>Robinia pseudoacacia</i> L.. <i>Industrial Crops and Products</i> , <b>2015</b> , 78, 110-115	5.9	12
40	<i>Onosma aucheriana</i> , <i>O. frutescens</i> , and <i>O. sericea</i> : Phytochemical profiling and biological activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112633	5.9	12
39	Determination of in vitro antioxidative and antimicrobial properties and total phenolic contents of <i>Ziziphora clinopodioides</i> , <i>Cyclotrichium niveum</i> , and <i>Mentha longifolia</i> ssp. <i>typhoides</i> var. <i>typhoides</i> . <i>Journal of Medicinal Food</i> , <b>2009</b> , 12, 684-9	2.8	12

38	A comprehensive study on chemical composition, antioxidant and enzyme inhibition activities of the essential oils of <i>Chenopodium botrys</i> collected from three different parts of Turkey. <i>Industrial Crops and Products</i> , <b>2017</b> , 107, 326-331	5.9	11
37	Traditional use, biological activity potential and toxicity of <i>Pimpinella</i> species. <i>Industrial Crops and Products</i> , <b>2015</b> , 69, 153-166	5.9	11
36	Effects of Sodium Alginate and Chitosan Coating Combined with Three Different Essential Oils on Microbial and Chemical Attributes of Rainbow Trout Fillets. <i>Journal of Aquatic Food Product Technology</i> , <b>2020</b> , 29, 253-263	1.6	11
35	Evaluation of the Chemical Composition and Antioxidant Activity of the Peel Oil of <i>Citrus nobilis</i> . <i>International Journal of Food Properties</i> , <b>2010</b> , 13, 983-991	3	10
34	Essential oil composition and antioxidant activities of alkanet ( <i>Alkanna tinctoria</i> subsp. <i>tinctoria</i> ). <i>Food Science and Biotechnology</i> , <b>2010</b> , 19, 1177-1183	3	10
33	Screening of antioxidative properties and total phenolic compounds of various extracts of three different seed of grape varieties ( <i>Vitis vinifera</i> L.) from Turkish flora. <i>Pakistan Journal of Biological Sciences</i> , <b>2007</b> , 10, 403-8	0.8	10
32	Biological activity and phytochemistry of firethorn ( <i>Pyracantha coccinea</i> M.J. Roemer). <i>Journal of Functional Foods</i> , <b>2015</b> , 19, 669-675	5.1	9
31	Interaction of certain monoterpenoid hydrocarbons with the receptor binding domain of 2019 novel coronavirus (2019-nCoV), transmembrane serine protease 2 (TMPRSS2), cathepsin B, and cathepsin L (CatB/L) and their pharmacokinetic properties. <i>Turkish Journal of Biology</i> , <b>2020</b> , 44, 242-264	3.1	9
30	<i>Astragalus gymnolobus</i> , <i>A. leporinus</i> var. <i>hirsutus</i> , and <i>A. onobrychis</i> : Phytochemical analysis and biological activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 150, 112366	5.9	9
29	Two endemic <i>Onosma</i> species ( <i>O. sieheana</i> and <i>O. stenoloba</i> ): A comparative study including docking data on biological activity and phenolic composition. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112656	5.9	8
28	Phenolic acid contents, essential oil compositions and antioxidant activities of two varieties of <i>Salvia euphratica</i> from Turkey. <i>Natural Product Research</i> , <b>2012</b> , 26, 1848-51	2.3	8
27	Metal concentration and health risk assessment of wild mushrooms collected from the Black Sea region of Turkey. <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 26419-26441	5.1	7
26	Inhibitory effect of <i>Zataria multiflora</i> Boiss. essential oil, alone and in combination with monolaurin, on <i>Listeria monocytogenes</i> . <i>Veterinary Research Forum</i> , <b>2016</b> , 7, 7-11	0.5	7
25	Metal concentration and health risk assessment of fifteen wild mushrooms collected from the Ankara University Campus (Turkey). <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 32474-32480	5.1	6
24	<i>Onosma ambigens</i> : Phytochemical composition, antioxidant and enzyme inhibitory activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112651	5.9	6
23	Enzyme and Biological Activities of the Water Extracts from the Plants , and That Are Used as Folk Remedies in Turkey. <i>Molecules</i> , <b>2020</b> , 25,	4.8	6
22	Antitumoral effects of <i>Allium sivasicum</i> on breast cancer in vitro and in vivo. <i>Molecular Biology Reports</i> , <b>2013</b> , 40, 597-604	2.8	6
21	Biological and phytochemical evaluation: <i>Pseudevernia furfuracea</i> as an alternative multifunctional agent. <i>Journal of Functional Foods</i> , <b>2016</b> , 24, 11-17	5.1	6

20	Can the stalks of <i>Papaver somniferum</i> L. be an alternative source of bioactive components?. <i>Industrial Crops and Products</i> , <b>2018</b> , 115, 1-5	5.9	5
19	Phenolic composition, enzyme inhibitory, and antioxidant activity of. <i>Food Science and Biotechnology</i> , <b>2016</b> , 25, 1299-1304	3	5
18	Phenolic composition, antioxidant and enzyme inhibitory activities of ethanol and water extracts of <i>Chenopodium botrys</i> . <i>RSC Advances</i> , <b>2016</b> , 6, 64986-64992	3.7	5
17	Chemical Composition and Antibacterial and Antioxidant Properties of Essential Oils of <i>Zataria multiflora</i> , <i>Artemisia deracunculus</i> and <i>Mentha piperita</i> . <i>Medical Laboratory Journal</i> , <b>2019</b> , 13, 1-7	0.2	5
16	Metal concentrations of wild mushroom species collected from Belgrad forest (Istanbul, Turkey) with their health risk assessments. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 36193-36204	5.1	5
15	Element concentration, daily intake of elements, and health risk indices of wild mushrooms collected from Belgrad Forest and Ilgaz Mountain National Park (Turkey). <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 51544-51555	5.1	5
14	Understanding the molecular interaction of SARS-CoV-2 spike mutants with ACE2 (angiotensin converting enzyme 2). <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2021</b> , 1-12	3.6	5
13	Is it possible to use the stalks of <i>Gossypium hirsutum</i> L., an important by-product of cotton cultivation, as an alternative source of bioactive components?. <i>European Food Research and Technology</i> , <b>2018</b> , 244, 1065-1071	3.4	4
12	Composition of the Essential Oil of <i>Achillea schischkinii</i> Sosn. (Asteraceae) from Turkey. <i>Journal of Essential Oil Research</i> , <b>2005</b> , 17, 575-576	2.3	4
11	Amoebicidal activity of the rhizomes and aerial parts of <i>Allium sivasicum</i> on <i>Entamoeba histolytica</i> . <i>Parasitology Research</i> , <b>2012</b> , 111, 59-64	2.4	3
10	<i>Onosma gracilis</i> (Trautv.) and <i>O. oreodoxa</i> (Boiss. & Heldr.): Phytochemistry, in silico docking, antioxidant and enzyme inhibitory activities. <i>South African Journal of Botany</i> , <b>2021</b> ,	2.9	3
9	Evaluation of the metal concentrations of wild mushroom species with their health risk assessments. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 21437-21454	5.1	3
8	Determination of the interaction between the receptor binding domain of 2019-nCoV spike protein, TMPRSS2, cathepsin B and cathepsin L, and glycosidic and aglycon forms of some flavonols. <i>Turkish Journal of Biology</i> , <b>2021</b> , 45, 484-502	3.1	2
7	<i>Sophora alopecuroides</i> var. <i>alopecuroides</i> : Phytochemical composition, antioxidant and enzyme inhibitory activity of the methanolic extract of aerial parts, flowers, leaves, roots, and stems. <i>South African Journal of Botany</i> , <b>2020</b> , 143, 282-282	2.9	1
6	Chromatographic profile and antioxidant and enzyme inhibitory activity of <i>Sideritis leptoclada</i> : An endemic plant from Turkey. <i>South African Journal of Botany</i> , <b>2021</b> , 143, 393-393	2.9	1
5	Metal concentration and health risk assessment of eight <i>Russula</i> mushrooms collected from Kizilcahamam-Ankara, Turkey. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 15743-15754	5.1	1
4	<i>Campanula macrostachya</i> : biological activity and identification of phenolics using a liquid chromatography electrospray ionization tandem mass spectrometry system. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 21812-21822	5.1	1
3	Phenolic Acid Composition and Anti-Parasitic Effects of Four <i>Peucedanum</i> Species on <i>Entamoeba histolytica</i> Trophozoites. <i>Iranian Journal of Parasitology</i> , <b>2015</b> , 10, 420-31	0.8	0

- 2 Clarification on a Published Paper in Iran J Parasitol. *Iranian Journal of Parasitology*, **2015**, 10, 669 0.8
- 1 Molecular interactions of some phenolics with 2019-nCoV and related pathway elements. *International Journal of Secondary Metabolite*, 246-271 0.5