

# Bektas Tepe

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1908093/bektas-tepe-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

109  
papers

5,056  
citations

36  
h-index

69  
g-index

114  
ext. papers

5,572  
ext. citations

4.5  
avg, IF

5.68  
L-index

#	Paper	IF	Citations
109	Metal concentrations of wild mushroom species collected from Belgrad forest (Istanbul, Turkey) with their health risk assessments. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 36193-36204	5.1	5
108	Chromatographic profile and antioxidant and enzyme inhibitory activity of <i>Sideritis leptoclada</i> : An endemic plant from Turkey. <i>South African Journal of Botany</i> , <b>2021</b> , 143, 393-393	2.9	1
107	<i>Onosma gracilis</i> (Trautv.) and <i>O. oreodoxa</i> (Boiss. & Heldr.): Phytochemistry, in silico docking, antioxidant and enzyme inhibitory activities. <i>South African Journal of Botany</i> , <b>2021</b> ,	2.9	3
106	Element concentration, daily intake of elements, and health risk indices of wild mushrooms collected from Belgrad Forest and Ilgaz Mountain National Park (Turkey). <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 51544-51555	5.1	5
105	Metal concentration and health risk assessment of eight <i>Russula</i> mushrooms collected from Kizilcahamam-Ankara, Turkey. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 15743-15754	5.1	1
104	<i>Campanula macrostachya</i> : biological activity and identification of phenolics using a liquid chromatography electrospray ionization tandem mass spectrometry system. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 21812-21822	5.1	1
103	Evaluation of the metal concentrations of wild mushroom species with their health risk assessments. <i>Environmental Science and Pollution Research</i> , <b>2021</b> , 28, 21437-21454	5.1	3
102	Determination of the interaction between the receptor binding domain of 2019-nCoV spike protein, TMPRSS2, cathepsin B and cathepsin L, and glycosidic and aglycon forms of some flavonols. <i>Turkish Journal of Biology</i> , <b>2021</b> , 45, 484-502	3.1	2
101	Understanding the molecular interaction of SARS-CoV-2 spike mutants with ACE2 (angiotensin converting enzyme 2). <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2021</b> , 1-12	3.6	5
100	Metal concentration and health risk assessment of wild mushrooms collected from the Black Sea region of Turkey. <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 26419-26441	5.1	7
99	Metal concentration and health risk assessment of fifteen wild mushrooms collected from the Ankara University Campus (Turkey). <i>Environmental Science and Pollution Research</i> , <b>2020</b> , 27, 32474-32480	5.1	6
98	<i>Onosma pulchra</i> : Phytochemical composition, antioxidant, skin-whitening and anti-diabetic activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112632	5.9	13
97	<i>Onosma aucheriana</i> , <i>O. frutescens</i> , and <i>O. sericea</i> : Phytochemical profiling and biological activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112633	5.9	12
96	<i>Onosma ambigens</i> : Phytochemical composition, antioxidant and enzyme inhibitory activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112651	5.9	6
95	Two endemic <i>Onosma</i> species ( <i>O. sieheana</i> and <i>O. stenoloba</i> ): A comparative study including docking data on biological activity and phenolic composition. <i>Industrial Crops and Products</i> , <b>2020</b> , 154, 112656	5.9	8
94	Enzyme and Biological Activities of the Water Extracts from the Plants , and That Are Used as Folk Remedies in Turkey. <i>Molecules</i> , <b>2020</b> , 25,	4.8	6
93	Interaction of certain monoterpenoid hydrocarbons with the receptor binding domain of 2019 novel coronavirus (2019-nCoV), transmembrane serine protease 2 (TMPRSS2), cathepsin B, and cathepsin L (CatB/L) and their pharmacokinetic properties. <i>Turkish Journal of Biology</i> , <b>2020</b> , 44, 242-264	3.1	9

92	Effects of Sodium Alginate and Chitosan Coating Combined with Three Different Essential Oils on Microbial and Chemical Attributes of Rainbow Trout Fillets. <i>Journal of Aquatic Food Product Technology</i> , <b>2020</b> , 29, 253-263	1.6	11
91	Astragalus gymnolobus, A. leporinus var. hirsutus, and A. onobrychis: Phytochemical analysis and biological activity. <i>Industrial Crops and Products</i> , <b>2020</b> , 150, 112366	5.9	9
90	Sophora alopecuroides var. alopecuroides: Phytochemical composition, antioxidant and enzyme inhibitory activity of the methanolic extract of aerial parts, flowers, leaves, roots, and stems. <i>South African Journal of Botany</i> , <b>2020</b> , 143, 282-282	2.9	1
89	analysis of the interactions of certain flavonoids with the receptor-binding domain of 2019 novel coronavirus and cellular proteases and their pharmacokinetic properties. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2020</b> , 1-15	3.6	14
88	Chemical Composition and Antibacterial and Antioxidant Properties of Essential Oils of Zataria multiflora, Artemisia deracunculus and Mentha piperita. <i>Medical Laboratory Journal</i> , <b>2019</b> , 13, 1-7	0.2	5
87	Phenolic profile, enzyme inhibitory and antioxidant activities of two endemic Nepeta species: Nepeta nuda subsp. glandulifera and N. cadmea. <i>South African Journal of Botany</i> , <b>2019</b> , 120, 298-301	2.9	16
86	Chemical characterization and biological activity of Onosma gigantea extracts. <i>Industrial Crops and Products</i> , <b>2018</b> , 115, 323-329	5.9	46
85	Can the stalks of Papaver somniferum L. be an alternative source of bioactive components?. <i>Industrial Crops and Products</i> , <b>2018</b> , 115, 1-5	5.9	5
84	Is it possible to use the stalks of Gossypium hirsutum L., an important by-product of cotton cultivation, as an alternative source of bioactive components?. <i>European Food Research and Technology</i> , <b>2018</b> , 244, 1065-1071	3.4	4
83	Onosma heterophyllum: Phenolic composition, enzyme inhibitory and antioxidant activities. <i>Industrial Crops and Products</i> , <b>2018</b> , 111, 179-184	5.9	33
82	Phenolic profile, antioxidant and enzyme inhibitory potential of Onosma tauricum var. tauricum. <i>Industrial Crops and Products</i> , <b>2018</b> , 125, 549-555	5.9	16
81	Fatty acid composition, enzyme inhibitory, and antioxidant activities of the ethanol extracts of selected wild edible plants consumed as vegetables in the Aegean region of Turkey. <i>International Journal of Food Properties</i> , <b>2017</b> , 20, 560-572	3	13
80	A comprehensive study on chemical composition, antioxidant and enzyme inhibition activities of the essential oils of Chenopodium botrys collected from three different parts of Turkey. <i>Industrial Crops and Products</i> , <b>2017</b> , 107, 326-331	5.9	11
79	A pharmacological and phytochemical overview on Satureja. <i>Pharmaceutical Biology</i> , <b>2016</b> , 54, 375-412	3.8	59
78	Phenolic composition, enzyme inhibitory, and antioxidant activity of. <i>Food Science and Biotechnology</i> , <b>2016</b> , 25, 1299-1304	3	5
77	Chemical composition, antioxidant, and enzyme inhibitory activities of the essential oils of three species as well as their fatty acid compositions. <i>Food Science and Biotechnology</i> , <b>2016</b> , 25, 687-693	3	15
76	Phenolic composition, antioxidant and enzyme inhibitory activities of ethanol and water extracts of Chenopodium botrys. <i>RSC Advances</i> , <b>2016</b> , 6, 64986-64992	3.7	5
75	Salvia cadmica: Phenolic composition and biological activity. <i>Industrial Crops and Products</i> , <b>2016</b> , 85, 204-212	3.12	65

74	A significant by-product of the industrial processing of pistachios: shell skin [RP-HPLC analysis, and antioxidant and enzyme inhibitory activities of the methanol extracts of Pistacia vera L. shell skins cultivated in Gaziantep, Turkey. <i>RSC Advances</i> , <b>2016</b> , 6, 1203-1209	3.7	18
73	Effect of black mulberry ( <i>Morus nigra</i> ) extract treatment on cognitive impairment and oxidative stress status of D-galactose-induced aging mice. <i>Pharmaceutical Biology</i> , <b>2016</b> , 54, 1052-64	3.8	21
72	Inhibitory effect of <i>Zataria multiflora</i> Boiss. essential oil, alone and in combination with monolaurin, on <i>Listeria monocytogenes</i> . <i>Veterinary Research Forum</i> , <b>2016</b> , 7, 7-11	0.5	7
71	Medicinal Uses, Phytochemistry, and Pharmacology of <i>Origanum onites</i> (L.): A Review. <i>Chemistry and Biodiversity</i> , <b>2016</b> , 13, 504-20	2.5	30
70	The Role of Nisin, Monolaurin, and EDTA in Antibacterial Effect of <i>Rosmarinus Officinalis</i> L. and <i>Cinnamomum Zeylanicum</i> Blume Essential Oils on Foodborne Pathogens. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , <b>2016</b> , 19, 1709-1720	1.7	44
69	Biological and phytochemical evaluation: <i>Pseudevernia furfuracea</i> as an alternative multifunctional agent. <i>Journal of Functional Foods</i> , <b>2016</b> , 24, 11-17	5.1	6
68	Traditional use, biological activity potential and toxicity of <i>Pimpinella</i> species. <i>Industrial Crops and Products</i> , <b>2015</b> , 69, 153-166	5.9	11
67	Biological activity and phytochemistry of firethorn ( <i>Pyracantha coccinea</i> M.J. Roemer). <i>Journal of Functional Foods</i> , <b>2015</b> , 19, 669-675	5.1	9
66	Phenolic composition, antioxidant and enzyme inhibitory activities of acetone, methanol and water extracts of <i>Clinopodium vulgare</i> L. subsp. <i>vulgare</i> L.. <i>Industrial Crops and Products</i> , <b>2015</b> , 76, 961-966	5.9	16
65	An alternative antioxidative and enzyme inhibitory agent from Turkey: <i>Robinia pseudoacacia</i> L.. <i>Industrial Crops and Products</i> , <b>2015</b> , 78, 110-115	5.9	12
64	Metal concentration and antioxidant activity of edible mushrooms from Turkey. <i>Food Chemistry</i> , <b>2015</b> , 175, 549-55	8.5	53
63	Effect of <i>Capparis spinosa</i> L. on cognitive impairment induced by D-galactose in mice via inhibition of oxidative stress. <i>Turkish Journal of Medical Sciences</i> , <b>2015</b> , 45, 1127-36	2.7	18
62	<i>Phlomis armeniaca</i> : Phenolic compounds, enzyme inhibitory and antioxidant activities. <i>Industrial Crops and Products</i> , <b>2015</b> , 78, 95-101	5.9	16
61	Antioxidant and DNA damage protection potentials of selected phenolic acids. <i>Food and Chemical Toxicology</i> , <b>2015</b> , 77, 12-21	4.7	150
60	Phenolic Acid Composition and Anti-Parasitic Effects of Four <i>Peucedanum</i> Species on <i>Entamoeba histolytica</i> Trophozoites. <i>Iranian Journal of Parasitology</i> , <b>2015</b> , 10, 420-31	0.8	0
59	Clarification on a Published Paper in Iran J Parasitol. <i>Iranian Journal of Parasitology</i> , <b>2015</b> , 10, 669	0.8	
58	Phenolic content, enzyme inhibitory and antioxidative activity potentials of <i>Phlomis nissolii</i> and <i>P. pungens</i> var. <i>pungens</i> . <i>Industrial Crops and Products</i> , <b>2014</b> , 62, 333-340	5.9	36
57	Antitumoral effects of <i>Allium sivasicum</i> on breast cancer in vitro and in vivo. <i>Molecular Biology Reports</i> , <b>2013</b> , 40, 597-604	2.8	6

56	In vitro amoebicidal activity of four Peucedanum species on Acanthamoeba castellanii cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 167-74	2.4	28
55	Screening of the in vitro amoebicidal activities of Pastinaca armenea (Fisch. & C.A.Mey.) and Inula oculus-christi (L.) on Acanthamoeba castellanii cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 565-70	2.4	13
54	Phenolic acid contents, essential oil compositions and antioxidant activities of two varieties of Salvia euphratica from Turkey. <i>Natural Product Research</i> , <b>2012</b> , 26, 1848-51	2.3	8
53	In vitro amoebicidal activities of Teucrium polium and T. chamaedrys on Acanthamoeba castellanii trophozoites and cysts. <i>Parasitology Research</i> , <b>2012</b> , 110, 1773-8	2.4	13
52	In vitro amoebicidal activities of Satureja cuneifolia and Melissa officinalis on Acanthamoeba castellanii cysts and trophozoites. <i>Parasitology Research</i> , <b>2012</b> , 110, 2175-80	2.4	18
51	Amoebicidal activity of the rhizomes and aerial parts of Allium sivasicum on Entamoeba histolytica. <i>Parasitology Research</i> , <b>2012</b> , 111, 59-64	2.4	3
50	In vitro amoebicidal activity of Origanum syriacum and Origanum laevigatum on Acanthamoeba castellanii cysts and trophozoites. <i>Experimental Parasitology</i> , <b>2012</b> , 131, 20-4	2.1	30
49	Screening of the Antioxidant Activity of the Essential Oil and Methanol Extract of Mentha pulegium L. From Turkey. <i>Spectroscopy Letters</i> , <b>2012</b> , 45, 352-358	1.1	35
48	Metal concentrations of wild edible mushrooms from Turkey. <i>Ecology of Food and Nutrition</i> , <b>2012</b> , 51, 346-63	1.9	20
47	Antitumoral effects of Melissa officinalis on breast cancer in vitro and in vivo. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2012</b> , 13, 2765-70	1.7	25
46	Determination of chemical profile, antioxidant, DNA damage protection and antiamebic activities of Teucrium polium and Stachys iberica. <i>Phytotherapy</i> , <b>2011</b> , 82, 237-46	3.2	62
45	Evaluation of the Chemical Composition and Antioxidant Activity of the Peel Oil of Citrus nobilis. <i>International Journal of Food Properties</i> , <b>2010</b> , 13, 983-991	3	10
44	Evaluation of metal concentration and antioxidant activity of three edible mushrooms from Mugla, Turkey. <i>Food and Chemical Toxicology</i> , <b>2010</b> , 48, 1230-3	4.7	47
43	Essential oil composition and antioxidant activity of Thymus longicaulis C. Presl subsp. longicaulis var. longicaulis. <i>Food and Chemical Toxicology</i> , <b>2010</b> , 48, 1801-5	4.7	33
42	Evaluation of antioxidant activities of 3 edible mushrooms: Ramaria flava (Schaeff.: Fr.) Quél, Rhizopogon roseolus (Corda) T.M. Fries., and Russula delica Fr.. <i>Food Science and Biotechnology</i> , <b>2010</b> , 19, 691-696	3	32
41	Essential oil composition and antioxidant activities of alkanet (Alkanna tinctoria subsp. tinctoria). <i>Food Science and Biotechnology</i> , <b>2010</b> , 19, 1177-1183	3	10
40	In vitro amoebicidal activity of Salvia staminea and Salvia caespitosa on Acanthamoeba castellanii and their cytotoxic potentials on corneal cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , <b>2009</b> , 25, 293-8	2.6	19
39	Determination of the antimicrobial and antioxidative properties and total phenolics of two "endemic" Lamiaceae species from Turkey: Ballota rotundifolia L. and Teucrium chamaedrys C. Koch. <i>Plant Foods for Human Nutrition</i> , <b>2009</b> , 64, 135-40	3.9	24

38	Studies on the antioxidant activity of essential oil and different solvent extracts of <i>Vitexagnuscastus</i> L. fruits from Turkey. <i>Food and Chemical Toxicology</i> , <b>2009</b> , 47, 2479-83	4.7	85
37	Determination of in vitro antioxidative and antimicrobial properties and total phenolic contents of <i>Ziziphora clinopodioides</i> , <i>Cyclotrichium niveum</i> , and <i>Mentha longifolia</i> ssp. <i>typhoides</i> var. <i>typhoides</i> . <i>Journal of Medicinal Food</i> , <b>2009</b> , 12, 684-9	2.8	12
36	Evaluation of in vitro effect of <i>Morus rubra</i> (red mulberry) on survival of periodontal ligament cells. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , <b>2008</b> , 105, e66-9		17
35	In vitro evaluation of the amoebicidal activity of garlic ( <i>Allium sativum</i> ) extract on <i>Acanthamoeba castellanii</i> and its cytotoxic potential on corneal cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , <b>2008</b> , 24, 8-14	2.6	28
34	Antioxidant potentials and rosmarinic acid levels of the methanolic extracts of <i>Salvia virgata</i> (Jacq), <i>Salvia staminea</i> (Montbret & Aucher ex Benth) and <i>Salvia verbenaca</i> (L.) from Turkey. <i>Bioresource Technology</i> , <b>2008</b> , 99, 1584-8	11	93
33	Studies on the antioxidant activity of the essential oil and methanol extract of <i>Marrubium globosum</i> subsp. <i>globosum</i> (lamiaceae) by three different chemical assays. <i>Bioresource Technology</i> , <b>2008</b> , 99, 4239-46	11	70
32	Chemical composition, antioxidant and antimicrobial properties of the essential oils of three <i>Salvia</i> species from Turkish flora. <i>Bioresource Technology</i> , <b>2008</b> , 99, 4096-104	11	171
31	Evaluation of the antioxidant activity of four edible mushrooms from the Central Anatolia, Eskisehir - Turkey: <i>Lactarius deterrimus</i> , <i>Suillus collitinus</i> , <i>Boletus edulis</i> , <i>Xerocomus chrysenteron</i> . <i>Bioresource Technology</i> , <b>2008</b> , 99, 6651-5	11	85
30	Influence of Storage Media Containing <i>Salvia officinalis</i> on Survival of Periodontal Ligament Cells. <i>Journal of Contemporary Dental Practice</i> , <b>2008</b> , 9, 17-24	0.7	13
29	Production and optimisation of rosmarinic acid by <i>Satureja hortensis</i> L. callus cultures. <i>Natural Product Research</i> , <b>2007</b> , 21, 1133-44	2.3	37
28	Screening of the antioxidative properties and total phenolic contents of three endemic <i>Tanacetum</i> subspecies from Turkish flora. <i>Bioresource Technology</i> , <b>2007</b> , 98, 3076-9	11	43
27	The in vitro antioxidative properties of the essential oils and methanol extracts of <i>Satureja spicigera</i> (K. Koch.) Boiss. and <i>Satureja cuneifolia</i> ten. <i>Food Chemistry</i> , <b>2007</b> , 100, 339-343	8.5	60
26	Investigation of the antioxidant properties of <i>Ferula orientalis</i> L. using a suitable extraction procedure. <i>Food Chemistry</i> , <b>2007</b> , 100, 584-589	8.5	89
25	Antioxidant potentials and rosmarinic acid levels of the methanolic extracts of <i>Salvia verticillata</i> (L.) subsp. <i>verticillata</i> and <i>S. verticillata</i> (L.) subsp. <i>amasiaca</i> (Freyn & Bornm.) Bornm. <i>Food Chemistry</i> , <b>2007</b> , 100, 985-989	8.5	81
24	Chemical composition and antioxidant activity of the essential oil of <i>Clinopodium vulgare</i> L.. <i>Food Chemistry</i> , <b>2007</b> , 103, 766-770	8.5	48
23	Antioxidant activity of the essential oil and various extracts of <i>Nepeta flavida</i> Hub.-Mor. from Turkey. <i>Food Chemistry</i> , <b>2007</b> , 103, 1358-1364	8.5	88
22	In vitro amoebicidal activity of four <i>Allium</i> species on <i>Acanthamoeba castellanii</i> and their cytotoxic potentials on corneal cells. <i>Parasitology Research</i> , <b>2007</b> , 101, 397-402	2.4	14
21	In vitro effectiveness of <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>sipyleus</i> on <i>Acanthamoeba castellanii</i> and its cytotoxic potential on corneal cells. <i>Parasitology Research</i> , <b>2007</b> , 101, 1551-5	2.4	20

20	Screening of antioxidative properties and total phenolic compounds of various extracts of three different seed of grape varieties ( <i>Vitis vinifera</i> L.) from Turkish flora. <i>Pakistan Journal of Biological Sciences</i> , <b>2007</b> , 10, 403-8	0.8	10
19	Screening of antioxidative properties of the methanolic extracts of <i>Pelargonium endlicherianum</i> Fenzl., <i>Verbascum wiedemannianum</i> Fisch. & Mey., <i>Sideritis libanotica</i> Labill. subsp. <i>linearis</i> (Benth.) Borm., <i>Centaurea mucronifera</i> DC. and <i>Hieracium cappadocicum</i> Freyn from Turkish flora. <i>Food Chemistry</i> , <b>2006</b> , 98, 9-13	8.5	56
18	Screening of the antioxidant potentials of six <i>Salvia</i> species from Turkey. <i>Food Chemistry</i> , <b>2006</b> , 95, 200-204	20.4	215
17	Screening of the antioxidative and antimicrobial properties of the essential oils of <i>Pimpinella anisetum</i> and <i>Pimpinella flabellifolia</i> from Turkey. <i>Food Chemistry</i> , <b>2006</b> , 97, 719-724	8.5	80
16	Composition of the Essential Oil of <i>Achillea schischkinii</i> Sosn. (Asteraceae) from Turkey. <i>Journal of Essential Oil Research</i> , <b>2005</b> , 17, 575-576	2.3	4
15	Antioxidative activity of the essential oils of <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>sipyleus</i> and <i>Thymus sipyleus</i> subsp. <i>sipyleus</i> var. <i>rosulans</i> . <i>Journal of Food Engineering</i> , <b>2005</b> , 66, 447-454	6	121
14	Antimicrobial and antioxidative activity of the essential oil and various extracts of <i>Cyclotrichium organifolium</i> (Labill.) Manden. & Scheng.. <i>Journal of Food Engineering</i> , <b>2005</b> , 69, 335-342	6	59
13	In vitro antioxidant activities of the methanol extracts of four <i>Helichrysum</i> species from Turkey. <i>Food Chemistry</i> , <b>2005</b> , 90, 685-689	8.5	62
12	Antimicrobial and antioxidant activities of the essential oil and various extracts of <i>Salvia tomentosa</i> Miller (Lamiaceae). <i>Food Chemistry</i> , <b>2005</b> , 90, 333-340	8.5	440
11	In vitro antioxidant activities of the methanol extracts of five <i>Allium</i> species from Turkey. <i>Food Chemistry</i> , <b>2005</b> , 92, 89-92	8.5	74
10	Composition of the essential oils of <i>Tanacetum argyrophyllum</i> (C. Koch) Tvetz. var. <i>argyrophyllum</i> and <i>Tanacetum parthenium</i> (L.) Schultz Bip. (Asteraceae) from Turkey. <i>Biochemical Systematics and Ecology</i> , <b>2005</b> , 33, 511-516	1.4	32
9	Antimicrobial and antioxidative activities of the essential oils and methanol extracts of <i>Salvia cryptantha</i> (Montbret et Aucher ex Benth.) and <i>Salvia multicaulis</i> (Vahl). <i>Food Chemistry</i> , <b>2004</b> , 84, 519-525	8.5	225
8	The in vitro antioxidant and antimicrobial activities of the essential oil and various extracts of <i>Origanum syriacum</i> L var <i>bevanii</i> . <i>Journal of the Science of Food and Agriculture</i> , <b>2004</b> , 84, 1389-1396	4.3	35
7	In vitro antioxidant, antimicrobial, and antiviral activities of the essential oil and various extracts from herbal parts and callus cultures of <i>Origanum acutidens</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 3309-12	5.7	183
6	In vitro antimicrobial and antioxidant activities of the essential oils and various extracts of <i>Thymus eigii</i> M. Zohary et P.H. Davis. <i>Journal of Agricultural and Food Chemistry</i> , <b>2004</b> , 52, 1132-7	5.7	162
5	The in vitro antimicrobial and antioxidant activities of the essential oils and methanol extracts of endemic <i>Thymus spathulifolius</i> . <i>Food Control</i> , <b>2004</b> , 15, 627-634	6.2	242
4	Antioxidant and antimicrobial activity of the essential oil and methanol extracts of <i>Achillea millefolium</i> subsp. <i>millefolium</i> Afan. (Asteraceae). <i>Journal of Ethnopharmacology</i> , <b>2003</b> , 87, 215-20	5	376
3	Antimicrobial and antioxidant activity of the essential oil and methanol extracts of <i>Thymus pectinatus</i> Fisch. et Mey. Var. <i>pectinatus</i> (Lamiaceae). <i>Journal of Agricultural and Food Chemistry</i> , <b>2003</b> , 51, 63-7	5.7	246

2	Compositions and the in vitro antimicrobial activities of the essential oils of <i>Achillea setacea</i> and <i>Achillea teretifolia</i> (Compositae). <i>Journal of Ethnopharmacology</i> , <b>2002</b> , 83, 117-21	5	66
1	Molecular interactions of some phenolics with 2019-nCoV and related pathway elements. <i>International Journal of Secondary Metabolite</i> , 246-271	0.5	