

Thierry D'Amato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1908350/publications.pdf>

Version: 2024-02-01

81
papers

3,546
citations

147786
31
h-index

155644
55
g-index

85
all docs

85
docs citations

85
times ranked

3780
citing authors

#	ARTICLE	IF	CITATIONS
1	Overlap and Mutual Distinctions Between Clinical Recovery and Personal Recovery in People With Schizophrenia in a One-Year Study. <i>Schizophrenia Bulletin</i> , 2022, 48, 382-394.	4.3	7
2	Relationship between childhood physical abuse and clinical severity of treatment-resistant depression in a geriatric population. <i>PLoS ONE</i> , 2021, 16, e0250148.	2.5	4
3	Overexpression of complement component C4 in the dorsolateral prefrontal cortex, parietal cortex, superior temporal gyrus and associative striatum of patients with schizophrenia. <i>Brain, Behavior, and Immunity</i> , 2020, 90, 216-225.	4.1	25
4	Treatment-Resistant Depression in a Real-World Setting: First Interim Analysis of Characteristics, Healthcare Resource Use, and Utility Values of the FondaMental Cohort. <i>Brain Sciences</i> , 2020, 10, 962.	2.3	9
5	Widespread transcriptional disruption of the microRNA biogenesis machinery in brain and peripheral tissues of individuals with schizophrenia. <i>Translational Psychiatry</i> , 2020, 10, 376.	4.8	16
6	Attention in schizophrenia: Impaired inhibitory control, faulty attentional resources, or both?. <i>Psychiatry Research</i> , 2020, 290, 113164.	3.3	7
7	Childhood maltreatment and clinical severity of treatment-resistant depression in a French cohort of outpatients (FACE-SZ): One-year follow-up. <i>Depression and Anxiety</i> , 2020, 37, 365-374.	4.1	16
8	Are basic auditory processes involved in source-monitoring deficits in patients with schizophrenia?. <i>Schizophrenia Research</i> , 2019, 210, 135-142.	2.0	8
9	Distinct Expression Pattern of Epigenetic Machinery Genes in Blood Leucocytes and Brain Cortex of Depressive Patients. <i>Molecular Neurobiology</i> , 2019, 56, 4697-4707.	4.0	10
10	Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 92, 226-234.	4.8	12
11	Prevalence of and Risk Factors for Extrapyramidal Side Effects of Antipsychotics. <i>Journal of Clinical Psychiatry</i> , 2019, 80, .	2.2	23
12	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 85, 62-68.	4.8	14
13	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. <i>British Journal of Psychiatry</i> , 2018, 213, 464-470.	2.8	35
14	Advanced Paternal Age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. <i>Psychiatry Research</i> , 2017, 254, 218-223.	3.3	7
15	Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia: results from the FACE-SZ dataset. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 567-577.	3.2	21
16	Significant Need for a French Network of Expert Centers Enabling a Better Characterization and Management of Treatment-Resistant Depression (Fondation FondaMental). <i>Frontiers in Psychiatry</i> , 2017, 8, 244.	2.6	11
17	From Theory to PrACTice: A Cognitive Remediation Program Based on a Neuropsychological Model of Schizophrenia. <i>Frontiers in Psychiatry</i> , 2015, 6, 169.	2.6	1
18	Left auditory cortex dysfunction in hallucinating patients with schizophrenia: An MEG study. <i>Clinical Neurophysiology</i> , 2013, 124, 823-824.	1.5	3

#	ARTICLE	IF	CITATIONS
19	Effects of Aripiprazole, Risperidone, and Olanzapine on 5-HT1A Receptors in Patients With Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 84-89.	1.4	22
20	Recurrent Self-Limited Hyperthermia Following ECT for Catatonia in a Young Man with Cerebral Palsy. <i>Psychosomatics</i> , 2012, 53, 474-477.	2.5	7
21	A Comparison of Facial Emotion Processing in Neurological and Psychiatric Conditions. <i>Frontiers in Psychology</i> , 2012, 3, 98.	2.1	45
22	Thalamus abnormalities during working memory in schizophrenia. An fMRI study. <i>Schizophrenia Research</i> , 2011, 125, 49-53.	2.0	31
23	A randomized, controlled trial of computer-assisted cognitive remediation for schizophrenia. <i>Schizophrenia Research</i> , 2011, 125, 284-290.	2.0	85
24	How can cognitive remediation therapy modulate brain activations in schizophrenia?. <i>Psychiatry Research - Neuroimaging</i> , 2011, 192, 160-166.	1.8	75
25	Misdiagnosed Postpartum Psychosis Revealing a Late-Onset Urea Cycle Disorder. <i>American Journal of Psychiatry</i> , 2011, 168, 576-580.	7.2	26
26	Visuospatial processing in schizophrenia: Does it share common mechanisms with pseudoneglect?. <i>Laterality</i> , 2011, 16, 433-461.	1.0	10
27	Longitudinal MRI monitoring of brain damage in the neonatal ventral hippocampal lesion rat model of schizophrenia. <i>Hippocampus</i> , 2010, 20, 264-278.	1.9	17
28	Increased left striatal dopamine transmission in unaffected siblings of schizophrenia patients in response to acute metabolic stress. <i>Psychiatry Research - Neuroimaging</i> , 2010, 181, 130-135.	1.8	36
29	The development of the S-QoL 18: A shortened quality of life questionnaire for patients with schizophrenia. <i>Schizophrenia Research</i> , 2010, 121, 241-250.	2.0	101
30	In the eye of the beholder: Individual differences in reward-drive modulate early frontocentral ERPs to angry faces. <i>Neuropsychologia</i> , 2009, 47, 825-834.	1.6	20
31	A case report of cTBS for the treatment of auditory hallucinations in a patient with schizophrenia. <i>Brain Stimulation</i> , 2009, 2, 118-119.	1.6	39
32	Effects of theta burst stimulation on glutamate levels in a patient with negative symptoms of schizophrenia. <i>Schizophrenia Research</i> , 2009, 111, 196-197.	2.0	22
33	Impaired Social Cognition in Mild Alzheimer Disease. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2009, 22, 130-140.	2.3	127
34	Effects of acute metabolic stress on the dopaminergic and pituitary-adrenal axis activity in patients with schizophrenia, their unaffected siblings and controls. <i>Schizophrenia Research</i> , 2008, 100, 206-211.	2.0	65
35	Maintenance Treatment With Transcranial Magnetic Stimulation in a Patient With Late-Onset Schizophrenia. <i>American Journal of Psychiatry</i> , 2008, 165, 537-538.	7.2	33
36	Emotion recognition and genetic vulnerability to schizophrenia. <i>British Journal of Psychiatry</i> , 2007, 191, 126-130.	2.8	138

#	ARTICLE	IF	CITATIONS
37	Summer birth and deficit schizophrenia in Tunisia. Psychiatry Research, 2007, 152, 273-275.	3.3	5
38	Exaggerated leftward bias in the mental number line of patients with schizophrenia. Brain and Cognition, 2007, 63, 85-90.	1.8	24
39	Visual-perceptual abilities in healthy controls, depressed patients, and schizophrenia patients. Brain and Cognition, 2007, 64, 257-264.	1.8	30
40	Serotonergic response to stress: A protective factor against abnormal dopaminergic reactivity in schizophrenia?. European Psychiatry, 2007, 22, 362-364.	0.2	11
41	Pseudoneglect in schizophrenia: A line bisection study with cueing. Cognitive Neuropsychiatry, 2007, 12, 222-234.	1.3	27
42	Impaired verbal source monitoring in schizophrenia: An intermediate trait vulnerability marker?. Schizophrenia Research, 2007, 89, 287-292.	2.0	60
43	Post-pubertal emergence of alterations in locomotor activity in stop null mice. Synapse, 2007, 61, 689-697.	1.2	16
44	Left temporo-limbic and orbital dysfunction in schizophrenia during odor familiarity and hedonicity judgments. NeuroImage, 2006, 29, 302-313.	4.2	70
45	Source monitoring deficits in hallucinating compared to non-hallucinating patients with schizophrenia. European Psychiatry, 2006, 21, 259-261.	0.2	66
46	Low frequency repetitive transcranial magnetic stimulation improves source monitoring deficit in hallucinating patients with schizophrenia. Schizophrenia Research, 2006, 81, 41-45.	2.0	132
47	Is rTMS efficient as a maintenance treatment for auditory verbal hallucinations? A case report. Schizophrenia Research, 2006, 84, 183-184.	2.0	31
48	Abnormalities of auditory event-related potentials in students with high scores on the Schizotypal Personality Questionnaire. Psychiatry Research, 2006, 144, 117-122.	3.3	14
49	D�ficit de control de la fuente en pacientes con esquizofrenia que tienen alucinaciones comparado con los que no las tienen. European Psychiatry (Ed Espa�ola), 2006, 13, 409-411.	0.0	0
50	Facial Expression and Sex Recognition in Schizophrenia and Depression. Canadian Journal of Psychiatry, 2005, 50, 525-533.	1.9	74
51	Effects of emotion and identity on facial affect processing in schizophrenia. Psychiatry Research, 2005, 133, 149-157.	3.3	113
52	Slow transcranial magnetic stimulation can rapidly reduce resistant auditory hallucinations in schizophrenia. Biological Psychiatry, 2005, 57, 188-191.	1.3	153
53	Neural correlates of action attribution in schizophrenia. Psychiatry Research - Neuroimaging, 2004, 131, 31-44.	1.8	158
54	Left temporoparietal transcranial magnetic stimulation in treatment-resistant schizophrenia with verbal hallucinations. Psychiatry Research, 2003, 120, 107-109.	3.3	23

#	ARTICLE	IF	CITATIONS
55	Ratings of Different Olfactory Judgements in Schizophrenia. Chemical Senses, 2002, 27, 407-416.	2.0	58
56	Exploring imagined movements in patients with schizophrenia. NeuroReport, 2002, 13, 605-609.	1.2	44
57	Gaze direction determination in schizophrenia. Schizophrenia Research, 2002, 56, 225-234.	2.0	39
58	Cannabis use correlates with schizotypal personality traits in healthy students. Psychiatry Research, 2002, 109, 27-35.	3.3	122
59	Perinatal vulnerability?Cognitive vulnerability. American Journal of Medical Genetics Part A, 2002, 114, 927-928.	2.4	0
60	Poor performance in smooth pursuit and antisaccadic eye-movement tasks in healthy siblings of patients with schizophrenia. Psychiatry Research, 2001, 101, 209-219.	3.3	61
61	Visual pointing and speed / accuracy trade-off in schizophrenia. Cognitive Neuropsychiatry, 2000, 5, 123-134.	1.3	10
62	Alteration of event related potentials in siblings discordant for schizophrenia. Schizophrenia Research, 2000, 41, 325-334.	2.0	69
63	Executive/attentional performance and measures of schizotypy in patients with schizophrenia and in their nonpsychotic first-degree relatives. Schizophrenia Research, 2000, 46, 269-283.	2.0	132
64	Auditory event-related potentials and clinical scores in unmedicated schizophrenic patients. Psychiatry Research, 1999, 86, 229-238.	3.3	56
65	Saccadic eye movements in schizophrenic patients. Psychiatry Research, 1998, 77, 9-19.	3.3	89
66	Olfactory identification deficiency and WCST performance in men with schizophrenia. Psychiatry Research, 1998, 81, 251-257.	3.3	32
67	Manic Depressive Illness and Tyrosine Hydroxylase Gene: Linkage Heterogeneity and Association. Neurobiology of Disease, 1997, 4, 337-349.	4.4	20
68	No season-of-birth effect in schizophrenic patients from a tropical island in the Southern Hemisphere. Psychiatry Research, 1996, 60, 205-210.	3.3	16
69	Association study between dopamine D1, D2, D3, and D4 receptor genes and schizophrenia defined by several diagnostic systems. Biological Psychiatry, 1996, 40, 419-421.	1.3	29
70	A combined analysis of D22S278 marker alleles in affected sib-pairs: Support for a susceptibility locus for schizophrenia at chromosome 22q12. , 1996, 67, 40-45.		205
71	No evidence for linkage or association between the dopamine transporter gene and schizophrenia in a French population. Psychiatry Research, 1995, 59, 1-6.	3.3	27
72	Follow-up of a report of a potential linkage for schizophrenia on chromosome 22q12-q13.1: Part 2. American Journal of Medical Genetics Part A, 1994, 54, 44-50.	2.4	145

#	ARTICLE	IF	CITATIONS
73	Genetic study of dopamine D1, D2, and D4 receptors in schizophrenia. Psychiatry Research, 1994, 51, 215-230.	3.3	53
74	Pseudoautosomal region in schizophrenia: Linkage analysis of seven loci by sib-pair and lod-score methods. Psychiatry Research, 1994, 52, 135-147.	3.3	13
75	Seasonality of birth and ventricular enlargement in chronic schizophrenia. Psychiatry Research - Neuroimaging, 1994, 55, 65-73.	1.8	18
76	Failure to replicate linkage between chromosome 5q11-q13 markers and schizophrenia in 28 families. Psychiatry Research, 1992, 44, 171-179.	3.3	7
77	Relationship between symptoms rated with the positive and negative syndrome scale and brain measures in schizophrenia. Psychiatry Research, 1992, 44, 55-62.	3.3	15
78	Relationship of HLA to Schizophrenia not supported in multiplex families. Psychiatry Research, 1992, 41, 99-105.	3.3	14
79	Clinical subtypes and age at onset in schizophrenic siblings. Psychiatry Research, 1992, 41, 107-114.	3.3	27
80	The reliability of the SADS-LA in a family study setting. European Archives of Psychiatry and Clinical Neuroscience, 1991, 241, 165-169.	3.2	71
81	Subtyping familial schizophrenia: Reliability, concordance, and stability. Psychiatry Research, 1990, 34, 77-88.	3.3	14