Enrico Garattini

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1908767/enrico-garattini-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 161
 5,457
 46
 64

 papers
 citations
 h-index
 g-index

 166
 5,785
 5
 5.22

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
161	Role of cardiolipins, mitochondria, and autophagy in the differentiation process activated by all-trans retinoic acid in acute promyelocytic leukemia <i>Cell Death and Disease</i> , 2022 , 13, 30	9.8	1
160	Involvement of aldehyde oxidase in the metabolism of aromatic and aliphatic aldehyde-odorants in the mouse olfactory epithelium. <i>Archives of Biochemistry and Biophysics</i> , 2021 , 715, 109099	4.1	0
159	A Gene-Derived Circular RNA Is Highly Expressed in Luminal Mammary Tumours and Is Involved in the Epithelial Differentiation, Growth, and Motility of Breast Cancer Cells. <i>Cancers</i> , 2021 , 13,	6.6	1
158	OXER1 and RACK1-associated pathway: a promising drug target for breast cancer progression. <i>Oncogenesis</i> , 2020 , 9, 105	6.6	8
157	Retinoic Acid Sensitivity of Triple-Negative Breast Cancer Cells Characterized by Constitutive Activation of the notch1 Pathway: The Role of Rarll Cancers, 2020, 12,	6.6	5
156	Evolution, expression, and substrate specificities of aldehyde oxidase enzymes in eukaryotes. Journal of Biological Chemistry, 2020 , 295, 5377-5389	5.4	20
155	All-Trans Retinoic Acid Stimulates Viral Mimicry, Interferon Responses and Antigen Presentation in Breast-Cancer Cells. <i>Cancers</i> , 2020 , 12,	6.6	8
154	The ATRA-21 gene-expression model predicts retinoid sensitivity in CEBPA double mutant, t(8;21) and inv(16) AML patients. <i>Blood Cancer Journal</i> , 2019 , 9, 76	7	2
153	Aldehyde oxidase at the crossroad of metabolism and preclinical screening. <i>Drug Metabolism Reviews</i> , 2019 , 51, 428-452	7	7
152	Assessing Autophagy During Retinoid Treatment of Breast Cancer Cells. <i>Methods in Molecular Biology</i> , 2019 , 2019, 237-256	1.4	4
151	Role of mitochondria and cardiolipins in growth inhibition of breast cancer cells by retinoic acid. Journal of Experimental and Clinical Cancer Research, 2019, 38, 436	12.8	5
150	HER2-positive breast-cancer cell lines are sensitive to KDM5 inhibition: definition of a gene-expression model for the selection of sensitive cases. <i>Oncogene</i> , 2019 , 38, 2675-2689	9.2	13
149	S100A3 a partner protein regulating the stability/activity of RARIand PML-RARIIn cellular models of breast/lung cancer and acute myeloid leukemia. <i>Oncogene</i> , 2019 , 38, 2482-2500	9.2	13
148	BET proteins regulate homologous recombination-mediated DNA repair: BRCAness and implications for cancer therapy. <i>International Journal of Cancer</i> , 2019 , 144, 755-766	7.5	36
147	Inhibitory effects of drugs on the metabolic activity of mouse and human aldehyde oxidases and influence on drug-drug interactions. <i>Biochemical Pharmacology</i> , 2018 , 154, 28-38	6	16
146	Uncoupling FoxO3A mitochondrial and nuclear functions in cancer cells undergoing metabolic stress and chemotherapy. <i>Cell Death and Disease</i> , 2018 , 9, 231	9.8	25
145	Critical overview on the structure and metabolism of human aldehyde oxidase and its role in pharmacokinetics. <i>Coordination Chemistry Reviews</i> , 2018 , 368, 35-59	23.2	16

(2015-2018)

144	Massive NGS data analysis reveals hundreds of potential novel gene fusions in human cell lines. <i>GigaScience</i> , 2018 , 7,	7.6	4
143	Xanthine Oxidoreductase and Aldehyde Oxidases 2018 , 208-232		1
142	Structural basis for the role of mammalian aldehyde oxidases in the metabolism of drugs and xenobiotics. <i>Current Opinion in Chemical Biology</i> , 2017 , 37, 39-47	9.7	23
141	Network-guided modeling allows tumor-type independent prediction of sensitivity to all-trans-retinoic acid. <i>Annals of Oncology</i> , 2017 , 28, 611-621	10.3	19
140	The autophagy scaffold protein ALFY is critical for the granulocytic differentiation of AML cells. <i>Scientific Reports</i> , 2017 , 7, 12980	4.9	13
139	Generation of a new mouse model of glaucoma characterized by reduced expression of the AP-2 and AP-2 proteins. <i>Scientific Reports</i> , 2017 , 7, 11140	4.9	6
138	Direct Comparison of the Enzymatic Characteristics and Superoxide Production of the Four Aldehyde Oxidase Enzymes Present in Mouse. <i>Drug Metabolism and Disposition</i> , 2017 , 45, 947-955	4	11
137	RARI and PML-RAR similarities in the control of basal and retinoic acid induced myeloid maturation of acute myeloid leukemia cells. <i>Oncotarget</i> , 2017 , 8, 37041-37060	3.3	7
136	Association of CFHR1 homozygous deletion with acute myelogenous leukemia in the European population. <i>Leukemia and Lymphoma</i> , 2016 , 57, 1234-7	1.9	2
135	Structure and function of mammalian aldehyde oxidases. <i>Archives of Toxicology</i> , 2016 , 90, 753-80	5.8	74
134	Lipid-sensors, enigmatic-orphan and orphan nuclear receptors as therapeutic targets in breast-cancer. <i>Oncotarget</i> , 2016 , 7, 42661-42682	3.3	18
133	Mouse aldehyde-oxidase-4 controls diurnal rhythms, fat deposition and locomotor activity. <i>Scientific Reports</i> , 2016 , 6, 30343	4.9	14
132	Is Toad luckTan important determinant of cancer incidence and does this concept apply to kidney tumors?. <i>Nephron</i> , 2015 , 129, 219-22	3.3	2
131	All-trans-retinoic Acid Modulates the Plasticity and Inhibits the Motility of Breast Cancer Cells: ROLE OF NOTCH1 AND TRANSFORMING GROWTH FACTOR (TGF) Journal of Biological Chemistry, 2015 , 290, 17690-17709	5.4	33
130	Activation of RARIInduces autophagy in SKBR3 breast cancer cells and depletion of key autophagy genes enhances ATRA toxicity. <i>Cell Death and Disease</i> , 2015 , 6, e1861	9.8	18
129	Cellular and molecular determinants of all-trans retinoic acid sensitivity in breast cancer: Luminal phenotype and RARIexpression. <i>EMBO Molecular Medicine</i> , 2015 , 7, 950-72	12	46
128	Insights into the structural determinants of substrate specificity and activity in mouse aldehyde oxidases. <i>Journal of Biological Inorganic Chemistry</i> , 2015 , 20, 209-17	3.7	17
127	Different Stability and Proteasome-Mediated Degradation Rate of SMN Protein Isoforms. <i>PLoS ONE</i> , 2015 , 10, e0134163	3.7	7

126	MicroRNA networks regulated by all-trans retinoic acid and Lapatinib control the growth, survival and motility of breast cancer cells. <i>Oncotarget</i> , 2015 , 6, 13176-200	3.3	29
125	The four aldehyde oxidases of Drosophila melanogaster have different gene expression patterns and enzyme substrate specificities. <i>Journal of Experimental Biology</i> , 2014 , 217, 2201-11	3	23
124	Retinoids and breast cancer: from basic studies to the clinic and back again. <i>Cancer Treatment Reviews</i> , 2014 , 40, 739-49	14.4	95
123	Structure and evolution of vertebrate aldehyde oxidases: from gene duplication to gene suppression. <i>Cellular and Molecular Life Sciences</i> , 2013 , 70, 1807-30	10.3	46
122	New insights into the molecular mechanisms underlying sensitivity/resistance to the atypical retinoid ST1926 in acute myeloid leukaemia cells: the role of histone H2A.Z, cAMP-dependent protein kinase A and the proteasome. <i>European Journal of Cancer</i> , 2013 , 49, 1491-500	7·5	13
121	Aldehyde oxidase and its importance in novel drug discovery: present and future challenges. <i>Expert Opinion on Drug Discovery</i> , 2013 , 8, 641-54	6.2	56
120	Synergistic antitumor activity of lapatinib and retinoids on a novel subtype of breast cancer with coamplification of ERBB2 and RARA. <i>Oncogene</i> , 2012 , 31, 3431-43	9.2	44
119	The role of aldehyde oxidase in drug metabolism. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2012 , 8, 487-503	5.5	131
118	p38MAPK interacts with and inhibits RAREsuppression of the kinase enhances the therapeutic activity of retinoids in acute myeloid leukemia cells. <i>Leukemia</i> , 2012 , 26, 1850-61	10.7	23
117	Spinal muscular atrophy pathogenic mutations impair the axonogenic properties of axonal-survival of motor neuron. <i>Journal of Neurochemistry</i> , 2012 , 121, 465-74	6	10
116	The impact of single nucleotide polymorphisms on human aldehyde oxidase. <i>Drug Metabolism and Disposition</i> , 2012 , 40, 856-64	4	77
115	Human axonal survival of motor neuron (a-SMN) protein stimulates axon growth, cell motility, C-C motif ligand 2 (CCL2), and insulin-like growth factor-1 (IGF1) production. <i>Journal of Biological Chemistry</i> , 2012 , 287, 25782-94	5.4	20
114	The first mammalian aldehyde oxidase crystal structure: insights into substrate specificity. <i>Journal of Biological Chemistry</i> , 2012 , 287, 40690-702	5.4	79
113	Increasing recognition of the importance of aldehyde oxidase in drug development and discovery. <i>Drug Metabolism Reviews</i> , 2011 , 43, 374-86	7	95
112	Characterization and crystallization of mouse aldehyde oxidase 3: from mouse liver to Escherichia coli heterologous protein expression. <i>Drug Metabolism and Disposition</i> , 2011 , 39, 1939-45	4	28
111	Induction of miR-21 by retinoic acid in estrogen receptor-positive breast carcinoma cells: biological correlates and molecular targets. <i>Journal of Biological Chemistry</i> , 2011 , 286, 4027-42	5.4	75
110	Antiproliferative and differentiating activities of a novel series of histone deacetylase inhibitors. <i>ACS Medicinal Chemistry Letters</i> , 2010 , 1, 411-5	4.3	68
109	Site directed mutagenesis of amino acid residues at the active site of mouse aldehyde oxidase AOX1. <i>PLoS ONE</i> , 2009 , 4, e5348	3.7	40

SUG-1 plays proteolytic and non-proteolytic roles in the control of retinoic acid target genes via its interaction with SRC-3. <i>Journal of Biological Chemistry</i> , 2009 , 284, 8127-35	5.4	14
Inhibition of the peptidyl-prolyl-isomerase Pin1 enhances the responses of acute myeloid leukemia cells to retinoic acid via stabilization of RARalpha and PML-RARalpha. <i>Cancer Research</i> , 2009 , 69, 1016-2	26 ^{10.1}	52
Role of the molybdoflavoenzyme aldehyde oxidase homolog 2 in the biosynthesis of retinoic acid: generation and characterization of a knockout mouse. <i>Molecular and Cellular Biology</i> , 2009 , 29, 357-77	4.8	52
The mammalian aldehyde oxidase gene family. <i>Human Genomics</i> , 2009 , 4, 119-30	6.8	86
Atypical retinoids ST1926 and CD437 are S-phase-specific agents causing DNA double-strand breaks: significance for the cytotoxic and antiproliferative activity. <i>Molecular Cancer Therapeutics</i> , 2008 , 7, 2941-54	6.1	37
Mammalian aldehyde oxidases: genetics, evolution and biochemistry. <i>Cellular and Molecular Life Sciences</i> , 2008 , 65, 1019-48	10.3	154
Axonal-SMN (a-SMN), a protein isoform of the survival motor neuron gene, is specifically involved in axonogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 1959-64	11.5	57
Retinoids as differentiating agents in oncology: a network of interactions with intracellular pathways as the basis for rational therapeutic combinations. <i>Current Pharmaceutical Design</i> , 2007 , 13, 1375-400	3.3	59
Cytodifferentiation by retinoids, a novel therapeutic option in oncology: rational combinations with other therapeutic agents. <i>Vitamins and Hormones</i> , 2007 , 75, 301-54	2.5	20
Antitumor activity of the retinoid-related molecules (E)-3-(4Thydroxy-3Tadamantylbiphenyl-4-yl)acrylic acid (ST1926) and 6-[3-(1-adamantyl)-4-hydroxyphenyl]-2-naphthalene carboxylic acid (CD437) in F9 teratocarcinoma:	4.3	37
Avian and canine aldehyde oxidases. Novel insights into the biology and evolution of molybdo-flavoenzymes. <i>Journal of Biological Chemistry</i> , 2006 , 281, 19748-61	5.4	50
P38MAPK-dependent phosphorylation and degradation of SRC-3/AIB1 and RARalpha-mediated transcription. <i>EMBO Journal</i> , 2006 , 25, 739-51	13	76
Granulocytic maturation in cultures of acute myeloid leukemia is not always accompanied by increased apoptosis. <i>Leukemia Research</i> , 2006 , 30, 519-20	2.7	3
The pathogenesis of molybdenum cofactor deficiency, its delay by maternal clearance, and its expression pattern in microarray analysis. <i>Molecular Genetics and Metabolism</i> , 2005 , 85, 12-20	3.7	32
Synthesis and structure-activity relationships of a new series of retinoid-related biphenyl-4-ylacrylic acids endowed with antiproliferative and proapoptotic activity. <i>Journal of Medicinal Chemistry</i> , 2005 , 48, 4931-46	8.3	36
Identification of aldehyde oxidase 1 and aldehyde oxidase homologue 1 as dioxin-inducible genes. <i>Toxicology</i> , 2005 , 207, 401-9	4.4	30
Regulation and biochemistry of mouse molybdo-flavoenzymes. The DBA/2 mouse is selectively deficient in the expression of aldehyde oxidase homologues 1 and 2 and represents a unique source for the purification and characterization of aldehyde oxidase. <i>Journal of Biological Chemistry</i>	5.4	38
, 2004, 279, 8668-83 Atypical retinoids: an expanding series of anti-leukemia and anti-cancer agents endowed with selective apoptotic activity. <i>Journal of Chemotherapy</i> , 2004 , 16 Suppl 4, 70-3	2.3	7
	Inhibition of the peptidyl-protyl-isomerase Pin1 enhances the responses of acute myeloid leukemia cells to retinoic acid via stabilization of RARalpha and PML-RARalpha. Cancer Research, 2009, 69, 1016-27. Role of the molybdoflavoenzyme aldehyde oxidase homolog 2 in the biosynthesis of retinoic acid: generation and characterization of a knockout mouse. Molecular and Cellular Biology, 2009, 29, 357-77. The mammalian aldehyde oxidase gene family. Human Genomics, 2009, 4, 119-30. Atypical retinoids ST1926 and CD437 are S-phase-specific agents causing DNA double-strand breaks: significance for the cytotoxic and antiproliferative activity. Molecular Cancer Therapeutics, 2008, 7, 2941-54. Mammalian aldehyde oxidases: genetics, evolution and biochemistry. Cellular and Molecular Life Sciences, 2008, 65, 1019-48. Axonal-SMN (a-SMN), a protein isoform of the survival motor neuron gene, is specifically involved in axonogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 1959-64. Retinoids as differentiating agents in oncology: a network of interactions with intracellular pathways as the basis for rational therapeutic combinations. Current Pharmaceutical Design, 2007, 13, 1375-400. Cytodifferentiation by retinoids, a novel therapeutic option in oncology: rational combinations with other therapeutic agents. Vitamins and Hormones, 2007, 75, 301-54. Antitumor activity of the retinoid-related molecules (E)-3-4(Hydroxy-3-Tadamantylbiphenyl-4-ylacrylic acid (ST1926) and 6-[3-(1-adamantyl)-4-hydroxyphenyl)-2-naphthalene carboxylic acid (CD437) in F9 teratocarcinoma: Avian and canine aldehyde oxidases. Novel insights into the biology and evolution of molybdo-flavoenzymes. Journal of Biological Chemistry, 2006, 281, 19748-61. P38MAPK-dependent phosphorylation and degradation of SRC-3/AlB1 and RARalpha-mediated transcription. EMBO Journal, 2006, 25, 739-51. Granulocytic maturation in cultures of acute myeloid leukemia is not always accompanied by increased apoptosis. Leukemia	Inhibition of the peptidyl-prolyl-isomerase Pin1 enhances the responses of acute myeloid leukemia cells to retinoic acid via stabilization of RARalpha and PML-RARalpha. Cancer Research, 2009, 69, 1016-26 ^{OOI} Role of the molybdoflavoenzyme aldehyde oxidase homolog 2 in the biosynthesis of retinoic acid: generation and characterization of a knockout mouse. Molecular and Cellular Biology, 2009, 29, 357-77 4.8 The mammalian aldehyde oxidase gene family. Human Genomics, 2009, 4, 119-30 6.8 Atypical retinoids ST1926 and CD437 are S-phase-specific agents causing DNA double-strand breaks: significance for the cytotoxic and antiproliferative activity. Molecular Cancer Therapeutics, 2008, 7, 2941-54 Mammalian aldehyde oxidases: genetics, evolution and biochemistry. Cellular and Molecular Life Sciences, 2008, 65, 1019-48 Axonal-SMN (a-SMN), a protein isoform of the survival motor neuron gene, is specifically involved in axonogenesis. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 1959-64 Retinoids as differentiating agents in oncology: a network of interactions with intracellular pathways as the basis for rational therapeutic combinations. Current Pharmaceutical Design, 2007, 13, 1375-400 Cytodifferentiation by retinoids, a novel therapeutic option in oncology: rational combinations with other therapeutic agents. Vitamins and Hormones, 2007, 75, 301-54 Antitumor activity of the retinoid-related molecules (E)-3-(4hydroxy-37adamantylbiphenyl-4-yl)acrylic acid (ST1926) and 6[3-(1-adamantyl)-4-hydroxyphenyl]-2-naphthalene carboxylic acid (CD437) in F9 teratocarcinoma: Avian and canine aldehyde oxidases. Novel insights into the biology and evolution of molybdo-flavoenzymes. Journal of Biological Chemistry, 2006, 281, 19748-61 Granulocytic maturation in cultures of acute myeloid leukemia is not always accompanied by increased apoptosis. Leukemia Research, 2006, 30, 519-20 The pathogenesis of molybdenum cofactor deficiency, its delay by maternal clearance, and its expres

90	The aldehyde oxidase gene cluster in mice and rats. Aldehyde oxidase homologue 3, a novel member of the molybdo-flavoenzyme family with selective expression in the olfactory mucosa. Journal of Biological Chemistry, 2004 , 279, 50482-98	5.4	55
89	Phosphodiesterase IV inhibition by piclamilast potentiates the cytodifferentiating action of retinoids in myeloid leukemia cells. Cross-talk between the cAMP and the retinoic acid signaling pathways. <i>Journal of Biological Chemistry</i> , 2004 , 279, 42026-40	5.4	33
88	Induction of apoptosis and stress response in ovarian carcinoma cell lines treated with ST1926, an atypical retinoid. <i>Cell Death and Differentiation</i> , 2004 , 11, 280-9	12.7	52
87	ST1926, a novel and orally active retinoid-related molecule inducing apoptosis in myeloid leukemia cells: modulation of intracellular calcium homeostasis. <i>Blood</i> , 2004 , 103, 194-207	2.2	63
86	Retinoid related molecules an emerging class of apoptotic agents with promising therapeutic potential in oncology: pharmacological activity and mechanisms of action. <i>Current Pharmaceutical Design</i> , 2004 , 10, 433-48	3.3	57
85	The AF-1 and AF-2 domains of RAR gamma 2 and RXR alpha cooperate for triggering the transactivation and the degradation of RAR gamma 2/RXR alpha heterodimers. <i>Journal of Biological Chemistry</i> , 2003 , 278, 34458-66	5.4	36
84	Mammalian molybdo-flavoenzymes, an expanding family of proteins: structure, genetics, regulation, function and pathophysiology. <i>Biochemical Journal</i> , 2003 , 372, 15-32	3.8	194
83	Phosphorylation by p38MAPK and recruitment of SUG-1 are required for RA-induced RAR gamma degradation and transactivation. <i>EMBO Journal</i> , 2002 , 21, 3760-9	13	122
82	Down-regulation of the phosphatidylinositol 3-kinase/Akt pathway is involved in retinoic acid-induced phosphorylation, degradation, and transcriptional activity of retinoic acid receptor gamma 2. <i>Journal of Biological Chemistry</i> , 2002 , 277, 24859-62	5.4	46
81	Bis-indols: a novel class of molecules enhancing the cytodifferentiating properties of retinoids in myeloid leukemia cells. <i>Blood</i> , 2002 , 100, 3719-30	2.2	29
80	Tyrosine kinase inhibitor STI571 potentiates the pharmacologic activity of retinoic acid in acute promyelocytic leukemia cells: effects on the degradation of RARalpha and PML-RARalpha. <i>Blood</i> , 2001 , 97, 3234-43	2.2	59
79	Purification of the aldehyde oxidase homolog 1 (AOH1) protein and cloning of the AOH1 and aldehyde oxidase homolog 2 (AOH2) genes. Identification of a novel molybdo-flavoprotein gene cluster on mouse chromosome 1. <i>Journal of Biological Chemistry</i> , 2001 , 276, 46347-63	5.4	42
78	Cytodifferentiation: a novel approach to cancer treatment and prevention. <i>Current Opinion in Pharmacology</i> , 2001 , 1, 358-63	5.1	8
77	Retinoid-dependent growth inhibition, differentiation and apoptosis in acute promyelocytic leukemia cells. Expression and activation of caspases. <i>Cell Death and Differentiation</i> , 2000 , 7, 447-60	12.7	73
76	Isolation and characterization of an acute promyelocytic leukemia cell line selectively resistant to the novel antileukemic and apoptogenic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid. <i>Blood</i> , 2000 , 95, 2672-2682	2.2	38
75	Cloning of the cDNAs coding for two novel molybdo-flavoproteins showing high similarity with aldehyde oxidase and xanthine oxidoreductase. <i>Journal of Biological Chemistry</i> , 2000 , 275, 30690-700	5.4	54
74	Isolation and characterization of an acute promyelocytic leukemia cell line selectively resistant to the novel antileukemic and apoptogenic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid. <i>Blood</i> , 2000 , 95, 2672-2682	2.2	5
73	The Novel Synthetic Retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) Causes Apoptosis in Acute Promyelocytic Leukemia Cells Through Rapid Activation of Caspases. <i>Blood</i> , 1999 , 93, 1045-1061	2.2	75

72	Leucocyte alkaline phosphatase identifies terminally differentiated normal neutrophils and its lack in chronic myelogenous leukaemia is not dependent on p210 tyrosine kinase activity. <i>British Journal of Haematology</i> , 1999 , 105, 163-172	4.5	15
71	The mouse aldehyde oxidase gene: molecular cloning, chromosomal mapping and functional characterization of the 5Tflanking region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999 , 1489, 207-22		13
70	Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999 , 341, 71-80	3.8	53
69	Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999 , 341, 71	3.8	20
68	The Novel Synthetic Retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene Carboxylic Acid (CD437) Causes Apoptosis in Acute Promyelocytic Leukemia Cells Through Rapid Activation of Caspases. <i>Blood</i> , 1999 , 93, 1045-1061	2.2	11
67	Molecular cloning of the cDNA coding for mouse aldehyde oxidase: tissue distribution and regulation in vivo by testosterone. <i>Biochemical Journal</i> , 1999 , 341 (Pt 1), 71-80	3.8	12
66	The novel synthetic retinoid 6-[3-adamantyl-4-hydroxyphenyl]-2-naphthalene carboxylic acid (CD437) causes apoptosis in acute promyelocytic leukemia cells through rapid activation of caspases. <i>Blood</i> , 1999 , 93, 1045-61	2.2	17
65	Leucocyte alkaline phosphatase identifies terminally differentiated normal neutrophils and its lack in chronic myelogenous leukaemia is not dependent on p210 tyrosine kinase activity. <i>British Journal of Haematology</i> , 1999 , 105, 163-72	4.5	2
64	Isolation and characterization of the gene coding for human cytidine deaminase. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998 , 1443, 323-33		25
63	Cross-talk between retinoic acid and interferons: molecular mechanisms of interaction in acute promyelocytic leukemia cells. <i>Leukemia and Lymphoma</i> , 1998 , 30, 467-75	1.9	12
62	Isolation and characterization of the human aldehyde oxidase gene: conservation of intron/exon boundaries with the xanthine oxidoreductase gene indicates a common origin. <i>Biochemical Journal</i> , 1998 , 332 (Pt 2), 383-93	3.8	56
61	Cancer Procoagulant and Tissue Factor Are Differently Modulated by All-trans-Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Blood</i> , 1998 , 92, 143-151	2.2	99
60	Flow Cytometry of Leukocyte Alkaline Phosphatase in Human Hematopoietic Cells. <i>Hamatologie Und Bluttransfusion</i> , 1998 , 62-67		
59	Molecular mechanisms of retinoid action in acute promyelocytic leukemia (Review). <i>International Journal of Oncology</i> , 1997 , 11, 397-414	1	
58	Selective localization of mouse aldehyde oxidase mRNA in the choroid plexus and motor neurons. <i>NeuroReport</i> , 1997 , 8, 2343-9	1.7	21
57	The xanthine oxidoreductase gene: structure and regulation. <i>Biochemical Society Transactions</i> , 1997 , 25, 791-6	5.1	26
56	Stat1 Is Induced and Activated by All-Trans Retinoic Acid in Acute Promyelocytic Leukemia Cells. <i>Blood</i> , 1997 , 89, 1001-1012	2.2	104
55	Flow cytometry of leucocyte alkaline phosphatase in normal and pathologic leucocytes. <i>British Journal of Haematology</i> , 1997 , 96, 815-22	4.5	15

54	Stat1 is induced and activated by all-trans retinoic acid in acute promyelocytic leukemia cells. <i>Blood</i> , 1997 , 89, 1001-12	2.2	24
53	Leukocyte alkaline phosphatase a specific marker for the post-mitotic neutrophilic granulocyte: regulation in acute promyelocytic leukemia. <i>Leukemia and Lymphoma</i> , 1996 , 23, 493-503	1.9	22
52	Retinoic acid and methylation cis-regulatory elements control the mouse tissue non-specific alkaline phosphatase gene expression. <i>Mechanisms of Development</i> , 1996 , 57, 21-32	1.7	24
51	Recombinant human cytidine deaminase: expression, purification, and characterization. <i>Protein Expression and Purification</i> , 1996 , 8, 247-53	2	55
50	Effects of 1,25-dihydroxy vitamin D3 on all-trans retinoic acid sensitive and resistant acute promyelocytic leukemia cells. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 224, 50-6	3.4	20
49	AM580, a stable benzoic derivative of retinoic acid, has powerful and selective cyto-differentiating effects on acute promyelocytic leukemia cells. <i>Blood</i> , 1996 , 87, 1520-1531	2.2	64
48	Expression of xanthine oxidoreductase in mouse mammary epithelium during pregnancy and lactation: regulation of gene expression by glucocorticoids and prolactin. <i>Biochemical Journal</i> , 1996 , 319 (Pt 3), 801-10	3.8	44
47	Interferons induce normal and aberrant retinoic-acid receptors type alpha in acute promyelocytic leukemia cells: potentiation of the induction of retinoid-dependent differentiation markers. International Journal of Cancer, 1996, 68, 75-83	7.5	17
46	AM580, a stable benzoic derivative of retinoic acid, has powerful and selective cyto-differentiating effects on acute promyelocytic leukemia cells. <i>Blood</i> , 1996 , 87, 1520-31	2.2	17
45	Determination of the retinobenzoic acid derivative Am580 in rat plasma by high-performance liquid chromatography. <i>Biomedical Applications</i> , 1995 , 667, 301-6		3
44	All-trans retinoic acid and cyclic adenosine monophosphate cooperate in the expression of leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1995 , 85, 3619-3635	2.2	49
43	Purification, cDNA cloning, and tissue distribution of bovine liver aldehyde oxidase. <i>Journal of Biological Chemistry</i> , 1995 , 270, 31037-45	5.4	92
42	Tyrosine kinases but not cAMP-dependent protein kinase mediate the induction of leukocyte alkaline phosphatase by granulocyte-colony-stimulating factor and retinoic acid in acute promyelocytic leukemia cells. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 208, 846-54	3.4	13
41	Tissue- and cell-specific expression of mouse xanthine oxidoreductase gene in vivo: regulation by bacterial lipopolysaccharide. <i>Biochemical Journal</i> , 1995 , 306 (Pt 1), 225-34	3.8	72
40	All-trans retinoic acid and cyclic adenosine monophosphate cooperate in the expression of leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1995 , 85, 3619-35	2.2	3
39	Effects of dexamethasone on pro-inflammatory cytokine expression, cell growth and maturation during granulocytic differentiation of acute promyelocytic leukemia cells. <i>European Cytokine Network</i> , 1995 , 6, 157-65	3.3	18
38	Retinoic acid and granulocyte colony-stimulating factor synergistically induce leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1994 , 83, 1909-1921	2.2	70
37	3T3 NIH murine fibroblasts and B78 murine melanoma cells expressing the Escherichia coli N3-methyladenine-DNA glycosylase I do not become resistant to alkylating agents. <i>Carcinogenesis</i> , 1994 , 15, 533-7	4.6	18

36	Assignment of the human cytidine deaminase (CDA) gene to chromosome 1 band p35-p36.2. <i>Genomics</i> , 1994 , 22, 661-2	4.3	11
35	Chromosomal mapping, isolation, and characterization of the mouse xanthine dehydrogenase gene. <i>Genomics</i> , 1994 , 23, 390-402	4.3	48
34	Molybdenum(VI) salts convert the xanthine oxidoreductase apoprotein into the active enzyme in mouse L929 fibroblastic cells. <i>Biochemical Journal</i> , 1994 , 298 (Pt 1), 69-77	3.8	30
33	Retinoic acid and granulocyte colony-stimulating factor synergistically induce leukocyte alkaline phosphatase in acute promyelocytic leukemia cells. <i>Blood</i> , 1994 , 83, 1909-21	2.2	7
32	Progesterone induced expression of alkaline phosphatase is associated with a secretory phenotype in T47D breast cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 192, 1066-72	3.4	22
31	Effects of synthetic retinoids and retinoic acid isomers on the expression of alkaline phosphatase in F9 teratocarcinoma cells. <i>Biochemical and Biophysical Research Communications</i> , 1993 , 196, 252-9	3.4	39
30	Expression of luteinizing hormone-releasing hormone mRNA in the human prostatic cancer cell line LNCaP. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1993 , 76, 797-800	5.6	48
29	Retinoic acid and cyclic AMP synergistically induce the expression of liver/bone/kidney-type alkaline phosphatase gene in L929 fibroblastic cells. <i>Biochemical Journal</i> , 1993 , 296 (Pt 1), 67-77	3.8	20
28	Molecular cloning of a cDNA coding for mouse liver xanthine dehydrogenase. Regulation of its transcript by interferons in vivo. <i>Biochemical Journal</i> , 1992 , 283 (Pt 3), 863-70	3.8	119
27	Interferons induce xanthine dehydrogenase gene expression in L929 cells. <i>Biochemical Journal</i> , 1992 , 285 (Pt 3), 1001-8	3.8	56
26	Expression of E. coli tag gene encoding 3-methyladenine glycosylase I in NIH-3T3 murine fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 185, 41-6	3.4	4
25	Regulation of the 202 gene expression by interferons in L929 cells. <i>Biochemical and Biophysical Research Communications</i> , 1992 , 187, 628-34	3.4	5
24	Inhibition of melanogenesis by BMY-28565, a novel compound depressing tyrosinase activity in B16 melanoma cells. <i>Biochemical Pharmacology</i> , 1992 , 43, 183-9	6	13
23	Retinoic acid induces liver/bone/kidney-type alkaline phosphatase gene expression in F9 teratocarcinoma cells. <i>Biochemical Journal</i> , 1991 , 274 (Pt 3), 673-8	3.8	27
22	Characterization of a second promoter for the mouse liver/bone/kidney-type alkaline phosphatase gene: cell and tissue specific expression. <i>Biochemical and Biophysical Research Communications</i> , 1991 , 179, 1352-60	3.4	37
21	Isolation and characterization of the mouse liver/bone/kidney-type alkaline phosphatase gene. <i>Biochemical Journal</i> , 1990 , 268, 641-8	3.8	65
20	Purification and characterization of mouse liver xanthine oxidase. <i>Archives of Biochemistry and Biophysics</i> , 1990 , 279, 237-41	4.1	25
19	Expression of leukocyte alkaline phosphatase gene in normal and leukemic cells: regulation of the transcript by granulocyte colony-stimulating factor. <i>Blood</i> , 1990 , 76, 2565-71	2.2	8

18	Expression of leukocyte alkaline phosphatase gene in normal and leukemic cells: regulation of the transcript by granulocyte colony- stimulating factor. <i>Blood</i> , 1990 , 76, 2565-2571	2.2	36
17	Isolation and characterization of variant cDNAs encoding mouse tyrosinase. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 159, 848-53	3.4	29
16	Differences in the expression of alkaline phosphatase mRNA in chronic myelogenous leukemia and paroxysmal nocturnal hemoglobinuria polymorphonuclear leukocytes. <i>Blood</i> , 1989 , 73, 1113-1115	2.2	33
15	Cloning and sequencing of human intestinal alkaline phosphatase cDNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987 , 84, 695-8	11.5	130
14	Cloning and sequencing of bovine kidney alkaline phosphatase cDNA. <i>Gene</i> , 1987 , 59, 41-6	3.8	33
13	Human liver alkaline phosphatase, purification and partial sequencing: homology with the placental isozyme. <i>Archives of Biochemistry and Biophysics</i> , 1986 , 245, 331-7	4.1	24
12	Human placental alkaline phosphatase in liver and intestine. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985 , 82, 6080-4	11.5	19
11	Perinatal development of cytochrome P-450, cytochrome C reductase, aryl hydrocarbon hydroxylase, styrene monooxygenase, and styrene epoxide hydrolase in rabbit liver microsomes and nuclei. <i>Developmental Pharmacology and Therapeutics</i> , 1985 , 8, 232-42		6
10	Purification and partial sequencing of bovine liver alkaline phosphatase. <i>Archives of Biochemistry and Biophysics</i> , 1985 , 241, 380-5	4.1	12
9	Biochemical studies on the ability of pentamethylmelamine to interact in vivo with DNA and proteins in a sensitive murine ovarian reticular cell sarcoma. <i>Biochemical Pharmacology</i> , 1984 , 33, 2715-7	26	2
8	Distribution, metabolism, and irreversible binding of hexamethylmelamine in mice bearing ovarian carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 1983 , 11, 51-5	3.5	11
7	Intact rat liver nuclei catalyze adriamycin irreversible interactions with DNA and nuclear proteins. <i>Toxicology Letters</i> , 1983 , 17, 343-8	4.4	6
6	In vivo and in vitro irreversible binding of hexamethylmelamine to liver and ovarian tumor macromolecules of mice. <i>Biochemical Pharmacology</i> , 1981 , 30, 1151-4	6	13
5	Induction of nuclear styrene monooxygenase and epoxide hydrolase in rat liver. <i>Experientia</i> , 1981 , 37, 230-1		2
4	Nuclear metabolism. II. Further studies on epoxide hydrolase activity. <i>Chemico-Biological Interactions</i> , 1981 , 35, 311-8	5	11
3	Improved gas chromatographic method for measuring phenylethylene glycol: application to the determination of styrene monooxygenase and epoxide hydrase activities. <i>Journal of Chromatography A</i> , 1980 , 188, 400-4	4.5	18
2	Is nuclear styrene monooxygenase activity a microsomal artifact?. <i>Chemico-Biological Interactions</i> , 1980 , 31, 341-6	5	9
1	Nuclear metabolism. I. Determination of styrene monooxygenase activity in rat liver nuclei. <i>Chemico-Biological Interactions</i> , 1980 , 29, 189-95	5	11