## MarÃ-a José Motilva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1909677/publications.pdf

Version: 2024-02-01

160 papers 8,381 citations

54 h-index 83 g-index

160 all docs

160 docs citations

160 times ranked 8892 citing authors

#	Article	IF	CITATIONS
1	Chemopreventive effects of anthocyanins on colorectal and breast cancer: A review. Seminars in Cancer Biology, 2022, 81, 241-258.	4.3	26
2	Functional implications of bound phenolic compounds and phenolics–food interaction: A review. Comprehensive Reviews in Food Science and Food Safety, 2022, 21, 811-842.	5 <b>.</b> 9	68
3	New red-fleshed apple cultivars: A comprehensive review of processing effect, (poly)phenol bioavailability and biological effects. Food and Function, 2022, , .	2.1	2
4	Red-Fleshed Apples Rich in Anthocyanins and White-Fleshed Apples Modulate the Aorta and Heart Proteome in Hypercholesterolaemic Rats: The AppleCOR Study. Nutrients, 2022, 14, 1047.	1.7	4
5	Phenol metabolic fingerprint and selection of intake biomarkers after acute and sustained consumption of red-fleshed apple versus common apple in humans. The AppleCOR study. Food Chemistry, 2022, 384, 132612.	4.2	4
6	Winemaking by-products as a source of phenolic compounds: Comparative study of dehydration processes. LWT - Food Science and Technology, 2022, 165, 113774.	2.5	7
7	Exploring the effects of phenolic compounds to reduce intestinal damage and improve the intestinal barrier integrity: A systematic review of inÂvivo animal studies. Clinical Nutrition, 2021, 40, 1719-1732.	2.3	22
8	Phosphoproteomic Analysis and Protein–Protein Interaction of Rat Aorta GJA1 and Rat Heart FKBP1A after Secoiridoid Consumption from Virgin Olive Oil: A Functional Proteomic Approach. Journal of Agricultural and Food Chemistry, 2021, 69, 1536-1554.	2.4	2
9	Virgin Olive Oil Phenolic Compounds Modulate the HDL Lipidome in Hypercholesterolaemic Subjects: A Lipidomic Analysis of the VOHF Study. Molecular Nutrition and Food Research, 2021, 65, e2001192.	1.5	12
10	Metabolic Fate and Cardiometabolic Effects of Phenolic Compounds from Redâ€Fleshed Apple in Hypercholesterolemic Rats: A Comparative Study with Common Whiteâ€Fleshed Apple. The AppleCOR Study. Molecular Nutrition and Food Research, 2021, 65, e2001225.	1.5	10
11	Phenol Biological Metabolites as Food Intake Biomarkers, a Pending Signature for a Complete Understanding of the Beneficial Effects of the Mediterranean Diet. Nutrients, 2021, 13, 3051.	1.7	3
12	Variation in the Methylation of Caffeoylquinic Acids and Urinary Excretion of 3′â€methoxycinnamic acidâ€4′â€6ulfate After Apple Consumption by Volunteers. Molecular Nutrition and Food Research, 2021, 65, e2100471.	1.5	5
13	Characterization of Tempranillo negro (VN21), a high phenolic content grapevine Tempranillo clone, through UHPLC-QqQ-MS/MS polyphenol profiling. Food Chemistry, 2021, 360, 130049.	4.2	10
14	Relationship between Wine Consumption, Diet and Microbiome Modulation in Alzheimer's Disease. Nutrients, 2020, 12, 3082.	1.7	27
15	Thermal and non-thermal processing of red-fleshed apple: how are (poly)phenol composition and bioavailability affected?. Food and Function, 2020, 11, 10436-10447.	2.1	15
16	Phenol-Enriched Virgin Olive Oil Promotes Macrophage-Specific Reverse Cholesterol Transport In Vivo. Biomedicines, 2020, 8, 266.	1.4	9
17	Consumption evaluation of one apple flesh a day in the initial phases prior to adenoma/adenocarcinoma in an azoxymethane rat colon carcinogenesis model. Journal of Nutritional Biochemistry, 2020, 83, 108418.	1.9	18
18	Application of Dried Blood Spot Cards combined with liquid chromatography-tandem mass spectrometry to determine eight fat-soluble micronutrients in human blood. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1152, 122247.	1,2	2

#	Article	IF	Citations
19	Impact of Phenolâ€Enriched Virgin Olive Oils on the Postprandial Levels of Circulating microRNAs Related to Cardiovascular Disease. Molecular Nutrition and Food Research, 2020, 64, e2000049.	1.5	20
20	Identification and validation of common molecular targets of hydroxytyrosol. Food and Function, 2019, 10, 4897-4910.	2.1	14
21	A Functional Virgin Olive Oil Enriched with Olive Oil and Thyme Phenolic Compounds Improves the Expression of Cholesterol Efflux-Related Genes: A Randomized, Crossover, Controlled Trial. Nutrients, 2019, 11, 1732.	1.7	16
22	Berry-Enriched Diet in Salt-Sensitive Hypertensive Rats: Metabolic Fate of (Poly)Phenols and the Role of Gut Microbiota. Nutrients, 2019, 11, 2634.	1.7	22
23	In vivo biotransformation of (poly)phenols and anthocyanins of red-fleshed apple and identification of intake biomarkers. Journal of Functional Foods, 2019, 55, 146-155.	1.6	24
24	Barley-ß-glucans reduce systemic inflammation, renal injury and aortic calcification through ADAM17 and neutral-sphingomyelinase2 inhibition. Scientific Reports, 2019, 9, 17810.	1.6	16
25	Endothelial Cells Deconjugate Resveratrol Metabolites to Free Resveratrol: A Possible Role in Tissue Factor Modulation. Molecular Nutrition and Food Research, 2019, 63, e1800715.	1.5	17
26	Design, optimization and validation of genes commonly used in expression studies on DMH/AOM rat colon carcinogenesis model. PeerJ, 2019, 7, e6372.	0.9	6
27	Impact of dietary supplementation with olive and thyme phenols on alpha-tocopherol concentration in the muscle and liver of adult Wistar rats. Food and Function, 2018, 9, 1433-1443.	2.1	9
28	Hydroxytyrosol and its main plasma circulating metabolites attenuate the initial steps of atherosclerosis through inhibition of the MAPK pathway. Journal of Functional Foods, 2018, 40, 280-291.	1.6	14
29	Phenol-enriched olive oils improve HDL antioxidant content in hypercholesterolemic subjects. A randomized, double-blind, cross-over, controlled trial. Journal of Nutritional Biochemistry, 2018, 51, 99-104.	1.9	28
30	Phytochemical composition and $\hat{l}^2$ -glucan content of barley genotypes from two different geographic origins for human health food production. Food Chemistry, 2018, 245, 61-70.	4.2	54
31	Validation of Dried Blood Spot Cards to Determine Apple Phenolic Metabolites in Human Blood and Plasma After an Acute Intake of Redâ€Fleshed Apple Snack. Molecular Nutrition and Food Research, 2018, 62, e1800623.	1.5	17
32	Seasonal Variability of the Phytochemical Composition of New Red-Fleshed Apple Varieties Compared with Traditional and New White-Fleshed Varieties. Journal of Agricultural and Food Chemistry, 2018, 66, 10011-10025.	2.4	14
33	Cardiovascular Benefits of Phenolâ€Enriched Virgin Olive Oils: New Insights from the Virgin Olive Oil and HDL Functionality (VOHF) Study. Molecular Nutrition and Food Research, 2018, 62, e1800456.	1.5	32
34	Beta-Glucan and Phenolic Compounds: Their Concentration and Behavior during in Vitro Gastrointestinal Digestion and Colonic Fermentation of Different Barley-Based Food Products. Journal of Agricultural and Food Chemistry, 2018, 66, 8966-8975.	2.4	28
35	Brain uptake of hydroxytyrosol and its main circulating metabolites: Protective potential in neuronal cells. Journal of Functional Foods, 2018, 46, 110-117.	1.6	38
36	Hydroxytyrosol: Emerging Trends in Potential Therapeutic Applications. Current Pharmaceutical Design, 2018, 24, 2157-2179.	0.9	29

#	Article	IF	CITATIONS
37	Effect of virgin olive oil and thyme phenolic compounds on blood lipid profile: implications of human gut microbiota. European Journal of Nutrition, 2017, 56, 119-131.	4.6	93
38	Hydroxytyrosol and the Colonic Metabolites Derived from Virgin Olive Oil Intake Induce Cell Cycle Arrest and Apoptosis in Colon Cancer Cells. Journal of Agricultural and Food Chemistry, 2017, 65, 6467-6476.	2.4	54
39	Phytochemical Profiles of New Red-Fleshed Apple Varieties Compared with Traditional and New White-Fleshed Varieties. Journal of Agricultural and Food Chemistry, 2017, 65, 1684-1696.	2.4	59
40	Bioavailability of the ferulic acid-derived phenolic compounds of a rice bran enzymatic extract and their activity against superoxide production. Food and Function, 2017, 8, 2165-2174.	2.1	22
41	Phenolâ€enriched olive oils modify paraoxonaseâ€related variables: A randomized, crossover, controlled trial. Molecular Nutrition and Food Research, 2017, 61, 1600932.	1.5	17
42	Phytosterol-mediated inhibition of intestinal cholesterol absorption in mice is independent of liver X receptor. Molecular Nutrition and Food Research, 2017, 61, 1700055.	1.5	13
43	Virgin olive oil enriched with its own phenolic compounds or complemented with thyme improves endothelial function: The potential role of plasmatic fat-soluble vitamins. A double blind, randomized, controlled, cross-over clinical trial. Journal of Functional Foods, 2017, 28, 285-292.	1.6	12
44	The effects of prebiotics on microbial dysbiosis, butyrate production and immunity in HIV-infected subjects. Mucosal Immunology, 2017, 10, 1279-1293.	2.7	103
45	Determinants of HDL Cholesterol Efflux Capacity after Virgin Olive Oil Ingestion: Interrelationships with Fluidity of HDL Monolayer. Molecular Nutrition and Food Research, 2017, 61, 1700445.	1.5	19
46	Ferulic acid, a bioactive component of rice bran, improves oxidative stress and mitochondrial biogenesis and dynamics in mice and in human mononuclear cells. Journal of Nutritional Biochemistry, 2017, 48, 51-61.	1.9	58
47	Exploring the Colonic Metabolism of Grape and Strawberry Anthocyanins and Their in Vitro Apoptotic Effects in HT-29 Colon Cancer Cells. Journal of Agricultural and Food Chemistry, 2017, 65, 6477-6487.	2.4	55
48	Influence of Phenol-Enriched Olive Oils on Human Intestinal Immune Function. Nutrients, 2016, 8, 213.	1.7	47
49	Polyphenol rich olive oils improve lipoprotein particle atherogenic ratios and subclasses profile: A randomized, crossover, controlled trial. Molecular Nutrition and Food Research, 2016, 60, 1544-1554.	1.5	47
50	Application of dried blood spot cards to determine olive oil phenols (hydroxytyrosol metabolites) in human blood. Talanta, 2016, 159, 189-193.	2.9	11
51	Human bioavailability and metabolism of phenolic compounds from red wine enriched with free or nano-encapsulated phenolic extract. Journal of Functional Foods, 2016, 25, 80-93.	1.6	56
52	Correction to Virgin Olive Oil Enriched with Its Own Phenolics or Complemented with Thyme Phenols Improves DNA Protection against Oxidation and Antioxidant Enzyme Activity in Hyperlipidemic Subjects. Journal of Agricultural and Food Chemistry, 2016, 64, 5137-5137.	2.4	1
53	Hydroxytyrosol and its complex forms (secoiridoids) modulate aorta and heart proteome in healthy rats: Potential cardioâ€protective effects. Molecular Nutrition and Food Research, 2016, 60, 2114-2129.	1.5	25
54	Stability and metabolism of Arbutus unedo bioactive compounds (phenolics and antioxidants) under in vitro digestion and colonic fermentation. Food Chemistry, 2016, 201, 120-130.	4.2	139

#	Article	IF	CITATIONS
55	Interplay between TDP-43 and docosahexaenoic acid-related processes in amyotrophic lateral sclerosis. Neurobiology of Disease, 2016, 88, 148-160.	2.1	27
56	Analysis of free hydroxytyrosol in human plasma following the administration of olive oil. Journal of Chromatography A, 2016, 1437, 183-190.	1.8	42
57	Virgin Olive Oil Enriched with Its Own Phenols or Complemented with Thyme Phenols Improves DNA Protection against Oxidation and Antioxidant Enzyme Activity in Hyperlipidemic Subjects. Journal of Agricultural and Food Chemistry, 2016, 64, 1879-1888.	2.4	18
58	Differential absorption and metabolism of hydroxytyrosol and its precursors oleuropein and secoiridoids. Journal of Functional Foods, 2016, 22, 52-63.	1.6	76
59	Understanding of human metabolic pathways of different sub-classes of phenols from Arbutus unedo fruit after an acute intake. Food and Function, 2016, 7, 1700-1710.	2.1	15
60	Effect of dry salting on flavonoid profile and antioxidant capacity of Algerian olive cultivars. Grasas Y Aceites, 2016, 67, e132.	0.3	9
61	Complementary phenolâ€enriched olive oil improves HDL characteristics in hypercholesterolemic subjects. A randomized, doubleâ€blind, crossover, controlled trial. The VOHF study. Molecular Nutrition and Food Research, 2015, 59, 1758-1770.	1.5	43
62	Protective effect of hydroxytyrosol and its predominant plasmatic human metabolites against endothelial dysfunction in human aortic endothelial cells. Molecular Nutrition and Food Research, 2015, 59, 2523-2536.	1.5	61
63	Effect of daily intake of pomegranate juice on fecal microbiota and feces metabolites from healthy volunteers. Molecular Nutrition and Food Research, 2015, 59, 1942-1953.	1.5	64
64	Metabolic and Microbial Modulation of the Large Intestine Ecosystem by Non-Absorbed Diet Phenolic Compounds: A Review. Molecules, 2015, 20, 17429-17468.	1.7	174
65	Application of in vitro gastrointestinal digestion and colonic fermentation models to pomegranate products (juice, pulp and peel extract) to study the stability and catabolism of phenolic compounds. Journal of Functional Foods, 2015, 14, 529-540.	1.6	137
66	Dose effect on the uptake and accumulation of hydroxytyrosol and its metabolites in target tissues in rats. Molecular Nutrition and Food Research, 2015, 59, 1395-1399.	<b>1.</b> 5	56
67	Nutrikinetic studies of food bioactive compounds: from <i>in vitro</i> to <i>in vivo</i> approaches. International Journal of Food Sciences and Nutrition, 2015, 66, S41-S52.	1.3	30
68	Effects of functional olive oil enriched with its own phenolic compounds on endothelial function in hypertensive patients. A randomised controlled trial. Food Chemistry, 2015, 167, 30-35.	4.2	92
69	CHAPTER 10. Liquid Chromatography Coupled to Tandem Mass Spectrometry to Analyze Imidazole Dipeptides. Food and Nutritional Components in Focus, 2015, , 191-213.	0.1	1
70	Impact of Virgin Olive Oil and Phenol-Enriched Virgin Olive Oils on the HDL Proteome in Hypercholesterolemic Subjects: A Double Blind, Randomized, Controlled, Cross-Over Clinical Trial (VOHF Study). PLoS ONE, 2015, 10, e0129160.	1.1	43
71	Effect of the co-occurring olive oil and thyme extracts on the phenolic bioaccesibility and bioavailability assessed by in vitro digestion and cell models. Food Chemistry, 2014, 149, 277-284.	4.2	66
72	Adaptation of the standard enzymatic protocol (Megazyme method) to microplaque format for $\hat{l}^2$ -(1,3)(1,4)-d-glucan determination in cereal based samples with a wide range of $\hat{l}^2$ -glucan content. Journal of Cereal Science, 2014, 59, 224-227.	1.8	10

#	Article	IF	CITATIONS
73	Optimisation and validation of analytical methods for the simultaneous extraction of antioxidants: Application to the analysis of tomato sauces. Food Chemistry, 2014, 163, 234-243.	4.2	19
74	Faecal microbial metabolism of olive oil phenolic compounds: In vitro and in vivo approaches. Molecular Nutrition and Food Research, 2014, 58, 1809-1819.	1.5	79
75	Study of the Catabolism of Thyme Phenols Combining in Vitro Fermentation and Human Intervention. Journal of Agricultural and Food Chemistry, 2014, 62, 10954-10961.	2.4	29
76	Effect of the co-occurring components from olive oil and thyme extracts on the antioxidant status and its bioavailability in an acute ingestion in rats. Food and Function, 2014, 5, 740.	2.1	25
77	In vivo distribution and deconjugation of hydroxytyrosol phase II metabolites in red blood cells: A potential new target for hydroxytyrosol. Journal of Functional Foods, 2014, 10, 139-143.	1.6	26
78	Gallic Acid Is an Active Component for the Anticarcinogenic Action of Grape Seed Procyanidins in Pancreatic Cancer Cells. Nutrition and Cancer, 2014, 66, 88-96.	0.9	35
79	Impact of Various Factors on Pharmacokinetics of Bioactive Polyphenols: An Overview. Current Drug Metabolism, 2014, 15, 62-76.	0.7	45
80	Extraction of anthocyanins and flavan-3-ols from red grape pomace continuously by coupling hot water extraction with a modified expeller. Food Research International, 2014, 65, 77-87.	2.9	36
81	Metabolite profiling of olive oil and thyme phenols after a sustained intake of two phenol-enriched olive oils by humans: Identification of compliance markers. Food Research International, 2014, 65, 59-68.	2.9	49
82	Building bridges: an integrated strategy for sustainable food production throughout the value chain. Molecular Breeding, 2013, 32, 743-770.	1.0	28
83	Dose-dependent metabolic disposition of hydroxytyrosol and formation of mercapturates in rats. Pharmacological Research, 2013, 77, 47-56.	3.1	54
84	Application of dried spot cards as a rapid sample treatment method for determining hydroxytyrosol metabolites in human urine samples. Comparison with microelution solid-phase extraction. Analytical and Bioanalytical Chemistry, 2013, 405, 9179-9192.	1.9	29
85	Analysis of food polyphenols by ultra high-performance liquid chromatography coupled to mass spectrometry: An overview. Journal of Chromatography A, 2013, 1292, 66-82.	1.8	141
86	Procyanidins target mesenteric adipose tissue in Wistar lean rats and subcutaneous adipose tissue in Zucker obese rat. Food Chemistry, 2013, 141, 160-166.	4.2	15
87	Biomarkers of food intake and metabolite differences between plasma and red blood cell matrices; a human metabolomic profile approach. Molecular BioSystems, 2013, 9, 1411.	2.9	23
88	Recent Advances in Biologically Active Compounds in Herbs and Spices: A Review of the Most Effective Antioxidant and Anti-Inflammatory Active Principles. Critical Reviews in Food Science and Nutrition, 2013, 53, 943-953.	5.4	225
89	Olive oil polyphenols enhance the expression of cholesterol efflux related genes in vivo in humans. A randomized controlled trial. Journal of Nutritional Biochemistry, 2013, 24, 1334-1339.	1.9	85
90	Distribution of procyanidins and their metabolites in rat plasma and tissues in relation to ingestion of procyanidin-enriched or procyanidin-rich cocoa creams. European Journal of Nutrition, 2013, 52, 1029-1038.	1.8	56

#	Article	IF	Citations
91	Flavanol metabolites distribute in visceral adipose depots after a long-term intake of grape seed proanthocyanidin extract in rats. British Journal of Nutrition, 2013, 110, 1411-1420.	1.2	24
92	Bioavailability of procyanidin dimers and trimers and matrix food effects in ⟨i⟩in vitro⟨/i⟩ and ⟨i⟩in vivo⟨/i⟩ models – CORRIGENDUM. British Journal of Nutrition, 2013, 109, 2308-2308.	1.2	2
93	Procyanidins modify insulinemia by affecting insulin production and degradation. Journal of Nutritional Biochemistry, 2012, 23, 1565-1572.	1.9	35
94	Improved liquid-chromatography tandem mass spectrometry method for the determination of the bioactive dipeptides, carnosine and anserine: Application to analysis in chicken broth. Talanta, 2012, 93, 293-300.	2.9	13
95	Development of a Phenol-Enriched Olive Oil with Both Its Own Phenolic Compounds and Complementary Phenols from Thyme. Journal of Agricultural and Food Chemistry, 2012, 60, 3105-3112.	2.4	56
96	Impact of olive oil phenolic concentration on human plasmatic phenolic metabolites. Food Chemistry, 2012, 135, 2922-2929.	4.2	69
97	Validation of determination of plasma metabolites derived from thyme bioactive compounds by improved liquid chromatography coupled to tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 905, 75-84.	1.2	35
98	Fetal programming of dietary fructose and saturated fat on hepatic quercetin glucuronidation in rats. Nutrition, 2012, 28, 1165-1171.	1.1	7
99	Î <sup>2</sup> -Glucosidase Involvement in the Formation and Transformation of Oleuropein during the Growth and Development of Olive Fruits ( <i>Olea europaea</i> L. cv. Arbequina) Grown under Different Farming Practices. Journal of Agricultural and Food Chemistry, 2012, 60, 4348-4358.	2.4	30
100	Plant-Derived Phenolics Inhibit the Accrual of Structurally Characterised Protein and Lipid Oxidative Modifications. PLoS ONE, 2012, 7, e43308.	1.1	10
101	Distribution of olive oil phenolic compounds in rat tissues after administration of a phenolic extract from olive cake. Molecular Nutrition and Food Research, 2012, 56, 486-496.	1.5	136
102	Metabolic pathways of the colonic metabolism of flavonoids (flavonols, flavones and flavanones) and phenolic acids. Food Chemistry, 2012, 130, 383-393.	4.2	178
103	A new hydroxytyrosol metabolite identified in human plasma: Hydroxytyrosol acetate sulphate. Food Chemistry, 2012, 134, 1132-1136.	4.2	41
104	Distribution of procyanidins and their metabolites in rat plasma and tissues after an acute intake of hazelnut extract. Food and Function, 2011, 2, 562.	2.1	45
105	Multicompartmental LC-Q-TOF-Based Metabonomics as an Exploratory Tool to Identify Novel Pathways Affected by Polyphenol-Rich Diets in Mice. Journal of Proteome Research, 2011, 10, 3501-3512.	1.8	39
106	Stability of a phenolâ€enriched olive oil during storage. European Journal of Lipid Science and Technology, 2011, 113, 894-903.	1.0	32
107	Matrix composition effect on the digestibility of carob flour phenols by an in-vitro digestion model. Food Chemistry, 2011, 124, 65-71.	4.2	134
108	Metabolic pathways of the colonic metabolism of procyanidins (monomers and dimers) and alkaloids. Food Chemistry, 2011, 126, 1127-1137.	4.2	46

#	Article	IF	CITATIONS
109	Rapid methods to determine procyanidins, anthocyanins, theobromine and caffeine in rat tissues by liquid chromatography-tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2011, 879, 1519-1528.	1.2	40
110	Bioavailability of phenols from a phenol-enriched olive oil. British Journal of Nutrition, 2011, 106, 1691-1701.	1.2	86
111	Pharmacokinetics and disposition of procyanidins metabolites in rats. FASEB Journal, 2011, 25, lb197.	0.2	0
112	Effect of the long-term regular intake of virgin olive oil on the phenolic metabolites in human fasting plasma. Journal of Pharmaceutical and Biomedical Analysis, 2010, 53, 68-74.	1.4	8
113	Rapid analysis of procyanidins and anthocyanins in plasma by microelution SPE and ultraâ€HPLC. Journal of Separation Science, 2010, 33, 2841-2853.	1.3	61
114	Comparative study of UPLC–MS/MS and HPLC–MS/MS to determine procyanidins and alkaloids in cocoa samples. Journal of Food Composition and Analysis, 2010, 23, 298-305.	1.9	95
115	Organotypic co-culture system to study plant extract bioactivity on hepatocytes. Food Chemistry, 2010, 122, 775-781.	4.2	18
116	Digestion stability and evaluation of the metabolism and transport of olive oil phenols in the human small-intestinal epithelial Caco-2/TC7 cell line. Food Chemistry, 2010, 119, 703-714.	4.2	75
117	Effect of Climatic Conditions on Quality of Virgin Olive Oil. , 2010, , 43-50.		9
118	The Effect of the Ripening Process of the Olive Fruit on the Chlorophyll and Carotenoid Fractions of Drupes and Virgin Oils., 2010,, 59-68.		6
119	Bioavailability of procyanidin dimers and trimers and matrix food effects in <i>in vitro</i> and <i>in vivo</i> models. British Journal of Nutrition, 2010, 103, 944-952.	1.2	239
120	Development of a Coculture System to Evaluate the Bioactivity of Plant Extracts on Pancreatic $\langle i \rangle \hat{l}^2 \langle j \rangle$ -Cells. Planta Medica, 2010, 76, 1576-1581.	0.7	12
121	Development of a Phenol-Enriched Olive Oil with Phenolic Compounds from Olive Cake. Journal of Agricultural and Food Chemistry, 2010, 58, 10396-10403.	2.4	71
122	Metabolites Involved in Oleuropein Accumulation and Degradation in Fruits of Olea europaea L.: Hojiblanca and Arbequina Varieties. Journal of Agricultural and Food Chemistry, 2010, 58, 12924-12933.	2.4	67
123	Determination of procyanidins and their metabolites in plasma samples by improved liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1169-1176.	1.2	84
124	Improved method for identifying and quantifying olive oil phenolic compounds and their metabolites in human plasma by microelution solid-phase extraction plate and liquid chromatography–tandem mass spectrometry. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 4097-4106.	1.2	84
125	Methods for Preparing Phenolic Extracts from Olive Cake for Potential Application as Food Antioxidants. Journal of Agricultural and Food Chemistry, 2009, 57, 1463-1472.	2.4	103
126	Rapid Determination of Phenolic Compounds and Alkaloids of Carob Flour by Improved Liquid Chromatography Tandem Mass Spectrometry. Journal of Agricultural and Food Chemistry, 2009, 57, 7239-7244.	2.4	39

#	Article	IF	Citations
127	Effect of Fat Content on the Digestibility and Bioaccessibility of Cocoa Polyphenol by an in Vitro Digestion Model. Journal of Agricultural and Food Chemistry, 2009, 57, 5743-5749.	2.4	159
128	Pigment profile and chromatic parameters of monovarietal virgin olive oils from different Italian cultivars. European Food Research and Technology, 2008, 226, 1251-1258.	1.6	33
129	Pigment profile and colour of monovarietal virgin olive oils from Arbequina cultivar obtained during two consecutive crop seasons. Food Chemistry, 2008, 110, 873-880.	4.2	99
130	Improved liquid chromatography tandem mass spectrometry method for the determination of phenolic compounds in virgin olive oil. Journal of Chromatography A, 2008, 1214, 90-99.	1.8	121
131	Obtention and Characterization of Phenolic Extracts from Different Cocoa Sources. Journal of Agricultural and Food Chemistry, 2008, 56, 9621-9627.	2.4	94
132	Effect of the Technological and Agronomical Factors on Pigment Transfer during Olive Oil Extraction. Journal of Agricultural and Food Chemistry, 2007, 55, 5681-5688.	2.4	28
133	Comparative study of the effect of the maturation process of the olive fruit on the chlorophyll and carotenoid fractions of drupes and virgin oils from Arbequina and Farga cultivars. Food Chemistry, 2007, 100, 748-755.	4.2	79
134	Partition of phenolic compounds during the virgin olive oil industrial extraction process. European Food Research and Technology, 2007, 225, 617-625.	1.6	64
135	Enrichment of Refined Olive Oil with Phenolic Compounds:  Evaluation of Their Antioxidant Activity and Their Effect on the Bitter Index. Journal of Agricultural and Food Chemistry, 2006, 54, 6079-6088.	2.4	81
136	Influence of seasonal conditions on the composition and quality parameters of monovarietal virgin olive oils. JAOCS, Journal of the American Oil Chemists' Society, 2006, 83, 683-690.	0.8	32
137	Effect of irrigation applied to olive trees (Olea europaeaâ€L.) on phenolic compound transfer during olive oil extraction. European Journal of Lipid Science and Technology, 2006, 108, 19-27.	1.0	43
138	Transfer of phenolic compounds during olive oil extraction in relation to ripening stage of the fruit. Journal of the Science of Food and Agriculture, 2006, 86, 518-527.	1.7	49
139	Evaluation of l-phenylalanine ammonia-lyase activity and phenolic profile in olive drupe (Olea) Tj ETQq $1\ 1\ 0.7843$	14.rgBT /C	Overlock 10 T
140	Antioxidant Activity of Olive Pulp and Olive Oil Phenolic Compounds of the Arbequina Cultivar. Journal of Agricultural and Food Chemistry, 2005, 53, 2002-2008.	2.4	111
141	Effect of growing area on pigment and phenolic fractions of virgin olive oils of the arbequina variety in Spain. JAOCS, Journal of the American Oil Chemists' Society, 2004, 81, 633.	0.8	47
142	Changes in commercial virgin olive oil (cv Arbequina) during storage, with special emphasis on the phenolic fraction. Food Chemistry, 2004, 85, 357-364.	4.2	272
143	Effect of the Maturation Process of the Olive Fruit on the Phenolic Fraction of Drupes and Oils from Arbequina, Farga, and Morrut Cultivars. Journal of Agricultural and Food Chemistry, 2004, 52, 6002-6009.	2.4	139
144	Effect of crop season on the composition of virgin olive oil with protected designation of origin "Les garriguesâ€. JAOCS, Journal of the American Oil Chemists' Society, 2003, 80, 423-430.	0.8	75

#	Article	IF	CITATIONS
145	Effect of freeze injuries in olive fruit on virgin olive oil composition. Food Chemistry, 2003, 81, 547-553.	4.2	69
146	Changes in the HPLC Phenolic Profile of Virgin Olive Oil from Young Trees (Olea europaea L. Cv.) Tj ETQq0 0 0 rgB Chemistry, 2002, 50, 5349-5354.	T /Overlocl 2.4	k 10 Tf 50 7 99
147	Composition and organoleptic characteristics of oil from Arbequina olive (Olea europaea L) trees under deficit irrigation. Journal of the Science of Food and Agriculture, 2002, 82, 1755-1763.	1.7	125
148	L-Phenylalanine ammonia-lyase activity and concentration of phenolics in developing olive (Olea) Tj ETQq0 0 0 rgB Food and Agriculture, 2002, 82, 892-898.	T /Overloc 1.7	ck 10 Tf 50 6 149
149	Changes in the Phenolic Composition of Virgin Olive Oil from Young Trees (Olea europaeaL. cv.) Tj ETQq1 1 0.784. 2001, 49, 5502-5508.	314 rgBT / 2.4	Overlock 10 222
150	Analytical characteristics of virgin olive oil from young trees (arbequina cultivar) growing under linear irrigation strategies. JAOCS, Journal of the American Oil Chemists' Society, 2001, 78, 843-849.	0.8	28
151	Geographical characterisation of virgin olive oils of the denomination of protected origin les garrigues by their fatty acid profile. Grasas Y Aceites, 2001, 52, .	0.3	2
152	Influence of regulated deficit irrigation strategies applied to olive trees (Arbequina cultivar) on oil yield and oil composition during the fruit ripening period. Journal of the Science of Food and Agriculture, 2000, 80, 2037-2043.	1.7	150
153	Pre-freezing Hams Affects Lipolysis during Dry-curing. Journal of Food Science, 1994, 59, 303-305.	1.5	50
154	Muscle lipolysis phenomena in the processing of dry-cured ham. Food Chemistry, 1993, 48, 121-125.	4.2	110
155	Effect of curing agents and water activity on pork muscle and adipose subcutaneous tissue lipolytic activity. Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung, 1993, 196, 228-232.	0.7	61
156	EFFECT OF THE REDOX POTENTIAL ON THE MUSCLE ENZYME SYSTEM. Journal of Food Biochemistry, 1992, 16, 207-215.	1.2	7
157	SUBCUTANEOUS ADIPOSE TISSUE LIPOLYSIS IN THE PROCESSING OF DRY-CURED HAM. Journal of Food Biochemistry, 1992, 16, 323-335.	1.2	42
158	Muscle and Adipose Tissue Aminopeptidase Activities in Raw and Dry-Cured Ham Journal of Food Science, 1992, 57, 816-818.	1.5	71
159	Assay of lipase and esterase activities in fresh pork meat and dry-cured ham. Zeitschrift Fur Lebensmittel-Untersuchung Und -Forschung, 1992, 195, 446-450.	0.7	90
160	Effect of extracts from bean (phaseolus vulgaris) and field bean (vicia faba) varieties on intestinalD-glucose transport in ratin vivo. Journal of the Science of Food and Agriculture, 1983, 34, 239-246.	1.7	24