

Viktor Milata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1909883/publications.pdf>

Version: 2024-02-01

119
papers

926
citations

471509
17
h-index

610901
24
g-index

133
all docs

133
docs citations

133
times ranked

922
citing authors

#	ARTICLE	IF	CITATIONS
1	Machine learning prediction of 3CL SARS-CoV-2 docking scores. Computational Biology and Chemistry, 2022, 98, 107656.	2.3	9
2	Arsoles, stiboles, and bismoles. Advances in Heterocyclic Chemistry, 2020, 130, 279-291.	1.7	3
3	Mass spectrometrical and quantumâ€¢chemical study of pentafluorophenylhydrazones. Journal of Mass Spectrometry, 2020, 55, e4540.	1.6	1
4	Unexpected Cleavage of Nâ€¢N Bonds of Pentafluorophenylhydrazones â€“ Formation of Nitriles by a Radical Fragmentation Reaction. ChemistrySelect, 2020, 5, 3929-3933.	1.5	1
5	Arsoles, Stiboles, and Bismoles. , 2020, , .		0
6	Dechloromethylation of the berberine to berberrubine â€“ tricks to obtain pure product. Acta Chimica Slovaca, 2020, 13, 98-101.	0.8	1
7	DNA Interaction with 17â€¢Ethinylestradiol Studied Using Electrochemical Biosensors and Biosensing in Solution. Electroanalysis, 2019, 31, 1961-1968.	2.9	4
8	Synthesis and Anticancer Activity of Novel 9-O-Substituted Berberine Derivatives. International Journal of Molecular Sciences, 2019, 20, 2169.	4.1	20
9	4-Amino and 5-aminobenzothiadiazoles in Gouldâ€“Jacobs reaction. Monatshefte fÃ¼r Chemie, 2019, 150, 711-719.	1.8	1
10	3-Hydroxymethyl-1,4-dihydro-4-oxoquinoline like compound with promising biological and complexing activity. Acta Chimica Slovaca, 2019, 12, 182-184.	0.8	0
11	On the formation of uncommon pyrazoloazepines from 5-aminopyrazoles as by-products in the Clauson-Kaas reaction. Journal of Molecular Structure, 2018, 1166, 243-251.	3.6	12
12	Interaction of DNA and mononucleotides with theophylline investigated using electrochemical biosensors and biosensing. Bioelectrochemistry, 2018, 123, 182-189.	4.6	16
13	Immunobiological efficacy and immunotoxicity of novel synthetically prepared fluoroquinolone ethyl 6-fluoro-8-nitro-4-oxo-1,4-dihydroquinoline-3-carboxylate. Immunobiology, 2018, 223, 81-93.	1.9	7
14	Nitro and aminobenzimidazoles. Acta Chimica Slovaca, 2018, 11, 182-188.	0.8	1
15	Conformational studies of 3-[(2,2-dimethylhydrazinyl)methylene]-pentane-2,4-dione using vibrational and NMR spectra, X-ray analysis and ab initio calculations. Journal of Molecular Structure, 2017, 1140, 163-172.	3.6	1
16	Assessment of Immunomodulatory Activities and <i>in vitro</i> Toxicity of New Quinolone 7-ethyl 9-ethyl-6-oxo-6,9-dihydro[1,2,5]selenadiazolo[3,4- <i>i</i>]h[<i>i</i>]quinoline-7-carboxylate. Immunological Investigations, 2017, 46, 341-360.	2.0	11
17	Study of reactions of pentafluorophenylhydrazine with activated enolethers. Synthesis of N-pentafluorophenylpyrazoles. Arkivoc, 2017, 2017, 446-456.	0.5	2
18	Pro-apoptotic effect of new quinolone 7-ethyl 9-ethyl-6-oxo-6,9-dihydro[1,2,5]selenadiazolo[3,4- <i>h</i>]quinoline-7-carboxylate on cervical cancer cell line HeLa alone/with UVA irradiation. Toxicology in Vitro, 2016, 33, 35-44.	2.4	5

#	ARTICLE	IF	CITATIONS
19	Joined X-ray, spectroscopic and theoretical study of potential antibacterial cyano group containing fluoroquinolone drugs precursors with the focus on the conformational behavior. <i>Journal of Molecular Structure</i> , 2016, 1125, 736-750.	3.6	4
20	Original Article. Study of the cytotoxic/toxic potential of the novel anticancer selenodiazoloquinolone on fibroblast cells and 3D skin model. <i>Interdisciplinary Toxicology</i> , 2016, 9, 106-112.	1.0	8
21	Raman and infrared spectra, conformations and ab initio calculations of 3-methoxymethylene-2,4-pentanedione. <i>Acta Chimica Slovaca</i> , 2015, 8, 203-216.	0.8	0
22	Building a library of monofluorinated anilino-methylidenes and spectroscopic studies of their properties. <i>Monatshefte für Chemie</i> , 2015, 146, 291-302.	1.8	4
23	Copper(II) complexes with new fluoroquinolones: Synthesis, structure, spectroscopic and theoretical study, DNA damage, cytotoxicity and antiviral activity. <i>Journal of Inorganic Biochemistry</i> , 2015, 150, 160-173.	3.5	30
24	Synthesis and biological evaluation of new nucleosides derived from trifluoromethoxy-4-quinolones. <i>Tetrahedron Letters</i> , 2015, 56, 5112-5115.	1.4	16
25	Radical anions of quinoxalines (an <i>in situ</i> electron paramagnetic resonance spectroelectrochemical) Tj ETQq1 1 0.784314 rgBT /Overclocked	2.5	6
26	Use of activated enol ethers in the synthesis of pyrazoles: reactions with hydrazine and a study of pyrazole tautomerism. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 752-760.	2.2	16
27	Fused-Ring Derivatives of Quinoxalines: Spectroscopic Characterization and Photoinduced Processes Investigated by EPR Spin Trapping Technique. <i>Molecules</i> , 2014, 19, 12078-12098.	3.8	11
28	Oxidation of quinolones with peracids (an <i>in situ</i> EPR study). <i>Magnetic Resonance in Chemistry</i> , 2014, 52, 22-26.	1.9	2
29	Conformational, Spectroscopic, and Molecular Dynamics DFT Study of Precursors for New Potential Antibacterial Fluoroquinolone Drugs. <i>Journal of Physical Chemistry A</i> , 2014, 118, 9540-9551.	2.5	26
30	Crystal Structure of 2,2-dimethyl-5-[(2-methylhydrazinyl)methylidene]-1,3-dioxan-4,6-dione. <i>Journal of Chemical Crystallography</i> , 2014, 44, 466-470.	1.1	0
31	Photoinduced processes of 2,1,3-benzoselena(thia)diazole derivatives in dimethylsulfoxide: an <i>in situ</i> EPR spin trapping study. <i>Monatshefte für Chemie</i> , 2014, 145, 1449-1460.	1.8	1
32	Application of 9-ethyl[1,2,5]selenadiazolo[3,4-h]quinolones in the synthesis of tricyclic azoloquinolones. <i>Tetrahedron</i> , 2014, 70, 4814-4819.	1.9	4
33	Synthesis of 9-ethyl[1,2,5]selenadiazolo[3,4-h]quinolones by the application of modified Gould-Jacobs reaction to N-ethyl-2,1,3-benzoselenadiazol-4-amine. <i>Arkivoc</i> , 2014, 2014, 181-198.	0.5	2
34	Theoretical and Experimental NMR Study of a Series of Five Nitrobenzene-1,2-Diamines. <i>Spectroscopy Letters</i> , 2013, 46, 91-99.	1.0	6
35	Kinetics and mechanism of the reaction of alkoxyimethylidene malonate and malononitrile with hydrazines and anilines. <i>Journal of Physical Organic Chemistry</i> , 2013, 26, 503-509.	1.9	2
36	Preparation and NMR properties of derivatives of arylamino-methylidene malonic acid and pentane-2,4-dione. <i>Acta Chimica Slovaca</i> , 2013, 6, 73-81.	0.8	2

#	ARTICLE	IF	CITATIONS
37	Spectroscopic characterization, photoinduced processes and cytotoxic properties of substituted <i>N</i> -ethyl selenadiazoloquinolones. <i>Journal of Physical Organic Chemistry</i> , 2013, 26, 565-574.	1.9	16
38	New syntheses of 5,6- and 7,8-diaminoquinolines. <i>Beilstein Journal of Organic Chemistry</i> , 2013, 9, 2669-2674.	2.2	5
39	Cathodic and Photocatalytic Reduction of Nitroquinolones Investigated by In Situ EPR/UV-Vis Spectroelectrochemistry and EPR spectroscopy. <i>Current Organic Chemistry</i> , 2013, 17, 2427-2439.	1.6	4
40	Preparation and spectral properties of products of the reaction of N,N-dimethylhydrazine with selected enolethers/alkoxymethylene systems. <i>Acta Chimica Slovaca</i> , 2012, 5, .	0.8	1
41	Stable Radical Trianions from Reversibly Formed Sigma-Dimers of Selenadiazoloquinolones Studied by In Situ EPR/UV-vis Spectroelectrochemistry and Quantum Chemical Calculations. <i>Journal of Physical Chemistry A</i> , 2012, 116, 9919-9927.	2.5	15
42	Synthesis and antifungal efficacy of 1,3,5-triazines. <i>Acta Chimica Slovaca</i> , 2012, 5, .	0.8	0
43	Photoinduced decarboxylation of 9-oxo-6,9-dihydro[1,2,5]selenadiazolo[3,4- <i>f</i>]quinoline-8-carboxylic acid. <i>Journal of Physical Organic Chemistry</i> , 2012, 25, 643-648.	0.4	4
44	2-amino-6-nitrobenzimidazoles as precursors of foodborne carcinogens: A new approach to IQ synthesis. <i>Journal of Heterocyclic Chemistry</i> , 2012, 49, 293-296.	2.6	6
45	Synthesis of [1,2,5]selenadiazolo[3,4- <i>f</i>]quinolone derivatives by the Gould-Jacobs reaction of 5-amino-2,1,3-benzoselenadiazole. <i>Arkivoc</i> , 2012, 2012, 242-251.	0.5	12
46	Photoinduced Superoxide Radical Anion and Singlet Oxygen Generation in the Presence of Novel Selenadiazoloquinolones (An EPR Study). <i>Photochemistry and Photobiology</i> , 2011, 87, 32-44.	2.5	32
47	Spectroscopic characterization and photoinduced processes of 4-oxoquinoline derivatives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2011, 224, 123-134.	3.9	17
48	Ethyl 1-ethyl-7-fluoro-4-oxo-1,4-dihydroquinoline-3-carboxylate: X-ray and DFT studies. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2011, 67, o421-o424.	0.4	1
49	Anodic oxidation of selenadiazoloquinolones in alkaline media. <i>Magnetic Resonance in Chemistry</i> , 2011, 49, 168-174.	1.9	4
50	Theoretical and spectroscopic study of ethyl 1,4-dihydro-4-oxoquinoline-3-carboxylate and its 6-fluoro and 8-nitro derivatives in neutral and radical anion forms. <i>Journal of Molecular Structure</i> , 2011, 994, 61-69.	3.6	12
51	Photochemical and phototoxic properties of ethyl 1,4-dihydro-8-nitro-4-oxoquinoline-3-carboxylate, a new quinoline derivative. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2011, 102, 77-91.	3.8	17
52	Application of the Gould-Jacobs reaction to 4-amino-2,1,3-benzoselenadiazole. <i>Tetrahedron</i> , 2010, 66, 8169-8174.	1.9	22
53	Photoinduced processes of 3-substituted 6-fluoro-1,4-dihydro-4-oxoquinoline derivatives: A theoretical and spectroscopic study. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010, 211, 47-58.	3.9	9
54	2-[(3-Fluorophenyl)amino]methylidene]-3-oxobutanenitrile and 5-[(3-fluorophenyl)amino]methylidene]-2,2-dimethyl-1,3-dioxane-4,6-dione: X-ray and DFT studies. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2010, 66, o392-o395.	0.4	1

#	ARTICLE	IF	CITATIONS
55	A Challenge for Even the Boldest. <i>Nachrichten Aus Der Chemie</i> , 2010, 58, 1097-1097.	0.0	0
56	¹³ C and ¹⁵ N NMR spectra of aminobenzimidazoles in solution and in the solid state. <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 100-104.	1.9	22
57	¹ H, ¹³ C and ¹⁵ N NMR spectroscopy and tautomerism of nitrobenzotriazoles. <i>Magnetic Resonance in Chemistry</i> , 2009, 47, 142-148.	1.9	23
58	(<i>i>E</i>)-Methyl 2-[(2-fluorophenyl)aminomethylene]-3-oxobutanoate: X-ray and density functional theory (DFT) study. <i>Acta Crystallographica Section C: Crystal Structure Communications</i>, 2009, 65, o183-o185.</i>	0.4	3
59	5-Amino-1-methyl-1H-benzimidazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009, 65, o1788-o1788.	0.2	4
60	Methyl 3-((benzimidazol-4(7)-yl)amino)-2-cyanoprop-2-enoate - powder diffraction and DFT study. <i>Acta Crystallographica Section A: Foundations and Advances</i> , 2009, 65, s271-s271.	0.3	0
61	New route for preparation of nitrosubstituted 1,2-phenylenediamines. <i>Journal of Heterocyclic Chemistry</i> , 2008, 45, 425-427.	2.6	8
62	Behaviour of enaminomalonates and enamidomalonates under various reductive conditions: a novel synthetic approach to N-acetyl-N-aryl β -amino acids. <i>Tetrahedron Letters</i> , 2008, 49, 2631-2633.	1.4	3
63	Dimethyl 2-(aminomethylene)malonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o998-o998.	0.2	2
64	Dimethyl 2-(methylaminomethylene)malonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2008, 64, o1133-o1134.	0.2	2
65	(<i>E</i>)-Methyl 2-anilinomethylene-3-oxobutanoate: X-ray and density functional theory studies. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2007, 63, o552-o554.	0.4	1
66	Ab initio structure determination of 5-anilinomethylene-2,2-dimethyl-1,3-dioxane-4,6-dione from laboratory powder data – a combined use of X-ray, molecular and solid-state DFT study. <i>Acta Crystallographica Section B: Structural Science</i> , 2007, 63, 477-484.	1.8	11
67	3-Acetyl-4-aminoquinoline. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o1164-o1166.	0.2	2
68	3-(Dimethylhydrazino)-2-(methylsulfonyl)propenenitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o2820-o2820.	0.2	0
69	3-[(2,3-Diphenylquinoxalin-5-ylamino)methylene]pentane-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3005-o3006.	0.2	0
70	Methyl 3-amino-2-cyanoacrylate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o3338-o3338.	0.2	0
71	3-(Methylaminomethylene)pentane-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o4060-o4061.	0.2	2
72	3,5-Diacetyl-2,6-dimethyl-4-(5-nitro-2-furyl)-1,4-dihdropyridine. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o4214-o4215.	0.2	0

#	ARTICLE	IF	CITATIONS
73	3-(Aminomethylene)pentane-2,4-dione. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o4464-o4465.	0.2	4
74	5-Methyl-1,2,4-triazolo[1,5-a]pyrimidine-6-carbonitrile. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o1252-o1253.	0.2	2
75	2-Aminofurans and 3-Aminofurans. <i>Advances in Heterocyclic Chemistry</i> , 2006, 92, 1-54.	1.7	14
76	TEMPERATURE DEPENDENT MIGRATION OF THE NITRO GROUP OF POTASSIUM 4-AMINO-3,5-DINITROBENZENESULFONATE VS DESULFONATION. <i>Organic Preparations and Procedures International</i> , 2006, 38, 344-346.	1.3	2
77	Utilization of 2-ethoxymethylene-3-oxobutanenitrile in the synthesis of heterocycles possessing biological activity. <i>Tetrahedron</i> , 2005, 61, 5379-5387.	1.9	51
78	Nucleophilic Vinylic Substitution (SNV) of Activated Alkoxyethylene Derivatives with 6-Aminoquinoxaline. <i>European Journal of Organic Chemistry</i> , 2005, 2005, 4870-4878.	2.4	18
79	NMR spectroscopic data of some 1-alkoxy-2,2-di(carbonyl, carboxyl, cyano)-substituted ethylenes. <i>Magnetic Resonance in Chemistry</i> , 2005, 43, 171-173.	1.9	7
80	Solvent-Free Synthesis of Quinolone Derivatives.. <i>ChemInform</i> , 2005, 36, no.	0.0	0
81	4,4-Dinitro-5,6,7,8,9,10-hexahydro-4H-cyclonona[d]isoxazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o808-o810.	0.2	0
82	5-Amino-4-methylsulfonyl-1-phenyl-1H-pyrazole. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2005, 61, o3852-o3854.	0.2	1
83	Quantum-chemical studies of benzazoles nitration. <i>Arkivoc</i> , 2005, 2005, 80-89.	0.5	7
84	Synthesis and transformations of some 1,2,4-trisubstituted pyrroles. <i>Arkivoc</i> , 2005, 2005, 127-139.	0.5	3
85	CYTOTOXICITY AND INDUCTION OF APOPTOSIS BY 4-AMINO-3-ACETYLQUINOLINE IN MURINE LEUKEMIA CELL LINE L1210. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2005, 149, 345-347.	0.6	2
86	Synthesis, Properties, and Reactions of 5-Substituted Derivatives of 2,3-Diphenylquinoxaline [1]. <i>Monatshefte fÃ¼r Chemie</i> , 2004, 135, 283-291.	1.8	9
87	2-(Phenylaminomethylidene)cyclohexane-1,3-dione. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2004, 60, o252-o254.	0.4	2
88	Apparent Allyl Rotation in New Allylpalladium(II) Complexes with PyrazolyN-Donor Ligands. <i>European Journal of Inorganic Chemistry</i> , 2004, 2004, 549-556.	2.0	23
89	Quinoxalines. Part 3. Synthesis, Properties, and Reactions of 5-Substituted Derivatives of 2,3-Diphenylquinoxaline.. <i>ChemInform</i> , 2004, 35, no.	0.0	0
90	Solvent-free Synthesis of Quinolone Derivatives. <i>Heterocycles</i> , 2004, 64, 177.	0.7	32

#	ARTICLE	IF	CITATIONS
91	¹⁵ N NMR spectra of some 3-substituted 4(1H)-quinolinones and their 1-methyl derivatives. <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 639-640.	1.9	2
92	Five Different Fluxional Processes in Polyfluorophenyl Palladium(II) Complexes with 2,4,6-Tris(3,5-dimethylpyrazol-1-yl)-1,3,5-triazine. The Driving Effect of the Solvent. <i>Inorganic Chemistry</i> , 2003, 42, 885-895.	4.0	33
93	1-Methyl-1H-imidazo[4,5-f]quinolin-6-i um chloride monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2002, 58, o365-o366.	0.4	0
94	Tricyclic azoloquinolines. <i>Advances in Heterocyclic Chemistry</i> , 2001, 78, 189-268.	1.7	8
95	2,4,6-Tris(azol-1-yl)-1,3,5-triazines: A New Class of Multidentate Ligands. <i>Heterocycles</i> , 2001, 55, 905.	0.7	18
96	Dimethyl 2-{{2-(methoxycarbonyl)-1-(methoxycarbonylmethyl)pyrrol-4-yl}methylene}propanedioate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2001, 57, 973-974.	0.4	1
97	Methyl (4-formyl-2-methoxycarbonylpyrrol-1-yl)acetate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2001, 57, o404-o405.	0.2	0
98	¹³ C NMR of thia- or aza-substituted butyric acid derivatives. <i>Magnetic Resonance in Chemistry</i> , 2001, 39, 113-114.	1.9	1
99	Utilisation of 6-Amino-2,3-dimethylquinoxaline for the Synthesis of Tricyclic Pyridoquinoxalines via Gould-Jacobs Reaction. <i>Collection of Czechoslovak Chemical Communications</i> , 2001, 66, 1691-1697.	1.0	10
100	Dimethyl (1-methyl-1,3-benzimidazol-5-yl)aminomethylenepropanedioate monohydrate. <i>Acta Crystallographica Section C: Crystal Structure Communications</i> , 2000, 56, 1007-1008.	0.4	0
101	The Gould-Jacobs Reaction of 5-Aminoquinoxaline. <i>Monatshefte f\ddot{A}r Chemie</i> , 2000, 131, 0293-0299.	1.8	20
102	Mass Spectra of Some 4- and 5-Substituted Derivatives of Benzoselenadiazoles. <i>Molecules</i> , 2000, 5, 937-940.	3.8	2
103	Influence of Some Thia- or Azasubstituted Butyric Acid Derivatives on the Chemical Shift of the Benzene Ring Carbon Atoms. <i>Molecules</i> , 2000, 5, 616-619.	3.8	0
104	SIMPLE, HIGH YIELD PREPARATION OF 3-NITRO-1,2-PHENYLENEDIAMINE. <i>Organic Preparations and Procedures International</i> , 1999, 31, 347-348.	1.3	8
105	¹ H and ¹³ C NMR spectra of 3-substituted 4-quinolones. <i>Magnetic Resonance in Chemistry</i> , 1998, 36, 681-684.	1.9	20
106	Syntheses and Spectral Properties of Unsymmetrically 3,5-Disubstituted 2,6-Dimethyl-1,4-dihydropyridines. <i>Collection of Czechoslovak Chemical Communications</i> , 1996, 61, 1233-1243.	1.0	9
107	The vibrational and NMR spectra, conformations and ab initio calculations of aminomethylene, propanedinitrile and its N-methyl derivatives. <i>Structural Chemistry</i> , 1996, 7, 17-36.	2.0	22
108	Structure and synthetic utility of ?,?-disubstituted aminoethylenes. <i>Chemistry of Heterocyclic Compounds</i> , 1995, 31, 1213-1216.	1.2	1

#	ARTICLE	IF	CITATIONS
109	Benzazolylmethylheteroarylamin es. Collection of Czechoslovak Chemical Communications, 1994, 59, 725-730.	1.0	5
110	Thermal Cyclocondensation of Ethyl (1-Methyl-5- and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (6-Benzimidazolyl/benzotriazolyl)amino derivatives of 3-Y-3-Buten-2-one. Collection of Czechoslovak Chemical Communications, 1994, 59, 1145-1152.	1.0	7
111	SIMPLE AND CONVENIENT PROCEDURE FOR THE PREPARATION OF 1-METHYL-4-NITROBENZIMIDAZOLE. Organic Preparations and Procedures International, 1993, 25, 703-704.	1.3	12
112	Synthesis and Cyclization of Some 5-Aminobenzimidazole and 5-Aminobenzotriazole Derivatives. Collection of Czechoslovak Chemical Communications, 1992, 57, 397-407.	1.0	8
113	4-N-Benzazolylamino Derivatives of 3-Y-3-Buten-2-one. Collection of Czechoslovak Chemical Communications, 1992, 57, 531-539.	1.0	7
114	4-Aminoethylene derivatives of 2-methylbenzotriazole. Collection of Czechoslovak Chemical Communications, 1990, 55, 1038-1048.	1.0	20
115	Alkylated benzimidazole and benzotriazole derivatives of 3-amino-2-propenoic acid. Collection of Czechoslovak Chemical Communications, 1989, 54, 713-724.	1.0	9
116	¹ H and ¹³ C NMR study of the structure of 3-N-(4- and 5-benzimidazolyl or benztriazolyl)amino derivatives of prop-2-enoic acid in the liquid and solid states. Magnetic Resonance in Chemistry, 1989, 27, 138-144.	1.9	10
117	Preparation and spectral properties of imidazo- and triazoloquinolines with angular ring fusion. Collection of Czechoslovak Chemical Communications, 1988, 53, 1068-1077.	1.0	8
118	Thermal cyclocondensations of 3-N(4- and 5-benzimidazolyl and benztriazolyl)amino derivatives of 2-propenoic acid. Collection of Czechoslovak Chemical Communications, 1987, 52, 2918-2925.	1.0	11
119	NITROSUBSTITUTED 1,2-PHENYLENEDIAMINES. , 0, , .		1