

Liduo Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/191084/liduo-wang-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

10,461
citations

50
h-index

101
g-index

130
ext. papers

11,834
ext. citations

9.6
avg. IF

6.49
L-index

#	Paper	IF	Citations
129	MAPbI Photodetectors with 4.7 MHz Bandwidth and Their Application in Organic Optocouplers.. <i>Journal of Physical Chemistry Letters</i> , 2022 , 815-821	6.4	0
128	Critical Role of Organoamines in the Irreversible Degradation of a Metal Halide Perovskite Precursor Colloid: Mechanism and Inhibiting Strategy. <i>ACS Energy Letters</i> , 2022 , 7, 481-489	20.1	4
127	Interpenetrating interfaces for efficient perovskite solar cells with high operational stability and mechanical robustness. <i>Nature Communications</i> , 2021 , 12, 973	17.4	75
126	Stabilizing Perovskite Light-Emitting Diodes by Incorporation of Binary Alkali Cations. <i>Advanced Materials</i> , 2020 , 32, e1907786	24	37
125	RbF modified FTO electrode enable energy-level matching for efficient electron transport layer-free perovskite solar cells. <i>Chemical Engineering Journal</i> , 2020 , 394, 125024	14.7	10
124	Printable CsPbBr perovskite quantum dot ink for coffee ring-free fluorescent microarrays using inkjet printing. <i>Nanoscale</i> , 2020 , 12, 2569-2577	7.7	30
123	Molecularly Designed Zinc (II) Phthalocyanine Derivative as Dopant-Free Hole-Transporting Material of Planar Perovskite Solar Cell with Preferential Face-on Orientation. <i>Solar Rrl</i> , 2019 , 3, 1900182	7.1	13
122	Improved SnO ₂ Electron Transport Layers Solution-Deposited at Near Room Temperature for Rigid or Flexible Perovskite Solar Cells with High Efficiencies. <i>Advanced Energy Materials</i> , 2019 , 9, 1900834	21.8	67
121	Marangoni Effect-Controlled Growth of Oriented Film for High Performance C8-BTBT Transistors. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1801736	4.6	16
120	Tailoring electrical property of the low-temperature processed SnO ₂ for high-performance perovskite solar cells. <i>Science China Materials</i> , 2019 , 62, 173-180	7.1	11
119	Molecularly Designed Zinc (II) Phthalocyanine Derivative as Dopant-Free Hole-Transporting Material of Planar Perovskite Solar Cell with Preferential Face-on Orientation. <i>Solar Rrl</i> , 2019 , 3, 1970113	7.1	13
118	Improved Efficiency and Stability of Pb/Sn Binary Perovskite Solar Cells Fabricated by Galvanic Displacement Reaction. <i>Advanced Energy Materials</i> , 2019 , 9, 1802774	21.8	48
117	P3HT/Phthalocyanine Nanocomposites as Efficient Hole-Transporting Materials for Perovskite Solar Cells. <i>Solar Rrl</i> , 2019 , 3, 1800264	7.1	33
116	A self-powered and high-voltage-isolated organic optical communication system based on triboelectric nanogenerators and solar cells. <i>Nano Energy</i> , 2019 , 56, 391-399	17.1	24
115	Oxygen doping in nickel oxide for highly efficient planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4721-4728	13	45
114	CHNHPb Eu I mixed halide perovskite for hybrid solar cells: the impact of divalent europium doping on efficiency and stability.. <i>RSC Advances</i> , 2018 , 8, 11095-11101	3.7	33
113	CsPbI ₃ Cl, All-Inorganic Two-Dimensional Ruddlesden-Popper Mixed Halide Perovskite with Optoelectronic Response. <i>Journal of the American Chemical Society</i> , 2018 , 140, 11085-11090	16.4	110

112	Inorganic CsPb1-xSnxI3 for Efficient Wide-Bandgap Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2018 , 8, 1800525	21.8	154
111	A Droplet-Reactor System Capable of Automation for the Continuous and Scalable Production of Noble-Metal Nanocrystals. <i>Nano Letters</i> , 2018 , 18, 3879-3884	11.5	38
110	Efficient and UV-stable perovskite solar cells enabled by side chain-engineered polymeric hole-transporting layers. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 12999-13004	13	36
109	Air-Stable Direct Bandgap Perovskite Semiconductors: All-Inorganic Tin-Based Heteroleptic Halides AxSnClyz (A = Cs, Rb). <i>Chemistry of Materials</i> , 2018 , 30, 4847-4856	9.6	45
108	The role of interface between electron transport layer and perovskite in halogen migration and stabilizing perovskite solar cells with Cs4SnO4. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 23797-23804	13	13
107	Efficient and stable emission of warm-white light from lead-free halide double perovskites. <i>Nature</i> , 2018 , 563, 541-545	50.4	835
106	Electric Bias Induced Degradation in Organic-Inorganic Hybrid Perovskite Light-Emitting Diodes. <i>Scientific Reports</i> , 2018 , 8, 15799	4.9	15
105	Room-temperature solution-processed amorphous NbOx as an electron transport layer in high-efficiency photovoltaics. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 17882-17888	13	15
104	Direct Evidence of Ion Diffusion for the Silver-Electrode-Induced Thermal Degradation of Inverted Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017 , 7, 1602922	21.8	192
103	An Origami Perovskite Photodetector with Spatial Recognition Ability. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 10921-10928	9.5	35
102	Enhancement of thermal stability for perovskite solar cells through cesium doping. <i>RSC Advances</i> , 2017 , 7, 17473-17479	3.7	140
101	Improved performance of pure formamidinium lead iodide perovskite light-emitting diodes by moisture treatment. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 11121-11127	7.1	7
100	Energetically favored formation of SnO2 nanocrystals as electron transfer layer in perovskite solar cells with high efficiency exceeding 19%. <i>Nano Energy</i> , 2017 , 40, 336-344	17.1	124
99	Enhanced efficiency and stability of inverted perovskite solar cells by interfacial engineering with alkyl bisphosphonic molecules. <i>RSC Advances</i> , 2017 , 7, 42105-42112	3.7	9
98	Enhanced Moisture Stability of Cesium-Containing Compositional Perovskites by a Feasible Interfacial Engineering. <i>Advanced Materials Interfaces</i> , 2017 , 4, 1700598	4.6	49
97	Rational design of SnO2-based electron transport layer in mesoscopic perovskite solar cells: more kinetically favorable than traditional double-layer architecture. <i>Science China Materials</i> , 2017 , 60, 963-976	7.1	10
96	Mixed Cation FxPEA1-xPbI3 with Enhanced Phase and Ambient Stability toward High-Performance Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2017 , 7, 1601307	21.8	237
95	Aquointermediate Assisted Highly Orientated Perovskite Thin Films toward Thermally Stable and Efficient Solar Cells. <i>Advanced Energy Materials</i> , 2017 , 7, 1601433	21.8	24

94	Stable p-n junction of formamidinium lead iodide perovskites for enhanced near-infrared emission. <i>Chemical Science</i> , 2017 , 8, 800-805	9.4	142
93	High Performance of Perovskite Solar Cells via Catalytic Treatment in Two-Step Process: The Case of Solvent Engineering. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 30107-30115	9.5	20
92	High-stability organic red-light photodetector for narrowband applications. <i>Laser and Photonics Reviews</i> , 2016 , 10, 473-480	8.3	55
91	A self-powered organolead halide perovskite single crystal photodetector driven by a DVD-based triboelectric nanogenerator. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 630-636	7.1	75
90	Effect of cesium chloride modification on the film morphology and UV-induced stability of planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11688-11695	13	84
89	Enhanced UV-light stability of planar heterojunction perovskite solar cells with caesium bromide interface modification. <i>Energy and Environmental Science</i> , 2016 , 9, 490-498	35.4	450
88	A self-powered photodetector based on a CH ₃ NH ₃ PbI ₃ single crystal with asymmetric electrodes. <i>CrystEngComm</i> , 2016 , 18, 4405-4411	3.3	76
87	Synthesis of Pt-Ni Octahedra in Continuous-Flow Droplet Reactors for the Scalable Production of Highly Active Catalysts toward Oxygen Reduction. <i>Nano Letters</i> , 2016 , 16, 3850-7	11.5	70
86	High quality perovskite thin films induced by crystal seeds with lead monoxide interfacial engineering. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 16913-16919	13	5
85	Efficient n-type dopants with extremely low doping ratios for high performance inverted perovskite solar cells. <i>Energy and Environmental Science</i> , 2016 , 9, 3424-3428	35.4	75
84	[Ir(ppy) ₂ ppyim]PF ₆ dielectric mixed with PMMA for area emission transistors. <i>RSC Advances</i> , 2016 , 6, 94010-94013	10.7	107
83	Progress of interface engineering in perovskite solar cells. <i>Science China Materials</i> , 2016 , 59, 728-742	7.1	36
82	Additive-assisted construction of all-inorganic CsSnI ₃ mesoscopic perovskite solar cells with superior thermal stability up to 473 K. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 17104-17110	13	186
81	Solution-Processed Graphene Composite Films as Freestanding Platinum-Free Counter Electrodes for Bendable Dye Sensitized Solar Cells. <i>Chinese Journal of Chemistry</i> , 2016 , 34, 59-66	4.9	7
80	High performance organic-inorganic perovskite-optocoupler based on low-voltage and fast response perovskite compound photodetector. <i>Scientific Reports</i> , 2015 , 5, 7902	4.9	91
79	Enhanced performance in hybrid perovskite solar cell by modification with spinel lithium titanate. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 8882-8889	13	19
78	Multifunctional MgO Layer in Perovskite Solar Cells. <i>ChemPhysChem</i> , 2015 , 16, 1727-32	3.2	60
77	Morphology-controlled CH ₃ NH ₃ PbI ₃ films by hexane-assisted one-step solution deposition for hybrid perovskite mesoscopic solar cells with high reproductivity. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 22839-22845	13	45

76	Enhanced optoelectronic quality of perovskite thin films with hypophosphorous acid for planar heterojunction solar cells. <i>Nature Communications</i> , 2015 , 6, 10030	17.4	492
75	Review of recent progress in chemical stability of perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 8970-8980	13	1337
74	High-Performance Planar-Type Photodetector on (100) Facet of MAPbI ₃ Single Crystal. <i>Scientific Reports</i> , 2015 , 5, 16563	4.9	222
73	Towards High Efficiency and Low Roll-Off Orange Electrophosphorescent Devices by Fine Tuning Singlet and Triplet Energies of Bipolar Hosts Based on Indolocarbazole/1, 3, 5-Triazine Hybrids. <i>Advanced Functional Materials</i> , 2014 , 24, 3551-3561	15.6	106
72	Study on the stability of CH ₃ NH ₃ PbI ₃ films and the effect of post-modification by aluminum oxide in all-solid-state hybrid solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 705-710	13	861
71	Cesium carbonate as a surface modification material for organic-inorganic hybrid perovskite solar cells with enhanced performance. <i>RSC Advances</i> , 2014 , 4, 60131-60134	3.7	29
70	A multifunctional ionic iridium complex for field-effect and light-emitting devices. <i>RSC Advances</i> , 2014 , 4, 51294-51297	3.7	4
69	Programmable and Erasable Pentacene/Ta ₂ O ₅ Phototransistor Memory With Improved Retention Time. <i>IEEE Electron Device Letters</i> , 2014 , 35, 741-743	4.4	3
68	Graphene oxide as dual functional interface modifier for improving wettability and retarding recombination in hybrid perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 20105-20111	13	165
67	A ZnO nanorod/nanoparticle hierarchical structure synthesized through a facile in situ method for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 4765-4770	13	23
66	A flexible blue light sensitive organic photodiode with high properties for the applications in low-voltage-control circuit and flexion sensors. <i>Laser and Photonics Reviews</i> , 2014 , 8, 316-323	8.3	19
65	Multifunctional perovskite capping layers in hybrid solar cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 14973	13	55
64	Mg doping in nanosheet-based spherical structured ZnO photoanode for quasi-solid dye-sensitized solar cells. <i>RSC Advances</i> , 2014 , 4, 21294-21300	3.7	18
63	Molecular Understanding of the Chemical Stability of Organic Materials for OLEDs: A Comparative Study on Sulfonyl, Phosphine-Oxide, and Carbonyl-Containing Host Materials. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 7569-7578	3.8	114
62	Montmorillonite as bifunctional buffer layer material for hybrid perovskite solar cells with protection from corrosion and retarding recombination. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 13587-13592	13	231
61	Multifunctional interface modification of energy relay dye in quasi-solid dye-sensitized solar cells. <i>Scientific Reports</i> , 2014 , 4, 5570	4.9	8
60	Post modification of perovskite sensitized solar cells by aluminum oxide for enhanced performance. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11735	13	88
59	Bipolar charge transport property of N,N'-dicarbazolyl-1,4-dimethene-benzene: A study of the short range order model. <i>Science Bulletin</i> , 2013 , 58, 79-83		3

58	High-efficiency near-infrared organic light-emitting devices based on an iridium complex with negligible efficiency roll-off. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 6446	7.1	71
57	White light emission from an exciplex based on a phosphine oxide type electron transport compound in a bilayer device structure. <i>RSC Advances</i> , 2013 , 3, 21453	3.7	24
56	A ZnO nanorod layer with a superior light-scattering effect for dye-sensitized solar cells. <i>RSC Advances</i> , 2013 , 3, 18537	3.7	22
55	Ambipolar Transporting 1,2-Benzanthracene Derivative with Efficient Green Excimer Emission for Single-Layer Organic Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2013 , 1, 167-172	8.1	14
54	Oriented mesoporous TiO ₂ film as photoanode for dye-sensitized solar cells. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 8023	13	4
53	Low-Temperature Evaporable Re ₂ O ₇ : An Efficient p-Dopant for OLEDs. <i>Journal of Physical Chemistry C</i> , 2013 , 117, 13763-13769	3.8	17
52	High-Performance Organic Optocouplers Based on an Organic Photodiode With High Blue Light Sensitivity. <i>IEEE Electron Device Letters</i> , 2013 , 34, 1295-1297	4.4	6
51	Small molecular phosphorescent organic light-emitting diodes using a spin-coated hole blocking layer. <i>Applied Physics Letters</i> , 2012 , 100, 083304	3.4	19
50	Achilles Heels of Phosphine Oxide Materials for OLEDs: Chemical Stability and Degradation Mechanism of a Bipolar Phosphine Oxide/Carbazole Hybrid Host Material. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 19451-19457	3.8	67
49	Star-shaped dendritic hosts based on carbazole moieties for highly efficient blue phosphorescent OLEDs. <i>Journal of Materials Chemistry</i> , 2012 , 22, 12016		52
48	High performance low-voltage organic phototransistors: interface modification and the tuning of electrical, photosensitive and memory properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 11836		69
47	Inorganic iodide ligands in ex situ PbS quantum dot sensitized solar cells with 1M3 electrolytes. <i>Journal of Materials Chemistry</i> , 2012 , 22, 16914		33
46	Experimental and theoretical study of the charge transport property of 4,4'-N,N'-dicarbazole-biphenyl. <i>Science China Chemistry</i> , 2012 , 55, 2428-2432	7.9	11
45	Impacts of Sn precursors on solution-processed amorphous zinc tin oxide films and their transistors. <i>RSC Advances</i> , 2012 , 2, 5307	3.7	58
44	High-triplet-energy tri-carbazole derivatives as host materials for efficient solution-processed blue phosphorescent devices. <i>Journal of Materials Chemistry</i> , 2011 , 21, 4918		114
43	Preparation and properties of solution-processed zinc tin oxide films from a new organic precursor. <i>Science China Chemistry</i> , 2011 , 54, 651-655	7.9	3
42	Organic optocouplers. <i>Science China Chemistry</i> , 2011 , 54, 1017-1026	7.9	13
41	A Pyridine-Containing Anthracene Derivative with High Electron and Hole Mobilities for Highly Efficient and Stable Fluorescent Organic Light-Emitting Diodes. <i>Advanced Functional Materials</i> , 2011 , 21, 1881-1886	15.6	84

40	Controlling the Recombination Zone of White Organic Light-Emitting Diodes with Extremely Long Lifetimes. <i>Advanced Functional Materials</i> , 2011 , 21, 3540-3545	15.6	90
39	Constructing nanorod/nanoparticles hierarchical structure at low temperature as photoanodes for dye-sensitized solar cells: combining relatively fast electron transport and high dye-loading together. <i>Journal of Materials Chemistry</i> , 2011 , 21, 19389		25
38	Controlled synthesis of ZnO spindles and fabrication of composite photoanodes at low temperature for quasi-solid state dye-sensitized solar cells. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3183		7
37	Efficient solution-processed phosphor-sensitized single-emitting-layer white organic light-emitting devices: fabrication, characteristics, and transient analysis of energy transfer. <i>Journal of Materials Chemistry</i> , 2011 , 21, 5312		20
36	A Comparison Study of the Organic Small Molecular Thin Films Prepared by Solution Process and Vacuum Deposition: Roughness, Hydrophilicity, Absorption, Photoluminescence, Density, Mobility, and Electroluminescence. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 14278-14284	3.8	41
35	Solution processable small molecules for organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2010 , 20, 6392		506
34	Novel star-shaped host materials for highly efficient solution-processed phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2010 , 20, 6131		68
33	Efficient blue-green and white organic light-emitting diodes with a small-molecule host and cationic iridium complexes as dopants. <i>Applied Physics A: Materials Science and Processing</i> , 2010 , 100, 1035-1040	2.6	18
32	Recent progress in interface modification for dye-sensitized solar cells. <i>Science China Chemistry</i> , 2010 , 53, 1669-1678	7.9	18
31	Transparent organic light-emitting diodes based on Cs ₂ CO ₃ :Ag/Ag composite cathode. <i>Science Bulletin</i> , 2010 , 55, 1479-1482		3
30	Study on the Electron Injection Mechanism of Thermally Decomposable Cs ₂ CO ₃ . <i>Japanese Journal of Applied Physics</i> , 2009 , 48, 102302	1.4	9
29	High-Performance Organic Optocouplers Based on a Photosensitive Interfacial C ₆₀ /NPB Heterojunction. <i>Advanced Materials</i> , 2009 , 21, 2501-2504	24	24
28	Preparation and spectral characteristics of anthracene/tetracene mixed crystals. <i>Science in China Series B: Chemistry</i> , 2009 , 52, 181-187		9
27	Synthesis and characterization of nano/micro-structured crystalline germanium dioxide with novel morphology. <i>Science Bulletin</i> , 2009 , 54, 2810-2813	10.6	3
26	Thermally Decomposable Lithium Nitride as an Electron Injection Material for Highly Efficient and Stable OLEDs. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 13386-13390	3.8	19
25	High-efficiency orange to near-infrared emissions from bis-cyclometalated iridium complexes with phenyl-benzoquinoline isomers as ligands. <i>Journal of Materials Chemistry</i> , 2009 , 19, 6573		62
24	Organic cesium salt as an efficient electron injection material for organic light-emitting diodes. <i>Applied Physics Letters</i> , 2008 , 93, 183302	3.4	16
23	Nanocomposite Thin Film Based on Ytterbium Fluoride and N,N'-Bis(1-naphthyl)-N,N'-diphenyl-1,1'-biphenyl-4,4'-diamine and Its Application in Organic Light Emitting Diodes as Hole Transport Layer. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 11985-11990	3.8	10

22	A new type of light-emitting naphtho[2,3-c][1,2,5]thiadiazole derivatives: synthesis, photophysical characterization and transporting properties. <i>Journal of Materials Chemistry</i> , 2008 , 18, 806		35
21	Lithium cobalt oxide as electron injection material for high performance organic light-emitting diodes. <i>Applied Physics Letters</i> , 2008 , 92, 073301	3.4	9
20	Comparison between P25 and anatase-based TiO ₂ quasi-solid state dye sensitized solar cells. <i>Science Bulletin</i> , 2008 , 53, 954-957	10.6	3
19	New hybrid encapsulation for flexible organic light-emitting devices on plastic substrates. <i>Science Bulletin</i> , 2008 , 53, 958-960	10.6	2
18	NanotubeSilicon Heterojunction Solar Cells. <i>Advanced Materials</i> , 2008 , 20, 4594-4598	24	201
17	BaCO ₃ Modification of TiO ₂ Electrodes in Quasi-Solid-State Dye-Sensitized Solar Cells: Performance Improvement and Possible Mechanism. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 8075-8079	3.8	55
16	Phototransistor Properties of Pentacene Organic Transistors with Poly(methyl methacrylate) Dielectric Layer. <i>Japanese Journal of Applied Physics</i> , 2006 , 45, L96-L98	1.4	14
15	Dependency of organic phototransistor properties on the dielectric layers. <i>Applied Physics Letters</i> , 2006 , 89, 072108	3.4	50
14	Charge tunneling injection through a thin teflon film between the electrodes and organic semiconductor layer: Relation to morphology of the teflon film. <i>Physical Review B</i> , 2006 , 74,	3.3	19
13	Organic photocouplers consisting of organic light-emitting diodes and organic photoresistors. <i>Applied Physics Letters</i> , 2006 , 88, 051110	3.4	23
12	P-141: High-Efficiency and Long Lifetime Electrophosphorescent Organic Light-Emitting Diodes with Improved Hole-Electron Balance by using Alternate Multilayer Structures. <i>Digest of Technical Papers SID International Symposium</i> , 2005 , 36, 838	0.5	1
11	Research on the adhesive ability between ITO anode and PET substrate improved by polyimide buffer layer. <i>Science Bulletin</i> , 2005 , 50, 505-508		6
10	Low-voltage pentacene thin-film transistors with Ta ₂ O ₅ gate insulators and their reversible light-induced threshold voltage shift. <i>Applied Physics Letters</i> , 2005 , 86, 132101	3.4	60
9	Blue phosphorescent dye as sensitizer and emitter for white organic light-emitting diodes. <i>Applied Physics Letters</i> , 2004 , 85, 5403-5405	3.4	58
8	Highly-efficient blue electroluminescence based on two emitter isomers. <i>Applied Physics Letters</i> , 2004 , 84, 1513-1515	3.4	75
7	Fabrication and spectra characteristics of high efficiency white organic light-emitting diodes with single emitting layer. <i>Science Bulletin</i> , 2004 , 49, 2133-2136		
6	45.4: Dimers of Organic Metal Complexes Based on Tridentate Schiff-Base Ligand for Organic Electroluminescence. <i>Digest of Technical Papers SID International Symposium</i> , 2003 , 34, 1298	0.5	
5	Preparation and characteristics of flexible all-organic thin-film field-effect transistor. <i>Science Bulletin</i> , 2003 , 48, 1554-1557		1

4	H ₂ O effect on the stability of organic thin-film field-effect transistors. <i>Applied Physics Letters</i> , 2003 , 83, 1644-1646	3-4	218
3	Bright single-active layer small-molecular organic light-emitting diodes with a polytetrafluoroethylene barrier. <i>Applied Physics Letters</i> , 2003 , 82, 155-157	3-4	53
2	Pure red electroluminescence from a host material of binuclear gallium complex. <i>Applied Physics Letters</i> , 2002 , 81, 4913-4915	3-4	38
1	Organic light-emitting diodes with improved hole-electron balance by using copper phthalocyanine/aromatic diamine multiple quantum wells. <i>Applied Physics Letters</i> , 2002 , 80, 2628-2630	3-4	103