

Vanessa K Verdade

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1911728/publications.pdf>

Version: 2024-02-01

40
papers

814
citations

567281

15
h-index

526287

27
g-index

40
all docs

40
docs citations

40
times ranked

1210
citing authors

#	ARTICLE	IF	CITATIONS
1	A new fossil of <i>Ceratophrys</i> Wied-Neuwied (Ceratophryidae: Anura) from Southeastern Brazil. <i>Zootaxa</i> , 2022, 5094, 495-500.	0.5	1
2	New species of flea-toad, genus <i>Brachycephalus</i> (Anura: Brachycephalidae) from the Atlantic Forest of Esp�rito Santo, Brazil. <i>Zootaxa</i> , 2021, 5068, 517-532.	0.5	3
3	Phylogenetic analysis of Ceratophryidae (Anura: Hyloidea) including extant and extinct species. <i>Journal of Systematic Palaeontology</i> , 2021, 19, 1449-1466.	1.5	1
4	Male�male competition and repeated evolution of terrestrial breeding in Atlantic Coastal Forest frogs*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 459-475.	2.3	9
5	Description of a New Species of Fossil <i>Ceratophrys</i> (Anura: Ceratophryidae) From Versailles Cave, S�o Paulo, Brazil Citation for this article: Barcelos, L. A., D. Almeida-Silva C. M. D. Santos, and V. K. Verdade. 2020. Description of a new species of fossil <i>Ceratophrys</i> (Anura: Ceratophryidae) from Versailles Cave, S�o Paulo, Brazil. <i>Journal of Vertebrate Paleontology</i> . DOI: 10.1060/02724634-2020-1811293. <i>Journal of Vertebrate Paleontology</i> , 2020, 40, .	1.0	3
6	Anurans of the Capara� National Park and surroundings, southeast Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.5	5
7	<p>THE TADPOLE OF ZACHAENUS CARVALHOI IZECKSOHN, 1983 (ANURA:) Tj ETQq1 1 0.784314 rgB 0.51 6	0.5	6
8	Rediscovering <i>Cycloramphus bandeirensis</i> (Anura: Cycloramphidae): natural history and breeding biology of a vulnerable species with a variant reproductive mode. <i>Phyllomedusa</i> , 2019, 18, 159-175.	0.2	7
9	Reproductive biology and geographic variation of <i>Zachaenus carvalhoi</i> (Anura:�Cycloramphidae), a Brazilian Atlantic Forest frog. <i>Phyllomedusa</i> , 2016, 15, 127.	0.2	3
10	Timeless standards for species delimitation. <i>Zootaxa</i> , 2016, 4137, 121-8.	0.5	32
11	A new species of spiny-backed treefrog (Osteocephalus) from Central Amazonian Brazil (Amphibia: Anura: Hylidae). <i>Zootaxa</i> , 2016, 4114, 171.	0.5	9
12	Photography-based taxonomy is inadequate, unnecessary, and potentially harmful for biological sciences. <i>Zootaxa</i> , 2016, 4196, zootaxa.4196.3.9.	0.5	63
13	The tadpole of <i>Hypsiboas guentheri</i> (Boulenger) (Anura: Hylidae). <i>Zootaxa</i> , 2016, 4179, 139.	0.5	1
14	Gastrointestinal helminths of <i>Choerophryne proboscidea</i> and <i>Xenorhina parkerorum</i> (Anura:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 0.2 1	0.2	1
15	Anuran trypanosomes: phylogenetic evidence for new clades in Brazil. <i>Systematic Parasitology</i> , 2015, 91, 63-70.	1.1	14
16	Passive and active defense in toads: The parotoid macroglands in <i>Rhinella marina</i> and <i>Rhaebo guttatus</i>. <i>Journal of Experimental Zoology</i> , 2014, 321, 65-77.	1.2	48
17	Unexpected phylogenetic positions of the genera <i>Rupirana</i> and <i>Crossodactylodes</i> reveal insights into the biogeography and reproductive evolution of leptodactylid frogs. <i>Molecular Phylogenetics and Evolution</i> , 2013, 67, 445-457.	2.7	69
18	Systematics of spiny�backed treefrogs (<sc>H</sc>yliidae: <i><sc>O</sc>steocephalus</i>): an <sc>A</sc>mazonian puzzle. <i>Zoologica Scripta</i> , 2013, 42, 351-380.	1.7	75

#	ARTICLE	IF	CITATIONS
19	A molecular phylogeny recovers <i>Strabomantis aramunha</i> Cassimiro, Verdade and Rodrigues, 2008 and <i>Haddadus binotatus</i> (Spix, 1824) (Anura: Terrarana) as sister taxa. <i>Zootaxa</i> , 2013, 3741, 569.	0.5	6
20	A molecular phylogeny recovers <i>Strabomantis aramunha</i> Cassimiro, Verdade and Rodrigues, 2008 and <i>Haddadus binotatus</i> (Spix, 1824) (Anura: Terrarana) as sister taxa. <i>Zootaxa</i> , 2013, 3741, 569.	0.5	0
21	A new species of <i>Cycloramphus</i> Tschudi (Anura: Cycloramphidae) from the Parque Nacional da Serra dos Açúcos, Southeastern Brazil. <i>Zootaxa</i> , 2011, 2737, 19.	0.5	12
22	Comparative cytogenetics of eight species of <i>Cycloramphus</i> (Anura, Cycloramphidae). <i>Zoologischer Anzeiger</i> , 2011, 250, 205-214.	0.9	6
23	The Amazonian toad <i>Rhaebo guttatus</i> is able to voluntarily squirt poison from the paratoid macroglands. <i>Amphibia - Reptilia</i> , 2011, 32, 546-549.	0.5	20
24	Para que servem os inventários de fauna?. <i>Estudos Avancados</i> , 2010, 24, 173-207.	0.5	69
25	Os riscos de extinção de sapos, rãs e pererecas em decorrência das alterações ambientais. <i>Estudos Avancados</i> , 2010, 24, 161-172.	0.5	9
26	Natural History of the Lutz's Frog <i>Cycloramphus lutzorum</i> Heyer, 1983 (Anura: Cycloramphidae) in the Brazilian Atlantic Forest: Description of the Advertisement Call, Tadpole, and Karyotype. <i>Journal of Herpetology</i> , 2010, 44, 360-371.	0.5	14
27	A New Genus of Microteiid Lizard from the Caparaó Mountains, Southeastern Brazil, with a Discussion of Relationships among Gymnophthalminae (Squamata). <i>American Museum Novitates</i> , 2009, 3673, 1-27.	0.6	39
28	Amphibia, Anura, Cycloramphidae, <i>Zachaeus carvalhoi</i> Izecksohn, 1983 and <i>Z. parvulus</i> (Girard, 1853): filling gap and geographic distribution map for the genus. <i>Check List</i> , 2009, 5, 755.	0.4	6
29	On the Identity of <i>Cycloramphus jordanensis</i> Heyer, 1983 (Anura: Cycloramphidae). <i>Herpetologica</i> , 2008, 64, 452-457.	0.4	8
30	Advertisement Call, Vocal Activity, and Geographic Distribution of <i>Brachycephalus hermogenesi</i> (Giaretta and Sawaya, 1998) (Anura, Brachycephalidae). <i>Journal of Herpetology</i> , 2008, 42, 542-549.	0.5	18
31	A large and enigmatic new eleutherodactyline frog (Anura, Strabomantidae) from Serra do Sincora Espinhaco range, Northeastern Brazil. <i>Zootaxa</i> , 2008, 1761, 59.	0.5	7
32	A New Genus of Microteiid Lizard from the Atlantic Forests of State of Bahia, Brazil, with a New Generic Name for <i>Colobosaura mentalis</i> , and a Discussion of Relationships Among the Heterodactylini (Squamata, Gymnophthalmidae). <i>American Museum Novitates</i> , 2007, 3565, 1.	0.6	33
33	Taxonomic Review of <i>Allobates</i> (Anura, Aromobatidae) from the Atlantic Forest, Brazil. <i>Journal of Herpetology</i> , 2007, 41, 566-580.	0.5	18
34	Herpetofauna de serrapilheira da Reserva Florestal de Morro Grande, Cotia (SP). <i>Biota Neotropica</i> , 2006, 6, .	1.0	65
35	Amphibian Chytrid Fungus Broadly Distributed in the Brazilian Atlantic Rain Forest. <i>EcoHealth</i> , 2006, 3, 41-48.	2.0	67
36	A NEW SPECIES OF CYCLORAMPHUS (ANURA, LEPTODACTYLIDAE) FROM THE ATLANTIC FOREST, BRAZIL. <i>Herpetologica</i> , 2003, 59, 513-518.	0.4	15

#	ARTICLE	IF	CITATIONS
37	A new species of <i>Leposoma</i> (Squamata, Gymnophthalmidae) from the remnant Atlantic forests of the state of Bahia, Brazil. <i>Papeis Avulsos De Zoologia</i> , 2002, 42, 335.	0.4	17
38	AnfÃbios do MunicÃpio do Rio de Janeiro. <i>Phyllomedusa</i> , 2002, 1, 112.	0.2	17
39	Diet of Juvenile Aquatic Caecilians, <i>Typhlonectes compressicauda</i> . <i>Journal of Herpetology</i> , 2000, 34, 291.	0.5	16
40	For neither heat nor water conservation: Body size variation in Atlantic Forest frogs does not follow a general mechanism. <i>Journal of Biogeography</i> , 0, , .	3.0	2