

# Lingling Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1912007/lingling-wang-publications-by-year.pdf>

**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81 papers	1,488 citations	22 h-index	35 g-index
84 ext. papers	1,814 ext. citations	3.3 avg, IF	5.15 L-index

#	Paper	IF	Citations
81	Ultrahigh-Q Tunable Terahertz Absorber Based on Bulk Dirac Semimetal with Surface Lattice Resonance. <i>Photonics</i> , <b>2022</b> , 9, 22	2.2	2
80	Highly tunable dual bound states in the continuum in bulk Dirac semimetal metasurface. <i>Applied Physics Express</i> , <b>2021</b> , 14, 042002	2.4	3
79	Visible light-activated self-powered photoelectrochemical aptasensor for ultrasensitive chloramphenicol detection based on DFT-proved Z-scheme AgCrO/g-CN/graphene oxide. <i>Journal of Hazardous Materials</i> , <b>2021</b> , 401, 123395	12.8	29
78	Dual-Band Plasmonic Perfect Absorber Based on the Hybrid Halide Perovskite in the Communication Regime. <i>Coatings</i> , <b>2021</b> , 11, 67	2.9	10
77	Dynamically tunable narrowband anisotropic total absorption in monolayer black phosphorus based on critical coupling. <i>Optics Express</i> , <b>2021</b> , 29, 2909-2919	3.3	5
76	Joint connection of experiment and simulation for photocatalytic hydrogen evolution: strength, weakness, validation and complementarity. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 6749-6774	13	3
75	Tunable triple-band and broad-band convertible metamaterial absorber with bulk Dirac semimetal and vanadium dioxide. <i>Journal Physics D: Applied Physics</i> , <b>2021</b> , 54, 174001	3	5
74	Direct Attack and Indirect Transfer Mechanisms Dominated by Reactive Oxygen Species for Photocatalytic H <sub>2</sub> O <sub>2</sub> Production on g-C <sub>3</sub> N <sub>4</sub> Possessing Nitrogen Vacancies. <i>ACS Catalysis</i> , <b>2021</b> , 11, 11440-11450	13.1	14
73	The total optical force exerted on black phosphorus coated dielectric cylinder pairs enhanced by localized surface plasmon. <i>Journal of Applied Physics</i> , <b>2021</b> , 130, 113103	2.5	2
72	Active control of narrowband total absorption based on terahertz hybrid Dirac semimetal-graphene metamaterials. <i>Journal Physics D: Applied Physics</i> , <b>2020</b> , 53, 205106	3	11
71	Dynamically tunable coherent perfect absorption based on bulk Dirac semimetal. <i>Journal of the Optical Society of America B: Optical Physics</i> , <b>2020</b> , 37, 1987	1.7	1
70	Strong plasmon-exciton coupling in MIM waveguide-resonator systems with WS monolayer. <i>Optics Express</i> , <b>2020</b> , 28, 205-215	3.3	19
69	Thermally switchable bifunctional plasmonic metasurface for perfect absorption and polarization conversion based on VO. <i>Optics Express</i> , <b>2020</b> , 28, 4563-4570	3.3	29
68	Plasmonically induced transparency in in-plane isotropic and anisotropic 2D materials. <i>Optics Express</i> , <b>2020</b> , 28, 7980-8002	3.3	51
67	Ultrathin multi-band coherent perfect absorber in graphene with high-contrast gratings. <i>Optics Express</i> , <b>2020</b> , 28, 24285-24297	3.3	14
66	Graphene-enabled reconfigurable terahertz wavefront modulator based on complete Fermi level modulated phase. <i>New Journal of Physics</i> , <b>2020</b> , 22, 063054	2.9	5
65	Two Switchable Plasmonically Induced Transparency Effects in a System with Distinct Graphene Resonators. <i>Nanoscale Research Letters</i> , <b>2020</b> , 15, 142	5	17

64	A broadband and polarization-insensitive perfect absorber based on a van der Waals material in the mid-infrared regime. <i>Results in Physics</i> , <b>2019</b> , 15, 102687	3.7	6
63	Multispectral Resonances and Coherent Control in Plasmonic Metasurfaces. <i>IEEE Photonics Technology Letters</i> , <b>2019</b> , 31, 319-322	2.2	2
62	Tunable Dual-Band Perfect Absorber Based on L-Shaped Graphene Resonator. <i>IEEE Photonics Technology Letters</i> , <b>2019</b> , 31, 483-486	2.2	20
61	Plasmonically induced perfect absorption in graphene/metal system. <i>Nanoscale Research Letters</i> , <b>2019</b> , 14, 300	5	4
60	Ultrasensitive tunable terahertz sensor based on five-band perfect absorber with Dirac semimetal. <i>Optics Express</i> , <b>2019</b> , 27, 20165-20176	3.3	27
59	Bidirectional and dynamically tunable THz absorber with Dirac semimetal. <i>Optics Express</i> , <b>2019</b> , 27, 31063-31074	3.3	27
58	Dynamically tunable coherent perfect absorption and transparency in Dirac semimetal metasurface. <i>Optical Materials Express</i> , <b>2019</b> , 9, 3649	2.6	5
57	Characteristics of electronic and spin-independent linear conductance in conjugated aromatic polymer based molecular device. <i>Organic Electronics</i> , <b>2019</b> , 65, 49-55	3.5	11
56	A green Y2O3:Eu3+ phosphor influenced by laser irradiation, incendiary agents, and annealing temperatures. <i>Optics and Laser Technology</i> , <b>2019</b> , 113, 204-210	4.2	3
55	Investigation of multiband plasmonic metamaterial perfect absorbers based on graphene ribbons by the phase-coupled method. <i>Carbon</i> , <b>2019</b> , 141, 481-487	10.4	84
54	Dynamically Tunable Plasmon-Induced Transparency Based on an H-Shaped Graphene Resonator. <i>IEEE Photonics Technology Letters</i> , <b>2018</b> , 30, 622-625	2.2	17
53	Tunable and multi-channel perfect absorber based on graphene at mid-infrared region. <i>Applied Physics Express</i> , <b>2018</b> , 11, 052002	2.4	30
52	Modulating the properties of multi-functional molecular devices consisting of zigzag gallium nitride nanoribbons by different magnetic orderings: a first-principles study. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 5726-5733	3.6	24
51	Detailed correlations between SERS enhancement and plasmon resonances in subwavelength closely spaced Au nanorod arrays. <i>Nanoscale</i> , <b>2018</b> , 10, 4267-4275	7.7	27
50	Anomalous spectral correlations between SERS enhancement and far-field optical responses in roughened Au mesoparticles. <i>Applied Physics Letters</i> , <b>2018</b> , 112, 171906	3.4	10
49	Enhanced dual-band absorption of molybdenum disulfide using a plasmonic perfect absorber. <i>Optics Express</i> , <b>2018</b> , 26, 11658-11666	3.3	87
48	Unexpected large nanoparticle size of single dimer hotspot systems for broadband SERS enhancement. <i>Optics Letters</i> , <b>2018</b> , 43, 2332-2335	3	23
47	A tunable dual-band graphene-based perfect absorber in the optical communication band. <i>Optics and Laser Technology</i> , <b>2018</b> , 108, 404-408	4.2	9

46	Surface enhanced perfect absorption in metamaterials with periodic dielectric nanostrips on silver film. <i>Optics Express</i> , <b>2018</b> , 26, 30873-30881	3.3	9
45	Polarization-insensitive and wide-angle broadband absorption enhancement of molybdenum disulfide in visible regime. <i>Optics Express</i> , <b>2018</b> , 26, 33918-33929	3.3	32
44	High-performance spin rectification in gallium nitride-based molecular junctions with asymmetric edge passivation. <i>Journal of Applied Physics</i> , <b>2018</b> , 124, 215102	2.5	4
43	High- \$Q\$ Multiple Fano Resonances Sensor in Single Dark Mode Metamaterial Waveguide Structure. <i>IEEE Photonics Technology Letters</i> , <b>2018</b> , 30, 2068-2071	2.2	13
42	Tunable ultra-narrowband and wide-angle graphene-based perfect absorber in the optical communication region. <i>Applied Physics Express</i> , <b>2018</b> , 11, 105102	2.4	27
41	Multispectral Plasmon Induced Transparency in a Defective Metasurface Plasmonic Nanostructure. <i>IEEE Photonics Technology Letters</i> , <b>2018</b> , 30, 1009-1012	2.2	12
40	Tunable Terahertz Narrow-Band Plasmonic Filter Based on Optical Tamm Plasmon in Dual-Section InSb Slot Waveguide. <i>Plasmonics</i> , <b>2017</b> , 12, 509-514	2.4	10
39	2D nano-Y2O3:Eu3+ photoluminescence with different preparation methods and annealing temperatures. <i>Materials Research Express</i> , <b>2017</b> , 4, 035027	1.7	2
38	Parity Effects Induced by the Resonant Electronic States Coupling in Polyacetylene-Based Devices. <i>Journal of Electronic Materials</i> , <b>2017</b> , 46, 5121-5126	1.9	17
37	Numerical analysis of near-infrared plasmonic filter with high figure of merit based on Fano resonance. <i>Applied Physics Express</i> , <b>2017</b> , 10, 082201	2.4	11
36	Generating and Manipulating High Quality Factors of Fano Resonance in Nanoring Resonator by Stacking a Half Nanoring. <i>Nanoscale Research Letters</i> , <b>2017</b> , 12, 578	5	13
35	Tunable nonreciprocal transmission system based on MIM waveguide with Kerr nonlinear material. <i>Optics Communications</i> , <b>2017</b> , 403, 262-265	2	2
34	Spin-filtering and giant magnetoresistance effects in polyacetylene-based molecular devices. <i>Journal of Applied Physics</i> , <b>2017</b> , 122, 035103	2.5	2
33	Tunable Nonreciprocal Graphene Waveguide With Kerr Nonlinear Material. <i>IEEE Photonics Technology Letters</i> , <b>2017</b> , 29, 1903-1906	2.2	4
32	The laser induced photoluminescence characteristics of Eu3+ doped nano-Gd2O3 (nano-Y2O3). <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 14758-14762	2.1	3
31	Theoretical Analysis of Plasmon-Induced Transparency in MIM Waveguide Bragg Grating Coupled With a Single Subradiant Resonator. <i>IEEE Photonics Journal</i> , <b>2017</b> , 9, 1-8	1.8	2
30	Tunable plasmon-induced absorption in an integrated graphene nanoribbon side-coupled waveguide. <i>Applied Optics</i> , <b>2017</b> , 56, 9536-9541	1.7	8
29	Tunable graphene-based plasmonic multispectral and narrowband perfect metamaterial absorbers at the mid-infrared region. <i>Applied Optics</i> , <b>2017</b> , 56, 6022-6027	1.7	45

28	Total absorption of light in monolayer transition-metal dichalcogenides by critical coupling. <i>Optics Express</i> , <b>2017</b> , 25, 31612-31621	3.3	100
27	Tunable graphene-based mid-infrared plasmonic wide-angle narrowband perfect absorber. <i>Scientific Reports</i> , <b>2016</b> , 6, 36651	4.9	76
26	Double Fano resonances excited in a compact structure by introducing a defect. <i>Europhysics Letters</i> , <b>2016</b> , 114, 57006	1.6	8
25	Broadband coplane metamaterial filter based on two nested split-ring-resonators. <i>Frontiers of Optoelectronics</i> , <b>2016</b> , 9, 565-570	2.8	1
24	Dynamically tunable plasmon-induced absorption in resonator-coupled graphene waveguide. <i>Europhysics Letters</i> , <b>2016</b> , 116, 44004	1.6	13
23	Tunable double transparency windows induced by single subradiant element in coupled graphene plasmonic nanostructure. <i>Applied Physics Express</i> , <b>2016</b> , 9, 052001	2.4	12
22	A Broadband Optical Modulator Based on a Graphene Hybrid Plasmonic Waveguide. <i>Journal of Lightwave Technology</i> , <b>2016</b> , 34, 4948-4953	4	47
21	Narrow-Band Plasmonic Filter Based on Graphene Waveguide with Asymmetrical Structure. <i>Plasmonics</i> , <b>2015</b> , 10, 1427-1431	2.4	17
20	Dynamically tuning the optical coupling of surface plasmons in coplanar graphene nanoribbons. <i>Optics Communications</i> , <b>2015</b> , 352, 110-115	2	12
19	Investigation of the optical performance in straight hybrid plasmonic waveguides with concentric nanoring and nanodisk. <i>Journal of Nanophotonics</i> , <b>2015</b> , 9, 093095	1.1	
18	First-principles calculations of half-metallic ferromagnetism in zigzag boron-nitride nanoribbons jointed with a single Fe-chain. <i>Journal of Semiconductors</i> , <b>2015</b> , 36, 082003	2.3	2
17	Combined theoretical analysis for plasmon-induced transparency in integrated graphene waveguides with direct and indirect couplings. <i>Europhysics Letters</i> , <b>2015</b> , 111, 34004	1.6	53
16	Fully solution-processed and multilayer blue organic light-emitting diodes based on efficient small molecule emissive layer and intergrated interlayer optimization. <i>Organic Electronics</i> , <b>2015</b> , 27, 35-40	3.5	24
15	Analysis of Filter and Waveguide Effect Based on the MIM Nanodisk with a Metallic Block. <i>Journal of Nanomaterials</i> , <b>2015</b> , 2015, 1-7	3.2	6
14	Laser-induced spectra change in nanocrystalline GdYO <sub>3</sub> :Eu <sup>3+</sup> . <i>Journal of Luminescence</i> , <b>2015</b> , 165, 85-87	3.8	3
13	Plasmon resonances in a stacked pair of graphene ribbon arrays with a lateral displacement. <i>Optics Express</i> , <b>2014</b> , 22, 6680-90	3.3	11
12	Spin and band-gap engineering in zigzag graphene nanoribbons with methylene group. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , <b>2014</b> , 63, 259-263	3	6
11	Graphene-based terahertz tunable plasmonic directional coupler. <i>Applied Physics Letters</i> , <b>2014</b> , 105, 081903	3.03	33

10	Perfect spin filter and strong current polarization in carbon atomic chain with asymmetrical connecting points. <i>Europhysics Letters</i> , <b>2014</b> , 105, 57003	1.6	8
9	A comparative study on magnetism in Zn-doped AlN and GaN from first-principles. <i>Journal of Applied Physics</i> , <b>2014</b> , 116, 103908	2.5	6
8	Spin-dependent transport properties of a chromium porphyrin-based molecular embedded between two graphene nanoribbon electrodes. <i>RSC Advances</i> , <b>2014</b> , 4, 60376-60381	3.7	22
7	Luminescent and photocatalytic properties of hollow SnO <sub>2</sub> nanospheres. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2013</b> , 178, 725-729	3.1	9
6	Hydrothermal Synthesis of Ln(OH) <sub>3</sub> Nanorods and the Conversion to Ln <sub>2</sub> O <sub>3</sub> (Ln = Eu, Nd, Dy) Nanorods via Annealing Process. <i>Journal of Nanomaterials</i> , <b>2013</b> , 2013, 1-7	3.2	2
5	Mid-infrared, plasmonic switches and directional couplers induced by graphene sheets coupling system. <i>Europhysics Letters</i> , <b>2013</b> , 104, 37001	1.6	28
4	Magnetic properties of ZnS doped with noble metals (X = Ru, Rh, Pd, and Ag). <i>Journal of Applied Physics</i> , <b>2012</b> , 112, 123920	2.5	13
3	SYNTHESIS AND LUMINESCENCE PROPERTIES OF ZnO:Eu <sup>3+</sup> NANOWIRE ARRAYS VIA ELECTRODEPOSITED METHOD. <i>Functional Materials Letters</i> , <b>2010</b> , 03, 285-288	1.2	4
2	Nanomechanically induced molecular conductance switch. <i>Applied Physics Letters</i> , <b>2009</b> , 95, 232118	3.4	14
1	Effect of length and size of heterojunction on the transport properties of carbon-nanotube devices. <i>Applied Physics Letters</i> , <b>2007</b> , 91, 133511	3.4	104