

# Rino Ragno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/191222/publications.pdf>

Version: 2024-02-01

145  
papers

4,791  
citations

76196

40  
h-index

123241

61  
g-index

148  
all docs

148  
docs citations

148  
times ranked

6135  
citing authors

#	ARTICLE	IF	CITATIONS
1	Human estrogen receptor $\hat{\pm}$ antagonists, part 2: Synthesis driven by rational design, in vitro antiproliferative, and in vivo anticancer evaluation of innovative coumarin-related antiestrogens as breast cancer suppressants. <i>European Journal of Medicinal Chemistry</i> , 2022, 227, 113869.	2.6	6
2	Transcriptomic and genomic studies classify NKL54 as a histone deacetylase inhibitor with indirect influence on MEF2-dependent transcription. <i>Nucleic Acids Research</i> , 2022, 50, 2566-2586.	6.5	12
3	Targeting the anti-apoptotic Bcl-2 family proteins: machine learning virtual screening and biological evaluation of new small molecules. <i>Theranostics</i> , 2022, 12, 2427-2444.	4.6	12
4	Inhibition of PKC $\hat{\pm}$ Improves Dystrophic Heart Phenotype and Function in a Novel Model of DMD Cardiomyopathy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2256.	1.8	1
5	<i>Foeniculum vulgare</i> Miller, a New Chemotype from Montenegro. <i>Plants</i> , 2022, 11, 42.	1.6	6
6	Human Estrogen Receptor Alpha Antagonists, Part 3: 3-D Pharmacophore and 3-D QSAR Guided Brefeldin A Hit-to-Lead Optimization toward New Breast Cancer Suppressants. <i>Molecules</i> , 2022, 27, 2823.	1.7	3
7	Essential Oils Biofilm Modulation Activity and Machine Learning Analysis on <i>Pseudomonas aeruginosa</i> Isolates from Cystic Fibrosis Patients. <i>Microorganisms</i> , 2022, 10, 887.	1.6	11
8	In vivo Antiphytoviral Activity of Essential Oils and Hydrosols From <i>Origanum vulgare</i> , <i>Thymus vulgaris</i> , and <i>Rosmarinus officinalis</i> to Control Zucchini Yellow Mosaic Virus and Tomato Leaf Curl New Delhi Virus in <i>Cucurbita pepo</i> L.. <i>Frontiers in Microbiology</i> , 2022, 13, 840893.	1.5	15
9	Ligand-based and structure-based studies to develop predictive models for SARS-CoV-2 main protease inhibitors through the 3d-qsar.com portal. <i>Journal of Computer-Aided Molecular Design</i> , 2022, 36, 483-505.	1.3	4
10	The anti-STAT1 polyphenol myricetin inhibits M1 microglia activation and counteracts neuronal death. <i>FEBS Journal</i> , 2021, 288, 2347-2359.	2.2	16
11	Antitumor effect of <i>Melaleuca alternifolia</i> essential oil and its main component terpinen-4-ol in combination with target therapy in melanoma models. <i>Cell Death Discovery</i> , 2021, 7, 127.	2.0	24
12	A Comparative Analysis of Punicalagin Interaction with PDIA1 and PDIA3 by Biochemical and Computational Approaches. <i>Biomedicines</i> , 2021, 9, 1533.	1.4	3
13	Human Estrogen Receptor $\hat{\pm}$ Antagonists. Part 1: 3-D QSAR-Driven Rational Design of Innovative Coumarin-Related Antiestrogens as Breast Cancer Suppressants through Structure-Based and Ligand-Based Studies. <i>Journal of Chemical Information and Modeling</i> , 2021, 61, 5028-5053.	2.5	5
14	Anti-Virulence Properties of <i>Coridothymus capitatus</i> Essential Oil against <i>Pseudomonas aeruginosa</i> Clinical Isolates from Cystic Fibrosis Patients. <i>Microorganisms</i> , 2021, 9, 2257.	1.6	10
15	First-in-Class Inhibitors of the Ribosomal Oxygenase MINA53. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 17031-17050.	2.9	7
16	Chemical composition and antimicrobial activity of essential oil of <i>Helichrysum italicum</i> (Roth) G. Don fil. (Asteraceae) from Montenegro. <i>Natural Product Research</i> , 2020, 34, 445-448.	1.0	27
17	Variation in essential oil content and composition of <i>Ridolfia segetum</i> Moris based on 30-hour prolonged fractionated extraction procedure. <i>Natural Product Research</i> , 2020, 34, 1923-1926.	1.0	4
18	Gas-phase structures and thermochemical properties of protonated 5-HMF isomers. <i>International Journal of Mass Spectrometry</i> , 2020, 447, 116237.	0.7	4

#	ARTICLE	IF	CITATIONS
19	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopesâ€“6. <i>Molecules</i> , 2020, 25, 119.	1.7	8
20	Essential Oils and Their Main Chemical Components: The Past 20 Years of Preclinical Studies in Melanoma. <i>Cancers</i> , 2020, 12, 2650.	1.7	19
21	Antimicrobial Essential Oil Formulation: Chitosan Coated Nanoemulsions for Nose to Brain Delivery. <i>Pharmaceutics</i> , 2020, 12, 678.	2.0	32
22	Essential Oils Biofilm Modulation Activity, Chemical and Machine Learning Analysisâ€“Application on <i>Staphylococcus aureus</i> Isolates from Cystic Fibrosis Patients. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9258.	1.8	17
23	Potent In Vitro Activity of <i>Citrus aurantium</i> Essential Oil and <i>Vitis vinifera</i> Hydrolate Against Gut Yeast Isolates from Irritable Bowel Syndrome Patientsâ€“The Right Mix for Potential Therapeutic Use. <i>Nutrients</i> , 2020, 12, 1329.	1.7	12
24	Teaching and Learning Computational Drug Design: Student Investigations of 3D Quantitative Structureâ€“Activity Relationships through Web Applications. <i>Journal of Chemical Education</i> , 2020, 97, 1922-1930.	1.1	27
25	Identification of Inhibitors to <i>Trypanosoma cruzi</i> Sirtuins Based on Compounds Developed to Human Enzymes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3659.	1.8	8
26	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopesâ€“7. <i>Molecules</i> , 2020, 25, 2968.	1.7	5
27	Essential oils against bacterial isolates from cystic fibrosis patients by means of antimicrobial and unsupervised machine learning approaches. <i>Scientific Reports</i> , 2020, 10, 2653.	1.6	30
28	Altered mitochondrial function in cells carrying a premutation or unmethylated full mutation of the FMR1 gene. <i>Human Genetics</i> , 2020, 139, 227-245.	1.8	16
29	Discovery of the First Human Arylsulfatase A Reversible Inhibitor Impairing Mouse Oocyte Fertilization. <i>ACS Chemical Biology</i> , 2020, 15, 1349-1357.	1.6	4
30	Experimental Data Based Machine Learning Classification Models with Predictive Ability to Select in Vitro Active Antiviral and Non-Toxic Essential Oils. <i>Molecules</i> , 2020, 25, 2452.	1.7	19
31	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopesâ€“5. <i>Molecules</i> , 2019, 24, 2415.	1.7	5
32	www.3d-qsar.com: A Portal to Build 3-D QSAR Models. <i>Proceedings (mdpi)</i> , 2019, 22, 76.	0.2	3
33	www.3d-qsar.com: a web portal that brings 3-D QSAR to all electronic devicesâ€“the Py-CoMFA web application as tool to build models from pre-aligned datasets. <i>Journal of Computer-Aided Molecular Design</i> , 2019, 33, 855-864.	1.3	37
34	Shmt2: A Stat3 Signaling New Player in Prostate Cancer Energy Metabolism. <i>Cells</i> , 2019, 8, 1048.	1.8	28
35	Machine Learning Analyses on Data including Essential Oil Chemical Composition and In Vitro Experimental Antibiofilm Activities against <i>Staphylococcus</i> Species. <i>Molecules</i> , 2019, 24, 890.	1.7	41
36	In-Vitro Evaluation of Different Antimicrobial Combinations with and without Colistin Against Carbapenem-Resistant <i>Acinetobacter Baumannii</i> . <i>Molecules</i> , 2019, 24, 886.	1.7	12

#	ARTICLE	IF	CITATIONS
37	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopesâ€“4. <i>Molecules</i> , 2019, 24, 130.	1.7	4
38	Development of alkyl glycerone phosphate synthase inhibitors: Structure-activity relationship and effects on ether lipids and epithelial-mesenchymal transition in cancer cells. <i>European Journal of Medicinal Chemistry</i> , 2019, 163, 722-735.	2.6	15
39	Effect of Î±-Methoxy Substitution on the Anti-HIV Activity of Dihydropyrimidin-4(3 <i>H</i> )-ones. <i>Journal of Medicinal Chemistry</i> , 2019, 62, 604-621.	2.9	14
40	Abstract 2502: Targeting anti-apoptotic Bcl-2 family for cancer therapy. , 2019, ,		0
41	<i>Lycium barbarum</i> polysaccharides: Extraction, purification, structural characterisation and evidence about hypoglycaemic and hypolipidaemic effects. A review. <i>Food Chemistry</i> , 2018, 254, 377-389.	4.2	192
42	Ab-initio and experimental study of pentose sugar dehydration mechanism in the gas phase. <i>Carbohydrate Research</i> , 2018, 458-459, 19-28.	1.1	11
43	Disruptor of telomeric silencing 1-like (DOT1L): disclosing a new class of non-nucleoside inhibitors by means of ligand-based and structure-based approaches. <i>Journal of Computer-Aided Molecular Design</i> , 2018, 32, 435-458.	1.3	15
44	RIP1â€“HAT1â€“SIRT Complex Identification and Targeting in Treatment and Prevention of Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 2886-2900.	3.2	40
45	<i>Melissa officinalis</i> L. subsp. <i>altissima</i> (Sibth. & Sm.) Arcang. essential oil: Chemical composition and preliminary antimicrobial investigation of samples obtained at different harvesting periods and by fractionated extractions. <i>Industrial Crops and Products</i> , 2018, 117, 317-321.	2.5	17
46	Essential oil extraction, chemical analysis and anti- <i>Candida</i> activity of <i>Foeniculum vulgare</i> Miller â€“ new approaches. <i>Natural Product Research</i> , 2018, 32, 1254-1259.	1.0	34
47	<i>Sideritis romana</i> L. subsp. <i>purpurea</i> (Tal. ex Benth.) Heywood, a new chemotype from Montenegro. <i>Natural Product Research</i> , 2018, 32, 1056-1061.	1.0	9
48	The Targeted Pesticides as Acetylcholinesterase Inhibitors: Comprehensive Cross-Organism Molecular Modelling Studies Performed to Anticipate the Pharmacology of Harmfulness to Humans In Vitro. <i>Molecules</i> , 2018, 23, 2192.	1.7	36
49	High Potency of <i>Melaleuca alternifolia</i> Essential Oil against Multi-Drug Resistant Gram-Negative Bacteria and Methicillin-Resistant <i>Staphylococcus aureus</i> . <i>Molecules</i> , 2018, 23, 2584.	1.7	62
50	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopesâ€“2. <i>Molecules</i> , 2018, 23, 65.	1.7	2
51	Antimicrobial and Antibiofilm Activity and Machine Learning Classification Analysis of Essential Oils from Different Mediterranean Plants against <i>Pseudomonas aeruginosa</i> . <i>Molecules</i> , 2018, 23, 482.	1.7	62
52	Carotenoid content of Goji berries: CIELAB, HPLC-DAD analyses and quantitative correlation. <i>Food Chemistry</i> , 2018, 268, 49-56.	4.2	49
53	Exploring the first Rimonabant analog-opioid peptide hybrid compound, as bivalent ligand for CB1 and opioid receptors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017, 32, 444-451.	2.5	27
54	Enhancing activity and selectivity in a series of pyrrol-1-yl-1-hydroxypyrazole-based aldose reductase inhibitors: The case of trifluoroacetylation. <i>European Journal of Medicinal Chemistry</i> , 2017, 130, 328-335.	2.6	13

#	ARTICLE	IF	CITATIONS
55	Novel coumarin- and quinolinone-based polycycles as cell division cycle 25-A and -C phosphatases inhibitors induce proliferation arrest and apoptosis in cancer cells. <i>European Journal of Medicinal Chemistry</i> , 2017, 134, 316-333.	2.6	24
56	Essential oils extraction: a 24-hour steam distillation systematic methodology. <i>Natural Product Research</i> , 2017, 31, 2387-2396.	1.0	56
57	Understanding the Molecular Determinant of Reversible Human Monoamine Oxidase B Inhibitors Containing 2 <i>H</i> -Chromen-2-One Core: Structure-Based and Ligand-Based Derived Three-Dimensional Quantitative Structure-Activity Relationships Predictive Models. <i>Journal of Chemical Information and Modeling</i> , 2017, 57, 787-814.	2.5	33
58	Synthesis, biological evaluation and quantitative structure-active relationships of 1,3-thiazolidin-4-one derivatives. A promising chemical scaffold endowed with high antifungal potency and low cytotoxicity. <i>European Journal of Medicinal Chemistry</i> , 2017, 140, 274-292.	2.6	21
59	Composition of the Essential Oil of <i>Coristospermum cuneifolium</i> and Antimicrobial Activity Evaluation. <i>Planta Medica International Open</i> , 2017, 4, e74-e81.	0.3	6
60	Genotoxicity assessment of piperitenone oxide: An <i>in vitro</i> and <i>in silico</i> evaluation. <i>Food and Chemical Toxicology</i> , 2017, 106, 506-513.	1.8	16
61	Chemical and Antimicrobial Analyses of <i>Sideritis romana</i> L. subsp. <i>purpurea</i> (Tal. ex Benth.) Heywood, an Endemic of the Western Balkan. <i>Molecules</i> , 2017, 22, 1395.	1.7	22
62	Essential Oil Extraction, Chemical Analysis and Anti-Candida Activity of <i>Calamintha nepeta</i> (L.) Savi subsp. <i>glandulosa</i> (Req.) Ball. New Approaches. <i>Molecules</i> , 2017, 22, 203.	1.7	30
63	Breakthroughs in Medicinal Chemistry: New Targets and Mechanisms, New Drugs, New Hopes. <i>Molecules</i> , 2017, 22, 743.	1.7	3
64	<i>Calamintha nepeta</i> (L.) Savi and its Main Essential Oil Constituent Pulegone: Biological Activities and Chemistry. <i>Molecules</i> , 2017, 22, 290.	1.7	61
65	A Series of COX-2 Inhibitors Endowed with NO-Releasing Properties: Synthesis, Biological Evaluation, and Docking Analysis. <i>ChemMedChem</i> , 2016, 11, 1804-1811.	1.6	6
66	Structure-Based Modeling of Histone Deacetylases Inhibitors. , 2016, , 155-212.		0
67	New Inhibitors of Indoleamine 2,3-Dioxygenase 1: Molecular Modeling Studies, Synthesis, and Biological Evaluation. <i>Journal of Medicinal Chemistry</i> , 2016, 59, 9760-9773.	2.9	35
68	Antibacterial activity of essential oils mixture against PSA. <i>Natural Product Research</i> , 2016, 30, 412-418.	1.0	11
69	Effects of <i>Mentha suaveolens</i> Essential Oil on <i>Chlamydia trachomatis</i> . <i>BioMed Research International</i> , 2015, 2015, 1-7.	0.9	23
70	Multidisciplinary Approach to Determine the Optimal Time and Period for Extracting the Essential Oil from <i>Mentha suaveolens</i> Ehrh. <i>Molecules</i> , 2015, 20, 9640-9655.	1.7	33
71	<i>Mentha suaveolens</i> Ehrh. (Lamiaceae) Essential Oil and Its Main Constituent Piperitenone Oxide: Biological Activities and Chemistry. <i>Molecules</i> , 2015, 20, 8605-8633.	1.7	65
72	Synthesis, biological evaluation and docking analysis of a new series of methylsulfonyl and sulfamoyl acetamides and ethyl acetates as potent COX-2 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 810-820.	1.4	21

#	ARTICLE	IF	CITATIONS
73	Vascular endothelial growth factor receptor-2 (VEGFR-2) inhibitors: development and validation of predictive 3-D QSAR models through extensive ligand- and structure-based approaches. <i>Journal of Computer-Aided Molecular Design</i> , 2015, 29, 757-776.	1.3	9
74	Binding of azole drugs to heme: A combined MS/MS and computational approach. <i>Polyhedron</i> , 2015, 90, 245-251.	1.0	7
75	Effects of <i>Mentha suaveolens</i> Essential Oil Alone or in Combination with Other Drugs in <i>Candida albicans</i> . <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	0.5	41
76	In vitro inhibition of herpes simplex virus type 1 replication by <i>Mentha suaveolens</i> essential oil and its main component piperitenone oxide. <i>Phytomedicine</i> , 2014, 21, 857-865.	2.3	63
77	Decreasing acidity in a series of aldose reductase inhibitors: 2-Fluoro-4-(1H-pyrrol-1-yl)phenol as a scaffold for improved membrane permeation. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 2194-2207.	1.4	20
78	Hsp90 Inhibitors, Part 2: Combining Ligand-Based and Structure-Based Approaches for Virtual Screening Application. <i>Journal of Chemical Information and Modeling</i> , 2014, 54, 970-977.	2.5	27
79	Exploring the Role of 2-Chloro-6-fluoro Substitution in 2-Alkylthio-6-benzyl-5-alkylpyrimidin-4(3 <i>H</i> )-ones: Effects in HIV-1-Infected Cells and in HIV-1 Reverse Transcriptase Enzymes. <i>Journal of Medicinal Chemistry</i> , 2014, 57, 5212-5225.	2.9	17
80	Hsp90 Inhibitors, Part 1: Definition of 3-D QSAutoGrid/R Models as a Tool for Virtual Screening. <i>Journal of Chemical Information and Modeling</i> , 2014, 54, 956-969.	2.5	12
81	Biaryl tetrazolyl ureas as inhibitors of endocannabinoid metabolism: Modulation at the N-portion and distal phenyl ring. <i>European Journal of Medicinal Chemistry</i> , 2013, 63, 118-132.	2.6	17
82	Pharmacophore Assessment Through 3-D QSAR: Evaluation of the Predictive Ability on New Derivatives by the Application on a Series of Antitubercular Agents. <i>Journal of Chemical Information and Modeling</i> , 2013, 53, 1463-1474.	2.5	9
83	Design, synthesis and biological evaluation of new classes of thieno[3,2-d]pyrimidinone and thieno[1,2,3]triazine as inhibitor of vascular endothelial growth factor receptor-2 (VEGFR-2). <i>European Journal of Medicinal Chemistry</i> , 2013, 63, 765-781.	2.6	46
84	Gas-phase basicity of furfuraldehyde. <i>Journal of Mass Spectrometry</i> , 2012, 47, 1488-1494.	0.7	5
85	Comprehensive model of wild-type and mutant HIV-1 reverse transcriptases. <i>Journal of Computer-Aided Molecular Design</i> , 2012, 26, 907-919.	1.3	15
86	Histone Deacetylase Inhibitors: Structure-Based Modeling and Isoform-Selectivity Prediction. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 2215-2235.	2.5	26
87	2-(Alkyl/Aryl)Amino-6-Benzylpyrimidin-4(3 <i>H</i> )-ones as Inhibitors of Wild-Type and Mutant HIV-1: Enantioselectivity Studies. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 3558-3562.	2.9	29
88	3-D QSAutoGrid/R: An Alternative Procedure To Build 3-D QSAR Models. Methodologies and Applications. <i>Journal of Chemical Information and Modeling</i> , 2012, 52, 1674-1685.	2.5	33
89	Inhibition of hepatitis C virus NS5B polymerase by S-trityl-L-cysteine derivatives. <i>European Journal of Medicinal Chemistry</i> , 2012, 49, 191-199.	2.6	20
90	Chemically Modified Multiwalled Carbon Nanotubes Electrodes with Ferrocene Derivatives through Reactive Landing. <i>Journal of Physical Chemistry C</i> , 2011, 115, 4863-4871.	1.5	23

#	ARTICLE	IF	CITATIONS
91	Identification of glutathione-methacrylates adducts in gingival fibroblasts and erythrocytes by HPLC-MS and capillary electrophoresis. <i>Dental Materials</i> , 2011, 27, e87-e98.	1.6	35
92	Beneficial effect of <i>Mentha suaveolens</i> essential oil in the treatment of vaginal candidiasis assessed by real-time monitoring of infection. <i>BMC Complementary and Alternative Medicine</i> , 2011, 11, 18.	3.7	47
93	Novel Cinnamyl Hydroxyamides and Aminoanilides as Histone Deacetylase Inhibitors: Apoptotic Induction and Cytodifferentiation Activity. <i>ChemMedChem</i> , 2011, 6, 698-712.	1.6	17
94	Identification of Small-Molecule Inhibitors of the XendoU Endoribonucleases Family. <i>ChemMedChem</i> , 2011, 6, 1797-1805.	1.6	8
95	Design, Synthesis and Biological Evaluation of Carboxy Analogues of Arginine Methyltransferase Inhibitor-1 (AMI-1). <i>ChemMedChem</i> , 2010, 5, 398-414.	1.6	60
96	Combining 3-D Quantitative Structure-Activity Relationship with Ligand Based and Structure Based Alignment Procedures for <i>in Silico</i> Screening of New Hepatitis C Virus NS5B Polymerase Inhibitors. <i>Journal of Chemical Information and Modeling</i> , 2010, 50, 662-676.	2.5	54
97	New pyrrole-based histone deacetylase inhibitors: Binding mode, enzyme- and cell-based investigations. <i>International Journal of Biochemistry and Cell Biology</i> , 2009, 41, 235-247.	1.2	24
98	Small-Molecule Interferon Inducers. Toward the Comprehension of the Molecular Determinants through Ligand-Based Approaches. <i>Journal of Chemical Information and Modeling</i> , 2009, 49, 1777-1786.	2.5	8
99	Class II-selective histone deacetylase inhibitors. Part 2: Alignment-independent GRIND 3-D QSAR, homology and docking studies. <i>European Journal of Medicinal Chemistry</i> , 2008, 43, 621-632.	2.6	39
100	CYP19 (aromatase): Exploring the scaffold flexibility for novel selective inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8349-8358.	1.4	23
101	5-Alkyl-6-benzyl-2-(2-oxo-2-phenylethylsulfanyl)pyrimidin-4(3H)-ones, a Series of Anti-HIV-1 Agents of the Dihydro-alkoxy-benzyl-oxypyrimidine Family with Peculiar Structure-Activity Relationship Profile. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 4641-4652.	2.9	52
102	The Tumor Marker Human Placental Protein 11 Is an Endoribonuclease. <i>Journal of Biological Chemistry</i> , 2008, 283, 34712-34719.	1.6	42
103	Indolyl aryl sulphones as HIV-1 reverse transcriptase inhibitors: docking and 3D QSAR studies. <i>Expert Opinion on Drug Discovery</i> , 2007, 2, 87-114.	2.5	5
104	Small Molecule Inhibitors of Histone Arginine Methyltransferases: Homology Modeling, Molecular Docking, Binding Mode Analysis, and Biological Evaluations. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 1241-1253.	2.9	98
105	Synthesis and Biological Properties of Novel 2-Aminopyrimidin-4(3H)-ones Highly Potent against HIV-1 Mutant Strains. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 5412-5424.	2.9	55
106	Synthesis and Biological Validation of Novel Synthetic Histone/Protein Methyltransferase Inhibitors. <i>ChemMedChem</i> , 2007, 2, 987-991.	1.6	52
107	A Combination of Molecular Dynamics and Docking Calculations to Explore the Binding Mode of ADS-J1, a Polyanionic Compound Endowed with Anti-HIV-1 Activity. <i>Journal of Chemical Information and Modeling</i> , 2006, 46, 1344-1351.	2.5	11
108	Design, Molecular Modeling, Synthesis, and Anti-HIV-1 Activity of New Indolyl Aryl Sulfones. Novel Derivatives of the Indole-2-carboxamide. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 3172-3184.	2.9	157



#	ARTICLE	IF	CITATIONS
109	Synthesis and Biological Properties of Novel, Uracil-Containing Histone Deacetylase Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2006, 49, 6046-6056.	2.9	57
110	3-D QSAR Studies on Histone Deacetylase Inhibitors. A GOLPE/GRID Approach on Different Series of Compounds. <i>Journal of Chemical Information and Modeling</i> , 2006, 46, 1420-1430.	2.5	42
111	Aroyl-Pyrrolyl Hydroxyamides: Influence of Pyrrole C4-Phenylacetyl Substitution on Histone Deacetylase Inhibition. <i>ChemMedChem</i> , 2006, 1, 225-237.	1.6	20
112	Design, Synthesis, Biological Evaluation, and Molecular Modeling Studies of TIBO-Like Cyclic Sulfones as Non-Nucleoside HIV-1 Reverse Transcriptase Inhibitors. <i>ChemMedChem</i> , 2006, 1, 82-95.	1.6	19
113	Indolyl Aryl Sulphones as HIV-1 Non-Nucleoside Reverse Transcriptase Inhibitors: Synthesis, Biological Evaluation and Binding Mode Studies of New Derivatives at Indole-2-carboxamide. <i>Antiviral Chemistry and Chemotherapy</i> , 2006, 17, 59-77.	0.3	25
114	5-Alkyl-2-alkylamino-6-(2,6-difluorophenylalkyl)-3,4-dihydropyrimidin-4(3H)-ones, a new series of potent, broad-spectrum non-nucleoside reverse transcriptase inhibitors belonging to the DABO family. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 2065-2077.	1.4	46
115	Synthesis and evaluation of new tripeptide phosphonate inhibitors of MMP-8 and MMP-2. <i>European Journal of Medicinal Chemistry</i> , 2005, 40, 271-279.	2.6	23
116	Design, synthesis and biological evaluation of heteroaryl diketohexenoic and diketobutanoic acids as HIV-1 integrase inhibitors endowed with antiretroviral activity. <i>Il Farmaco</i> , 2005, 60, 409-417.	0.9	34
117	Histone deacetylation in epigenetics: An attractive target for anticancer therapy. <i>Medicinal Research Reviews</i> , 2005, 25, 261-309.	5.0	306
118	Histone Deacetylation in Epigenetics: An Attractive Target for Anticancer Therapy. <i>ChemInform</i> , 2005, 36, no.	0.1	0
119	High Potency of Indolyl Aryl Sulfone Nonnucleoside Inhibitors towards Drug-Resistant Human Immunodeficiency Virus Type 1 Reverse Transcriptase Mutants Is Due to Selective Targeting of Different Mechanistic Forms of the Enzyme. <i>Antimicrobial Agents and Chemotherapy</i> , 2005, 49, 4546-4554.	1.4	19
120	Design, Synthesis, and Biological Evaluation of Sirtinol Analogues as Class III Histone/Protein Deacetylase (Sirtuin) Inhibitors. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 7789-7795.	2.9	159
121	Docking and 3-D QSAR Studies on Indolyl Aryl Sulfones. Binding Mode Exploration at the HIV-1 Reverse Transcriptase Non-Nucleoside Binding Site and Design of Highly Active N-(2-Hydroxyethyl)carboxamide and N-(2-Hydroxyethyl)carbohydrazide Derivatives. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 213-223.	2.9	77
122	Novel 1-[2-(Diarylmethoxy)ethyl]-2-methyl-5-nitroimidazoles as HIV-1 Non-Nucleoside Reverse Transcriptase Inhibitors. A Structure-Activity Relationship Investigation. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 4378-4388.	2.9	51
123	HIV-Reverse Transcriptase Inhibition: Inclusion of Ligand-Induced Fit by Cross-Docking Studies. <i>Journal of Medicinal Chemistry</i> , 2005, 48, 200-212.	2.9	67
124	2,6-Bis(3,4,5-trihydroxybenzylidene) derivatives of cyclohexanone. <i>Bioorganic and Medicinal Chemistry</i> , 2004, 12, 199-215.	1.4	76
125	6-Aryl-2,4-dioxo-5-hexenoic acids, novel integrase inhibitors active against HIV-1 multiplication in cell-based assays. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 1745-1749.	1.0	32
126	3-(4-Aroyl-1-methyl-1H-2-pyrrolyl)-N-hydroxy-2-propenamides as a New Class of Synthetic Histone Deacetylase Inhibitors. 2. Effect of Pyrrole-C2 and/or -C4 Substitutions on Biological Activity. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 1098-1109.	2.9	61



#	ARTICLE	IF	CITATIONS
127	3-(4-Aroyl-1-methyl-1H-pyrrol-2-yl)-N-hydroxy-2-propenamides as a New Class of Synthetic Histone Deacetylase Inhibitors. 3. Discovery of Novel Lead Compounds through Structure-Based Drug Design and Docking Studies. Journal of Medicinal Chemistry, 2004, 47, 1351-1359.	2.9	65
128	Computer-Aided Design, Synthesis, and Anti-HIV-1 Activity in Vitro of 2-Alkylamino-6-[1-(2,6-difluorophenyl)alkyl]-3,4-dihydro-5-alkylpyrimidin-4(3H)-ones as Novel Potent Non-Nucleoside Reverse Transcriptase Inhibitors, Also Active Against the Y181C Variant. Journal of Medicinal Chemistry, 2004, 47, 928-934.	2.9	85
129	Synthesis and biological evaluation of enantiomerically pure pyrrolyl-oxazolidinones as a new class of potent and selective monoamine oxidase type A inhibitors. Il Farmaco, 2003, 58, 231-241.	0.9	20
130	3-(4-Aroyl-1-methyl-1H-2-pyrrolyl)-N-hydroxy-2-alkylamides as a New Class of Synthetic Histone Deacetylase Inhibitors. 1. Design, Synthesis, Biological Evaluation, and Binding Mode Studies Performed through Three Different Docking Procedures. Journal of Medicinal Chemistry, 2003, 46, 512-524.	2.9	113
131	Binding Mode Analysis of 3-(4-Benzoyl-1-methyl-1H-2-pyrrolyl)-N-hydroxy-2-propenamide: A New Synthetic Histone Deacetylase Inhibitor Inducing Histone Hyperacetylation, Growth Inhibition, and Terminal Cell Differentiation. Journal of Medicinal Chemistry, 2002, 45, 1778-1784.	2.9	65
132	Design, synthesis and QSAR studies on N-aryl heteroarylisopropanolamines, a new class of non-peptidic HIV-1 protease inhibitors. Bioorganic and Medicinal Chemistry, 2002, 10, 2511-2526.	1.4	38
133	Synthesis, Biological Evaluation, and Binding Mode of Novel 1-[2-(Diarylmethoxy)ethyl]-2-methyl-5-nitroimidazoles Targeted at the HIV-1 Reverse Transcriptase. Journal of Medicinal Chemistry, 2002, 45, 1567-1576.	2.9	65
134	3-(4-Aroyl-1H-pyrrol-2-yl)-N-hydroxy-2-propenamides, a New Class of Synthetic Histone Deacetylase Inhibitors. Journal of Medicinal Chemistry, 2001, 44, 2069-2072.	2.9	79
135	Chiral resolution and molecular modeling investigation of 2-cyclopentylthio-6-[1-(2,6-difluorophenyl)ethyl]-3,4-dihydro-5-methylpyrimidin-4(3H)-one (MC-1047), a potent anti-HIV-1 reverse transcriptase agent of the DABO class. Chirality, 2001, 13, 75-80.	1.3	26
136	Structure-Based Design, Synthesis, and Biological Evaluation of Conformationally Restricted Novel 2-Alkylthio-6-[1-(2,6-difluorophenyl)alkyl]-3,4-dihydro-5-alkylpyrimidin-4(3H)-ones as Non-nucleoside Inhibitors of HIV-1 Reverse Transcriptase. Journal of Medicinal Chemistry, 2001, 44, 2544-2554.	2.9	84
137	Antimycobacterial pyrroles: synthesis, anti- Mycobacterium tuberculosis activity and QSAR studies. Bioorganic and Medicinal Chemistry, 2000, 8, 1423-1432.	1.4	129
138	Bound conformations for ligands for G-protein coupled receptors. International Journal of Peptide Research and Therapeutics, 1999, 6, 283-288.	0.1	0
139	Bound conformations for ligands for G-protein coupled receptors. International Journal of Peptide Research and Therapeutics, 1999, 6, 283-288.	0.1	2
140	Molecular Modeling of Azole Antifungal Agents Active against Candida albicans. 1. A Comparative Molecular Field Analysis Study. Journal of Medicinal Chemistry, 1996, 39, 1227-1235.	2.9	59
141	Investigation on QSAR and binding mode of a new class of human rhinovirus-14 inhibitors by CoMFA and docking experiments. Bioorganic and Medicinal Chemistry, 1996, 4, 1715-1724.	1.4	13
142	Methyl-2-Thienylketopolymethyleneoxyphenyl Derivatives of Alkyl-Substituted 4,5-Dihydro-Oxazoles with Anti-Human Picornavirus Activity. Antiviral Chemistry and Chemotherapy, 1996, 7, 213-220.	0.3	4
143	[[[(Thienylcarbonyl)alkyl]oxy]phenyl]- and [[[(Pyrrolylcarbonyl)alkyl]oxy]phenyl]oxazoline Derivatives with Potent and Selective Antihuman Rhinovirus Activity. Journal of Medicinal Chemistry, 1995, 38, 803-809.	2.9	6
144	Antifungal Agents, II: Synthesis and Antifungal Activities of Aryl-1H-pyrrol-2-yl-1H-imidazol-1-yl-methane Derivatives with Unsaturated Chains. Archiv Der Pharmazie, 1993, 326, 539-546.	2.1	6

#	ARTICLE	IF	CITATIONS
145	Synthesis of new disoxaril analogues with potent and selective anti-human rhinovirus 14 activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1991, 1, 575-578.	1.0	5