

Sergio Montserrat-de la Paz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/191374/publications.pdf>

Version: 2024-02-01

69
papers

1,617
citations

304368

22
h-index

344852

36
g-index

70
all docs

70
docs citations

70
times ranked

2324
citing authors

#	ARTICLE	IF	CITATIONS
1	Hemp (<i>Cannabis sativa</i> L.) Seed Oil: Analytical and Phytochemical Characterization of the Unsaponifiable Fraction. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 1105-1110.	2.4	147
2	Membrane composition and dynamics: A target of bioactive virgin olive oil constituents. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014, 1838, 1638-1656.	1.4	110
3	Squalene targets pro- and anti-inflammatory mediators and pathways to modulate over-activation of neutrophils, monocytes and macrophages. <i>Journal of Functional Foods</i> , 2015, 14, 779-790.	1.6	73
4	Grape (<i>Vitis vinifera</i> L.) Seed Oil: A Functional Food from the Winemaking Industry. <i>Foods</i> , 2020, 9, 1360.	1.9	67
5	<i>Bifidobacterium pseudocatenulatum</i> CECT 7765 Ameliorates Neuroendocrine Alterations Associated with an Exaggerated Stress Response and Anhedonia in Obese Mice. <i>Molecular Neurobiology</i> , 2018, 55, 5337-5352.	1.9	61
6	The sterols isolated from Evening Primrose oil modulate the release of proinflammatory mediators. <i>Phytomedicine</i> , 2012, 19, 1072-1076.	2.3	59
7	Nutraceutical value of kiwicha (<i>Amaranthus caudatus</i> L.). <i>Journal of Functional Foods</i> , 2020, 65, 103735.	1.6	52
8	Phytochemical characterization of potential nutraceutical ingredients from Evening Primrose oil (<i>Oenothera biennis</i> L.). <i>Phytochemistry Letters</i> , 2014, 8, 158-162.	0.6	46
9	Long-chain fatty alcohols from evening primrose oil inhibit the inflammatory response in murine peritoneal macrophages. <i>Journal of Ethnopharmacology</i> , 2014, 151, 131-136.	2.0	46
10	Niacin and its metabolites as master regulators of macrophage activation. <i>Journal of Nutritional Biochemistry</i> , 2017, 39, 40-47.	1.9	43
11	Neuroprotective protein hydrolysates from hemp (<i>Cannabis sativa</i> L.) seeds. <i>Food and Function</i> , 2019, 10, 6732-6739.	2.1	43
12	Hemp (<i>Cannabis sativa</i> L.) Protein Hydrolysates Promote Anti-Inflammatory Response in Primary Human Monocytes. <i>Biomolecules</i> , 2020, 10, 803.	1.8	38
13	Tyrosol and its metabolites as antioxidative and anti-inflammatory molecules in human endothelial cells. <i>Food and Function</i> , 2017, 8, 2905-2914.	2.1	37
14	<i>Bacteroides uniformis</i> CECT 7771 alleviates inflammation within the gut-adipose tissue axis involving TLR5 signaling in obese mice. <i>Scientific Reports</i> , 2021, 11, 11788.	1.6	33
15	Leukocyte Overexpression of Intracellular NAMPT Attenuates Atherosclerosis by Regulating PPAR γ -Dependent Monocyte Differentiation and Function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 1157-1167.	1.1	31
16	Ginger rhizome enhances the anti-inflammatory and anti-nociceptive effects of paracetamol in an experimental mouse model of fibromyalgia. <i>Inflammopharmacology</i> , 2018, 26, 1093-1101.	1.9	29
17	Pharmacological effects of mitraphylline from <i>Uncaria tomentosa</i> in primary human monocytes: Skew toward M2 macrophages. <i>Journal of Ethnopharmacology</i> , 2015, 170, 128-135.	2.0	28
18	Virgin olive oil and its phenol fraction modulate monocyte/macrophage functionality: a potential therapeutic strategy in the treatment of systemic lupus erythematosus. <i>British Journal of Nutrition</i> , 2018, 120, 681-692.	1.2	27

#	ARTICLE	IF	CITATIONS
19	Olive oil and postprandial hyperlipidemia: implications for atherosclerosis and metabolic syndrome. <i>Food and Function</i> , 2016, 7, 4734-4744.	2.1	26
20	High-density lipoproteins and immune response: A review. <i>International Journal of Biological Macromolecules</i> , 2022, 195, 117-123.	3.6	26
21	Acute effects of dietary fatty acids on osteoclastogenesis via RANKL/RANK/OPG system. <i>Molecular Nutrition and Food Research</i> , 2016, 60, 2505-2513.	1.5	23
22	Postprandial dietary fatty acids exert divergent inflammatory responses in retinal-pigmented epithelium cells. <i>Food and Function</i> , 2016, 7, 1345-1353.	2.1	22
23	Unsaponifiable fraction isolated from grape (<i>Vitis vinifera</i> L.) seed oil attenuates oxidative and inflammatory responses in human primary monocytes. <i>Food and Function</i> , 2018, 9, 2517-2523.	2.1	22
24	Nutritional modulation of leptin expression and leptin action in obesity and obesity-associated complications. <i>Journal of Nutritional Biochemistry</i> , 2021, 89, 108561.	1.9	22
25	GPETAFLR, a novel bioactive peptide from <i>Lupinus angustifolius</i> L. protein hydrolysate, reduces osteoclastogenesis. <i>Journal of Functional Foods</i> , 2018, 47, 299-303.	1.6	21
26	Characterization of bioactive compounds in defatted hempseed (<i>Cannabis sativa</i> L.) by UHPLC-HRMS/MS and anti-inflammatory activity in primary human monocytes. <i>Food and Function</i> , 2020, 11, 4057-4066.	2.1	21
27	The sterols isolated from evening primrose oil inhibit human colon adenocarcinoma cell proliferation and induce cell cycle arrest through upregulation of LXR. <i>Journal of Functional Foods</i> , 2015, 12, 64-69.	1.6	20
28	Virgin Olive Oil and Hypertension. <i>Current Vascular Pharmacology</i> , 2016, 14, 323-329.	0.8	20
29	Effect of metabolites of hydroxytyrosol on protection against oxidative stress and inflammation in human endothelial cells. <i>Journal of Functional Foods</i> , 2017, 29, 238-247.	1.6	20
30	Postprandial triglyceride-rich lipoproteins promote M1/M2 microglia polarization in a fatty-acid-dependent manner. <i>Journal of Nutritional Biochemistry</i> , 2020, 75, 108248.	1.9	20
31	High-Density Lipoproteins and Mediterranean Diet: A Systematic Review. <i>Nutrients</i> , 2021, 13, 955.	1.7	20
32	A microRNA expression signature of the postprandial state in response to a high-saturated-fat challenge. <i>Journal of Nutritional Biochemistry</i> , 2018, 57, 45-55.	1.9	18
33	Evaluation of Anti-Inflammatory and Atheroprotective Properties of Wheat Gluten Protein Hydrolysates in Primary Human Monocytes. <i>Foods</i> , 2020, 9, 854.	1.9	18
34	Antioxidant and Anti-Inflammatory Properties of Bioavailable Protein Hydrolysates from Lupin-Derived Agri-Waste. <i>Biomolecules</i> , 2021, 11, 1458.	1.8	18
35	The effects of exogenous fatty acids and niacin on human monocyte macrophage plasticity. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600824.	1.5	17
36	GPETAFLR, an octapeptide isolated from <i>Lupinus angustifolius</i> L. protein hydrolysate, promotes the skewing to the M2 phenotype in human primary monocytes. <i>Food and Function</i> , 2019, 10, 3303-3311.	2.1	17

#	ARTICLE	IF	CITATIONS
37	A lupine (<i>Lupinus angustifolius</i> L.) peptide prevents non-alcoholic fatty liver disease in high-fat-diet-induced obese mice. <i>Food and Function</i> , 2020, 11, 2943-2952.	2.1	17
38	Monounsaturated Fatty Acids in a High-Fat Diet and Niacin Protect from White Fat Dysfunction in the Metabolic Syndrome. <i>Molecular Nutrition and Food Research</i> , 2019, 63, e1900425.	1.5	16
39	Validation and additional support for an experimental animal model of fibromyalgia. <i>Modern Rheumatology</i> , 2015, 25, 116-122.	0.9	15
40	Resveratrol-enriched grape seed oil (<i>Vitis vinifera</i> L.) protects from white fat dysfunction in obese mice. <i>Journal of Functional Foods</i> , 2019, 62, 103546.	1.6	15
41	Antihypertensive and Antioxidant Activity of Chia Protein Techno-Functional Extensive Hydrolysates. <i>Foods</i> , 2021, 10, 2297.	1.9	15
42	Niacin and olive oil promote skewing to the M2 phenotype in bone marrow-derived macrophages of mice with metabolic syndrome. <i>Food and Function</i> , 2016, 7, 2233-2238.	2.1	14
43	Minor compounds from virgin olive oil attenuate LPS-induced inflammation via visfatin-related gene modulation on primary human monocytes. <i>Journal of Food Biochemistry</i> , 2019, 43, e12941.	1.2	13
44	Pharmacological Effects of Niacin on Acute Hyperlipemia. <i>Current Medicinal Chemistry</i> , 2016, 23, 2826-2835.	1.2	12
45	Antioxidant and Immunomodulatory Properties of Chia Protein Hydrolysates in Primary Human Monocyte-Macrophage Plasticity. <i>Foods</i> , 2022, 11, 623.	1.9	12
46	Validation of ethnopharmacological use as anti-inflammatory of a decoction from <i>Annona muricata</i> leaves. <i>Tropical Journal of Obstetrics and Gynaecology</i> , 2015, 12, 14.	0.3	11
47	Mitraphylline inhibits lipopolysaccharide-mediated activation of primary human neutrophils. <i>Phytomedicine</i> , 2016, 23, 141-148.	2.3	11
48	GPETAFLR, a peptide from <i>Lupinus angustifolius</i> L. prevents inflammation in microglial cells and confers neuroprotection in brain. <i>Nutritional Neuroscience</i> , 2022, 25, 472-484.	1.5	11
49	Dietary supplementation evening primrose oil improve symptoms of fibromyalgia syndrome. <i>Journal of Functional Foods</i> , 2013, 5, 1279-1287.	1.6	10
50	GPETAFLR, a biopeptide from <i>Lupinus angustifolius</i> L., protects against oxidative and inflammatory damage in retinal pigment epithelium cells. <i>Journal of Food Biochemistry</i> , 2019, 43, e12995.	1.2	10
51	Exogenous fatty acids and niacin on acute prostaglandin D ₂ production in human myeloid cells. <i>Journal of Nutritional Biochemistry</i> , 2017, 39, 22-31.	1.9	9
52	Dietary Fatty Acids in Postprandial Triglyceride-Rich Lipoproteins Modulate Human Monocyte-Derived Dendritic Cell Maturation and Activation. <i>Nutrients</i> , 2020, 12, 3139.	1.7	9
53	Olive oil, compared to a saturated dietary fat, has a protective role on atherosclerosis in niacin-treated mice with metabolic syndrome. <i>Journal of Functional Foods</i> , 2016, 26, 557-564.	1.6	8
54	Dietary fatty acids on aortic root calcification in mice with metabolic syndrome. <i>Food and Function</i> , 2017, 8, 1468-1474.	2.1	8

#	ARTICLE	IF	CITATIONS
55	Postprandial triglyceride-rich lipoproteins promote lipid accumulation and apolipoprotein B-48 receptor transcriptional activity in human circulating and murine bone marrow neutrophils in a fatty acid-dependent manner. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1600879.	1.5	8
56	Identification and Characterization of Novel Antioxidant Protein Hydrolysates from Kiwicha (<i>Amaranthus caudatus</i> L.). <i>Antioxidants</i> , 2021, 10, 645.	2.2	8
57	Pectins and Olive Pectins: From Biotechnology to Human Health. <i>Biology</i> , 2021, 10, 860.	1.3	8
58	Effects of immediate-release niacin and dietary fatty acids on acute insulin and lipid status in individuals with metabolic syndrome. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 2194-2200.	1.7	7
59	Oleuropein and its peracetylated derivative negatively regulate osteoclastogenesis by controlling the expression of genes involved in osteoclast differentiation and function. <i>Food and Function</i> , 2020, 11, 4038-4048.	2.1	6
60	Unsaponifiable and phenolic fractions from virgin olive oil prevent neuroinflammation skewing microglia polarization toward M2 phenotype. <i>Journal of Functional Foods</i> , 2019, 62, 103543.	1.6	5
61	Obesity-Associated Metabolic Disturbances Reverse the Antioxidant and Anti-Inflammatory Properties of High-Density Lipoproteins in Microglial Cells. <i>Biomedicines</i> , 2021, 9, 1722.	1.4	5
62	Nutraceutical Extract from Dulse (<i>Palmaria palmata</i> L.) Inhibits Primary Human Neutrophil Activation. <i>Marine Drugs</i> , 2019, 17, 610.	2.2	3
63	Niacin and hyperlipidemia. , 2020, , 263-281.		3
64	Diets supplemented with <i>Annona muricata</i> improve the symptoms of fibromyalgia. <i>PharmaNutrition</i> , 2018, 6, 81-84.	0.8	2
65	Oleic acid—the main component of olive oil on postprandial metabolic processes. , 2021, , 639-649.		2
66	Dietary fatty acids and lipoproteins on progression of age-related macular degeneration. <i>Grasas Y Aceites</i> , 2017, 68, 187.	0.3	2
67	Active Ingredients from Foods: Biochemical and Processing Aspects. <i>Foods</i> , 2021, 10, 1240.	1.9	1
68	Fatty Acids on Osteoclastogenesis. , 2017, , .		0
69	Postprandial dietary fatty acids regulate microglia M1/M2 polarization. Implications in neuroinflammation. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-4-21.	0.0	0