

Anisyah Ridiandries

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1914912/publications.pdf>

Version: 2024-02-01

12
papers

583
citations

840776

11
h-index

1125743

13
g-index

13
all docs

13
docs citations

13
times ranked

1143
citing authors

#	ARTICLE	IF	CITATIONS
1	The Role of Chemokines in Wound Healing. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3217.	4.1	268
2	The Role of CC-Chemokines in the Regulation of Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1856.	4.1	89
3	High-Density Lipoproteins Rescue Diabetes-Impaired Angiogenesis via Scavenger Receptor Class B Type I. <i>Diabetes</i> , 2016, 65, 3091-3103.	0.6	38
4	Circulating mediators of remote ischemic preconditioning: search for the missing link between non-lethal ischemia and cardioprotection. <i>Oncotarget</i> , 2019, 10, 216-244.	1.8	37
5	Broad-Spectrum Inhibition of the CC-Chemokine Class Improves Wound Healing and Wound Angiogenesis. <i>International Journal of Molecular Sciences</i> , 2017, 18, 155.	4.1	31
6	Remote Ischemic Preconditioning Induces Cardioprotective Autophagy and Signals through the IL-6-Dependent JAK-STAT Pathway. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1692.	4.1	27
7	The regulation of miRNAs by reconstituted high-density lipoproteins in diabetes-impaired angiogenesis. <i>Scientific Reports</i> , 2018, 8, 13596.	3.3	22
8	Reconstituted high-density lipoproteins promote wound repair and blood flow recovery in response to ischemia in aged mice. <i>Lipids in Health and Disease</i> , 2016, 15, 150.	3.0	17
9	Chemokine binding protein α M3 TM limits atherosclerosis in apolipoprotein E ^{-/-} mice. <i>PLoS ONE</i> , 2017, 12, e0173224.	2.5	16
10	CC α chemokine class inhibition attenuates pathological angiogenesis while preserving physiological angiogenesis. <i>FASEB Journal</i> , 2017, 31, 1179-1192.	0.5	15
11	Strikingly Different Atheroprotective Effects of Apolipoprotein A-I in Early- \hat{A} Versus Late-Stage Atherosclerosis. <i>JACC Basic To Translational Science</i> , 2018, 3, 187-199.	4.1	12
12	VEGFR2 is activated by high-density lipoproteins and plays a key role in the proangiogenic action of HDL in ischemia. <i>FASEB Journal</i> , 2018, 32, 2911-2922.	0.5	10