

Bobby Pejcic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1914948/bobby-pejcic-publications-by-year.pdf>
Version: 2024-04-02

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

72 papers	1,815 citations	23 h-index	40 g-index
79 ext. papers	2,094 ext. citations	5.1 avg, IF	4.83 L-index

#	Paper	IF	Citations
72	Integrated sedimentary and high-resolution mineralogical characterisation of Ordovician shale from Canning Basin, Western Australia: Implications for facies heterogeneity evaluation. <i>Journal of Petroleum Science and Engineering</i> , 2022 , 208, 109347	4.4	1
71	Amine-Infused Hydrogels with Nonaqueous Solvents: Facile Platforms to Control CO2 Capture Performance. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 14758-14767	3.9	3
70	Mineral Physicochemistry Underlying Feature-Based Extraction of Mineral Abundance and Composition from Shortwave, Mid and Thermal Infrared Reflectance Spectra. <i>Minerals (Basel, Switzerland)</i> , 2021 , 11, 347	2.4	7
69	Further Insights into the Performance of Silylated Polyacrylamide-Based Relative Permeability Modifiers in Carbonate Reservoirs and Influencing Factors. <i>ACS Omega</i> , 2021 , 6, 13671-13683	3.9	2
68	Analysis of carbonaceous materials in shales using mid-infrared spectroscopy. <i>Vibrational Spectroscopy</i> , 2021 , 112, 103186	2.1	3
67	Next generation amino acid technology for CO2 capture. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 1692-1704	17.04	12
66	Chemical-assisted minimum miscibility pressure reduction between oil and methane. <i>Journal of Petroleum Science and Engineering</i> , 2021 , 196, 108094	4.4	2
65	CSIRO In-Situ Lab: A multi-pronged approach to surface gas and groundwater monitoring at geological CO2 storage sites. <i>Chemical Geology</i> , 2020 , 545, 119642	4.2	5
64	Direct air capture (DAC) of CO using polyethylenimine (PEI) "snow": a scalable strategy. <i>Chemical Communications</i> , 2020 , 56, 7151-7154	5.8	8
63	A controlled CO2 release experiment in a fault zone at the In-Situ Laboratory in Western Australia. <i>International Journal of Greenhouse Gas Control</i> , 2020 , 99, 103100	4.2	8
62	Mechanistic Aspects of Polymeric Relative Permeability Modifier Adsorption onto Carbonate Rocks. <i>Energy & Fuels</i> , 2020 , 34, 12065-12077	4.1	4
61	Direct infrared spectroscopy for the size-independent identification and quantification of respirable particles relative mass in mine dusts. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 3499-3508	4.4	6
60	Advanced laboratory techniques characterising solids, fluids and pores in shales. <i>Journal of Petroleum Science and Engineering</i> , 2019 , 180, 932-949	4.4	13
59	An experimental investigation into quantifying CO2 leakage in aqueous environments using chemical tracers. <i>Chemical Geology</i> , 2019 , 511, 91-99	4.2	7
58	Polyethylenimine "Snow": An Emerging Material for Efficient Carbon Removal. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 26770-26780	9.5	5
57	Block Copolymer-Coated ATR-FTIR Spectroscopic Sensors for Monitoring Hydrocarbons in Aquatic Environments at High Temperature and Pressure. <i>ACS Applied Polymer Materials</i> , 2019 , 1, 2149-2156	4.3	3
56	Vibrational Spectroscopy for Hydrocarbon Resource Development. <i>ASEG Extended Abstracts</i> , 2019 , 2019, 1-4	0.2	

55	In-Situ Laboratory for CO ₂ controlled-release experiments and monitoring in a fault zone in Western Australia. <i>ASEG Extended Abstracts</i> , 2019 , 2019, 1-3	0.2	4
54	Mid-infrared sensor for hydrocarbon monitoring: the influence of salinity, matrix and aging on hydrocarbon/polymer partitioning. <i>Analytical Methods</i> , 2018 , 10, 1516-1522	3.2	6
53	CO ₂ capture by amine infused hydrogels (AIHs). <i>Journal of Materials Chemistry A</i> , 2018 , 6, 4829-4838	13	28
52	Carbon capture with polyethylenimine hydrogel beads (PEI HBs). <i>Journal of Materials Chemistry A</i> , 2018 , 6, 21468-21474	13	23
51	Fluoride and phosphate release from carbonate-rich fluorapatite during managed aquifer recharge. <i>Journal of Hydrology</i> , 2018 , 562, 809-820	6	13
50	Vibrational spectroscopy of epidote, pumpellyite and prehnite applied to low-grade regional metabasites. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2017 , geochem2016-007	1.8	5
49	Calixarene/polymer hybrid film for selective detection of hydrocarbons in water. <i>New Journal of Chemistry</i> , 2017 , 41, 6195-6202	3.6	8
48	The Effect of Pressure and Temperature on Mid-Infrared Sensing of Dissolved Hydrocarbons in Water. <i>Analytical Chemistry</i> , 2017 , 89, 13391-13397	7.8	10
47	The impact of partition coefficient data on the interpretation of chemical tracer behaviour in carbon geosequestration projects. <i>Chemical Geology</i> , 2017 , 465, 52-63	4.2	3
46	Investigating the Organic Matter in Shales From the Canning and Perth Basins via Infrared and Raman Spectroscopy 2017 ,		1
45	Development of far-infrared attenuated total reflectance spectroscopy for the mineralogical analysis of shales. <i>Fuel</i> , 2016 , 182, 771-779	7.1	9
44	Portable Mid-Infrared Sensor System for Monitoring CO ₂ and CH ₄ at High Pressure in Geosequestration Scenarios. <i>ACS Sensors</i> , 2016 , 1, 413-419	9.2	14
43	Monitoring dissolved carbon dioxide and methane in brine environments at high pressure using IR-ATR spectroscopy. <i>Analytical Methods</i> , 2016 , 8, 756-762	3.2	36
42	Field measurement of residual carbon dioxide saturation using reactive ester tracers. <i>Chemical Geology</i> , 2015 , 399, 20-29	4.2	11
41	Temperature sensitivity of reactive ester tracers for measuring CO ₂ residual trapping capacity. <i>Chemical Geology</i> , 2015 , 399, 30-35	4.2	
40	Mid-Infrared Spectroscopic Method for the Identification and Quantification of Dissolved Oil Components in Marine Environments. <i>Analytical Chemistry</i> , 2015 , 87, 12306-12	7.8	21
39	Pore size dynamics in interpenetrated metal organic frameworks for selective sensing of aromatic compounds. <i>Analytica Chimica Acta</i> , 2014 , 819, 78-81	6.6	16
38	Development of a plasticizer-poly(methyl methacrylate) membrane for sensing petroleum hydrocarbons in water. <i>Sensors and Actuators B: Chemical</i> , 2014 , 193, 70-77	8.5	10

37	A mid-infrared sensor for the determination of perfluorocarbon-based compounds in aquatic systems for geosequestration purposes. <i>Talanta</i> , 2014 , 130, 527-35	6.2	14
36	Fingerprinting oils in water via their dissolved VOC pattern using mid-infrared sensors. <i>Analytical Chemistry</i> , 2014 , 86, 9512-7	7.8	27
35	Infrared attenuated total reflectance spectroscopy: an innovative strategy for analyzing mineral components in energy relevant systems. <i>Scientific Reports</i> , 2014 , 4, 6764	4.9	87
34	Performance of graphene, carbon nanotube, and gold nanoparticle chemiresistor sensors for the detection of petroleum hydrocarbons in water. <i>Journal of Nanoparticle Research</i> , 2014 , 16, 1	2.3	27
33	Tracers Past, present and future applications in CO ₂ geosequestration. <i>Applied Geochemistry</i> , 2013 , 30, 125-135	3.5	59
32	Direct quantification of aromatic hydrocarbons in geochemical fluids with a mid-infrared attenuated total reflection sensor. <i>Organic Geochemistry</i> , 2013 , 55, 63-71	3.1	27
31	Feasibility of Monitoring Techniques for Substances Mobilised by CO ₂ Storage in Geological Formations. <i>Energy Procedia</i> , 2012 , 23, 439-448	2.3	11
30	Biological monitoring for carbon capture and storage A review and potential future developments. <i>International Journal of Greenhouse Gas Control</i> , 2012 , 10, 520-535	4.2	58
29	Using plasticizers to control the hydrocarbon selectivity of a poly(methyl methacrylate)-coated quartz crystal microbalance sensor. <i>Analytical Chemistry</i> , 2012 , 84, 8564-70	7.8	25
28	Vibrational spectroscopy of calcic amphiboles - applications for exploration and mining. <i>European Journal of Mineralogy</i> , 2012 , 24, 863-878	2.2	22
27	The impact of water and hydrocarbon concentration on the sensitivity of a polymer-based quartz crystal microbalance sensor for organic compounds. <i>Analytica Chimica Acta</i> , 2011 , 703, 70-9	6.6	13
26	Modifying the response of a polymer-based quartz crystal microbalance hydrocarbon sensor with functionalized carbon nanotubes. <i>Talanta</i> , 2011 , 85, 1648-57	6.2	30
25	Functionalized graphene as an aqueous phase chemiresistor sensing material. <i>Sensors and Actuators B: Chemical</i> , 2011 , 155, 154-158	8.5	38
24	Mid-infrared sensing of organic pollutants in aqueous environments. <i>Sensors</i> , 2009 , 9, 6232-53	3.8	43
23	Hydrocarbon sensing. Part 1: Some important aspects about sensitivity of a polymer-coated quartz crystal microbalance in the aqueous phase. <i>Sensors and Actuators B: Chemical</i> , 2009 , 135, 436-443	8.5	18
22	Understanding barium sulfate precipitation onto stainless steel. <i>Applied Surface Science</i> , 2008 , 254, 3459-3468	3.4	14
21	Ion-Selective Electrode Potentiometry in Environmental Analysis. <i>Electroanalysis</i> , 2007 , 19, 1987-2001	3	191
20	Environmental monitoring of hydrocarbons: a chemical sensor perspective. <i>Environmental Science & Technology</i> , 2007 , 41, 6333-42	10.3	93

19	In situ synchrotron radiation grazing incidence X-ray diffractionA powerful technique for the characterization of solid-state ion-selective electrode surfaces. <i>Electrochimica Acta</i> , 2006 , 51, 4886-4891	6.7	11
18	The role of biosensors in the detection of emerging infectious diseases. <i>Analyst, The</i> , 2006 , 131, 1079-905		143
17	In situ electrochemical impedance spectroscopy/synchrotron radiation grazing incidence X-ray diffractionA powerful new technique for the characterization of electrochemical surfaces and interfaces. <i>Electrochimica Acta</i> , 2006 , 51, 5920-5925	6.7	15
16	Impedance spectroscopy: Over 35 years of electrochemical sensor optimization. <i>Electrochimica Acta</i> , 2006 , 51, 6217-6229	6.7	188
15	Predicting the Adsorption Properties of Carbon Dioxide Corrosion Inhibitors Using a Structure-Activity Relationship. <i>Journal of the Electrochemical Society</i> , 2005 , 152, B1	3.9	22
14	The influence of microstructure on the corrosion rate of various carbon steels. <i>Journal of Applied Electrochemistry</i> , 2005 , 35, 139-149	2.6	78
13	An In Situ Synchrotron Radiation Grazing Incidence X-Ray Diffraction Study of Carbon Dioxide Corrosion. <i>Journal of the Electrochemical Society</i> , 2005 , 152, B389	3.9	38
12	Impedance measurements of a chalcogenide membrane iron(III)-selective electrode in contact with aqueous electrolytes. <i>Electrochimica Acta</i> , 2004 , 49, 3525-3543	6.7	11
11	Characterization of an AgBr/Ag ₂ S/As ₂ S ₃ /HgI ₂ ion-selective electrode membrane: a X-ray photoelectron and impedance spectroscopy approach. <i>Applied Surface Science</i> , 2004 , 228, 378-400	6.7	13
10	A small angle neutron scattering and electrochemical impedance spectroscopy study of the nanostructure of the iron chalcogenide glass ion-selective electrode. <i>Talanta</i> , 2004 , 63, 149-57	6.2	9
9	A multi-technique surface study of the mercury(II) chalcogenide ion-selective electrode in saline media. <i>Analyst, The</i> , 2003 , 128, 742-9	5	32
8	The Influence of Diffusion Fluxes on the Detection Limit of the Jalpaite Copper Ion-Selective Electrode. <i>Electroanalysis</i> , 2002 , 14, 493-498	3	23
7	Surface studies of a chalcogenide glass ferric ion-selective electrode Part 1: Influence of ferric and hydroxide ions on interfacial kinetics. <i>Surface and Interface Analysis</i> , 2002 , 33, 748-758	1.5	11
6	Surface studies of a chalcogenide glass ferric ion-selective electrode Part 2: The effects of inorganic ions, organic ligands and seawater on sensor response. <i>Surface and Interface Analysis</i> , 2002 , 33, 759-766	1.5	7
5	Continuous flow analysis of iron in zinc electrowinning electrolyte using an iron chalcogenide glass ion-selective electrode Part I. Synthetic media. <i>Talanta</i> , 2002 , 57, 115-21	6.2	8
4	Continuous flow analysis of mercury using a chalcogenide glass ion-selective electrode. <i>Laboratory Robotics and Automation</i> , 2000 , 12, 194-199		15
3	Electrochemical impedance spectroscopy and X-ray photoelectron spectroscopy study of the response mechanism of the chalcogenide glass membrane iron(III) ion-selective electrode in saline media. <i>Analytical Chemistry</i> , 2000 , 72, 669-79	7.8	26
2	Continuous flow analysis of iron (III) in seawater using a chalcogenide glass ion-selective electrode. <i>Laboratory Robotics and Automation</i> , 1999 , 11, 284-288		19

- 1 Flow injection potentiometric determination of phosphate in waste waters and fertilisers using a cobalt wire ion-selective electrode. *Analyst, The*, **1998**, 123, 1635-1640 5 40