

# Beata UziÄbÅ,o-Å»yczkowska

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1915375/publications.pdf>

Version: 2024-02-01

51  
papers

922  
citations

1039880

9  
h-index

477173

29  
g-index

52  
all docs

52  
docs citations

52  
times ranked

1680  
citing authors

#	ARTICLE	IF	CITATIONS
1	Elective cardioversion of atrial fibrillation is safe without transesophageal echocardiography in patients treated with non-vitamin K antagonist oral anticoagulants: Multicenter experience. <i>Cardiology Journal</i> , 2023, 30, 228-236.	0.5	1
2	Association of Hyperuricemia with Impaired Left Ventricular Systolic Function in Patients with Atrial Fibrillation and Preserved Kidney Function: Analysis of the POL-AF Registry Cohort. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 7288.	1.2	2
3	Associations between Heart Rate Variability Parameters and Hemodynamic Profiles in Patients with Primary Arterial Hypertension, Including Antihypertensive Treatment Effects. <i>Journal of Clinical Medicine</i> , 2022, 11, 3767.	1.0	3
4	Antithrombotic therapy in patients with atrial fibrillation undergoing percutaneous coronary intervention, including compliance with current guidelinesâ€”data from the POLish Atrial Fibrillation (POL-AF) Registry. <i>Cardiovascular Diagnosis and Therapy</i> , 2021, 11, 14-27.	0.7	8
5	Characteristics and Treatment of Atrial Fibrillation with Respect to the Presence or Absence of Heart Failure. Insights from the Multicenter Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1341.	1.0	2
6	Symptomatic and Asymptomatic Patients in the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 1091.	1.0	7
7	Correlations between Left Ventricular and Left Atrial Function Assessed by Speckle Tracking Echocardiography in Patients with Treated Well-Controlled Arterial Hypertension. <i>Cardiology Research and Practice</i> , 2021, 2021, 1-8.	0.5	1
8	Hyperuricemia as a Marker of Reduced Left Ventricular Ejection Fraction in Patients with Atrial Fibrillation: Results of the POL-AF Registry Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 1829.	1.0	6
9	Cushingâ€™s Disease: Assessment of Early Cardiovascular Hemodynamic Dysfunction With Impedance Cardiography. <i>Frontiers in Endocrinology</i> , 2021, 12, 751743.	1.5	7
10	Why Did All Patients with Atrial Fibrillation and High Risk of Stroke Not Receive Oral Anticoagulants? Results of the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2021, 10, 4611.	1.0	1
11	Echocardiographic assessment of cardiac function after mild coronavirus disease 2019: A preliminary report. <i>Journal of Clinical Ultrasound</i> , 2021, , .	0.4	2
12	Correlations between left atrial strain and left atrial pressures values in patients undergoing atrial fibrillation ablation. <i>Kardiologia Polska</i> , 2021, 79, 1223-1230.	0.3	4
13	Acromegaly: The Research and Practical Value of Noninvasive Hemodynamic Assessments via Impedance Cardiography. <i>Frontiers in Endocrinology</i> , 2021, 12, 793280.	1.5	3
14	Prevalence and risk factors of left atrial thrombus in patients with atrial fibrillation and lower class (IIa) recommendation to anticoagulants. <i>Cardiovascular Diagnosis and Therapy</i> , 2020, 10, 717-724.	0.7	5
15	Decreased left atrial appendage emptying velocity as a link between atrial fibrillation type, heart failure and older age and the risk of left atrial thrombus in atrial fibrillation. <i>International Journal of Clinical Practice</i> , 2020, 74, e13609.	0.8	7
16	Trends in the Prescription of Non-Vitamin K Antagonist Oral Anticoagulants for Atrial Fibrillation: Results of the Polish Atrial Fibrillation (POL-AF) Registry. <i>Journal of Clinical Medicine</i> , 2020, 9, 3565.	1.0	5
17	Left Atrial Appendage Thrombus Formation Despite Continuous Non-Vitamin K Antagonist Oral Anticoagulant Therapy in Atrial Fibrillation Patients Undergoing Electrical Cardioversion or Catheter Ablation: A Comparison of Dabigatran and Rivaroxaban. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-10.	0.5	0
18	Left Ventricular Ejection Fraction Is Associated with the Risk of Thrombus in the Left Atrial Appendage in Patients with Atrial Fibrillation. <i>Cardiovascular Therapeutics</i> , 2020, 2020, 1-7.	1.1	17

#	ARTICLE	IF	CITATIONS
19	Thrombus in the left atrial appendage in patients with atrial fibrillation treated with non-vitamin K antagonist oral anticoagulants in clinical practice – A multicenter registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2005-2012.	0.8	4
20	The Prevalence of Cardiovascular Risk Factors among Polish Soldiers: The Results from the MIL-SCORE Program. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-7.	0.5	6
21	Does the CHA2DS2-VASc scale sufficiently predict the risk of left atrial appendage thrombus in patients with diagnosed atrial fibrillation treated with non-vitamin K oral anticoagulants?. <i>Medicine (United States)</i> , 2020, 99, e20570.	0.4	3
22	Myocarditis successfully diagnosed and controlled with speckle tracking echocardiography. <i>Cardiovascular Ultrasound</i> , 2020, 18, 19.	0.5	17
23	Limited usefulness of resting hemodynamic assessments in predicting exercise capacity in hypertensive patients. <i>Journal of Human Hypertension</i> , 2020, 35, 613-620.	1.0	0
24	Left Heart Dysfunction in Acromegaly Revealed by Novel Echocardiographic Methods. <i>Frontiers in Endocrinology</i> , 2020, 11, 418.	1.5	10
25	Haemodynamic Effects of Anaemia in Patients with Acute Decompensated Heart Failure. <i>Cardiology Research and Practice</i> , 2020, 2020, 1-9.	0.5	4
26	Factors determining elective cardioversion preceded with transesophageal echocardiography: two cardiology centres' experiences. <i>Polish Archives of Internal Medicine</i> , 2020, 130, 837-843.	0.3	1
27	Combined total mitral and tricuspid valve reconstruction with the use of CorMatrix in an adult. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2019, 28, 158-160.	0.5	1
28	Exercise impedance cardiography reveals impaired hemodynamic responses to exercise in hypertensives with dyspnea. <i>Hypertension Research</i> , 2019, 42, 211-222.	1.5	6
29	Complex assessment of patients with decompensated heart failure: The clinical value of impedance cardiography and N-terminal pro-brain natriuretic peptide. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2019, 48, 294-301.	0.8	7
30	Multiparameter assessment of exercise capacity in patients with arterial hypertension. <i>Clinical and Experimental Hypertension</i> , 2019, 41, 599-606.	0.5	6
31	Predictors of appropriate interventions and mortality in patients with implantable cardioverter defibrillators. <i>Polish Archives of Internal Medicine</i> , 2019, 129, 667-672.	0.3	3
32	Cardiovascular response to exercise in hypertension – clinical characteristics of ASSECURE study participants. <i>Pediatrica I Medycyna Rodzinna</i> , 2019, 15, 47-56.	2.3	0
33	Heart failure as a multi-system clinical syndrome – an experience in cohort of acutely decompensated patients. <i>Pediatrica I Medycyna Rodzinna</i> , 2019, 15, 137-144.	2.3	0
34	The rationale and design of the LATTEE registry – the first multicenter project on the Scientific Platform of the "Club 30" of the Polish Cardiac Society. <i>Kardiologia Polska</i> , 2019, 77, 1078-1080.	0.3	7
35	Performance of Prognostic Risk Scores in Chronic Heart Failure Patients Enrolled in the European Society of Cardiology Heart Failure Long-Term Registry. <i>JACC: Heart Failure</i> , 2018, 6, 452-462.	1.9	94
36	Speckle tracking echocardiography and tissue Doppler imaging reveal beneficial effect of pharmacotherapy in hypertensives with asymptomatic left ventricular dysfunction. <i>Journal of the American Society of Hypertension</i> , 2017, 11, 334-342.	2.3	19

#	ARTICLE	IF	CITATIONS
37	Echocardiographic assessment and N-terminal pro-brain natriuretic peptide in hypertensives with metabolic syndrome. <i>Advances in Clinical and Experimental Medicine</i> , 2017, 26, 295-301.	0.6	4
38	Abdominal obesity and hypertension: a double burden to the heart. <i>Hypertension Research</i> , 2016, 39, 349-355.	1.5	31
39	Association of Central Sleep Apnea with Impaired Heart Structure and Cardiovascular Hemodynamics in Patients with Chronic Heart Failure. <i>Medical Science Monitor</i> , 2016, 22, 2989-2998.	0.5	1
40	The effect of hemodynamically-guided hypotensive therapy in one-year observation: Randomized, prospective and controlled trial (FINEPATH study). <i>Cardiology Journal</i> , 2016, 23, 132-140.	0.5	7
41	Sex determines cardiovascular hemodynamics in hypertension. <i>Journal of Human Hypertension</i> , 2015, 29, 610-617.	1.0	18
42	Global longitudinal two-dimensional systolic strain is associated with hemodynamic alterations in arterial hypertension. <i>Journal of the American Society of Hypertension</i> , 2015, 9, 680-689.	2.3	22
43	Usefulness of patient's history and non-invasive electrocardiographic parameters in prediction of ajmaline test results in patients with suspected Brugada syndrome. <i>Archives of Medical Science</i> , 2014, 5, 899-912.	0.4	7
44	Genetic Diversity of SCN5A Gene and Its Possible Association with the Concealed Form of Brugada Syndrome Development in Polish Group of Patients. <i>BioMed Research International</i> , 2014, 2014, 1-13.	0.9	7
45	Model of the Distribution of Diastolic Left Ventricular Posterior Wall Thickness in Healthy Adults and Its Impact on the Behavior of a String of Virtual Cardiomyocytes. <i>Journal of Cardiovascular Translational Research</i> , 2014, 7, 507-517.	1.1	3
46	Are hospitalized or ambulatory patients with heart failure treated in accordance with European Society of Cardiology guidelines? Evidence from 12 440 patients of the ESC Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2013, 15, 1173-1184.	2.9	533
47	Congenital long QT syndrome of particularly malignant course connected with so far unknown mutation in the sodium channel SCN5A gene. <i>Cardiology Journal</i> , 2013, 20, 78-82.	0.5	0
48	Using modalmetric fiber optic sensors to monitor the activity of the heart. <i>Proceedings of SPIE</i> , 2011, , .	0.8	6
49	Interferometric Fiber Optics Based Sensor for Monitoring of the Heart Activity. <i>Acta Physica Polonica A</i> , 2011, 120, 782-784.	0.2	11
50	Human psychophysiological activity monitoring methods using fiber optic sensors. <i>Proceedings of SPIE</i> , 2010, , .	0.8	2
51	Clinical presentations and hemodynamic parameters in patients hospitalized due to acute heart failure stratified by the left-ventricular ejection fraction. <i>Medical Research Journal</i> , 0, , .	0.1	1