

Carol L. Hodgson

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1917566/carol-l-hodgson-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

5,790
citations

38
h-index

75
g-index

150
ext. papers

8,173
ext. citations

5.5
avg, IF

5.65
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 122 | An Official American Thoracic Society/European Society of Intensive Care Medicine/Society of Critical Care Medicine Clinical Practice Guideline: Mechanical Ventilation in Adult Patients with Acute Respiratory Distress Syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017, 195, 1253-1263 | 10.2 | 674 |
| 121 | Predicting survival after ECMO for refractory cardiogenic shock: the survival after veno-arterial-ECMO (SAVE)-score. <i>European Heart Journal</i> , 2015, 36, 2246-56 | 9.5 | 423 |
| 120 | Predicting survival after extracorporeal membrane oxygenation for severe acute respiratory failure. The Respiratory Extracorporeal Membrane Oxygenation Survival Prediction (RESP) score. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 189, 1374-82 | 10.2 | 417 |
| 119 | Physiotherapy management for COVID-19 in the acute hospital setting: clinical practice recommendations. <i>Journal of Physiotherapy</i> , 2020, 66, 73-82 | 2.9 | 284 |
| 118 | The effects of active mobilisation and rehabilitation in ICU on mortality and function: a systematic review. <i>Intensive Care Medicine</i> , 2017, 43, 171-183 | 14.5 | 255 |
| 117 | Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. <i>Critical Care</i> , 2014, 18, 658 | 10.8 | 255 |
| 116 | Early mobilization and recovery in mechanically ventilated patients in the ICU: a bi-national, multi-centre, prospective cohort study. <i>Critical Care</i> , 2015, 19, 81 | 10.8 | 176 |
| 115 | Feasibility and inter-rater reliability of the ICU Mobility Scale. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2014, 43, 19-24 | 2.6 | 169 |
| 114 | Position paper for the organization of ECMO programs for cardiac failure in adults. <i>Intensive Care Medicine</i> , 2018, 44, 717-729 | 14.5 | 162 |
| 113 | Mechanical ventilation management during extracorporeal membrane oxygenation for acute respiratory distress syndrome: a retrospective international multicenter study. <i>Critical Care Medicine</i> , 2015, 43, 654-64 | 1.4 | 135 |
| 112 | Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock 2021. <i>Critical Care Medicine</i> , 2021, 49, e1063-e1143 | 1.4 | 131 |
| 111 | Mechanical Ventilation Management during Extracorporeal Membrane Oxygenation for Acute Respiratory Distress Syndrome. An International Multicenter Prospective Cohort. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019, 200, 1002-1012 | 10.2 | 116 |
| 110 | Clinical review: early patient mobilization in the ICU. <i>Critical Care</i> , 2013, 17, 207 | 10.8 | 112 |
| 109 | Associations between ventilator settings during extracorporeal membrane oxygenation for refractory hypoxemia and outcome in patients with acute respiratory distress syndrome: a pooled individual patient data analysis : Mechanical ventilation during ECMO. <i>Intensive Care Medicine</i> , 2016, 42, 1672-1684 | 14.5 | 112 |
| 108 | Impact of fluid balance on outcome of adult patients treated with extracorporeal membrane oxygenation. <i>Intensive Care Medicine</i> , 2014, 40, 1256-66 | 14.5 | 104 |
| 107 | A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU. <i>Critical Care Medicine</i> , 2016, 44, 1145-52 | 1.4 | 104 |
| 106 | Mechanical ventilation during extracorporeal membrane oxygenation. <i>Critical Care</i> , 2014, 18, 203 | 10.8 | 100 |

| | | | |
|-----|--|------|----|
| 105 | A randomised controlled trial of an open lung strategy with staircase recruitment, titrated PEEP and targeted low airway pressures in patients with acute respiratory distress syndrome. <i>Critical Care</i> , 2011 , 15, R133 | 10.8 | 98 |
| 104 | Long-term quality of life in patients with acute respiratory distress syndrome requiring extracorporeal membrane oxygenation for refractory hypoxaemia. <i>Critical Care</i> , 2012 , 16, R202 | 10.8 | 97 |
| 103 | Venovenous extracorporeal membrane oxygenation for acute respiratory failure : A clinical review from an international group of experts. <i>Intensive Care Medicine</i> , 2016 , 42, 712-724 | 14.5 | 91 |
| 102 | Timing of onset and burden of persistent critical illness in Australia and New Zealand: a retrospective, population-based, observational study. <i>Lancet Respiratory Medicine</i> , 2016 , 4, 566-573 | 35.1 | 91 |
| 101 | Targeted therapeutic mild hypercapnia after cardiac arrest: A phase II multi-centre randomised controlled trial (the CCC trial). <i>Resuscitation</i> , 2016 , 104, 83-90 | 4 | 83 |
| 100 | Barriers and facilitators to early mobilisation in Intensive Care: a qualitative study. <i>Australian Critical Care</i> , 2015 , 28, 177-82; quiz 183 | 2.9 | 69 |
| 99 | The ICM research agenda on extracorporeal life support. <i>Intensive Care Medicine</i> , 2017 , 43, 1306-1318 | 14.5 | 61 |
| 98 | Higher PEEP versus Lower PEEP Strategies for Patients with Acute Respiratory Distress Syndrome. A Systematic Review and Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S297-S303 | 4.7 | 61 |
| 97 | The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 887-93 | 4.7 | 58 |
| 96 | Lung Recruitment Maneuvers for Adult Patients with Acute Respiratory Distress Syndrome. A Systematic Review and Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S304-S311 | 4.7 | 57 |
| 95 | The impact of disability in survivors of critical illness. <i>Intensive Care Medicine</i> , 2017 , 43, 992-1001 | 14.5 | 55 |
| 94 | Extracorporeal membrane oxygenation for critically ill adults. <i>The Cochrane Library</i> , 2015 , 1, CD010381 | 5.2 | 53 |
| 93 | A survey of manual hyperinflation in Australian hospitals. <i>Australian Journal of Physiotherapy</i> , 1999 , 45, 185-193 | | 51 |
| 92 | Mechanical Ventilation for Acute Respiratory Distress Syndrome during Extracorporeal Life Support. Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 201, 514-525 | 10.2 | 50 |
| 91 | Extracorporeal gas exchange for acute respiratory failure in adult patients: a systematic review. <i>Critical Care</i> , 2015 , 19, 99 | 10.8 | 49 |
| 90 | Early Mobilization of Patients in Intensive Care: Organization, Communication and Safety Factors that Influence Translation into Clinical Practice. <i>Critical Care</i> , 2018 , 22, 77 | 10.8 | 49 |
| 89 | Recruitment manoeuvres for adults with acute lung injury receiving mechanical ventilation. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006667 | | 49 |
| 88 | Understanding and Enhancing Sepsis Survivorship. Priorities for Research and Practice. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 972-981 | 10.2 | 47 |

| | | | |
|----|--|------|----|
| 87 | Maximal Recruitment Open Lung Ventilation in Acute Respiratory Distress Syndrome (PHARLAP). A Phase II, Multicenter Randomized Controlled Clinical Trial. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 1363-1372 | 10.2 | 43 |
| 86 | Extracorporeal life support for adults with acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2020 , 46, 2464-2476 | 14.5 | 40 |
| 85 | Physiotherapy management of intensive care unit-acquired weakness. <i>Journal of Physiotherapy</i> , 2017 , 63, 4-10 | 2.9 | 38 |
| 84 | What Happens to Nutrition Intake in the Post-Intensive Care Unit Hospitalization Period? An Observational Cohort Study in Critically Ill Adults. <i>Journal of Parenteral and Enteral Nutrition</i> , 2019 , 43, 88-95 | 4.2 | 37 |
| 83 | Recruitment manoeuvres for adults with acute respiratory distress syndrome receiving mechanical ventilation. <i>The Cochrane Library</i> , 2016 , 11, CD006667 | 5.2 | 35 |
| 82 | Sodium bicarbonate and renal function after cardiac surgery: a prospectively planned individual patient meta-analysis. <i>Anesthesiology</i> , 2015 , 122, 294-306 | 4.3 | 30 |
| 81 | Treatment limitations at admission to intensive care units in Australia and New Zealand: prevalence, outcomes, and resource use*. <i>Critical Care Medicine</i> , 2012 , 40, 2082-9 | 1.4 | 27 |
| 80 | A positive response to a recruitment maneuver with PEEP titration in patients with ARDS, regardless of transient oxygen desaturation during the maneuver. <i>Journal of Intensive Care Medicine</i> , 2011 , 26, 41-9 | 3.3 | 22 |
| 79 | Research in Extracorporeal Life Support: A Call to Action. <i>Chest</i> , 2018 , 153, 788-791 | 5.3 | 21 |
| 78 | Acute skeletal muscle wasting and relation to physical function in patients requiring extracorporeal membrane oxygenation (ECMO). <i>Journal of Critical Care</i> , 2018 , 48, 1-8 | 4 | 21 |
| 77 | Low-Dose Versus Therapeutic Anticoagulation in Patients on Extracorporeal Membrane Oxygenation: A Pilot Randomized Trial. <i>Critical Care Medicine</i> , 2019 , 47, e563-e571 | 1.4 | 21 |
| 76 | High-Frequency Oscillation for Adult Patients with Acute Respiratory Distress Syndrome. A Systematic Review and Meta-Analysis. <i>Annals of the American Thoracic Society</i> , 2017 , 14, S289-S296 | 4.7 | 18 |
| 75 | Identification and prevalence of PTSD risk factors in ECMO patients: A single centre study. <i>Australian Critical Care</i> , 2015 , 28, 31-6 | 2.9 | 18 |
| 74 | A qualitative exploration of acute care and psychological distress experiences of ECMO survivors. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016 , 45, 220-6 | 2.6 | 17 |
| 73 | The Mapleson C circuit clears more secretions than the Laerdal circuit during manual hyperinflation in mechanically-ventilated patients: a randomised cross-over trial. <i>Australian Journal of Physiotherapy</i> , 2007 , 53, 33-8 | | 17 |
| 72 | Delivery of full predicted energy from nutrition and the effect on mortality in critically ill adults: A systematic review and meta-analysis of randomised controlled trials. <i>Clinical Nutrition</i> , 2018 , 37, 1913-1923 | 5.9 | 16 |
| 71 | Recovery, Risks, and Adverse Health Outcomes in Year 1 After Extracorporeal Membrane Oxygenation. <i>American Journal of Critical Care</i> , 2017 , 26, 311-319 | 1.7 | 16 |
| 70 | Long-Term Quality of Life After Extracorporeal Membrane Oxygenation in ARDS Survivors: Systematic Review and Meta-Analysis. <i>Journal of Intensive Care Medicine</i> , 2020 , 35, 233-243 | 3.3 | 15 |

| | | | |
|----|---|------|----|
| 69 | Early Mobilization in the Intensive Care Unit to Improve Long-Term Recovery. <i>Critical Care Clinics</i> , 2018 , 34, 557-571 | 4.5 | 14 |
| 68 | Hypoxaemic rescue therapies in acute respiratory distress syndrome: Why, when, what and which one?. <i>Injury</i> , 2013 , 44, 1700-9 | 2.5 | 14 |
| 67 | High-Flow Nasal Cannula Compared With Conventional Oxygen Therapy or Noninvasive Ventilation Immediately Postextubation: A Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2020 , 48, e1129-e1136 | 1.4 | 14 |
| 66 | Predictors of return to work in survivors of critical illness. <i>Journal of Critical Care</i> , 2018 , 48, 21-25 | 4 | 13 |
| 65 | An intensive physiotherapy program improves mobility for trauma patients. <i>Journal of Trauma and Acute Care Surgery</i> , 2014 , 76, 101-6 | 3.3 | 13 |
| 64 | Persistent critical illness characterised by Australian and New Zealand ICU clinicians. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015 , 17, 153-8 | 2.8 | 13 |
| 63 | The minimal important difference of the ICU mobility scale. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2018 , 47, 497-501 | 2.6 | 12 |
| 62 | Experience and needs of family members of patients treated with extracorporeal membrane oxygenation. <i>Journal of Clinical Nursing</i> , 2017 , 26, 1657-1668 | 3.2 | 12 |
| 61 | Core Outcome Measures for Research in Critically Ill Patients Receiving Extracorporeal Membrane Oxygenation for Acute Respiratory or Cardiac Failure: An International, Multidisciplinary, Modified Delphi Consensus Study. <i>Critical Care Medicine</i> , 2019 , 47, 1557-1563 | 1.4 | 12 |
| 60 | Venoarterial extracorporeal membrane oxygenation: A systematic review of selection criteria, outcome measures and definitions of complications. <i>Journal of Critical Care</i> , 2019 , 53, 32-37 | 4 | 11 |
| 59 | Moderate Certainty Evidence Suggests the Use of High-Flow Nasal Cannula Does Not Decrease Hypoxia When Compared With Conventional Oxygen Therapy in the Peri-Intubation Period: Results of a Systematic Review and Meta-Analysis. <i>Critical Care Medicine</i> , 2020 , 48, 571-578 | 1.4 | 11 |
| 58 | Late organ failures in patients with prolonged intensive care unit stays. <i>Journal of Critical Care</i> , 2018 , 46, 55-57 | 4 | 11 |
| 57 | All That Work and No Gain: What Should We Do to Restore Physical Function in Our Survivors?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, 1071-2 | 10.2 | 11 |
| 56 | Towards defining persistent critical illness and other varieties of chronic critical illness. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2015 , 17, 215-8 | 2.8 | 11 |
| 55 | High-Flow Nasal Cannula in the Immediate Postoperative Period: A Systematic Review and Meta-analysis. <i>Chest</i> , 2020 , 158, 1934-1946 | 5.3 | 10 |
| 54 | Health-Related Quality of Life in Australasian Survivors of H1N1 Influenza Undergoing Mechanical Ventilation. A Multicenter Cohort Study. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 895-903 | 4.7 | 9 |
| 53 | Physical Function in Subjects Requiring Extracorporeal Membrane Oxygenation Before or After Lung Transplantation. <i>Respiratory Care</i> , 2018 , 63, 194-202 | 2.1 | 9 |
| 52 | Intensive care unit acquired weakness. <i>Anaesthesia and Intensive Care Medicine</i> , 2012 , 13, 145-147 | 0.3 | 9 |

| | | | |
|----|---|------|---|
| 51 | Comparison of forehead Max-Fast pulse oximetry sensor with finger sensor at high positive end-expiratory pressure in adult patients with acute respiratory distress syndrome. <i>Anaesthesia and Intensive Care</i> , 2009 , 37, 953-60 | 1.1 | 9 |
| 50 | Clinical Practice Guidelines for Early Mobilization in the ICU: A Systematic Review. <i>Critical Care Medicine</i> , 2020 , 48, e1121-e1128 | 1.4 | 9 |
| 49 | Frailty in Patients With Trauma Who Are Critically Ill: A Prospective Observational Study to Determine Feasibility, Concordance, and Construct and Predictive Validity of 2 Frailty Measures. <i>Physical Therapy</i> , 2019 , 99, 1089-1097 | 3.3 | 8 |
| 48 | Physical function after extracorporeal membrane oxygenation in patients pre or post heart transplantation - An observational study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2016 , 45, 525-531 | 2.6 | 8 |
| 47 | Early Mobilization during ECMO for Cardiopulmonary Failure in Adults: Factors Associated with Intensity of Treatment. <i>Annals of the American Thoracic Society</i> , 2021 , | 4.7 | 8 |
| 46 | Dynamics of end expiratory lung volume after changing positive end-expiratory pressure in acute respiratory distress syndrome patients. <i>Critical Care</i> , 2015 , 19, 340 | 10.8 | 7 |
| 45 | Early mobilisation during extracorporeal membrane oxygenation was safe and feasible: a pilot randomised controlled trial. <i>Intensive Care Medicine</i> , 2020 , 46, 1057-1059 | 14.5 | 7 |
| 44 | Barriers to implementing expert safety recommendations for early mobilisation in intensive care unit during mechanical ventilation: A prospective observational study. <i>Australian Critical Care</i> , 2019 , 32, 185-190 | 2.9 | 7 |
| 43 | The impact of COVID-19 critical illness on new disability, functional outcomes and return to work at 6 months: a prospective cohort study. <i>Critical Care</i> , 2021 , 25, 382 | 10.8 | 7 |
| 42 | Survival and functional outcome at hospital discharge following in-hospital cardiac arrest (IHCA): A prospective multicentre observational study. <i>Resuscitation</i> , 2020 , 155, 48-54 | 4 | 7 |
| 41 | Predictors of death and new disability after critical illness: a multicentre prospective cohort study. <i>Intensive Care Medicine</i> , 2021 , 47, 772-781 | 14.5 | 7 |
| 40 | Better Measures, Better Trials, Better Outcomes in Survivors of Critical Illness. <i>Critical Care Medicine</i> , 2016 , 44, 1254-5 | 1.4 | 7 |
| 39 | Early mobilisation in ICU is far more than just exercise. <i>Lancet, The</i> , 2016 , 388, 1351-1352 | 40 | 7 |
| 38 | Effects of the Level and Duration of Mobilization Therapy in the Surgical ICU on the Loss of the Ability to Live Independently: An International Prospective Cohort Study. <i>Critical Care Medicine</i> , 2021 , 49, e247-e257 | 1.4 | 7 |
| 37 | An appraisal of respiratory system compliance in mechanically ventilated covid-19 patients. <i>Critical Care</i> , 2021 , 25, 199 | 10.8 | 6 |
| 36 | Response to Ventilator Adjustments for Predicting Acute Respiratory Distress Syndrome Mortality. Driving Pressure versus Oxygenation. <i>Annals of the American Thoracic Society</i> , 2021 , 18, 857-864 | 4.7 | 6 |
| 35 | An evaluation of learning clinical decision-making for early rehabilitation in the ICU via interactive education with audience response system. <i>Disability and Rehabilitation</i> , 2017 , 39, 1143-1145 | 2.4 | 5 |
| 34 | Adaptation and validation of the ICU Mobility Scale in Spain. <i>Enfermería Intensiva</i> , 2020 , 31, 131-146 | 0.9 | 4 |

| | | | |
|----|--|------|---|
| 33 | Permissive Hypercapnia, Alveolar Recruitment and Low Airway Pressure (PHARLAP): a protocol for a phase 2 trial in patients with acute respiratory distress syndrome. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2018 , 20, 139-149 | 2.8 | 4 |
| 32 | Full predicted energy from nutrition and the effect on mortality and infectious complications in critically ill adults: a protocol for a systematic review and meta-analysis of parallel randomised controlled trials. <i>Systematic Reviews</i> , 2015 , 4, 179 | 3 | 3 |
| 31 | Recruitment manoeuvres for adults receiving mechanical ventilation with acute lung injury 2007 , | | 3 |
| 30 | A Core Outcome Set for Research in Patients on Extracorporeal Membrane Oxygenation. <i>Critical Care Medicine</i> , 2021 , 49, e1252-e1254 | 1.4 | 3 |
| 29 | Early rehabilitation during extracorporeal membrane oxygenation has minimal impact on physiological parameters: A pilot randomised controlled trial. <i>Australian Critical Care</i> , 2021 , 34, 217-225 | 2.9 | 3 |
| 28 | Association of PEEP and Lung Recruitment Selection Strategies with Mortality in Acute Respiratory Distress Syndrome: A Systematic Review and Network Meta-Analysis.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022 , | 10.2 | 3 |
| 27 | Characteristics and Outcomes of Critically Ill Trauma Patients in Australia and New Zealand (2005-2017). <i>Critical Care Medicine</i> , 2020 , 48, 717-724 | 1.4 | 2 |
| 26 | Early Mobilization of Patients in Intensive Care: Organization, Communication and Safety Factors that Influence Translation into Clinical Practice. <i>Annual Update in Intensive Care and Emergency Medicine</i> , 2018 , 621-632 | 0.2 | 2 |
| 25 | Intensive care unit acquired weakness. <i>Anaesthesia and Intensive Care Medicine</i> , 2016 , 17, 24-26 | 0.3 | 2 |
| 24 | Mobilization During Critical Illness: A Higher Level of Mobilization Improves Health Status at 6 Months, a Secondary Analysis of a Prospective Cohort Study. <i>Critical Care Medicine</i> , 2021 , 49, e860-e869 | 1.4 | 2 |
| 23 | Defining patient-centered recovery after critical illness - A qualitative study. <i>Journal of Critical Care</i> , 2020 , 57, 84-90 | 4 | 1 |
| 22 | Assessment of 28-Day In-Hospital Mortality in Mechanically Ventilated Patients With Coronavirus Disease 2019: An International Cohort Study 2021 , 3, e0567 | | 1 |
| 21 | Rehabilitating the neurological patient in the ICU: what is important?. <i>Current Opinion in Critical Care</i> , 2021 , 27, 120-130 | 3.5 | 1 |
| 20 | A national perioperative outcomes registry will facilitate quality assurance and research in Australia. <i>Anaesthesia and Intensive Care</i> , 2020 , 48, 328-329 | 1.1 | 1 |
| 19 | Long-Term Functional Outcome and Quality of Life Following In-Hospital Cardiac Arrest-A Longitudinal Cohort Study. <i>Critical Care Medicine</i> , 2021 , | 1.4 | 1 |
| 18 | An observational study investigating the use of patient-owned technology to quantify physical activity in survivors of critical illness. <i>Australian Critical Care</i> , 2020 , 33, 137-143 | 2.9 | 1 |
| 17 | Systematic review of perioperative mortality risk prediction models for adults undergoing inpatient non-cardiac surgery. <i>ANZ Journal of Surgery</i> , 2021 , 91, 860-870 | 1 | 1 |
| 16 | Design and Rationale of a Prospective International Follow-Up Study on Intensive Care Survivors of COVID-19: The Long-Term Impact in Intensive Care Survivors of Coronavirus Disease-19-AFTERCOR. <i>Frontiers in Medicine</i> , 2021 , 8, 738086 | 4.9 | 1 |

| | | | |
|----|---|------|---|
| 15 | A survey of extracorporeal membrane oxygenation practice in 23 Australian adult intensive care units. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2020 , 22, 166-170 | 2.8 | 1 |
| 14 | Early short course of neuromuscular blocking agents in patients with COVID-19 ARDS: a propensity score analysis.. <i>Critical Care</i> , 2022 , 26, 141 | 10.8 | 1 |
| 13 | Physiotherapy management for COVID-19 in the acute hospital setting and beyond: an update to clinical practice recommendations.. <i>Journal of Physiotherapy</i> , 2021 , 68, 8-8 | 2.9 | 0 |
| 12 | Towards a national perioperative outcomes registry: A survey of perioperative electronic medical record utilisation to support quality assurance and research at Australian and New Zealand College of Anaesthetists Clinical Trials Network hospitals in Australia.. <i>Anaesthesia and Intensive Care</i> , 2022 , 310057X21103028 | 1.1 | 0 |
| 11 | Barriers and facilitators to oral nutrition intake in hospitalised adult patients following critical illness: A scoping review protocol.. <i>Clinical Nutrition ESPEN</i> , 2022 , 47, 399-404 | 1.3 | 0 |
| 10 | The impact of frailty in critically ill patients after trauma: A prospective observational study. <i>Australian Critical Care</i> , 2020 , 33, 228-235 | 2.9 | 0 |
| 9 | The perceived barriers and facilitators to implementation of ECMO services in acute hospitals. <i>Intensive Care Medicine</i> , 2020 , 46, 2115-2117 | 14.5 | 0 |
| 8 | How cutting-edge trial design can assess outcomes. <i>Current Opinion in Critical Care</i> , 2021 , 27, 520-526 | 3.5 | 0 |
| 7 | Protocol summary and statistical analysis plan for intensive nutrition therapy compared to usual care in critically ill adults (INTENT): a phase II randomised controlled trial.. <i>BMJ Open</i> , 2022 , 12, e050153 | 3 | 0 |
| 6 | Daily rehabilitation improves physical function at 6 months, but not hospital length of stay, in patients with acute respiratory failure [commentary]. <i>Journal of Physiotherapy</i> , 2017 , 63, 49 | 2.9 | |
| 5 | Clinimetrics: The Intensive Care Unit Mobility Scale. <i>Journal of Physiotherapy</i> , 2020 , 66, 271 | 2.9 | |
| 4 | Progressive active mobilization with dose control and training load in critically ill patients (PROMOB): Protocol for a randomized controlled trial. <i>PLoS ONE</i> , 2020 , 15, e0238352 | 3.7 | |
| 3 | Implementing Early Mobilisation in the Intensive Care Unit 2021 , 21-37 | | |
| 2 | Reducing confusion about post-cardiotomy delirium. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2017 , 19, 5-8 | 2.8 | |
| 1 | Association of Respiratory Parameters at Venovenous Extracorporeal Membrane Oxygenation Liberation With Duration of Mechanical Ventilation and ICU Length of Stay: A Prospective Cohort Study. 2022 , 4, e0689 | | |