

# Nobuhiro Suzumori

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1918004/publications.pdf>

Version: 2024-02-01

48  
papers

631  
citations

643344

15  
h-index

721071

23  
g-index

48  
all docs

48  
docs citations

48  
times ranked

835  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prenatal Identification of Confined Placental Mosaicism in Pregnant Women with Fetal Growth Restriction. <i>Reproductive Sciences</i> , 2022, 29, 896-903.	1.1	0
2	Retrospective details of false-positive and false-negative results in non-invasive prenatal testing for fetal trisomies 21, 18 and 13. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 256, 75-81.	0.5	20
3	The investigation of calpain in human placenta with fetal growth restriction. <i>American Journal of Reproductive Immunology</i> , 2021, 85, e13325.	1.2	1
4	Relationship between delivery with anesthesia and postpartum depression: The Japan Environment and Children's Study (JECS). <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 522.	0.9	7
5	Trends of fetal chromosome analysis by amniocentesis before and after beginning of noninvasive prenatal testing: A single-center experience in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 3807-3812.	0.6	1
6	Evaluation of the clinical performance of noninvasive prenatal testing at a Japanese laboratory. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, 47, 3437-3446.	0.6	2
7	Trisomy and Genetic Counseling. <i>Comprehensive Gynecology and Obstetrics</i> , 2021, , 249-258.	0.0	0
8	What are the ethical issues involved in noninvasive prenatal testing in Japan?. <i>Journal of Obstetrics and Gynaecology Research</i> , 2021, , .	0.6	1
9	Effects of long working hours and shift work during pregnancy on obstetric and perinatal outcomes: A large prospective cohort study—Japan Environment and Children's Study. <i>Birth</i> , 2020, 47, 67-79.	1.1	33
10	Management strategy of pregnant women during COVID-19 pandemic. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, E9-E10.	0.4	2
11	Discussion of the advances in non-invasive prenatal genetic testing and open issues in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2020, 46, 1470-1470.	0.6	1
12	Qualitative investigation of the factors that generate ambivalent feelings in women who give birth after receiving negative results from non-invasive prenatal testing. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 112.	0.9	10
13	Study of Relationship Between Mode of Conception and Non-Specific Psychological Distress in Women Undergoing Noninvasive Prenatal Testing. <i>Journal of Reproduction and Infertility</i> , 2020, 21, 189-193.	1.0	1
14	Classification of factors involved in nonreportable results of noninvasive prenatal testing (NIPT) and prediction of success rate of second NIPT. <i>Prenatal Diagnosis</i> , 2019, 39, 100-106.	1.1	27
15	Fetal cell-free DNA fraction in maternal plasma for the prediction of hypertensive disorders of pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 224, 165-169.	0.5	22
16	Psychological distress in postpartum women after non-invasive prenatal testing (<sc>NIPT</sc>) in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 35-42.	0.6	9
17	Compound heterozygous RYR1 mutations by whole exome sequencing in a family with three repeated affected fetuses with fetal akinesia. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2018, 230, 200-202.	0.5	2
18	Maternal age-specific risk for trisomy 21 based on the clinical performance of NIPT and empirically derived NIPT age-specific positive and negative predictive values in Japan. <i>Journal of Human Genetics</i> , 2018, 63, 1035-1040.	1.1	13

#	ARTICLE	IF	CITATIONS
19	Performance and outcomes of noninvasive prenatal testing for twin pregnancies in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018, 44, 1909-1914.	0.6	12
20	Current status of noninvasive prenatal testing in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2017, 43, 1245-1255.	0.6	40
21	Background of couples undergoing noninvasive prenatal testing in Japan. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016, 42, 1222-1228.	0.6	5
22	A survey on awareness of genetic counseling for non-invasive prenatal testing: the first year experience in Japan. <i>Journal of Human Genetics</i> , 2016, 61, 995-1001.	1.1	19
23	Role of Indoleamine 2,3-dioxygenase and Tryptophan 2,3-dioxygenase in Patients with Recurrent Miscarriage. <i>American Journal of Reproductive Immunology</i> , 2016, 75, 69-77.	1.2	15
24	Factors affecting parental decisions to terminate pregnancy in the presence of chromosome abnormalities: a Japanese multicenter study. <i>Prenatal Diagnosis</i> , 2016, 36, 1121-1126.	1.1	14
25	Fetal cell-free DNA fraction in maternal plasma is affected by fetal trisomy. <i>Journal of Human Genetics</i> , 2016, 61, 647-652.	1.1	59
26	Clinical and molecular findings in a patient with 46,XX/47,XX,+14 mosaicism caused by postzygotic duplication of a paternally derived chromosome 14. <i>American Journal of Medical Genetics, Part A</i> , 2015, 167, 2474-2477.	0.7	5
27	Prenatal findings of holoprosencephaly. <i>Congenital Anomalies (discontinued)</i> , 2015, 55, 161-163.	0.3	4
28	Parental Decisions Following Prenatal Diagnosis of Chromosomal Abnormalities: Implications for Genetic Counseling Practice in Japan. <i>Journal of Genetic Counseling</i> , 2015, 24, 117-121.	0.9	13
29	Genotyping Analysis for the 46 C/T Polymorphism of Coagulation Factor XII and the Involvement of Factor XII Activity in Patients with Recurrent Pregnancy Loss. <i>PLoS ONE</i> , 2014, 9, e114452.	1.1	9
30	Mutational analysis of <i>FOXL2</i> p.C134W and expression of bone morphogenetic protein 2 in Japanese patients with granulosa cell tumor of ovary. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014, 40, 1197-1204.	0.6	12
31	Non-specific psychological distress in women undergoing noninvasive prenatal testing because of advanced maternal age. <i>Prenatal Diagnosis</i> , 2014, 34, 1055-1060.	1.1	26
32	Prenatal diagnosis of X-linked recessive Lenz microphthalmia syndrome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2013, 39, 1545-1547.	0.6	13
33	A Case of Microangiopathic Antiphospholipid-Associated Syndromes during Pregnancy: Review of the Literature. <i>Case Reports in Medicine</i> , 2012, 2012, 1-4.	0.3	8
34	Paternal uniparental disomy 14 and related disorders. <i>Epigenetics</i> , 2012, 7, 1142-1150.	1.3	34
35	Prenatal findings of omphalocele-exstrophy of the bladder-imperforate anus-spinal defects (OEIS) complex. <i>Congenital Anomalies (discontinued)</i> , 2012, 52, 179-181.	0.3	14
36	Prenatal diagnosis of familial lethal hypophosphatasia using imaging, blood enzyme levels, chorionic villus sampling and archived fetal tissue. <i>Journal of Obstetrics and Gynaecology Research</i> , 2011, 37, 1470-1473.	0.6	6

#	ARTICLE	IF	CITATIONS
37	Prenatal findings of paternal uniparental disomy 14: Delineation of further patient. <i>American Journal of Medical Genetics, Part A</i> , 2010, 152A, 3189-3192.	0.7	12
38	Prenatal diagnosis of persistent cloaca. <i>Congenital Anomalies (discontinued)</i> , 2009, 49, 116-117.	0.3	8
39	Cytomegalovirus-associated acute hydramnios treated by amniocentesis and maternal indomethacin. <i>Congenital Anomalies (discontinued)</i> , 2009, 49, 274-275.	0.3	2
40	Candidate Genes for Premature Ovarian Failure. <i>Current Medicinal Chemistry</i> , 2007, 14, 353-357.	1.2	43
41	Increased granulocyte chemotactic protein-2 concentrations in peritoneal fluid of women with endometriosis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 1141-1144.	1.3	5
42	Increased granulocyte chemotactic protein-2 concentrations in peritoneal fluid of women with endometriosis. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005, 84, 1141-1144.	1.3	4
43	A case of postpartum cardiomyopathy and pulmonary edema due to left ventricular systolic dysfunction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 507-509.	1.3	0
44	Peritoneal fluid concentrations of epithelial neutrophil-activating peptide-78 correlate with the severity of endometriosis. <i>Fertility and Sterility</i> , 2004, 81, 305-308.	0.5	21
45	Elevated angiogenin levels in the peritoneal fluid of women with endometriosis correlate with the extent of the disorder. <i>Fertility and Sterility</i> , 2004, 82, 93-96.	0.5	33
46	Women with endometriosis have increased levels of placental growth factor in the peritoneal fluid compared with women with cystadenomas. <i>Human Reproduction</i> , 2003, 18, 2595-2598.	0.4	20
47	Peritoneal Fluid Concentrations of Ciliary Neurotrophic Factor, a gp130 Cytokine, in Women with Endometriosis. <i>Gynecologic and Obstetric Investigation</i> , 2003, 56, 51-54.	0.7	4
48	Expression of secretory leukocyte protease inhibitor in women with endometriosis. <i>Fertility and Sterility</i> , 1999, 72, 857-867.	0.5	19