
Martin Ernst

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1918140/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Characteristics and predictors of hospitalization and death in the first 11Â122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. International Journal of Epidemiology, 2020, 49, 1468-1481.	0.9	219
2	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. BMJ: British Medical Journal, 2018, 362, k3851.	2.4	60
3	<p>Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort</p> . Clinical Epidemiology, 2020, Volume 12, 875-881.	1.5	37
4	Statin Discontinuation and Cardiovascular Events Among Older People in Denmark. JAMA Network Open, 2021, 4, e2136802.	2.8	33
5	Proton Pump Inhibitor Use Is Not Strongly Associated With SARS-CoV-2 Related Outcomes: A Nationwide Study and Meta-analysis. Clinical Gastroenterology and Hepatology, 2021, 19, 1845-1854.e6.	2.4	22
6	Use of Psychotropic Drugs among Children and Adolescents with Autism Spectrum Disorders in Denmark: A Nationwide Drug Utilization Study. Journal of Clinical Medicine, 2018, 7, 339.	1.0	21
7	Use of tramadol and other analgesics following media attention and risk minimization actions from regulators: a Danish nationwide drug utilization study. European Journal of Clinical Pharmacology, 2021, 77, 617-624.	0.8	17
8	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. European Respiratory Journal, 2022, 59, 2100769.	3.1	17
9	Longâ€ŧerm oral budesonide treatment and risk of osteoporotic fractures in patients with microscopic colitis. Alimentary Pharmacology and Therapeutics, 2020, 51, 644-651.	1.9	14
10	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. Pharmacoepidemiology and Drug Safety, 2020, 29, 296-305.	0.9	12
11	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. Clinical Epidemiology, 2022, Volume 14, 567-579.	1.5	11
12	The acute effects of short bouts of exercise on inhibitory control in adolescents. Mental Health and Physical Activity, 2018, 15, 34-39.	0.9	10
13	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. Clinical Pharmacology and Therapeutics, 2020, 107, 607-616.	2.3	8
14	One- and 2-year incidence of osteoporotic fracture: a multi-cohort observational study using routinely collected real-world data. Osteoporosis International, 2022, 33, 123-137.	1.3	7
15	Melatonin use among children, adolescents, and young adults: a Danish nationwide drug utilization study. European Child and Adolescent Psychiatry, 2023, 32, 2021-2029.	2.8	7
16	Predicting Imminent Fractures in Patients With a Recent Fracture or Starting Oral Bisphosphonate Therapy: Development and International Validation of Prognostic Models. Journal of Bone and Mineral Research, 2021, 36, 2162-2176.	3.1	5
17	Prognostic factors of total hip replacement during a 2-year period in participants enrolled in supervised education and exercise therapy: a prognostic study of 3657 participants with hip osteoarthritis. Arthritis Research and Therapy, 2021, 23, 235.	1.6	4
18	Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands: An interrupted time series regression analysis. Pharmacoepidemiology and Drug Safety, 2021, 30, 482-491.	0.9	3

#	Article	IF	CITATIONS
19	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. Therapeutic Advances in Gastroenterology, 2017, 10, 919-929.	1.4	1
20	Use of Tic-Suppressing Medication and Other Psychotropic Drugs in Children and Adolescents with Newly Diagnosed Tic Disorders in Denmark. Journal of Child and Adolescent Psychopharmacology, 2020, 30, 476-485.	0.7	0