## José A FernÃ;ndez-López

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1919235/publications.pdf Version: 2024-02-01

		331259	414034
32	1,860	21	32
papers	citations	h-index	g-index
32	32	32	2141
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Adsorptive and Surface Characterization of Mediterranean Agrifood Processing Wastes: Prospection for Pesticide Removal. Agronomy, 2021, 11, 561.	1.3	8
2	Thermographic studies of cocurrent and mixed flow spray drying of heat sensitive bioactive compounds. Journal of Food Engineering, 2020, 268, 109745.	2.7	10
3	Removal of Diclofenac in Wastewater Using Biosorption and Advanced Oxidation Techniques: Comparative Results. Water (Switzerland), 2020, 12, 3567.	1.2	24
4	New insights into red plant pigments: more than just natural colorants. RSC Advances, 2020, 10, 24669-24682.	1.7	60
5	Reuse potential of residues of artichoke (Cynara scolymus L.) from industrial canning processing as sorbent of heavy metals in multimetallic effluents. Industrial Crops and Products, 2019, 141, 111751.	2.5	16
6	Taguchi design-based enhancement of heavy metals bioremoval by agroindustrial waste biomass from artichoke. Science of the Total Environment, 2019, 653, 55-63.	3.9	46
7	Betaxanthin-Rich Extract from Cactus Pear Fruits as Yellow Water-Soluble Colorant with Potential Application in Foods. Plant Foods for Human Nutrition, 2018, 73, 146-153.	1.4	34
8	Factorial Design Methodological Approach for Enhanced Cadmium Ions Bioremoval by <i>Opuntia</i> Biomass. Clean - Soil, Air, Water, 2016, 44, 959-966.	0.7	8
9	Comparative Thermal Degradation Patterns of Natural Yellow Colorants Used in Foods. Plant Foods for Human Nutrition, 2015, 70, 380-387.	1.4	38
10	Brewery and liquid manure wastewaters as potential feedstocks for microbial fuel cells: a performance study. Environmental Technology (United Kingdom), 2015, 36, 68-78.	1.2	32
11	Biosorption of Hexavalent Chromium from Aqueous Medium with <i>Opuntia</i> Biomass. Scientific World Journal, The, 2014, 2014, 1-8.	0.8	34
12	Thermal Stability of Selected Natural Red Extracts Used as Food Colorants. Plant Foods for Human Nutrition, 2013, 68, 11-17.	1.4	112
13	Determination of Antioxidant Constituents in Cactus Pear Fruits. Plant Foods for Human Nutrition, 2010, 65, 253-259.	1.4	168
14	Production of a red–purple food colorant from Opuntia stricta fruits by spray drying and its application in food model systems. Journal of Food Engineering, 2009, 90, 471-479.	2.7	278
15	Monitoring by Liquid Chromatography Coupled to Mass Spectrometry the Impact of pH and Temperature on the Pigment Pattern of Cactus Pear Fruit Extracts. Journal of Chromatographic Science, 2007, 45, 120-125.	0.7	17
16	The isolation and properties of a concentrated red-purple betacyanin food colourant fromOpuntia stricta fruits. Journal of the Science of Food and Agriculture, 2006, 86, 122-128.	1.7	106
17	QUANTITY AND QUALITY OF PROTEINS IN ARTICHOKE BY-PRODUCTS (CYNARA SCOLYMUS L.). Acta Horticulturae, 2005, , 505-510.	0.1	2
18	APPRAISAL OF OXIDATIVE ENZYMATIC ACTIVITIES AND INULIN CONTENT DURING ARTICHOKE GROWTH. Acta Horticulturae, 2005, , 529-536.	0.1	2

## José A FernÃindez-López

#	Article	IF	CITATIONS
19	Assessment of the TEAC method for determining the antioxidant capacity of synthetic red food colorants. Food Research International, 2005, 38, 843-845.	2.9	50
20	GLUCIDIC CONTENT IN CANNED HEART ARTICHOKE. Acta Horticulturae, 2004, , 563-567.	0.1	2
21	Color Properties and Stability of Betacyanins fromOpuntiaFruits. Journal of Agricultural and Food Chemistry, 2003, 51, 2772-2776.	2.4	232
22	Screening and mass-spectral confirmation of betalains in cactus pears. Chromatographia, 2002, 56, 591-595.	0.7	36
23	Application of high-performance liquid chromatography to the characterization of the betalain pigments in prickly pear fruits. Journal of Chromatography A, 2001, 913, 415-420.	1.8	98
24	High-performance liquid chromatographic screening of chlorophyll derivatives produced during fruit storage. Journal of Chromatography A, 2000, 870, 483-489.	1.8	56
25	Dependence between apparent color and extractable color in paprika. Color Research and Application, 1999, 24, 93-97.	0.8	31
26	Dependence between colour and individual anthocyanin content in ripening grapes. Food Research International, 1998, 31, 667-672.	2.9	70
27	Chemotaxonomical Classification of Red Table Grapes based on Anthocyanin Profile and External Colour. LWT - Food Science and Technology, 1997, 30, 259-265.	2.5	52
28	Changes in Pigments, Chlorophyllase Activity, and Chloroplast Ultrastructure in Ripening Pepper for Paprika. Journal of Agricultural and Food Chemistry, 1996, 44, 1704-1711.	2.4	13
29	Measuring the color of table grapes. Color Research and Application, 1996, 21, 50-54.	0.8	29
30	Proposal of an index for the objective evaluation of the colour of red table grapes. Food Research International, 1995, 28, 373-377.	2.9	166
31	High-performance liquid chromatography-diode-array detection of photosynthetic pigments. Journal of Chromatography A, 1992, 607, 215-219.	1.8	7
32	Partial purification and properties of chlorophyllase from chlorotic Citrus limon leaves. Phytochemistry, 1992, 31, 447-449.	1.4	23