

Thomas Christian Kwee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1919279/publications.pdf>

Version: 2024-02-01

259
papers

6,198
citations

94433

37
h-index

88630

70
g-index

259
all docs

259
docs citations

259
times ranked

6749
citing authors

#	ARTICLE	IF	CITATIONS
1	89Zr-atezolizumab imaging as a non-invasive approach to assess clinical response to PD-L1 blockade in cancer. <i>Nature Medicine</i> , 2018, 24, 1852-1858.	30.7	468
2	Diffusion-weighted whole-body imaging with background body signal suppression (DWIBS): features and potential applications in oncology. <i>European Radiology</i> , 2008, 18, 1937-1952.	4.5	367
3	Chest CT in COVID-19: What the Radiologist Needs to Know. <i>Radiographics</i> , 2020, 40, 1848-1865.	3.3	305
4	Combined FDG-PET/CT for the detection of unknown primary tumors: systematic review and meta-analysis. <i>European Radiology</i> , 2009, 19, 731-744.	4.5	264
5	Imaging in staging of malignant lymphoma: a systematic review. <i>Blood</i> , 2008, 111, 504-516.	1.4	227
6	Comparison and reproducibility of ADC measurements in breathhold, respiratory triggered, and free-breathing diffusion-weighted MR imaging of the liver. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 28, 1141-1148.	3.4	201
7	FDG-PET for diagnosing prosthetic joint infection: systematic review and metaanalysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2122-2132.	6.4	135
8	FDG PET/CT for the detection of bone marrow involvement in diffuse large B-cell lymphoma: systematic review and meta-analysis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 565-574.	6.4	135
9	Whole-body diffusion-weighted magnetic resonance imaging. <i>European Journal of Radiology</i> , 2009, 70, 409-417.	2.6	133
10	Whole-Body MRI, Including Diffusion-Weighted Imaging, for the Initial Staging of Malignant Lymphoma. <i>Investigative Radiology</i> , 2009, 44, 683-690.	6.2	109
11	FDG PET/CT in carcinoma of unknown primary. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 635-644.	6.4	108
12	ADC measurements of lymph nodes: Inter- and intra-observer reproducibility study and an overview of the literature. <i>European Journal of Radiology</i> , 2010, 75, 215-220.	2.6	104
13	Chest CT Imaging Signature of Coronavirus Disease 2019 Infection. <i>Chest</i> , 2020, 158, 1885-1895.	0.8	97
14	Influence of cardiac motion on diffusion-weighted magnetic resonance imaging of the liver. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2009, 22, 319-325.	2.0	94
15	Complementary Roles of Whole-Body Diffusion-Weighted MRI and ¹⁸ F-FDG PET: The State of the Art and Potential Applications. <i>Journal of Nuclear Medicine</i> , 2010, 51, 1549-1558.	5.0	92
16	Patients' views on the implementation of artificial intelligence in radiology: development and validation of a standardized questionnaire. <i>European Radiology</i> , 2020, 30, 1033-1040.	4.5	88
17	A new dimension of FDG-PET interpretation: assessment of tumor biology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1158-1170.	6.4	86
18	MR angiography in the follow-up of intracranial aneurysms treated with Guglielmi detachable coils: systematic review and meta-analysis. <i>Neuroradiology</i> , 2007, 49, 703-713.	2.2	78

#	ARTICLE	IF	CITATIONS
19	Whole-body diffusion-weighted imaging for staging malignant lymphoma in children. <i>Pediatric Radiology</i> , 2010, 40, 1592-1602.	2.0	75
20	Bone marrow ¹⁸ F-Fluoro-2-deoxy- ¹⁸ F-glucose positron emission tomography/computed tomography cannot replace bone marrow biopsy in diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2014, 89, 726-731.	4.1	70
21	Proportion of false-positive lesions at interim and end-of-treatment FDG-PET in lymphoma as determined by histology: Systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2016, 85, 1963-1970.	2.6	70
22	Systematic review and meta-analysis of MRI signs for diagnosis of idiopathic intracranial hypertension. <i>European Journal of Radiology</i> , 2019, 116, 106-115.	2.6	63
23	Prognostic superiority of the national comprehensive cancer network international prognostic index over pretreatment whole-body volumetric metabolic FDG-PET/CT metrics in diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2015, 94, 532-539.	2.2	58
24	Limitations and Pitfalls of FDG-PET/CT in Infection and Inflammation. <i>Seminars in Nuclear Medicine</i> , 2021, 51, 633-645.	4.6	58
25	Prognostic value of complete remission status at end-of-treatment FDG-PET in CHOP-treated diffuse large B-cell lymphoma: systematic review and meta-analysis. <i>British Journal of Haematology</i> , 2015, 170, 185-191.	2.5	57
26	Systematic Review and Meta-Analysis on the Value of Chest CT in the Diagnosis of Coronavirus Disease (COVID-19): <i>Sol Scientiae, Illustra Nos</i> . <i>American Journal of Roentgenology</i> , 2020, 215, 1342-1350.	2.2	55
27	Opportunities and limitations of bone marrow biopsy and bone marrow FDG-PET in lymphoma. <i>Blood Reviews</i> , 2015, 29, 417-425.	5.7	54
28	A Qualitative Study to Understand Patient Perspective on the Use of Artificial Intelligence in Radiology. <i>Journal of the American College of Radiology</i> , 2019, 16, 1416-1419.	1.8	54
29	Lesion detection by [89Zr]Zr-DFO-girentuximab and [18F]FDG-PET/CT in patients with newly diagnosed metastatic renal cell carcinoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 1931-1939.	6.4	53
30	Whole-body MRI, including diffusion-weighted imaging, for staging lymphoma: Comparison with CT in a prospective multicenter study. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 40, 26-36.	3.4	52
31	Prognostic value of pretransplant FDG-PET in refractory/relapsed Hodgkin lymphoma treated with autologous stem cell transplantation: systematic review and meta-analysis. <i>Annals of Hematology</i> , 2016, 95, 695-706.	1.8	51
32	Prognostic value of interim FDG-PET in Hodgkin lymphoma: systematic review and meta-analysis. <i>British Journal of Haematology</i> , 2015, 170, 356-366.	2.5	50
33	Whole-body MRI for the detection of bone marrow involvement in lymphoma: prospective study in 116 patients and comparison with FDG-PET. <i>European Radiology</i> , 2013, 23, 2271-2278.	4.5	44
34	Pulmonary embolism in patients with COVID-19 and value of D-dimer assessment: a meta-analysis. <i>European Radiology</i> , 2021, 31, 8168-8186.	4.5	44
35	Calcified or ossified benign soft tissue lesions that may simulate malignancy. <i>Skeletal Radiology</i> , 2019, 48, 1875-1890.	2.0	42
36	Role of FDG PET/CT in monitoring treatment response in patients with invasive fungal infections. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, 46, 174-183.	6.4	41

#	ARTICLE	IF	CITATIONS
37	Artificial Intelligence in Screening Mammography: A Population Survey of Women's Preferences. <i>Journal of the American College of Radiology</i> , 2021, 18, 79-86.	1.8	41
38	Multiparametric MRI and auto-fixed volume of interest-based radiomics signature for clinically significant peripheral zone prostate cancer. <i>European Radiology</i> , 2020, 30, 1313-1324.	4.5	40
39	Role of FDG-PET/CT in children with fever of unknown origin. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1596-1604.	6.4	40
40	Whole-body MRI-DWI for assessment of residual disease after completion of therapy in lymphoma: A prospective multicenter study. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 42, 1646-1655.	3.4	39
41	Molecular imaging to identify patients with metastatic breast cancer who benefit from endocrine treatment combined with cyclin-dependent kinase inhibition. <i>European Journal of Cancer</i> , 2020, 126, 11-20.	2.8	39
42	SUVmax of 2.5 should not be embraced as a magic threshold for separating benign from malignant lesions. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 1475-1477.	6.4	38
43	Magnetic resonance imaging for the detection of bone marrow involvement in malignant lymphoma. <i>British Journal of Haematology</i> , 2008, 141, 60-68.	2.5	37
44	Systematic review and meta-analysis on the prognostic value of complete remission status at FDG-PET in Hodgkin lymphoma after completion of first-line therapy. <i>Annals of Hematology</i> , 2016, 95, 1-9.	1.8	37
45	Workload of diagnostic radiologists in the foreseeable future based on recent scientific advances: growth expectations and role of artificial intelligence. <i>Insights Into Imaging</i> , 2021, 12, 88.	3.4	37
46	Prognostic value of interim FDG-PET in R-CHOP-treated diffuse large B-cell lymphoma: Systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 106, 55-63.	4.4	33
47	Prognostic value of interim and end-of-treatment FDG-PET in follicular lymphoma: a systematic review. <i>Annals of Hematology</i> , 2016, 95, 11-18.	1.8	33
48	Should the ultrasound probe replace your stethoscope? A SICS-I sub-study comparing lung ultrasound and pulmonary auscultation in the critically ill. <i>Critical Care</i> , 2020, 24, 14.	5.8	32
49	Do People Favor Artificial Intelligence Over Physicians? A Survey Among the General Population and Their View on Artificial Intelligence in Medicine. <i>Value in Health</i> , 2022, 25, 374-381.	0.3	32
50	ADC measurements in the evaluation of lymph nodes in patients with non-Hodgkin lymphoma: feasibility study. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2011, 24, 1-8.	2.0	31
51	Benign Bone Conditions That May Be FDG-avid and Mimic Malignancy. <i>Seminars in Nuclear Medicine</i> , 2017, 47, 322-351.	4.6	31
52	Diffusely increased bone marrow FDG uptake in recently untreated lymphoma: incidence and relevance. <i>European Journal of Haematology</i> , 2015, 95, 83-89.	2.2	30
53	CT-guided biopsy in suspected spondylodiscitis: microbiological yield, impact on antimicrobial treatment, and relationship with outcome. <i>Skeletal Radiology</i> , 2018, 47, 1383-1391.	2.0	30
54	Prognostic value of tumor necrosis at CT in diffuse large B-cell lymphoma. <i>European Journal of Radiology</i> , 2015, 84, 372-377.	2.6	29

#	ARTICLE	IF	CITATIONS
55	Citation advantage for open access articles in European Radiology. <i>European Radiology</i> , 2020, 30, 482-486.	4.5	29
56	Clinical utility of the Vesical Imaging-Reporting and Data System for muscle-invasive bladder cancer between radiologists and urologists based on multiparametric MRI including 3D FSE T2-weighted acquisitions. <i>European Radiology</i> , 2021, 31, 875-883.	4.5	28
57	Diagnostic Performance of CO-RADS and the RSNA Classification System in Evaluating COVID-19 at Chest CT: A Meta-Analysis. <i>Radiology: Cardiothoracic Imaging</i> , 2021, 3, e200510.	2.5	27
58	FDG-PET/CT for Detecting an Infection Focus in Patients With Bloodstream Infection. <i>Clinical Nuclear Medicine</i> , 2019, 44, 99-106.	1.3	26
59	Comparison of White Blood Cell Scintigraphy, FDG PET/CT and MRI in Suspected Diabetic Foot Infection: Results of a Large Retrospective Multicenter Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 1645.	2.4	26
60	Ultrasound for diagnosing radiographically occult scaphoid fracture. <i>Skeletal Radiology</i> , 2018, 47, 1205-1212.	2.0	25
61	False positives in PIRADS (V2) 3, 4, and 5 lesions: relationship with reader experience and zonal location. <i>Abdominal Radiology</i> , 2019, 44, 1044-1051.	2.1	25
62	Quantitative Assessment of Bone Metastasis in Prostate Cancer Using Synthetic Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2019, 54, 638-644.	6.2	25
63	Can FDG-PET/CT replace blind bone marrow biopsy of the posterior iliac crest in Ewing sarcoma?. <i>Skeletal Radiology</i> , 2018, 47, 363-367.	2.0	24
64	Diffusion-weighted MR neurography for the assessment of brachial plexopathy in oncological practice. <i>Cancer Imaging</i> , 2015, 15, 6.	2.8	23
65	¹⁸ F-FDG PET/CT in Autosomal Dominant Polycystic Kidney Disease Patients with Suspected Cyst Infection. <i>Journal of Nuclear Medicine</i> , 2018, 59, 1734-1741.	5.0	23
66	Whole-body MRI for preventive health screening: A systematic review of the literature. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 1489-1503.	3.4	23
67	Liver fibrosis staging by deep learning: a visual-based explanation of diagnostic decisions of the model. <i>European Radiology</i> , 2021, 31, 9620-9627.	4.5	23
68	Do Not Abandon the Bone Marrow Biopsy Yet in Diffuse Large B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2015, 33, 1217-1217.	1.6	22
69	Overview of Positron Emission Tomography, Hybrid Positron Emission Tomography Instrumentation, and Positron Emission Tomography Quantification. <i>Journal of Thoracic Imaging</i> , 2013, 28, 4-10.	1.5	21
70	Culture yield of repeat percutaneous image-guided biopsy after a negative initial biopsy in suspected spondylodiscitis: a systematic review. <i>Skeletal Radiology</i> , 2018, 47, 1327-1335.	2.0	21
71	Whole-body MRI vs. CT for staging lymphoma: Patient experience. <i>European Journal of Radiology</i> , 2014, 83, 163-166.	2.6	20
72	Utility of computed diffusion-weighted MRI for predicting aggressiveness of prostate cancer. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 490-496.	3.4	20

#	ARTICLE	IF	CITATIONS
73	Direct comparison of visual and quantitative bone marrow FDG-PET/CT findings with bone marrow biopsy results in diffuse large B-cell lymphoma: does bone marrow FDG-PET/CT live up to its promise?. <i>Acta Radiologica</i> , 2015, 56, 1230-1235.	1.1	19
74	Carbon footprint of the RSNA annual meeting. <i>European Journal of Radiology</i> , 2020, 125, 108869.	2.6	18
75	FDG-PET/CT in intensive care patients with bloodstream infection. <i>Critical Care</i> , 2021, 25, 133.	5.8	18
76	Imaging of Bone Marrow Involvement in Lymphoma: State of the Art and Future Directions. <i>Scientific World Journal</i> , The, 2011, 11, 391-402.	2.1	17
77	Nononcological Applications of Positron Emission Tomography for Evaluation of the Thorax. <i>Journal of Thoracic Imaging</i> , 2013, 28, 25-39.	1.5	17
78	Prognostic Value of Anemia and C-Reactive Protein Levels in Diffuse Large B-Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, 671-679.	0.4	17
79	Diagnostic value of MRI signs in differentiating Ewing sarcoma from osteomyelitis. <i>Acta Radiologica</i> , 2019, 60, 204-212.	1.1	17
80	Whole-body MRI versus an FDG-PET/CT-based reference standard for staging of paediatric Hodgkin lymphoma: a prospective multicentre study. <i>European Radiology</i> , 2021, 31, 1494-1504.	4.5	17
81	PET/CT Imaging for Personalized Management of Infectious Diseases. <i>Journal of Personalized Medicine</i> , 2021, 11, 133.	2.5	17
82	Clinical implications of increased uptake in bone marrow and spleen on FDG-PET in patients with bacteremia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1467-1477.	6.4	16
83	A New Working Paradigm for Radiologists in the Post-COVID-19 World. <i>Journal of the American College of Radiology</i> , 2022, 19, 324-326.	1.8	16
84	Potential prognostic implications of whole-body bone marrow MRI in diffuse large B-cell lymphoma patients with a negative blind bone marrow biopsy. <i>Journal of Magnetic Resonance Imaging</i> , 2014, 39, 1394-1400.	3.4	15
85	Utility of quantitative FDG-PET/CT for the detection of bone marrow involvement in follicular lymphoma: a histopathological correlation study. <i>Skeletal Radiology</i> , 2014, 43, 1231-1236.	2.0	15
86	Tumefactive Virchow-Robin spaces. <i>European Journal of Radiology</i> , 2019, 111, 21-33.	2.6	15
87	The Added Value of [18F]FDG PET/CT in the Management of Invasive Fungal Infections. <i>Diagnostics</i> , 2021, 11, 137.	2.6	15
88	Clinical and Radiologic Predictors of Parastomal Hernia Development After End Colostomy. <i>American Journal of Roentgenology</i> , 2021, 216, 94-103.	2.2	15
89	PET and PET/CT for Unknown Primary Tumors. <i>Methods in Molecular Biology</i> , 2011, 727, 317-333.	0.9	15
90	18F-FDG PET/CT in the Diagnostic and Treatment Evaluation of Pediatric Posttransplant Lymphoproliferative Disorders. <i>Journal of Nuclear Medicine</i> , 2020, 61, 1307-1313.	5.0	15

#	ARTICLE	IF	CITATIONS
91	Single-center versus multi-center biparametric MRI radiomics approach for clinically significant peripheral zone prostate cancer. <i>Insights Into Imaging</i> , 2021, 12, 150.	3.4	15
92	Evolving Importance of Diffusion-Weighted Magnetic Resonance Imaging in Lymphoma. <i>PET Clinics</i> , 2012, 7, 73-82.	3.0	14
93	An evidence-based review on the value of interim FDG-PET in assessing response to therapy in lymphoma. <i>Seminars in Oncology</i> , 2017, 44, 404-419.	2.2	14
94	Molecular imaging in lymphoma beyond 18F-FDG-PET: understanding the biology and its implications for diagnostics and therapy. <i>Lancet Haematology</i> , 2020, 7, e479-e489.	4.6	14
95	18F-FDG PET for Diagnosing Infections in Prosthetic Joints. <i>PET Clinics</i> , 2020, 15, 197-205.	3.0	14
96	Coronavirus Disease 2019 and Chest CT: Do Not Put the Sensitivity Value in the Isolation Room and Look Beyond the Numbers. <i>Radiology</i> , 2020, 297, E236-E237.	7.3	13
97	Diffusion-weighted MRI for the detection of colorectal polyps: feasibility study. <i>Magnetic Resonance Imaging</i> , 2013, 31, 28-35.	1.8	12
98	Malignancy rate of biopsied suspicious bone lesions identified on FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1231-1238.	6.4	12
99	The Crisis After the Crisis: The Time Is Now to Prepare Your Radiology Department. <i>Journal of the American College of Radiology</i> , 2020, 17, 749-751.	1.8	12
100	Assessment of Bone Lesions with ¹⁸ F-FDG PET Compared with ^{99m} Tc Bone Scintigraphy Leads to Clinically Relevant Differences in Metastatic Breast Cancer Management. <i>Journal of Nuclear Medicine</i> , 2021, 62, 177-183.	5.0	12
101	Diagnostic value of computed high b-value whole-body diffusion-weighted imaging for primary prostate cancer. <i>European Journal of Radiology</i> , 2021, 137, 109581.	2.6	12
102	Defining the role of modern imaging techniques in assessing lymph nodes for metastasis in cancer: evolving contribution of PET in this setting. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1353-1366.	6.4	11
103	Patient complaints in radiology: 9-year experience at a European tertiary care center. <i>European Radiology</i> , 2019, 29, 5395-5402.	4.5	11
104	Dynamic susceptibility MR perfusion in diagnosing recurrent brain metastases after radiotherapy: A systematic review and meta-analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 524-534.	3.4	11
105	A deep learning masked segmentation alternative to manual segmentation in biparametric MRI prostate cancer radiomics. <i>European Radiology</i> , 2022, 32, 6526-6535.	4.5	11
106	Diffusion-weighted MRI for detecting liver metastases: importance of the b-value. <i>European Radiology</i> , 2011, 21, 150-150.	4.5	10
107	Oncological Applications of Positron Emission Tomography for Evaluation of the Thorax. <i>Journal of Thoracic Imaging</i> , 2013, 28, 11-24.	1.5	10
108	Tumor necrosis at FDG-PET is an independent predictor of outcome in diffuse large B-cell lymphoma. <i>European Journal of Radiology</i> , 2016, 85, 304-309.	2.6	10

#	ARTICLE	IF	CITATIONS
109	Controversies on the prognostic value of interim ¹⁸ F-FDG-PET in advanced-stage Hodgkin lymphoma. <i>European Journal of Haematology</i> , 2016, 97, 491-498.	2.2	10
110	Which patients are prone to undergo disproportionate recurrent CT imaging and should we worry?. <i>European Journal of Radiology</i> , 2020, 125, 108898.	2.6	10
111	Whole-body MRI versus an [18F]FDG-PET/CT-based reference standard for early response assessment and restaging of paediatric Hodgkin's lymphoma: a prospective multicentre study. <i>European Radiology</i> , 2021, 31, 8925-8936.	4.5	10
112	Diagnostic performance of MRI and CT in diagnosing necrotizing soft tissue infection: a systematic review. <i>Skeletal Radiology</i> , 2022, 51, 727-736.	2.0	10
113	Communication and empathy skills: Essential requisites for patient-centered radiology care. <i>European Journal of Radiology</i> , 2021, 140, 109754.	2.6	10
114	Gender diversity among editorial boards of radiology-related journals. <i>Clinical Imaging</i> , 2021, 75, 30-33.	1.5	10
115	Relationship between pretreatment FDG-PET and diffusion-weighted MRI biomarkers in diffuse large B-cell lymphoma. <i>American Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 4, 231-8.	1.0	10
116	Increased bone marrow ¹⁸ F-FDG uptake at PET/CT is not a sufficient proof of bone marrow involvement in diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2015, 90, E182-3.	4.1	9
117	Fabella Fractures after Total Knee Arthroplasty with Correction of Valgus Malalignment. <i>Case Reports in Orthopedics</i> , 2016, 2016, 1-5.	0.3	9
118	Proportion of false-positive follow-up FDG-PET scans in lymphoma: Systematic review and meta-analysis. <i>Critical Reviews in Oncology/Hematology</i> , 2019, 141, 73-81.	4.4	9
119	Combining Hepatic and Splenic CT Radiomic Features Improves Radiomic Analysis Performance for Liver Fibrosis Staging. <i>Diagnostics</i> , 2022, 12, 550.	2.6	9
120	Diffusion-weighted whole-body imaging with background body signal suppression facilitates detection and evaluation of an anterior rib contusion. <i>Clinical Imaging</i> , 2010, 34, 298-301.	1.5	8
121	Successful conservative management of symptomatic bilateral dorsal patellar defects presenting with cartilage involvement and bone marrow edema: MRI findings. <i>Skeletal Radiology</i> , 2016, 45, 723-727.	2.0	8
122	Overestimated Value of Baseline Total Metabolic Tumor Volume at 18F-Labeled Fluorodeoxyglucose Positron Emission Tomography in Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 918-919.	1.6	8
123	Surveillance MRI for the detection of locally recurrent Ewing sarcoma seems futile. <i>Skeletal Radiology</i> , 2018, 47, 1517-1522.	2.0	8
124	The new integrated nuclear medicine and radiology residency program in the Netherlands: why do residents choose to subspecialize in nuclear medicine and why not?. <i>Journal of Nuclear Medicine</i> , 2021, 62, jnumed.120.261503.	5.0	8
125	Outcome of Hodgkin Lymphoma Patients With a Posttreatment ¹⁸ F-Fluoro-2-Deoxy-d-Glucose Positron Emission Tomography (FDG-PET) "Negative Residual Mass: Systematic Review and Meta-analysis. <i>Pediatric Hematology and Oncology</i> , 2015, 32, 515-524.	0.8	7
126	Both Interim and End-of-Treatment ¹⁸ F-Fluoro-2-Deoxy-d-Glucose Positron Emission Tomography Scans Have Low Value in Diffuse Large B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 765-766.	1.6	7

#	ARTICLE	IF	CITATIONS
127	Lymphoma grading with FDG-PET/CT readdressed: Direct and timely histopathological correlation study. <i>Acta Oncologica</i> , 2016, 55, 386-390.	1.8	7
128	Low-grade central fibroblastic osteosarcoma may be differentiated from its mimicker desmoplastic fibroma by genetic analysis. <i>Clinical Sarcoma Research</i> , 2018, 8, 16.	2.3	7
129	Repeatability analysis of ADC histogram metrics of the uterus. <i>Acta Radiologica</i> , 2019, 60, 526-534.	1.1	7
130	FDG-avid presacral soft tissue mass in previously treated rectal cancer: Diagnostic outcome and additional value of MRI, including diffusion-weighted imaging. <i>European Journal of Surgical Oncology</i> , 2019, 45, 606-612.	1.0	7
131	Systematic review on the value of end-of-treatment FDG-PET in improving overall survival of lymphoma patients. <i>Annals of Hematology</i> , 2020, 99, 1-5.	1.8	7
132	Medical disciplinary jurisprudence in alleged malpractice in radiology: 10-year Dutch experience. <i>European Radiology</i> , 2020, 30, 3507-3515.	4.5	7
133	Patient safety incidents in radiology: frequency and distribution of incident types. <i>Acta Radiologica</i> , 2021, 62, 653-666.	1.1	7
134	MRI after Whoops procedure: diagnostic value for residual sarcoma and predictive value for an incomplete second resection. <i>Skeletal Radiology</i> , 2021, 50, 2213-2220.	2.0	7
135	Imaging of facet joint diseases. <i>Clinical Imaging</i> , 2021, 80, 167-179.	1.5	7
136	Diagnostic performance of MRI in detecting locally recurrent soft tissue sarcoma: systematic review and meta-analysis. <i>European Radiology</i> , 2022, 32, 3915-3930.	4.5	7
137	MRI for staging lymphoma: Whole-body or less?. <i>Journal of Magnetic Resonance Imaging</i> , 2011, 33, 1144-1150.	3.4	6
138	Can whole-body MRI replace 18F-fluorodeoxyglucose PET/CT?. <i>Lancet Oncology</i> , The, 2014, 15, 243-244.	10.7	6
139	Should the nuclear medicine community continue to underestimate the potential of 18F-FDG-PET/CT with present generation scanners for the diagnosis of prosthetic joint infection?. <i>Nuclear Medicine Communications</i> , 2015, 36, 756-757.	1.1	6
140	Brain glucose metabolism in diffuse large B-cell lymphoma patients as assessed with FDG-PET: impact on outcome and chemotherapy effects. <i>Acta Radiologica</i> , 2016, 57, 733-741.	1.1	6
141	Predictive Value of Interim [18F]Fluorodeoxyglucose-Positron Emission Tomography in Advanced-Stage Hodgkin Lymphoma Is Not Well Established. <i>Journal of Clinical Oncology</i> , 2017, 35, 370-371.	1.6	6
142	Pretransplant FDG-PET in aggressive non-Hodgkin lymphoma: systematic review and meta-analysis. <i>European Journal of Haematology</i> , 2017, 98, 337-347.	2.2	6
143	Tumour necrosis as assessed with 18F-FDG PET is a potential prognostic marker in diffuse large B cell lymphoma independent of MYC rearrangements. <i>European Radiology</i> , 2019, 29, 6018-6028.	4.5	6
144	Funding of Radiology Research: Frequency and Association With Citation Rate. <i>American Journal of Roentgenology</i> , 2020, 215, 1286-1289.	2.2	6

#	ARTICLE	IF	CITATIONS
145	Unread Second-Opinion Radiology Reports: A Potential Waste of Health Care Resources. American Journal of Roentgenology, 2020, 215, 934-939.	2.2	6
146	An international expert opinion statement on the utility of PET/MR for imaging of skeletal metastases. European Journal of Nuclear Medicine and Molecular Imaging, 2021, 48, 1522-1537.	6.4	6
147	Peer review practices by medical imaging journals. Insights Into Imaging, 2020, 11, 125.	3.4	6
148	Apparent diffusion coefficient measurement in a moving phantom simulating linear respiratory motion. Japanese Journal of Radiology, 2010, 28, 578-583.	2.4	5
149	Whole-body MRI for staging Hodgkin lymphoma in a pregnant patient. American Journal of Hematology, 2010, 85, 443-443.	4.1	5
150	Whole-body MRI for Detecting Bone Marrow Metastases. PET Clinics, 2010, 5, 297-309.	3.0	5
151	Primary tumor volume measurements in Ewing sarcoma: MRI inter- and intraobserver variability and comparison with FDG-PET. Acta Oncologica, 2018, 57, 534-540.	1.8	5
152	Radiofrequency ablation of atypical cartilaginous tumors in long bones: a retrospective study. International Journal of Hyperthermia, 2019, 36, 1189-1195.	2.5	5
153	Radiofrequency ablation in the treatment of atypical cartilaginous tumours in the long bones: lessons learned from our experience. Skeletal Radiology, 2019, 48, 881-887.	2.0	5
154	Recommendations for additional imaging of abdominal imaging examinations: frequency, benefit, and cost. European Radiology, 2020, 30, 1137-1144.	4.5	5
155	Point-of-care ultrasound (POCUS): An opportunity for radiologists to improve patient care?. European Journal of Radiology, 2021, 139, 109690.	2.6	5
156	Diagnostic value of texture analysis of apparent diffusion coefficient maps for differentiating fat-poor angiomyolipoma from non-clear-cell renal cell carcinoma. European Journal of Radiology, 2021, 143, 109895.	2.6	5
157	Role of Structural Imaging in Lymphoma. PET Clinics, 2012, 7, 1-19.	3.0	4
158	Prognostic Implications of Imaging-Based Bone Marrow Assessment in Lymphoma: ¹⁸ F-FDG PET, MR Imaging, or ¹⁸ F-FDG PET/MR Imaging?. Journal of Nuclear Medicine, 2013, 54, 2017-2018.	5.0	4
159	CT-Based Versus FDG-PET/CT-Based NCCN International Prognostic Index Risk Stratification in DLBCL. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 171-176.	4.9	4
160	False-negative ¹⁸ F-FDG PET in histologically proven extensive large cell bone marrow involvement in diffuse large B-cell lymphoma. American Journal of Hematology, 2015, 90, 681-681.	4.1	4
161	Will treatment intensification in early-stage Hodgkin lymphoma patients with a positive interim FDG-PET improve outcome?. Pediatric Hematology and Oncology, 2016, 33, 1-4.	0.8	4
162	Prevention of large-scale implementation of unnecessary and expensive predictive tests in Hodgkin's lymphoma. Lancet Haematology, the, 2017, 4, e63-e64.	4.6	4

#	ARTICLE	IF	CITATIONS
163	Debate on the value of end-of-treatment FDG-PET response evaluation in follicular lymphoma. <i>Acta Oncologica</i> , 2017, 56, 1789-1791.	1.8	4
164	Does end-of-treatment FDG-PET provide any additional prognostic value to the pre-treatment NCCN-IPI score?. <i>British Journal of Haematology</i> , 2017, 177, 319-320.	2.5	4
165	Interim Fluorodeoxyglucose Positron Emission Tomography-Adapted Therapy Is Not an Efficient Approach to Improving Outcome in Early-Stage Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 2850-2851.	1.6	4
166	The value of prebiopsy FDG-PET/CT in discriminating malignant from benign vertebral bone lesions in a predominantly oncologic population. <i>Skeletal Radiology</i> , 2020, 49, 1387-1395.	2.0	4
167	Carbon footprint of air travel to international radiology conferences: FOMO?. <i>European Radiology</i> , 2020, 30, 6293-6294.	4.5	4
168	Effects of control temperature, ablation time, and background tissue in radiofrequency ablation of osteoid osteoma: A computer modeling study. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2021, 37, e3512.	2.1	4
169	Semi-Quantitative Characterization of Post-Transplant Lymphoproliferative Disorder Morphological Subtypes with [18F]FDG PET/CT. <i>Journal of Clinical Medicine</i> , 2021, 10, 361.	2.4	4
170	Synthetic magnetic resonance imaging for primary prostate cancer evaluation: Diagnostic potential of a non-contrast-enhanced bi-parametric approach enhanced with relaxometry measurements. <i>European Journal of Radiology Open</i> , 2022, 9, 100403.	1.6	4
171	Improving background suppression in diffusion-weighted imaging of the abdomen and pelvis using STIR with single-axis diffusion encoding. <i>Magnetic Resonance Imaging</i> , 2011, 29, 877-880.	1.8	3
172	Potential Clinical Applications of PET/Magnetic Resonance Imaging. <i>PET Clinics</i> , 2013, 8, 367-384.	3.0	3
173	Is FDG-PET/CT a sensitive and specific method for the detection of extranodal involvement in diffuse large B-cell lymphoma?. <i>American Journal of Hematology</i> , 2016, 91, E1-E2.	4.1	3
174	18F-FDG, as a single imaging agent in assessing cancer, shows the ongoing biological phenomena in many domains. <i>Nuclear Medicine Communications</i> , 2016, 37, 333-337.	1.1	3
175	Radiation-Induced Giant Cell Granuloma Mimicking Relapsed Hodgkin Lymphoma at FDG-PET/CT. <i>Nuclear Medicine and Molecular Imaging</i> , 2017, 51, 371-373.	1.0	3
176	Overestimated value of FDG-PET based bone marrow evaluation in lymphoma. <i>British Journal of Haematology</i> , 2017, 179, 336-337.	2.5	3
177	Interim FDG-PET/CT in Hodgkin lymphoma: what are we actually looking at?. <i>Acta Oncologica</i> , 2018, 57, 1128-1130.	1.8	3
178	Letter to the Editor: No Evidence to Promote Interim FDG-PET Adapted Therapy in the NCCN Guidelines for Hodgkin Lymphoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018, 16, 226.2-228.	4.9	3
179	Strikingly Heterogeneous Results Among Studies on Interim Fluorodeoxyglucose-Positron Emission Tomography-Adapted Treatment in Advanced-Stage Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2018, 36, 2123-2124.	1.6	3
180	Benefit of brentuximab over bleomycin in first-line treatment of advanced-stage Hodgkin lymphoma has not been proven. <i>Blood</i> , 2018, 132, 339-340.	1.4	3

#	ARTICLE	IF	CITATIONS
181	JOURNAL CLUB: CT-Guided Bone Biopsies With Indeterminate Results in Pediatric Patients. American Journal of Roentgenology, 2018, 211, 661-671.	2.2	3
182	Recommendations in Clinical 18F-Fluoro-2-Deoxy-D-Glucose PET/CT Reports: Referring Physicians' Compliance and Diagnostic Yield. Journal of the American College of Radiology, 2018, 15, 1269-1275.	1.8	3
183	Canceled or aborted CT-guided interventions: 13-year clinical experience at a tertiary care center. European Radiology, 2019, 29, 3372-3378.	4.5	3
184	Interim FDG-PET does not predict outcome in advanced-stage Hodgkin lymphoma patients treated with BEACOPP. British Journal of Haematology, 2019, 185, 758-760.	2.5	3
185	Improved Visualization of Middle Ear Cholesteatoma with Computed Diffusion-weighted Imaging. Magnetic Resonance in Medical Sciences, 2019, 18, 233-237.	2.0	3
186	Recommendations in Second Opinion Radiology Reports of Abdominal Imaging Examinations: Referring Clinicians' Compliance and Diagnostic Outcome. American Journal of Roentgenology, 2020, 214, 400-405.	2.2	3
187	Diagnostic errors in clinical FDG-PET/CT. European Journal of Radiology, 2020, 132, 109296.	2.6	3
188	A new complication registration system for errors in radiology: Initial 5-year experience in a tertiary care radiology department. European Journal of Radiology, 2020, 130, 109167.	2.6	3
189	Towards a benchmark of abdominal CT use during duty shifts: 15-year sample from the Netherlands. Abdominal Radiology, 2021, 46, 1761-1767.	2.1	3
190	Funding of nuclear medicine research and association with citation impact. Clinical and Translational Imaging, 2021, 9, 123-127.	2.1	3
191	Clinical and FDG-PET/CT Suspicion of Malignant Disease: Is Biopsy Confirmation Still Necessary?. Diagnostics, 2021, 11, 559.	2.6	3
192	Assessment of hepatic artery anatomy in pediatric liver transplant recipients: MR angiography versus CT angiography. Pediatric Transplantation, 2021, 25, e14002.	1.0	3
193	Medical knowledge and clinical productivity: independently correlated metrics during radiology residency. European Radiology, 2021, 31, 5344-5350.	4.5	3
194	Maintenance of certification for radiologists: an overview of European countries. Insights Into Imaging, 2020, 11, 85.	3.4	3
195	Health Care Industry Payments to Editorial Board Members of Imaging-related Journals. Radiology, 2022, 303, 399-403.	7.3	3
196	Clinical utility of the Bosniak classification version 2019: Diagnostic value of adding magnetic resonance imaging to computed tomography examination. European Journal of Radiology, 2022, 148, 110163.	2.6	3
197	The integrated nuclear medicine and radiology residency program in the Netherlands: strengths and potential areas for improvement according to nuclear medicine physicians and radiologists. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 3016-3022.	6.4	3
198	Incidental imaging findings referred to a specialized sarcoma center: Frequency, determinants, and downstream healthcare costs. Clinical Imaging, 2022, 85, 99-105.	1.5	3

#	ARTICLE	IF	CITATIONS
199	Knee radiography in the diagnosis of skeletal dysplasias. <i>Pediatric Radiology</i> , 2005, 36, 8-15.	2.0	2
200	Application of Advanced MR Imaging Techniques and the Evolving Role of PET/MR Imaging in Neuro-oncology. <i>PET Clinics</i> , 2013, 8, 183-199.	3.0	2
201	Critical considerations on the utility of ¹⁸ F-fluoro-2-deoxyglucose positron emission tomography/computed tomography for posttreatment restaging of the bone marrow in diffuse large B-cell lymphoma. <i>American Journal of Hematology</i> , 2014, 89, 935-935.	4.1	2
202	In Regard to Simontacchi et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 724-725.	0.8	2
203	Diffusion-Weighted MRI for Lymphoma Staging—Letter. <i>Clinical Cancer Research</i> , 2015, 21, 221-221.	7.0	2
204	Seriously overestimated prognostic value of baseline and interim FDG-PET in diffuse large B cell lymphoma. <i>Annals of Hematology</i> , 2016, 95, 1367-1368.	1.8	2
205	No convincing evidence to support postinduction FDG-PET in follicular lymphoma. <i>Annals of Hematology</i> , 2016, 95, 2085-2086.	1.8	2
206	Effect of blind bone marrow biopsy on FDG-PET/CT interpretation of the posterior iliac crest in diffuse large B-cell lymphoma. <i>Hematological Oncology</i> , 2016, 34, 52-54.	1.7	2
207	In Regard to Ceriani et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 97, 869-870.	0.8	2
208	Interim FDG-PET in lymphoma, a questionable practice in hematology. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 2014-2017.	6.4	2
209	The Deauville criteria cannot differentiate between responding and non-responding non-Hodgkin lymphoma patients. <i>Annals of Hematology</i> , 2018, 97, 719-720.	1.8	2
210	Interim FDG-PET has no value in selecting patients who require treatment modification in both early and advanced stage Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2018, 183, 129-131.	2.5	2
211	Unproven value of end-of-treatment and serial follow-up FDG-PET in primary mediastinal B-cell lymphoma. <i>Haematologica</i> , 2018, 103, e380-e381.	3.5	2
212	Value of detecting bone marrow involvement in Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2019, 187, 397-399.	2.5	2
213	The diagnostic significance of repeat ultrasound-guided biopsy of musculoskeletal soft-tissue lesions with initially inconclusive biopsy results. <i>European Journal of Surgical Oncology</i> , 2019, 45, 1266-1273.	1.0	2
214	A 73% Price Reduction Does Not Indisputably Justify Routine Application of Brentuximab Vedotin as First-Line Treatment of Hodgkin Lymphoma. <i>Journal of Clinical Oncology</i> , 2019, 37, 852-853.	1.6	2
215	Post-ABVD biopsy results, and not post-ABVD FDG-PET results, predict outcome in early stage Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2019, 184, 290-292.	2.5	2
216	Reconsider radiation exposure from imaging during immune checkpoint inhibitor trials to reduce risk of secondary cancers in long-term survivors?. <i>Cancer Treatment Reviews</i> , 2020, 87, 102027.	7.7	2

#	ARTICLE	IF	CITATIONS
217	Chest CT in Patients with COVID-19: Toward a Better Appreciation of Study Results and Clinical Applicability. <i>Radiology</i> , 2021, 298, E113-E114.	7.3	2
218	Time to Reconsider Routine Percutaneous Biopsy in Spondylodiscitis?. <i>American Journal of Neuroradiology</i> , 2021, 42, 627-631.	2.4	2
219	Requests for radiologic imaging: Prevalence and determinants of inadequate quality according to RI-RADS. <i>European Journal of Radiology</i> , 2021, 137, 109615.	2.6	2
220	Radiologist-patient consultation of imaging findings after neck ultrasonography: An opportunity to practice value-based radiology. <i>Clinical Imaging</i> , 2022, 81, 87-91.	1.5	2
221	Diagnostic performance of MRI in detecting residual soft tissue sarcoma after unplanned excision: Systematic review and meta-analysis. <i>European Journal of Radiology</i> , 2021, 145, 110049.	2.6	2
222	Value-based radiology cannot thrive without reforms and research. <i>European Radiology</i> , 2022, 32, 4337-4339.	4.5	2
223	PET Assessment of Brown Fat. <i>PET Clinics</i> , 2011, 6, 365-375.	3.0	1
224	Evolving Medical Imaging Techniques. <i>PET Clinics</i> , 2013, 8, xi-xii.	3.0	1
225	Suboptimal use of imaging in the new (National Comprehensive Cancer Network) International Prognostic Index for diffuse large B-cell lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014, 41, 806-807.	6.4	1
226	Diffusion-Weighted MRI for Lymphoma Restaging—Letter. <i>Clinical Cancer Research</i> , 2015, 21, 3808-3808.	7.0	1
227	Assessing baseline bone marrow status in advanced-stage Hodgkin lymphoma: does it have any purpose?. <i>Annals of Hematology</i> , 2017, 96, 1047-1048.	1.8	1
228	Unproven value of end-of-treatment FDG-PET in Hodgkin lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 1934-1936.	6.4	1
229	Critical considerations on the predictive value of end-of-treatment FDG-PET in lymphoma. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 342-343.	6.4	1
230	The Diabetic Foot. <i>Current Pharmaceutical Design</i> , 2018, 24, 1241-1242.	1.9	1
231	A Pitfall for Diffusion-weighted MR Imaging When Assessing the Response to Neoadjuvant Chemotherapy in Ewing Sarcoma. <i>Magnetic Resonance in Medical Sciences</i> , 2019, 18, 249-250.	2.0	1
232	Standardized Definition of Progression-Free Survival in Diffuse Large B-Cell Lymphoma Is Urgently Needed. <i>Journal of Clinical Oncology</i> , 2019, 37, 525-526.	1.6	1
233	Frequency, Determinants, and Costs of Recommendations for Additional Imaging in Clinical ¹⁸ F-FDG PET/CT Reports. <i>Journal of Nuclear Medicine</i> , 2019, 60, 1228-1233.	5.0	1
234	Inability of Fluorodeoxyglucose Positron Emission Tomography to Detect Viable Hodgkin Lymphoma During and After Treatment. <i>Journal of Clinical Oncology</i> , 2020, 38, 1115-1116.	1.6	1

#	ARTICLE	IF	CITATIONS
235	Research Output by Medical Doctors After PhD Graduation in Radiology: 17-Year Experience From the Netherlands. <i>Academic Radiology</i> , 2021, 28, 827-833.	2.5	1
236	Long-Term Halo Follow-Up Confirms Less Invasive Treatment of Low-Grade Cartilaginous Tumors with Radiofrequency Ablation to Be Safe and Effective. <i>Journal of Clinical Medicine</i> , 2021, 10, 1817.	2.4	1
237	Computer 3D modeling of radiofrequency ablation of atypical cartilaginous tumours in long bones using finite element methods and real patient anatomy. <i>European Radiology Experimental</i> , 2022, 6, 21.	3.4	1
238	PET and PET/CT Assessment of Gynecologic Malignancies: Beyond FDG. <i>PET Clinics</i> , 2010, 5, 477-482.	3.0	0
239	A ruptured intracranial aneurysm with underlying cervicocranial fibromuscular dysplasia. <i>Vascular Medicine</i> , 2012, 17, 66-67.	1.5	0
240	Molecular Profile and FDG-PET Metabolic Volume at Staging in DLBCL—Letter. <i>Clinical Cancer Research</i> , 2016, 22, 3413-3413.	7.0	0
241	End-of-treatment FDG-PET lacks usefulness in Hodgkin lymphoma. <i>Annals of Hematology</i> , 2016, 95, 2083-2084.	1.8	0
242	Guest Editorial on PET of Benign Musculoskeletal Conditions. <i>Seminars in Nuclear Medicine</i> , 2017, 47, 320-321.	4.6	0
243	Serious concerns on the inability of FDG-PET in excluding residual viable lymphoma. <i>Annals of Hematology</i> , 2018, 97, 915-916.	1.8	0
244	Macroductyly with a complex glomovenous malformation in congenital lipomatous overgrowth with vascular malformations, epidermal naevi and skeletal anomalies (<scp>CLOVES</scp>) syndrome. <i>Histopathology</i> , 2018, 73, 705-708.	2.9	0
245	Predictive gene-expression score for follicular lymphoma. <i>Lancet Oncology</i> , The, 2018, 19, e280.	10.7	0
246	Does end-of-treatment FDG-PET improve outcomes in follicular lymphoma?. <i>Lancet Oncology</i> , The, 2019, 20, e4.	10.7	0
247	Assessing complete remission status in incurable follicular lymphomas, to what purpose?. <i>British Journal of Haematology</i> , 2019, 184, 467-469.	2.5	0
248	Are Researchers Willing to Share Their Published Manuscript?. <i>Science and Engineering Ethics</i> , 2020, 26, 121-122.	2.9	0
249	Dealing with a soft tissue lesion that is scheduled for CT-guided biopsy and that has decreased in size on preprocedural planning CT. <i>BJR case Reports</i> , 2020, 6, 20190071.	0.2	0
250	Starting as a Newly Graduated Radiologist: Survival Tips From Experience Experts. <i>Journal of the American College of Radiology</i> , 2021, 18, 1009-1011.	1.8	0
251	Response. <i>Chest</i> , 2021, 159, 2108.	0.8	0
252	Reply to “Additional Issues to Consider in Radiology Research”. <i>American Journal of Roentgenology</i> , 2021, 216, W24-W24.	2.2	0

#	ARTICLE	IF	CITATIONS
253	Recommendations in Second Opinion Reports of Neurologic Head and Neck Imaging: Frequency, Referring Cliniciansâ€™ Compliance, and Diagnostic Yield. American Journal of Neuroradiology, 2021, 42, 1676-1682.	2.4	0
254	Radiologist-patient communication of musculoskeletal ultrasonography results: a choice between added value and costs. Acta Radiologica, 2024, 65, 267-272.	1.1	0
255	Predictive value of a false-negative focused abdominal sonography for trauma (FAST) result in patients with confirmed traumatic abdominal injury. Insights Into Imaging, 2020, 11, 102.	3.4	0
256	Elevate value in neck ultrasonography to a next level. Clinical Imaging, 2022, , .	1.5	0
257	Mapping the cancer imaging research landscape: which cancers are more and which cancers are less frequently investigated?. Clinical Imaging, 2022, 85, 89-93.	1.5	0
258	On-call abdominal ultrasonography: the rate of negative examinations and incidentalomas in a European tertiary care center. Abdominal Radiology, 2022, , 1.	2.1	0
259	Point-of-care ultrasonography: Downstream utilization of and diagnostic (dis)agreements with additional cross-sectional imaging. European Journal of Radiology, 2022, 152, 110344.	2.6	0