

Kenichiro Ishii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1919776/publications.pdf>

Version: 2024-02-01

50
papers

1,375
citations

361413

20
h-index

330143

37
g-index

50
all docs

50
docs citations

50
times ranked

1736
citing authors

#	ARTICLE	IF	CITATIONS
1	Heterogeneous induction of an invasive phenotype in prostate cancer cells by coculturing with patientâ€derived fibroblasts. <i>Journal of Cellular Biochemistry</i> , 2021, 122, 679-688.	2.6	5
2	Castration-induced stromal remodeling disrupts the reconstituted prostate epithelial structure. <i>Laboratory Investigation</i> , 2020, 100, 670-681.	3.7	7
3	SOX11-induced decrease in vimentin and an increase in prostate cancer cell migration attributed to cofilin activity. <i>Experimental and Molecular Pathology</i> , 2020, 117, 104542.	2.1	4
4	TDP2 suppresses genomic instability induced by androgens in the epithelial cells of prostate glands. <i>Genes To Cells</i> , 2020, 25, 450-465.	1.2	7
5	Cytobiology of Human Prostate Cancer Cells and Its Clinical Applications. <i>Journal of Clinical Medicine</i> , 2019, 8, 1716.	2.4	0
6	Loss of Fibroblast-Dependent Androgen Receptor Activation in Prostate Cancer Cells is Involved in the Mechanism of Acquired Resistance to Castration. <i>Journal of Clinical Medicine</i> , 2019, 8, 1379.	2.4	4
7	Antifibrotic Agent Pirfenidone Suppresses Proliferation of Human Pancreatic Cancer Cells by Inducing G0/G1 Cell Cycle Arrest. <i>Pharmacology</i> , 2019, 103, 250-256.	2.2	23
8	Tyrosine kinase inhibitor therapy prescribed for nonâ€urologic diseases can modify PSA titers in urology patients. <i>Prostate</i> , 2019, 79, 259-264.	2.3	0
9	Pirfenidone, an Anti-Fibrotic Drug, Suppresses the Growth of Human Prostate Cancer Cells by Inducing G1 Cell Cycle Arrest. <i>Journal of Clinical Medicine</i> , 2019, 8, 44.	2.4	10
10	Interleukinâ€6 induces VEGF secretion from prostate cancer cells in a manner independent of androgen receptor activation. <i>Prostate</i> , 2018, 78, 849-856.	2.3	23
11	Additive naftopidil treatment synergizes docetaxel-induced apoptosis in human prostate cancer cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 89-98.	2.5	8
12	Predicting the tumorigenic phenotype of human bladder cancer cells by combining with fetal rat mesenchyme. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 472.e1-472.e9.	1.6	1
13	Role of Stromal Paracrine Signals in Proliferative Diseases of the Aging Human Prostate. <i>Journal of Clinical Medicine</i> , 2018, 7, 68.	2.4	19
14	Combination treatment with naftopidil increases the efficacy of radiotherapy in PC-3 human prostate cancer cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 933-939.	2.5	15
15	Fibroblasts prolong serum prostate-specific antigen decline after androgen deprivation therapy in prostate cancer. <i>Laboratory Investigation</i> , 2016, 96, 338-349.	3.7	12
16	Identification of a new pharmacological activity of the phenylpiperazine derivative naftopidil: tubulin-binding drug. <i>Journal of Chemical Biology</i> , 2015, 8, 5-9.	2.2	14
17	Essential Roles of Epithelial Bone Morphogenetic Protein Signaling During Prostatic Development. <i>Endocrinology</i> , 2014, 155, 2534-2544.	2.8	13
18	Inflammatory suppressive effect of prostate cancer cells with prolonged exposure to transforming growth factor β^2 on macrophage-differentiated cells via downregulation of prostaglandin E2. <i>Oncology Letters</i> , 2014, 8, 1513-1518.	1.8	2

#	ARTICLE	IF	CITATIONS
19	Manserin as a novel histochemical neuroendocrine marker in prostate cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 787-795.	1.6	2
20	Oral Naftopidil Suppresses Human Renal-Cell Carcinoma by Inducing G1 Cell-Cycle Arrest in Tumor and Vascular Endothelial Cells. <i>Cancer Prevention Research</i> , 2013, 6, 1000-1006.	1.5	17
21	Activation of FGF2-FGFR Signaling in the Castrated Mouse Prostate Stimulates the Proliferation of Basal Epithelial Cells1. <i>Biology of Reproduction</i> , 2013, 89, 81.	2.7	12
22	Characterization of the low pH/low nutrient-resistant LNCaP cell subline LNCaP-F10. <i>Oncology Reports</i> , 2012, 28, 2009-2015.	2.6	7
23	Low Androgen Sensitivity Is Associated With Low Levels of Akt Phosphorylation in LNCaP-E9 Cells. <i>Journal of Andrology</i> , 2012, 33, 660-666.	2.0	7
24	Androgen receptor W741C and T877A mutations in AIDL cells, an androgen-independent subline of prostate cancer LNCaP cells. <i>Tumor Biology</i> , 2011, 32, 1097-1102.	1.8	15
25	Heterogenous induction of carcinoma-associated fibroblast-like differentiation in normal human prostatic fibroblasts by co-culturing with prostate cancer cells. <i>Journal of Cellular Biochemistry</i> , 2011, 112, 3604-3611.	2.6	26
26	Endocrine Disrupter Bisphenol A Increases In Situ Estrogen Production in the Mouse Urogenital Sinus. <i>Biology of Reproduction</i> , 2011, 84, 734-742.	2.7	78
27	Naftopidil, a Selective $\hat{\pm}$ 1-Adrenoceptor Antagonist, Suppresses Human Prostate Tumor Growth by Altering Interactions between Tumor Cells and Stroma. <i>Cancer Prevention Research</i> , 2011, 4, 87-96.	1.5	48
28	Structural changes in $\hat{\pm}$ 1-adrenoceptor antagonist-treated human prostatic stroma. <i>Clinical and Experimental Medicine</i> , 2010, 10, 99-106.	3.6	8
29	Effect of transforming growth factor $\hat{\pm}$ overexpression on urogenital organ development in mouse. <i>Differentiation</i> , 2010, 80, 82-88.	1.9	4
30	Endodermal Origin of Bladder Trigone Inferred From Mesenchymal-Epithelial Interaction. <i>Journal of Urology</i> , 2010, 183, 386-391.	0.4	39
31	Evidence that androgen-independent stromal growth factor signals promote androgen-insensitive prostate cancer cell growth in vivo. <i>Endocrine-Related Cancer</i> , 2009, 16, 415-428.	3.1	24
32	Urothelial transdifferentiation to prostate epithelia is mediated by paracrine TGF- $\hat{\pm}$ 2 signaling. <i>Differentiation</i> , 2009, 77, 95-102.	1.9	37
33	Naftopidil, a selective $\hat{\pm}$ 1 adrenoceptor antagonist, inhibits growth of human prostate cancer cells by G1 cell cycle arrest. <i>International Journal of Cancer</i> , 2008, 122, 444-451.	5.1	59
34	Improvement in predicting tumorigenic phenotype of androgen-insensitive human LNCaP prostatic cancer cell subline in recombination with rat urogenital sinus mesenchyme. <i>Cancer Science</i> , 2008, 99, 2435-2443.	3.9	6
35	Role of stromal tenascin-C in mouse prostatic development and epithelial cell differentiation. <i>Developmental Biology</i> , 2008, 324, 310-319.	2.0	18
36	Isolation and Characterization of LNCaP Sublines Differing in Hormone Sensitivity. <i>Journal of Andrology</i> , 2007, 28, 670-678.	2.0	21

#	ARTICLE	IF	CITATIONS
37	Bisphenol A induces permanent squamous change in mouse prostatic epithelium. <i>Differentiation</i> , 2007, 75, 745-756.	1.9	34
38	Proprotein convertases modulate budding and branching morphogenesis of rat ventral prostate. <i>International Journal of Developmental Biology</i> , 2007, 51, 229-233.	0.6	7
39	Androgen-dependent prostate epithelial cell selection by targeting ARR2PBneo to the LPB-Tag model of prostate cancer. <i>Laboratory Investigation</i> , 2006, 86, 1074-1088.	3.7	12
40	Steroid hormones stimulate human prostate cancer progression and metastasis. <i>International Journal of Cancer</i> , 2006, 118, 2123-2131.	5.1	81
41	Forkhead box A1 regulates prostate ductal morphogenesis and promotes epithelial cell maturation. <i>Development (Cambridge)</i> , 2005, 132, 3431-3443.	2.5	157
42	Use of tissue recombination to predict phenotypes of transgenic mouse models of prostate carcinoma. <i>Laboratory Investigation</i> , 2005, 85, 1086-1103.	3.7	22
43	Unopposed c-MYC expression in benign prostatic epithelium causes a cancer phenotype. <i>Prostate</i> , 2005, 63, 369-384.	2.3	64
44	Natural history of human prostate gland: Morphometric and histopathological analysis of Japanese men. <i>Prostate</i> , 2005, 65, 355-364.	2.3	17
45	NE-10 Neuroendocrine Cancer Promotes the LNCaP Xenograft Growth in Castrated Mice. <i>Cancer Research</i> , 2004, 64, 5489-5495.	0.9	105
46	Evidence that the prostate-specific antigen (PSA)/Zn ²⁺ axis may play a role in human prostate cancer cell invasion. <i>Cancer Letters</i> , 2004, 207, 79-87.	7.2	59
47	Zinc and Metallothionein Levels and Expression of Zinc Transporters in Androgen-Independent Subline of LNCaP Cells. <i>Journal of Andrology</i> , 2004, 25, 154-161.	2.0	31
48	Extract from <i>Serenoa repens</i> Suppresses the Invasion Activity of Human Urological Cancer Cells by Inhibiting Urokinase-Type Plasminogen Activator.. <i>Biological and Pharmaceutical Bulletin</i> , 2001, 24, 188-190.	1.4	10
49	Inhibition of Aminopeptidase N (AP-N) and Urokinase-Type Plasminogen Activator (uPA) by Zinc Suppresses the Invasion Activity in Human Urological Cancer Cells.. <i>Biological and Pharmaceutical Bulletin</i> , 2001, 24, 226-230.	1.4	59
50	Aminopeptidase N regulated by zinc in human prostate participates in tumor cell invasion. <i>International Journal of Cancer</i> , 2001, 92, 49-54.	5.1	122