Benjamin J Luft

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1920648/publications.pdf

Version: 2024-02-01

188	10,094	54	93
papers	citations	h-index	g-index
195	195	195	6348
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Seronegative Lyme Disease. New England Journal of Medicine, 1988, 319, 1441-1446.	13.9	421
2	Toxoplasmic Encephalitis in Patients with the Acquired Immunodeficiency Syndrome. New England Journal of Medicine, 1993, 329, 995-1000.	13.9	407
3	Toxoplasmic Encephalitis in Patients With Acquired Immune Deficiency Syndrome. JAMA - Journal of the American Medical Association, 1984, 252, 913.	3.8	403
4	Cell type-specific gene expression patterns associated with posttraumatic stress disorder in World Trade Center responders. Translational Psychiatry, 2019, 9, 1.	2.4	383
5	Practice Guidelines for the Treatment of Lyme Disease. Clinical Infectious Diseases, 2000, 31, S1-S14.	2.9	308
6	Genetic Diversity of ospC in a Local Population of Borrelia burgdorferi sensu stricto. Genetics, 1999, 151, 15-30.	1.2	273
7	Four Clones of <i>Borrelia burgdorferi</i> Sensu Stricto Cause Invasive Infection in Humans. Infection and Immunity, 1999, 67, 3518-3524.	1.0	260
8	Persistence of multiple illnesses in World Trade Center rescue and recovery workers: a cohort study. Lancet, The, 2011, 378, 888-897.	6.3	255
9	Trajectories of PTSD risk and resilience in World Trade Center responders: an 8-year prospective cohort study. Psychological Medicine, 2014, 44, 205-219.	2.7	237
10	The World Trade Center Disaster and the Health of Workers: Five-Year Assessment of a Unique Medical Screening Program. Environmental Health Perspectives, 2006, 114, 1853-1858.	2.8	229
11	Enduring Mental Health Morbidity and Social Function Impairment in World Trade Center Rescue, Recovery, and Cleanup Workers: The Psychological Dimension of an Environmental Health Disaster. Environmental Health Perspectives, 2008, 116, 1248-1253.	2.8	215
12	Geographic Uniformity of the Lyme Disease Spirochete (<i>Borrelia burgdorferi</i>) and Its Shared History With Tick Vector (<i>Ixodes scapularis</i>) in the Northeastern United States. Genetics, 2002, 160, 833-849.	1.2	215
13	Primary and Reactivated Toxoplasma Infection in Patients with Cardiac Transplants. Annals of Internal Medicine, 1983, 99, 27.	2.0	190
14	LYME NEUROBORRELIOSIS: PERIPHERAL NERVOUS SYSTEM MANIFESTATIONS. Brain, 1990, 113, 1207-1221.	3.7	188
15	Azithromycin Compared with Amoxicillin in the Treatment of Erythema Migrans: A Double-Blind, Randomized, Controlled Trial. Annals of Internal Medicine, 1996, 124, 785.	2.0	183
16	Borrelia burgdorferi is clonal: implications for taxonomy and vaccine development Proceedings of the National Academy of Sciences of the United States of America, 1993, 90, 10163-10167.	3.3	180
17	Ceftriaxone Compared with Doxycycline for the Treatment of Acute Disseminated Lyme Disease. New England Journal of Medicine, 1997, 337, 289-295.	13.9	169
18	Crystal structure of Lyme disease antigen outer surface protein A complexed with an Fab. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 3584-3589.	3.3	157

#	Article	IF	CITATIONS
19	Genome Stability of Lyme Disease Spirochetes: Comparative Genomics of Borrelia burgdorferi Plasmids. PLoS ONE, 2012, 7, e33280.	1.1	146
20	Genetic exchange and plasmid transfers in Borrelia burgdorferi sensu stricto revealed by three-way genome comparisons and multilocus sequence typing. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 14150-14155.	3.3	125
21	Ineffectiveness of Tigecycline against Persistent <i>Borrelia burgdorferi</i> . Antimicrobial Agents and Chemotherapy, 2010, 54, 643-651.	1.4	116
22	Randomized Phase II Trial of Atovaquone with Pyrimethamine or Sulfadiazine for Treatment of Toxoplasmic Encephalitis in Patients with Acquired Immunodeficiency Syndrome: ACTG 237/ANRS 039 Study. Clinical Infectious Diseases, 2002, 34, 1243-1250.	2.9	115
23	Whole-Genome Sequences of Thirteen Isolates of <i>Borrelia burgdorferi</i> Bacteriology, 2011, 193, 1018-1020.	1.0	108
24	The burden of full and subsyndromal posttraumatic stress disorder among police involved in the World Trade Center rescue and recovery effort. Journal of Psychiatric Research, 2012, 46, 835-842.	1.5	106
25	"Sarcoid like―granulomatous pulmonary disease in World Trade Center disaster responders. American Journal of Industrial Medicine, 2011, 54, 175-184.	1.0	103
26	Nervous System Abnormalities in Lyme Disease. Annals of the New York Academy of Sciences, 1988, 539, 24-34.	1.8	102
27	Whole Genome Sequence of an Unusual <i>Borrelia burgdorferi</i> Sensu Lato Isolate. Journal of Bacteriology, 2011, 193, 1489-1490.	1.0	102
28	Crystal structure of outer surface protein C (OspC) from the Lyme disease spirochete, Borrelia burgdorferi. EMBO Journal, 2001, 20, 971-978.	3.5	101
29	Cancer Incidence in World Trade Center Rescue and Recovery Workers, 2001–2008. Environmental Health Perspectives, 2013, 121, 699-704.	2.8	99
30	Prevalence of <i>Borrelia miyamotoi </i> li>in <i>lxodes </i> Ticks in Europe and the United States. Emerging Infectious Diseases, 2014, 20, 1678-82.	2.0	95
31	Exposure, probable PTSD and lower respiratory illness among World Trade Center rescue, recovery and clean-up workers. Psychological Medicine, 2012, 42, 1069-1079.	2.7	89
32	Cohort Profile: World Trade Center Health Program General Responder Cohort. International Journal of Epidemiology, 2017, 46, e9-e9.	0.9	89
33	Safety and immunogenicity of a novel multivalent OspA vaccine against Lyme borreliosis in healthy adults: a double-blind, randomised, dose-escalation phase $1/2$ trial. Lancet Infectious Diseases, The, 2013, 13, 680-689.	4.6	84
34	Epigenome-wide meta-analysis of PTSD across 10 military and civilian cohorts identifies methylation changes in AHRR. Nature Communications, 2020, 11, 5965.	5.8	84
35	Pyrimethamine for Primary Prophylaxis of Toxoplasmic Encephalitis in Patients with Human Immunodeficiency Virus Infection: A Double-Blind, Randomized Trial. Journal of Infectious Diseases, 1996, 173, 91-97.	1.9	79
36	Genotypic Variation and Mixtures of Lyme Borrelia in Ixodes Ticks from North America and Europe. PLoS ONE, 2010, 5, e10650.	1.1	78

#	Article	IF	CITATIONS
37	New Chemotherapeutic Approaches in the Treatment of Lyme Borreliosis. Annals of the New York Academy of Sciences, 1988, 539, 352-361.	1.8	74
38	Inter- and intra-specific pan-genomes of Borrelia burgdorferi sensu lato: genome stability and adaptive radiation. BMC Genomics, 2013 , 14 , 693 .	1.2	74
39	Plasmid diversity and phylogenetic consistency in the Lyme disease agent Borrelia burgdorferi. BMC Genomics, 2017, 18, 165.	1.2	72
40	Specific Immune Response in Lyme Borreliosis Annals of the New York Academy of Sciences, 1988, 539, 93-102.	1.8	71
41	Pervasive Recombination and Sympatric Genome Diversification Driven by Frequency-Dependent Selection in <i>Borrelia burgdorferi</i> , the Lyme Disease Bacterium. Genetics, 2011, 189, 951-966.	1.2	69
42	Epigenomeâ€wide association of PTSD from heterogeneous cohorts with a common multiâ€site analysis pipeline. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2017, 174, 619-630.	1.1	69
43	Human T Lymphocyte Response toBorrelia burgdorferiInfection: No Correlation between Human Leukocyte Function Antigen Type 1 Peptide Response and Clinical Status. Journal of Infectious Diseases, 2003, 187, 102-108.	1.9	68
44	A Population Genetic Study of Borrelia burgdorferi Sensu Stricto from Eastern Long Island, New York, Suggested Frequency-Dependent Selection, Gene Flow and Host Adaptation. Hereditas, 2004, 127, 203-216.	0.5	68
45	Risk, coping and PTSD symptom trajectories in World Trade Center responders. Journal of Psychiatric Research, 2016, 82, 68-79.	1.5	64
46	Whole-Genome Sequences of Two Borrelia afzelii and Two Borrelia garinii Lyme Disease Agent Isolates. Journal of Bacteriology, 2011, 193, 6995-6996.	1.0	63
47	Gene expression associated with PTSD in World Trade Center responders: An RNA sequencing study. Translational Psychiatry, 2017, 7, 1297.	2.4	61
48	Dimensional structure and course of post-traumatic stress symptomatology in World Trade Center responders. Psychological Medicine, 2014, 44, 2085-2098.	2.7	60
49	Wide Distribution of a High-VirulenceBorrelia burgdorferiClone in Europe and North America. Emerging Infectious Diseases, 2008, 14, 1097-1104.	2.0	60
50	Structural identification of a key protective B-cell epitope in lyme disease antigen OspA 1 1Edited by I. A. Wilson. Journal of Molecular Biology, 2000, 302, 1153-1164.	2.0	59
51	Longitudinal Assessment of Spirometry in the World Trade Center Medical Monitoring Program. Chest, 2009, 135, 492-498.	0.4	58
52	Preventing Toxoplasmic Encephalitis in Persons Infected with Human Immunodeficiency Virus. Clinical Infectious Diseases, 1995, 21, S49-S56.	2.9	57
53	Dose-escalation, phase I/II study of azithromycin and pyrimethamine for the treatment of toxoplasmic encephalitis in AIDS. Aids, 2001, 15, 583-589.	1.0	57
54	Structure-based Design of a Second-generation Lyme Disease Vaccine Based on a C-terminal Fragment of Borrelia burgdorferi OspA. Journal of Molecular Biology, 2005, 350, 290-299.	2.0	57

#	Article	IF	CITATIONS
55	Predictive value of Toxoplasma gondii antibody titres on the occurrence of toxoplasmic encephalitis in HIV-infected patients. Aids, 1996, 10, 1521-1527.	1.0	56
56	Intention-to-Treat vs. On-Treatment Analyses of Clinical Trial Data. Contemporary Clinical Trials, 1998, 19, 233-248.	2.0	56
57	Whole-Genome Sequences of Borrelia bissettii, Borrelia valaisiana, and Borrelia spielmanii. Journal of Bacteriology, 2012, 194, 545-546.	1.0	56
58	Wide Distribution of a High-Virulence Borrelia burgdorferi Clone in Europe and North America. Emerging Infectious Diseases, 2008, 14, 1097-1104.	2.0	54
59	Antialarmin Effect of Tick Saliva during the Transmission of Lyme Disease. Infection and Immunity, 2011, 79, 774-785.	1.0	54
60	Cognitive impairment among World Trade Center responders: Longâ€ŧerm implications of reâ€experiencing the 9/11 terrorist attacks. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2016, 4, 67-75.	1.2	53
61	Central nervous system toxoplasmosis in HIV pathogenesis, diagnosis, and therapy. Current Infectious Disease Reports, 2000, 2, 358-362.	1.3	47
62	Incidence of mild cognitive impairment in World Trade Center responders: Longâ \in term consequences of reâ \in experiencing the events on 9/11/2001. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 628-636.	1.2	47
63	Infection With Multiple Strains of Borrelia burgdorferi Sensu Stricto in Patients With Lyme Disease. Archives of Dermatology, 1999, 135, 1329-33.	1.7	46
64	Multiple Myeloma in World Trade Center Responders: A Case Series. Journal of Occupational and Environmental Medicine, 2009, 51, 896-902.	0.9	46
65	Fast, adaptive evolution at a bacterial host-resistance locus: The PFam54 gene array in Borrelia burgdorferi. Gene, 2009, 445, 26-37.	1.0	46
66	Posttraumatic Stress Disorder and the Risk of Respiratory Problems in World Trade Center Responders. Psychosomatic Medicine, 2015, 77, 438-448.	1.3	46
67	A comparative assessment of major international disasters: the need for exposure assessment, systematic emergency preparedness, and lifetime health care. BMC Public Health, 2017, 17, 46.	1.2	46
68	Primordial origin and diversification of plasmids in Lyme disease agent bacteria. BMC Genomics, 2018, 19, 218.	1.2	46
69	Traumatic exposures, posttraumatic stress disorder, and cognitive functioning in World Trade Center responders. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 593-602.	1.8	43
70	Molecular analysis of the outer surface protein A (OspA) of Borrelia burgdorferi for conserved and variable antibody binding domains. Medical Microbiology and Immunology, 1992, 181, 191-207.	2.6	41
71	Demonstration of T-Cell dysfunction during acute toxoplasma infection. Cellular Immunology, 1986, 98, 422-433.	1.4	40
72	BorreliaBase: a phylogeny-centered browser of Borrelia genomes. BMC Bioinformatics, 2014, 15, 233.	1.2	40

#	Article	lF	CITATIONS
73	NMR identification of epitopes of lyme disease antigen OspA to monoclonal antibodies. Journal of Molecular Biology, 1998, 281, 61-67.	2.0	39
74	Co-evolution of the outer surface protein C gene (ospC) and intraspecific lineages of Borrelia burgdorferi sensu stricto in the northeastern United States. Infection, Genetics and Evolution, 2007, 7, 1-12.	1.0	39
75	Epigenetic meta-analysis across three civilian cohorts identifies <i>NRG1</i> and <i>HGS</i> as blood-based biomarkers for post-traumatic stress disorder. Epigenomics, 2018, 10, 1585-1601.	1.0	39
76	A New Approach to a Lyme Disease Vaccine. Clinical Infectious Diseases, 2011, 52, s266-s270.	2.9	38
77	Toxoplasmic encephalitis. Aids, 1990, 4, 593-596.	1.0	37
78	<i>Ixodes</i> tick saliva suppresses the keratinocyte cytokine response to <scp>TLR</scp> 2/ <scp>TLR</scp> 3 ligands during early exposure to Lyme borreliosis. Experimental Dermatology, 2016, 25, 26-31.	1.4	37
79	Cancer in General Responders Participating in World Trade Center Health Programs, 2003–2013. JNCI Cancer Spectrum, 2020, 4, pkz090.	1.4	36
80	Profiling the humoral immune response to Borrelia burgdorferi infection with protein microarrays. Microbial Pathogenesis, 2008, 45, 403-407.	1.3	35
81	WTC medical monitoring and treatment program: Comprehensive health care response in aftermath of disaster. Mount Sinai Journal of Medicine, 2008, 75, 67-75.	1.9	34
82	Proteome Analysis of Borrelia burgdorferi Response to Environmental Change. PLoS ONE, 2010, 5, e13800.	1.1	34
83	World Trade Center disaster and sensitization to subsequent life stress: A longitudinal study of disaster responders. Preventive Medicine, 2015, 75, 70-74.	1.6	34
84	Defensin Is Suppressed by Tick Salivary Gland Extract During the In Vitro Interaction of Resident Skin Cells with Borrelia burgdorferi. Journal of Investigative Dermatology, 2009, 129, 2515-2517.	0.3	33
85	Immunologic Aspects of Lyme Borreliosis. Clinical Infectious Diseases, 1989, 11, S1494-S1498.	2.9	32
86	Recombinant Chimeric Borrelia Proteins for Diagnosis of Lyme Disease. Journal of Clinical Microbiology, 2000, 38, 2530-2535.	1.8	32
87	TOXOPLASMOSIS IN INDIVIDUALS WITH AIDS. Infectious Disease Clinics of North America, 1994, 8, 365-381.	1.9	29
88	Identification of novel tick salivary gland proteins for vaccine development. Biochemical and Biophysical Research Communications, 2005, 326, 901-904.	1.0	28
89	Functional Limitations Among Responders to the World Trade Center Attacks 14 Years After the Disaster: Implications of Chronic Posttraumatic Stress Disorder. Journal of Traumatic Stress, 2017, 30, 443-452.	1.0	28
90	Broad-range survey of vector-borne pathogens and tick host identification of Ixodes ricinus from Southern Czech Republic. FEMS Microbiology Ecology, 2017, 93, .	1.3	27

#	Article	IF	Citations
91	Post-disaster stressful life events and WTC-related posttraumatic stress, depressive symptoms, and overall functioning among responders to the World Trade Center disaster. Journal of Psychiatric Research, 2015, 61, 97-105.	1.5	26
92	Positive and negative affect in the daily life of world trade center responders with PTSD: An ecological momentary assessment study Psychological Trauma: Theory, Research, Practice, and Policy, 2020, 12, 75-83.	1.4	25
93	Latent typologies of posttraumatic stress disorder in World Trade Center responders. Journal of Psychiatric Research, 2016, 83, 151-159.	1.5	23
94	Potent in Vivo Activity of Arprinocid, a Purine Analogue, Against Murine Toxoplasmosis. Journal of Infectious Diseases, 1986, 154, 692-694.	1.9	22
95	Approaches toward the Directed Design of a Vaccine againstBorrelia burgdorferi. Journal of Infectious Diseases, 2002, 185, S46-S51.	1.9	22
96	Posttraumatic stress disorder and total amyloid burden and amyloidâ $\hat{\mathfrak{t}}^2$ 42/40 ratios in plasma: Results from a pilot study of World Trade Center responders. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2019, 11, 216-220.	1.2	22
97	Smoking to Regulate Negative Affect: Disentangling the Relationship Between Posttraumatic Stress and Emotional Disorder Symptoms, Nicotine Dependence, and Cessation-Related Problems. Nicotine and Tobacco Research, 2016, 18, 1471-1478.	1.4	21
98	Posttraumatic stress disorder symptoms and sleep in the daily lives of World Trade Center responders Journal of Occupational Health Psychology, 2019, 24, 689-702.	2.3	21
99	Hurricane Sandy Exposure and the Mental Health of World Trade Center Responders. Journal of Traumatic Stress, 2017, 30, 107-114.	1.0	20
100	Pathway Analysis for Plasma \hat{l}^2 -Amyloid, Tau and Neurofilament Light (ATN) in World Trade Center Responders at Midlife. Neurology and Therapy, 2020, 9, 159-171.	1.4	20
101	Molecular linkage between post-traumatic stress disorder and cognitive impairment: a targeted proteomics study of World Trade Center responders. Translational Psychiatry, 2020, 10, 269.	2.4	19
102	Reduced cortical thickness in World Trade Center responders with cognitive impairment. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2020, 12, e12059.	1.2	19
103	Proteomic analysis of Lyme disease: Global protein comparison of three strains ofBorrelia burgdorferi. Proteomics, 2005, 5, 1446-1453.	1.3	18
104	Polygenic prediction of PTSD trajectories in 9/11 responders. Psychological Medicine, 2022, 52, 1981-1989.	2.7	18
105	Cognitive impairment and World Trade Centre-related exposures. Nature Reviews Neurology, 2022, 18, 103-116.	4.9	18
106	PTSD symptom dimensions and their relationship to functioning in World Trade Center responders. Psychiatry Research, 2013, 210, 1049-1055.	1.7	17
107	Mortality among World Trade Center rescue and recovery workers, 2002–2011. American Journal of Industrial Medicine, 2016, 59, 87-95.	1.0	17
108	Prostate cancer characteristics in the World Trade Center cohort, 2002–2013. European Journal of Cancer Prevention, 2018, 27, 347-354.	0.6	17

#	Article	IF	Citations
109	Maladaptive Personality Traits and 10-Year Course of Psychiatric and Medical Symptoms and Functional Impairment Following Trauma. Annals of Behavioral Medicine, 2018, 52, 697-712.	1.7	16
110	Handgrip Strength of World Trade Center (WTC) Responders: The Role of Re-Experiencing Posttraumatic Stress Disorder (PTSD) Symptoms. International Journal of Environmental Research and Public Health, 2019, 16, 1128.	1.2	16
111	The adverse effect of pregnancy on macrophage activation. Cellular Immunology, 1984, 85, 94-99.	1.4	15
112	Flavanoid of Drynaria fortunei protects against gentamicin ototoxicity. Phytotherapy Research, 2004, 18, 609-614.	2.8	15
113	Anxiety sensitivity mediates the association between post-traumatic stress symptom severity and interoceptive threat-related smoking abstinence expectancies among World Trade Center disaster-exposed smokers. Addictive Behaviors, 2015, 51, 204-210.	1.7	15
114	Enhanced exposure assessment and genome-wide DNA methylation in World Trade Center disaster responders. European Journal of Cancer Prevention, 2019, 28, 225-233.	0.6	15
115	PTSD is associated with accelerated transcriptional aging in World Trade Center responders. Translational Psychiatry, 2021, 11, 311.	2.4	15
116	Acute versus Chronic Exposures to Inhaled Particulate Matter and Neurocognitive Dysfunction: Pathways to Alzheimer's Disease or a Related Dementia. Journal of Alzheimer's Disease, 2020, 78, 871-886.	1.2	14
117	Cardiovascular disease in the World Trade Center Health Program General Responder Cohort. American Journal of Industrial Medicine, 2021, 64, 97-107.	1.0	14
118	The Burden of Subthreshold Posttraumatic Stress Disorder in World Trade Center Responders in the Second Decade After $9/11$. Journal of Clinical Psychiatry, 2020, 81 , .	1.1	14
119	Flavonoid ofDrynaria fortunei protects against acute renal failure. Phytotherapy Research, 2005, 19, 422-427.	2.8	13
120	Characterization of Clinically-Attenuated Burkholderia mallei by Whole Genome Sequencing: Candidate Strain for Exclusion from Select Agent Lists. PLoS ONE, 2008, 3, e2058.	1.1	13
121	Longitudinal Study of the Impact of Psychological Distress Symptoms on New-Onset Upper Gastrointestinal Symptoms in World Trade Center Responders. Psychosomatic Medicine, 2014, 76, 686-693.	1.3	13
122	Temporal variability of urinary cadmium in spot urine samples and first morning voids. Journal of Exposure Science and Environmental Epidemiology, 2017, 27, 306-312.	1.8	13
123	Parental posttraumatic stress and child behavioral problems in world trade center responders. American Journal of Industrial Medicine, 2018, 61, 504-514.	1.0	13
124	Neuroinflammation in World Trade Center responders at midlife: A pilot study using [18F]-FEPPA PET imaging. Brain, Behavior, & Immunity - Health, 2021, 16, 100287.	1.3	13
125	The Prognostic Utility of Personality Traits Versus Past Psychiatric Diagnoses: Predicting Future Mental Health and Functioning. Clinical Psychological Science, 2022, 10, 734-751.	2.4	13
126	1H, 13C, and 15N NMR backbone assignments of 37 kDa surface antigen OspC from Borrelia burgdorferi. Journal of Biomolecular NMR, 1999, 14, 283-284.	1.6	12

#	Article	IF	CITATIONS
127	Chronic Posttraumatic Stress Disorder and Comorbid Cognitive and Physical Impairments in World Trade Center Responders. Journal of Traumatic Stress, 2020, 34, 616-627.	1.0	12
128	In vitro activity of tigecycline against multiple strains of Borrelia burgdorferi. Journal of Antimicrobial Chemotherapy, 2009, 63, 709-712.	1.3	11
129	Trauma-focused Smoking Cessation for Smokers Exposed to the World Trade Center Disaster: A Randomized Clinical Trial. Nicotine and Tobacco Research, 2017, 19, ntw384.	1.4	11
130	The association between body mass index and gastroesophageal reflux disease in the World Trade Center Health Program General Responder Cohort. American Journal of Industrial Medicine, 2016, 59, 761-766.	1.0	11
131	Understanding the Connection Between Posttraumatic Stress Symptoms and Respiratory Problems: Contributions of Anxiety Sensitivity. Journal of Traumatic Stress, 2017, 30, 71-79.	1.0	11
132	IgM and IgG antibody response in two immunosuppressed patients with Legionnaires' disease. American Journal of Medicine, 1982, 73, 791-794.	0.6	10
133	Selective hippocampal subfield volume reductions in World Trade Center responders with cognitive impairment. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12165.	1.2	10
134	A Workshop on Cognitive Aging and Impairment in the $9/11$ -Exposed Population. International Journal of Environmental Research and Public Health, 2021, 18, 681.	1.2	10
135	Specificity of Human B-Cell Responses of Immunodominant Antigens of Borrelia burgdorferi. Annals of the New York Academy of Sciences, 1988, 539, 398-399.	1.8	9
136	Detection of genetic diversity in linear plasmids 28-3 and 36 in Borrelia burgdorferi sensu stricto isolates by subtractive hybridization. Microbial Pathogenesis, 2003, 35, 269-278.	1.3	9
137	Rapid detection and identification of a pathogen's DNA using Phi29 DNA polymerase. Biochemical and Biophysical Research Communications, 2008, 375, 522-525.	1.0	9
138	Posttraumatic stress symptoms and smoking among World Trade Center disaster responders: A longitudinal investigation. Comprehensive Psychiatry, 2015, 63, 46-54.	1.5	9
139	Posttraumatic stress symptoms and body mass index among World Trade Center disaster-exposed smokers: A preliminary examination of the role of anxiety sensitivity. Psychiatry Research, 2016, 241, 135-140.	1.7	9
140	Proton pump inhibitors and the risk of severe cognitive impairment: TheÂrole of posttraumatic stress disorder. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2017, 3, 579-583.	1.8	9
141	Risk factors for incident prostate cancer in a cohort of world trade center responders. BMC Psychiatry, 2019, 19, 389.	1.1	9
142	The role of modifiable health-related behaviors in the association between PTSD and respiratory illness. Behaviour Research and Therapy, 2019, 115, 64-72.	1.6	9
143	World Trade Center responders in their own words: predicting PTSD symptom trajectories with Al-based language analyses of interviews. Psychological Medicine, 2023, 53, 918-926.	2.7	9
144	Evidence for an \hat{l}_{\pm} -helical epitope on outer surface protein A from the Lyme disease spirochete, Borrelia burgdorferi: An application of steady-state and time-resolved fluorescence quenching techniques. BBA - Proteins and Proteomics, 1993, 1202, 287-296.	2.1	8

#	Article	IF	Citations
145	Characterization of a unique borreliacidal epitope on the outer surface protein C ofBorrelia burgdorferi. FEMS Immunology and Medical Microbiology, 2006, 48, 64-74.	2.7	8
146	Mental Healthcare Needs in World Trade Center Responders: Results from a Large, Population-Based Health Monitoring Cohort. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 427-434.	1.2	8
147	Singleâ€cell transcriptomics analysis of mild cognitive impairment in World Trade Center disaster responders. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2021, 13, e12154.	1.2	8
148	Pathway from PTSD to respiratory health: Longitudinal evidence from a psychosocial intervention Health Psychology, 2017, 36, 429-437.	1.3	8
149	Reduced cerebellar cortical thickness in World Trade Center responders with cognitive impairment. Translational Psychiatry, 2022, 12, 107.	2.4	8
150	Respiratory Symptoms Were Associated With Lower Spirometry Results During the First Examination of WTC Responders. Journal of Occupational and Environmental Medicine, 2011, 53, 49-54.	0.9	7
151	Excess HPVâ€related head and neck cancer in the world trade center health program general responder cohort. International Journal of Cancer, 2019, 145, 1504-1509.	2.3	7
152	White Matter Connectivity in Incident Mild Cognitive Impairment: A Diffusion Spectrum Imaging Study of World Trade Center Responders at Midlife. Journal of Alzheimer's Disease, 2021, 80, 1209-1219.	1.2	7
153	Cortical complexity in world trade center responders with chronic posttraumatic stress disorder. Translational Psychiatry, 2021, 11, 597.	2.4	7
154	Fatigue severity in World Trade Center $(9/11)$ responders: a preliminary study. Fatigue: Biomedicine, Health and Behavior, 2016, 4, 70-79.	1.2	6
155	Shortened leukocyte telomere length is associated with reduced pulmonary function and greater subsequent decline in function in a sample of World Trade Center responders. Scientific Reports, 2019, 9, 8148.	1.6	6
156	Risk factors for head and neck cancer in the World Trade Center Health Program General Responder Cohort: results from a nested case–control study. Occupational and Environmental Medicine, 2019, 76, 854-860.	1.3	6
157	Management of Lyme disease. Current Opinion in Infectious Diseases, 1995, 8, 444-449.	1.3	5
158	Immunoblot Profile as Predictor of Toxoplasmic Encephalitis in Patients Infected with Human Immunodeficiency Virus. Vaccine Journal, 2001, 8, 579-584.	2.6	5
159	Cerebral toxoplasmosis in AIDS. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2007, 85, 147-158.	1.0	5
160	Trauma and Relationship Strain: Oral Histories With World Trade Center Disaster Responders. Qualitative Health Research, 2019, 29, 1751-1765.	1.0	5
161	Past Experiences of Getting Bullied and Assaulted and Posttraumatic Stress Disorder (PTSD) after a Severe Traumatic Event in Adulthood: A Study of World Trade Center (WTC) Responders. Journal of Aggression, Maltreatment and Trauma, 2020, 29, 167-185.	0.9	5
162	A cortical thinning signature to identify World Trade Center responders with possible dementia. Intelligence-based Medicine, 2021, 5, 100032.	1.4	5

#	Article	IF	CITATIONS
163	The Association of Posttraumatic Stress Disorder With Longitudinal Change in Glomerular Filtration Rate in World Trade Center Responders. Psychosomatic Medicine, 2021, 83, 978-986.	1.3	5
164	Respiratory problems and anxiety sensitivity in smoking lapse among treatment seeking smokers. Addictive Behaviors, 2017, 75, 25-29.	1.7	4
165	Assessment of cumulative health risk in the World Trade Center general responder cohort. American Journal of Industrial Medicine, 2018, 61, 63-76.	1.0	4
166	Posttraumatic stress disorder in daily life among World Trade Center responders: Temporal symptom cascades. Journal of Psychiatric Research, 2021, 138, 240-245.	1.5	4
167	A deep learning approach for monitoring parietal-dominant Alzheimer's disease in World Trade Center responders at midlife. Brain Communications, 2021, 3, fcab145.	1.5	4
168	Prevalence and correlates of suicidal ideation in World Trade Center responders: Results from a population-based health monitoring cohort. Journal of Affective Disorders, 2022, 306, 62-70.	2.0	4
169	Response to Dr. Reich's letter: ҠSarcoidâ€like' granulomatous pulmonary disease in world trade center disaster responders: Influence of incidence computation methodology in inferring airborne dust causationâ€. American Journal of Industrial Medicine, 2011, 54, 894-895.	1.0	3
170	Sex differences in asthma and gastroesophageal reflux disease incidence among the World Trade Center Health Program General Responder Cohort. American Journal of Industrial Medicine, 2016, 59, 815-822.	1.0	3
171	Acculturation, coping, and PTSD in Hispanic 9/11 rescue and recovery workers Psychological Trauma: Theory, Research, Practice, and Policy, 2021, 13, 84-93.	1.4	3
172	Mapping the transcriptomics landscape of post-traumatic stress disorder symptom dimensions in World Trade Center responders. Translational Psychiatry, 2021, 11, 310.	2.4	3
173	Metabolomics analysis of post-traumatic stress disorder symptoms in World Trade Center responders. Translational Psychiatry, 2022, 12, 174.	2.4	3
174	Phylogenomic Identification of Regulatory Sequences in Bacteria: an Analysis of Statistical Power and an Application to Borrelia burgdorferi Sensu Lato. MBio, 2015, 6, .	1.8	2
175	Survival After AIDS-Defining Events in Patients With<200 Lymphocytes CD4+ × 106/L Who Are Toxoplasmosis Antibody Positive. Journal of Acquired Immune Deficiency Syndromes, 1997, 14, 459-464.	0.3	2
176	Autoimmune conditions in the World Trade Center general responder cohort: A nested caseâ€control and standardized incidence ratio analysis. American Journal of Industrial Medicine, 2022, 65, 117-131.	1.0	2
177	Lyme borreliosis. International Journal of Antimicrobial Agents, 1994, 3, 251-258.	1.1	1
178	Kidney tubular-cell secretion of osteoblast growth factor is increased by kaempferol: A scientific basis for "The Kidney Controlling the Bone―theory of chinese medicine. Chinese Journal of Integrative Medicine, 2014, 20, 675-681.	0.7	1
179	Consequences of toxic disasters for rescue, recovery, and clean-up workers require integrated mental and physical health monitoring. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 1761-1763.	1.6	1
180	Long-Term PTSD and Comorbidity with Depression Among World Trade Center Responders. , 2018, , 21-30.		1

#	Article	ΙF	CITATIONS
181	Retrospective Assessment of Risk Factors for Head and Neck Cancer Among World Trade Center General Responders. Frontiers in Public Health, 2020, 8, 488057.	1.3	1
182	Introduction and Dedication. Journal of Infectious Diseases, 2002, 185, i-ii.	1.9	0
183	Toxoplasma. , 0, , 1279-1284.		0
184	Epidemiology of Lyme Disease in Hispanics Admitted to a Tertiary Medical Center in Long Island. Open Forum Infectious Diseases, 2016, 3, .	0.4	0
185	Lyme Disease in Hispanics in Long Island, New York: AÂNew Health Disparity in the U.S Open Forum Infectious Diseases, 2017, 4, S308-S308.	0.4	0
186	Proteomic analysis of cognitive impairment in responders traumatized by the World Trade Center disaster. Alzheimer's and Dementia, 2020, 16, e040497.	0.4	0
187	Case Report: A World Trade Center (WTC) responder presenting with moderate stage dementia by age 57, suggesting an extended severity of WTC-associated illness'., 0, , .		0
188	Borrelia spp , 0, , 511-525.		0