Constantin Theodore Yiannoutsos

List of Publications by Citations

138 papers	6,207 citations	44 h-index	77 g-index
142 ext. papers	7,008 ext. citations	4.5 avg, IF	5.25 L-index

#	Paper	IF	Citations
138	Excessive toxicity when treating central tumors in a phase II study of stereotactic body radiation therapy for medically inoperable early-stage lung cancer. *Journal of Clinical Oncology*, **2006**, 24, 4833-9	2.2	1136
137	Phase III study of cisplatin, etoposide, and concurrent chest radiation with or without consolidation docetaxel in patients with inoperable stage III non-small-cell lung cancer: the Hoosier Oncology Group and U.S. Oncology. *Journal of Clinical Oncology*, **2008**, 26, 5755-60	2.2	385
136	Intraductal papillary mucinous neoplasms: predictors of malignant and invasive pathology. *Annals of Surgery*, **2007**, 246, 644-51; discussion 651-4	7.8	303
135	Retention in care among HIV-infected patients in resource-limited settings: emerging insights and new directions. *Current HIV/AIDS Reports*, **2010**, 7, 234-44	5.9	208
134	Viability and effectiveness of large-scale HIV treatment initiatives in sub-Saharan Africa: experience from western Kenya. *Aids*, **2006**, 20, 41-8	3.5	195
133	Ordered multiple-class ROC analysis with continuous measurements. *Statistics in Medicine*, **2004**, 23, 3437-49	2.3	167
132	Effects of nadir CD4 count and duration of human immunodeficiency virus infection on brain volumes in the highly active antiretroviral therapy era. *Journal of NeuroVirology*, **2010**, 16, 25-32	3.9	159
131	Universal definition of loss to follow-up in HIV treatment programs: a statistical analysis of 111 facilities in Africa, Asia, and Latin America. *PLoS Medicine*, **2011**, 8, e1001111	11.6	140
130	Influence of gender on loss to follow-up in a large HIV treatment programme in western Kenya. *Bulletin of the World Health Organization*, **2010**, 88, 681-8	8.2	138
129	A phase II multicenter, randomized, double-blind, safety trial assessing the pharmacokinetics, pharmacodynamics, and efficacy of oral 2-methoxyestradiol capsules in hormone-refractory prostate cancer. *Clinical Cancer Research*, **2005**, 11, 6625-33	12.9	137
128	Population Point Prevalence of SARS-CoV-2 Infection Based on a Statewide Random Sample - Indiana, April 25-29, 2020. *Morbidity and Mortality Weekly Report*, **2020**, 69, 960-964	31.7	112
127	Neurological outcomes in late HIV infection: adverse impact of neurological impairment on survival and protective effect of antiviral therapy. AIDS Clinical Trial Group and Neurological AIDS Research Consortium study team. *Aids*, **1999**, 13, 1677-85	3.5	110
126	Memantine and HIV-associated cognitive impairment: a neuropsychological and proton magnetic resonance spectroscopy study. *Aids*, **2007**, 21, 1877-86	3.5	109
125	Retention in Care and Patient-Reported Reasons for Undocumented Transfer or Stopping Care Among HIV-Infected Patients on Antiretroviral Therapy in Eastern Africa: Application of a Sampling-Based Approach. *Clinical Infectious Diseases*, **2016**, 62, 935-944	11.6	102
124	Refractory mucosal candidiasis in advanced human immunodeficiency virus infection. *Clinical Infectious Diseases*, **2000**, 30, 749-56	11.6	85
123	A multi-center 1H MRS study of the AIDS dementia complex: validation and preliminary analysis. *Journal of Magnetic Resonance Imaging*, **2003**, 17, 625-33	5.6	81
122	Weekly paclitaxel and gemcitabine in advanced transitional-cell carcinoma of the urothelium: a phase II Hoosier Oncology Group study. *Journal of Clinical Oncology*, **2005**, 23, 1185-91	2.2	81

121	The OpenMRS Implementers Network. *International Journal of Medical Informatics*, **2009**, 78, 711-20	5.3	79
120	Regional patterns of brain metabolites in AIDS dementia complex. *NeuroImage*, **2004**, 23, 928-35	7.9	76
119	Accuracy and cut-off point selection in three-class classification problems using a generalization of the Youden index. *Statistics in Medicine*, **2010**, 29, 2946-55	2.3	75
118	Retention in care and connection to care among HIV-infected patients on antiretroviral therapy in Africa: estimation via a sampling-based approach. *PLoS ONE*, **2011**, 6, e21797	3.7	73
117	"Wamepotea" (they have become lost): outcomes of HIV-positive and HIV-exposed children lost to follow-up from a large HIV treatment program in western Kenya. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2011**, 57, e40-6	3.1	72
116	Outcomes of antiretroviral therapy in children in Asia and Africa: a comparative analysis of the IeDEA pediatric multiregional collaboration. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2013**, 62, 208-19	3.1	71
115	Cerebrospinal fluid (CSF) neuronal biomarkers across the spectrum of HIV infection: hierarchy of injury and detection. *PLoS ONE*, **2014**, 9, e116081	3.7	70
114	Chemokines in cerebrospinal fluid correlate with cerebral metabolite patterns in HIV-infected individuals. *Journal of NeuroVirology*, **2011**, 17, 63-9	3.9	70
113	Sampling-based approaches to improve estimation of mortality among patient dropouts: experience from a large PEPFAR-funded program in Western Kenya. *PLoS ONE*, **2008**, 3, e3843	3.7	70
112	Severity of HIV-associated neuropathy is associated with plasma HIV-1 RNA levels. *Aids*, **2002**, 16, 407-12	3.5	69
111	Estimation of mortality among HIV-infected people on antiretroviral treatment in East Africa: a sampling based approach in an observational, multisite, cohort study. *Lancet HIV,the*, **2015**, 2, e107-16	7.8	68
110	SDF-1alpha is expressed in astrocytes and neurons in the AIDS dementia complex: an in vivo and in vitro study. *Journal of Neuropathology and Experimental Neurology*, **2003**, 62, 617-26	3.1	68
109	Tracking a sample of patients lost to follow-up has a major impact on understanding determinants of survival in HIV-infected patients on antiretroviral therapy in Africa. *Tropical Medicine and International Health*, **2010**, 15 Suppl 1, 63-9	2.3	67
108	Proton MRS and neuropsychological correlates in AIDS dementia complex: evidence of subcortical specificity. *Journal of Neuropsychiatry and Clinical Neurosciences*, **2007**, 19, 283-92	2.7	66
107	Relative sensitivity of magnetic resonance spectroscopy and quantitative magnetic resonance imaging to cognitive function among nondemented individuals infected with HIV. *Journal of the International Neuropsychological Society*, **2008**, 14, 725-33	3.1	65
106	Progressive cerebral injury in the setting of chronic HIV infection and antiretroviral therapy. *Journal of NeuroVirology*, **2013**, 19, 209-18	3.9	63
105	Cerebral metabolite abnormalities in human immunodeficiency virus are associated with cortical and subcortical volumes. *Journal of NeuroVirology*, **2010**, 16, 435-444	3.9	63
104	Adjusting mortality for loss to follow-up: analysis of five ART programmes in sub-Saharan Africa. *PLoS ONE*, **2010**, 5, e14149	3.7	62

103	Clinical validation of the NeuroScreen. *Journal of NeuroVirology*, **2005**, 11, 503-11	3.9	57
102	Disrupted cerebral metabolite levels and lower nadir CD4+ counts are linked to brain volume deficits in 210 HIV-infected patients on stable treatment. *NeuroImage: Clinical*, **2013**, 3, 132-42	5.3	48
101	Survival after resection for invasive intraductal papillary mucinous neoplasm and for pancreatic adenocarcinoma: a multi-institutional comparison according to American Joint Committee on Cancer Stage. *Journal of the American College of Surgeons*, **2011**, 213, 275-83	4.4	47
100	Invasive intraductal papillary mucinous neoplasm: predictors of survival and role of adjuvant therapy. *Hpb*, **2010**, 12, 447-55	3.8	47
99	NFkappaB activation, TNF-alpha expression, and apoptosis in the AIDS-Dementia-Complex. *Journal of NeuroVirology*, **2000**, 6, 537-43	3.9	47
98	A placebo-controlled study of memantine for the treatment of human immunodeficiency virus-associated sensory neuropathy. *Journal of NeuroVirology*, **2006**, 12, 328-31	3.9	46
97	Retention of HIV-infected and HIV-exposed children in a comprehensive HIV clinical care programme in Western Kenya. *Tropical Medicine and International Health*, **2010**, 15, 833-41	2.3	45
96	The clinical burden of tuberculosis among human immunodeficiency virus-infected children in Western Kenya and the impact of combination antiretroviral treatment. *Pediatric Infectious Disease Journal*, **2009**, 28, 626-32	3.4	45
95	Final report of toxicity and efficacy of a phase II study of oral cyclophosphamide, thalidomide, and prednisone for patients with relapsed or refractory multiple myeloma: A Hoosier Oncology Group Trial, HEM01-21. *Oncologist*, **2007**, 12, 99-106	5.7	45
94	Estimated mortality of adult HIV-infected patients starting treatment with combination antiretroviral therapy. *Sexually Transmitted Infections*, **2012**, 88 Suppl 2, i33-43	2.8	43
93	Trends in the clinical characteristics of HIV-infected patients initiating antiretroviral therapy in Kenya, Uganda and Tanzania between 2002 and 2009. *Journal of the International AIDS Society*, **2011**, 14, 46	5.4	42
92	A causal framework for understanding the effect of losses to follow-up on epidemiologic analyses in clinic-based cohorts: the case of HIV-infected patients on antiretroviral therapy in Africa. *American Journal of Epidemiology*, **2012**, 175, 1080-7	3.8	35
91	Suppression of pancreatic tumor growth by combination chemotherapy with sulindac and LC-1 is associated with cyclin D1 inhibition in vivo. *Molecular Cancer Therapeutics*, **2007**, 6, 1736-44	6.1	35
90	Updates to the Spectrum/AIM model for estimating key HIV indicators at national and subnational levels. *Aids*, **2019**, 33 Suppl 3, S227-S234	3.5	34
89	Changes in rapid HIV treatment initiation after national "treat all" policy adoption in 6 sub-Saharan African countries: Regression discontinuity analysis. *PLoS Medicine*, **2019**, 16, e1002822	11.6	31
88	Outcome of patients with residual germ cell or non-germ cell malignancy after resection of primary mediastinal nonseminomatous germ cell cancer. *Journal of Clinical Oncology*, **2004**, 22, 1195-200	2.2	31
87	Alternative antiretroviral monitoring strategies for HIV-infected patients in east Africa: opportunities to save more lives?. *Journal of the International AIDS Society*, **2011**, 14, 38	5.4	30
86	The impact of the President's Emergency Plan for AIDS Relief on expansion of HIV care services for adult patients in western Kenya. *Aids*, **2009**, 23, 195-201	3.5	28

85	HIV treatment eligibility expansion and timely antiretroviral treatment initiation following enrollment in HIV care: A metaregression analysis of programmatic data from 22 countries. *PLoS Medicine*, **2018**, 15, e1002534	11.6	28
84	Facility-Level Factors Influencing Retention of Patients in HIV Care in East Africa. *PLoS ONE*, **2016**, 11, e0159994	3.7	28
83	Cardiac related death in thalassaemia major: time trend and risk factors in a large Greek Unit. *European Journal of Haematology*, **2009**, 82, 381-7	3.8	25
82	Symptoms and symptom clusters associated with SARS-CoV-2 infection in community-based populations: Results from a statewide epidemiological study. *PLoS ONE*, **2021**, 16, e0241875	3.7	25
81	Intraperitoneal radioactive phosphorus (32P) and vaginal brachytherapy as adjuvant treatment for uterine papillary serous carcinoma and clear cell carcinoma: a phase II Hoosier Oncology Group (HOG 97-01) study. *Gynecologic Oncology*, **2005**, 96, 818-23	4.9	24
80	Access to antiretroviral therapy in HIV-infected children aged 0-19 years in the International Epidemiology Databases to Evaluate AIDS (IeDEA) Global Cohort Consortium, 2004-2015: A prospective cohort study. *PLoS Medicine*, **2018**, 15, e1002565	11.6	21
79	The need for double-sampling designs in survival studies: an application to monitor PEPFAR. *Biometrics*, **2009**, 65, 301-6	1.8	21
78	Incidence of World Health Organization stage 3 and 4 events, tuberculosis and mortality in untreated, HIV-infected children enrolling in care before 1 year of age: an IeDEA (International Epidemiologic Databases To Evaluate AIDS) East Africa regional analysis. *Pediatric Infectious Disease Journal*, **2011**, 30, 498-9	3.4	20
77	Assessing multiple-group diagnostic problems with multi-dimensional receiver operating characteristic surfaces: application to proton MR Spectroscopy (MRS) in HIV-related neurological injury. *NeuroImage*, **2008**, 40, 248-55	7.9	19
76	Epigenetic hypothesis tests for methylation and acetylation in a triple microarray system. *Journal of Computational Biology*, **2005**, 12, 370-90	1.7	19
75	Comparison of methods for correction of mortality estimates for loss to follow-up after ART initiation: a case of the Infectious Diseases Institute, Uganda. *PLoS ONE*, **2013**, 8, e83524	3.7	19
74	Infection Fatality Ratios for COVID-19 Among Noninstitutionalized Persons 12 and Older: Results of a Random-Sample Prevalence Study. *Annals of Internal Medicine*, **2021**, 174, 135-136	8	19
73	Research priorities to inform "Treat All" policy implementation for people living with HIV in sub-Saharan Africa: a consensus statement from the International epidemiology Databases to Evaluate AIDS (IeDEA). *Journal of the International AIDS Society*, **2019**, 22, e25218	5.4	18
72	The Causal Effect of Tracing by Peer Health Workers on Return to Clinic Among Patients Who Were Lost to Follow-up From Antiretroviral Therapy in Eastern Africa: A "Natural Experiment" Arising From Surveillance of Lost Patients. *Clinical Infectious Diseases*, **2017**, 64, 1547-1554	11.6	15
71	A comparison of tests for restricted orderings in the three-class case. *Statistics in Medicine*, **2009**, 28, 1144-58	2.3	15
70	Symptoms and symptom clusters associated with SARS-CoV-2 infection in community-based populations: Results from a statewide epidemiological study **2020**,		15
69	Implementation of "Treat-all" at adult HIV care and treatment sites in the Global IeDEA Consortium: results from the Site Assessment Survey. *Journal of the International AIDS Society*, **2019**, 22, e25331	5.4	13
68	Impact of and Correction for Outcome Misclassification in Cumulative Incidence Estimation. *PLoS ONE*, **2015**, 10, e0137454	3.7	13

67	Adolescent pregnancy at antiretroviral therapy (ART) initiation: a critical barrier to retention on ART. *Journal of the International AIDS Society*, **2018**, 21, e25178	5.4	13
66	A Phase II Study of Pemetrexed in Patients with Recurrent Thymoma and Thymic Carcinoma. *Journal of Thoracic Oncology*, **2018**, 13, 1940-1948	8.9	13
65	Modeling AIDS survival after initiation of antiretroviral treatment by Weibull models with changepoints. *Journal of the International AIDS Society*, **2009**, 12, 9	5.4	12
64	How Many SARS-CoV-2-Infected People Require Hospitalization? Using Random Sample Testing to Better Inform Preparedness Efforts. *Journal of Public Health Management and Practice*, **2021**, 27, 246-250	1.9	12
63	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low- and middle-income countries: a multicohort study. *Journal of the International AIDS Society*, **2019**, 22, e25392	5.4	11
62	Determinants of Weight Evolution Among HIV-Positive Patients Initiating Antiretroviral Treatment in Low-Resource Settings. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2015**, 70, 146-54	3.1	11
61	Evaluating the Impact of a HIV Low-Risk Express Care Task-Shifting Program: A Case Study of the Targeted Learning Roadmap. *Epidemiologic Methods*, **2016**, 5, 69-91	2.2	10
60	Semiparametric regression on cumulative incidence function with interval-censored competing risks data. *Statistics in Medicine*, **2017**, 36, 3683-3707	2.3	9
59	Assessment of diagnostic markers by goodness-of-fit tests. *Statistics in Medicine*, **2003**, 22, 2503-13	2.3	9
58	Adherence to antiretroviral therapy in a clinical cohort of HIV-infected children in East Africa. *PLoS ONE*, **2018**, 13, e0191848	3.7	9
57	Global variations in mortality in adults after initiating antiretroviral treatment: an updated analysis of the International epidemiology Databases to Evaluate AIDS cohort collaboration. *Aids*, **2019**, 33 Suppl 3, S283-S294	3.5	8
56	Diagnostic and Prognostic Value of JC Virus DNA in Plasma in Progressive Multifocal Leukoencephalopathy. *Clinical Infectious Diseases*, **2018**, 67, 65-72	11.6	7
55	CD4 trajectory adjusting for dropout among HIV-positive patients receiving combination antiretroviral therapy in an East African HIV care centre. *Journal of the International AIDS Society*, **2014**, 17, 18957	5.4	7
54	Bayesian estimation of SARS-CoV-2 prevalence in Indiana by random testing. *Proceedings of the National Academy of Sciences of the United States of America*, **2021**, 118,	11.5	7
53	Observational Study of the Effect of Patient Outreach on Return to Care: The Earlier the Better. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2017**, 76, 141-148	3.1	6
52	Semiparametric competing risks regression under interval censoring using the R package intccr. *Computer Methods and Programs in Biomedicine*, **2019**, 173, 167-176	6.9	5
51	Increased prevalence of pregnancy and comparative risk of program attrition among individuals starting HIV treatment in East Africa. *PLoS ONE*, **2018**, 13, e0190828	3.7	5
50	Failure to suppress markers of bone turnover on first-line hormone therapy for metastatic prostate cancer is associated with shorter time to skeletal-related event. *Clinical Genitourinary Cancer*, **2014**, 12, 33-40.e4	3.3	5

49	A sequential design to estimate sensitivity and specificity of a diagnostic or screening test. *Statistics in Medicine*, **2006**, 25, 3458-73	2.3	5
48	NONPARAMETRIC INFERENCE FOR MARKOV PROCESSES WITH MISSING ABSORBING STATE. *Statistica Sinica*, **2019**, 29, 2083-2104	0.7	5
47	Compartmentalization of cerebrospinal fluid inflammation across the spectrum of untreated HIV-1 infection, central nervous system injury and viral suppression. *PLoS ONE*, **2021**, 16, e0250987	3.7	5
46	Semiparametric regression and risk prediction with competing risks data under missing cause of failure. *Lifetime Data Analysis*, **2020**, 26, 659-684	1.3	4
45	Assessment of risk behaviors in patients with opioid prescriptions: A study of indiana's inspect data. *American Journal on Addictions*, **2017**, 26, 822-829	3.7	4
44	Choosing profile double-sampling designs for survival estimation with application to President's Emergency Plan for AIDS Relief evaluation. *Statistics in Medicine*, **2014**, 33, 2017-29	2.3	4
43	Phase II study of low-dose topotecan in myelodysplastic syndromes: a Hoosier Oncology Group (HOG) study. *Leukemia Research*, **2004**, 28, 49-52	2.7	4
42	Designs for clinical trials to test the efficacy of therapeutics in progressive multifocal leukoencephalopathy. *Journal of NeuroVirology*, **2001**, 7, 369-74	3.9	3
41	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda. *PLoS ONE*, **2020**, 15, e0240654	3.7	3
40	Global estimates of viral suppression in children and adolescents and adults on antiretroviral therapy adjusted for missing viral load measurements: a multiregional, retrospective cohort study in 31 countries. *Lancet HIV,the*, **2021**, 8, e766-e775	7.8	3
39	Marginal and Conditional Distribution Estimation from Double-Sampled Semi-Competing Risks Data. *Scandinavian Journal of Statistics*, **2015**, 42, 87-103	0.8	2
38	Nonparametric estimation of the cumulative incidence function under outcome misclassification using external validation data. *Statistics in Medicine*, **2019**, 38, 5512-5527	2.3	2
37	Increasing body mass index or weight does not appear to influence the association between efavirenz-based antiretroviral therapy and implant effectiveness among HIV-positive women in western Kenya. *Contraception*, **2019**, 100, 288-295	2.5	2
36	Effects of National Adoption of Treat-All Guidelines on Pre-Antiretroviral Therapy (ART) CD4 Testing and Viral Load Monitoring After ART initiation: A Regression Discontinuity Analysis. *Clinical Infectious Diseases*, **2021**, 73, e1273-e1281	11.6	2
35	Pregnancies among women living with HIV using contraceptives and antiretroviral therapy in western Kenya: a retrospective, cohort study. *BMC Medicine*, **2021**, 19, 178	11.4	2
34	Weight-for-age distributions among children with HIV on antiretroviral therapy in the International epidemiology Databases to Evaluate AIDS (IeDEA) multiregional consortium. *BMC Research Notes*, **2020**, 13, 249	2.3	1
33	Mortality Among People With HIV Treated for Tuberculosis Based on Positive, Negative, or No Bacteriologic Test Results for Tuberculosis: The IeDEA Consortium. *Open Forum Infectious Diseases*, **2020**, 7, ofaa006	1	1
32	A multi-index ROC-based methodology for high throughput experiments in gene discovery. *International Journal of Data Mining and Bioinformatics*, **2013**, 8, 42-65	0.5	1

31	Empirical bayes risk evaluation with type ii censored data. *Journal of Statistical Computation and Simulation*, **1993**, 48, 195-206	0.9	1
30	Virologic non-suppression and early loss to follow up among pregnant and non-pregnant adolescents aged 15-19 years initiating antiretroviral therapy in South Africa: a retrospective cohort study.. *Journal of the International AIDS Society*, **2022**, 25, e25870	5.4	1
29	Outcomes of retained and disengaged pregnant women living with HIV in Uganda. *PLoS ONE*, **2021**, 16, e0251413	3.7	1
28	Semiparametric regression on cumulative incidence function with interval-censored competing risks data and missing event types. *Biostatistics*, **2021**,	3.7	1
27	Factors that differentiate COVID-19 vaccine intentions among Indiana parents: Implications for targeted vaccine promotion.. *Preventive Medicine*, **2022**, 107023	4.3	1
26	Deductive Semiparametric Estimation in Double-Sampling Designs with Application to PEPFAR. *Statistics in Biosciences*, **2020**, 12, 417-445	1.5	0
25	Global HIV mortality trends among children on antiretroviral treatment corrected for under-reported deaths: an updated analysis of the International epidemiology Databases to Evaluate AIDS collaboration. *Journal of the International AIDS Society*, **2021**, 24 Suppl 5, e25780	5.4	0
24	Achieving consistency in measures of HIV-1 viral suppression across countries: derivation of an adjustment based on international antiretroviral treatment cohort data. *Journal of the International AIDS Society*, **2021**, 24 Suppl 5, e25776	5.4	0
23	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration. *PLoS ONE*, **2020**, 15, e0220165	3.7	
22	A pseudo-likelihood method for estimating misclassification probabilities in competing-risks settings when true-event data are partially observed. *Biometrical Journal*, **2020**, 62, 1747-1768	1.5	
21	Phase II design with sequential testing of hypotheses within each stage. *Journal of Biopharmaceutical Statistics*, **2014**, 24, 768-84	1.3	
20	Reply. *Journal of Acquired Immune Deficiency Syndromes (1999)*, **2017**, 75, e56-e57	3.1	
19	A qualitative study of the barriers and enhancers to retention in care for pregnant and postpartum women living with HIV. *PLOS Global Public Health*, **2021**, 1, e0000004		
18	Neurologic Outcomes in HIV Infection: Clinical Events and Surrogate Markers95-104		
17	Virologic response of adolescents living with perinatally acquired HIV receiving antiretroviral therapy in the period of early adolescence (10-14 years) in South Africa. *Aids*, **2021**, 35, 971-978	3.5	
16	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration **2020**, 15, e0220165		
15	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration **2020**, 15, e0220165		
14	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration **2020**, 15, e0220165		

List of Publications

13	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration **2020**, 15, e0220165	
12	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration **2020**, 15, e0220165	
11	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the IeDEA Collaboration **2020**, 15, e0220165	
10	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
9	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
8	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
7	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
6	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
5	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
4	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
3	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda **2020**, 15, e0240654	
2	Retention in care and viral suppression in the PMTCT continuum at a large referral facility in western Kenya.. *AIDS and Behavior*, **2022**, 1	4.3
1	FIRST- LINE ANTIRETROVIRAL TREATMENT FAILURE IN EAST AFRICAN CHILDREN.. *East African Medical Journal*, **2021**, 98, 4082-4092	