

Constantin Theodore Yiannoutsos

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/1923389/constantin-theodore-yiannoutsos-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

6,207
citations

44
h-index

77
g-index

142
ext. papers

7,008
ext. citations

4.5
avg, IF

5.25
L-index

#	Paper	IF	Citations
138	Virologic non-suppression and early loss to follow up among pregnant and non-pregnant adolescents aged 15-19 years initiating antiretroviral therapy in South Africa: a retrospective cohort study.. <i>Journal of the International AIDS Society</i> , 2022 , 25, e25870	5.4	1
137	Factors that differentiate COVID-19 vaccine intentions among Indiana parents: Implications for targeted vaccine promotion.. <i>Preventive Medicine</i> , 2022 , 107023	4.3	1
136	Retention in care and viral suppression in the PMTCT continuum at a large referral facility in western Kenya.. <i>AIDS and Behavior</i> , 2022 , 1	4.3	
135	Global estimates of viral suppression in children and adolescents and adults on antiretroviral therapy adjusted for missing viral load measurements: a multiregional, retrospective cohort study in 31 countries. <i>Lancet HIV,the</i> , 2021 , 8, e766-e775	7.8	3
134	A qualitative study of the barriers and enhancers to retention in care for pregnant and postpartum women living with HIV. <i>PLOS Global Public Health</i> , 2021 , 1, e0000004		
133	Symptoms and symptom clusters associated with SARS-CoV-2 infection in community-based populations: Results from a statewide epidemiological study. <i>PLoS ONE</i> , 2021 , 16, e0241875	3.7	25
132	Effects of National Adoption of Treat-All Guidelines on Pre-Antiretroviral Therapy (ART) CD4 Testing and Viral Load Monitoring After ART initiation: A Regression Discontinuity Analysis. <i>Clinical Infectious Diseases</i> , 2021 , 73, e1273-e1281	11.6	2
131	Outcomes of retained and disengaged pregnant women living with HIV in Uganda. <i>PLoS ONE</i> , 2021 , 16, e0251413	3.7	1
130	Compartmentalization of cerebrospinal fluid inflammation across the spectrum of untreated HIV-1 infection, central nervous system injury and viral suppression. <i>PLoS ONE</i> , 2021 , 16, e0250987	3.7	5
129	Infection Fatality Ratios for COVID-19 Among Noninstitutionalized Persons 12 and Older: Results of a Random-Sample Prevalence Study. <i>Annals of Internal Medicine</i> , 2021 , 174, 135-136	8	19
128	Bayesian estimation of SARS-CoV-2 prevalence in Indiana by random testing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	7
127	Virologic response of adolescents living with perinatally acquired HIV receiving antiretroviral therapy in the period of early adolescence (10-14 years) in South Africa. <i>Aids</i> , 2021 , 35, 971-978	3.5	
126	How Many SARS-CoV-2-Infected People Require Hospitalization? Using Random Sample Testing to Better Inform Preparedness Efforts. <i>Journal of Public Health Management and Practice</i> , 2021 , 27, 246-250	1.9	12
125	Pregnancies among women living with HIV using contraceptives and antiretroviral therapy in western Kenya: a retrospective, cohort study. <i>BMC Medicine</i> , 2021 , 19, 178	11.4	2
124	Global HIV mortality trends among children on antiretroviral treatment corrected for under-reported deaths: an updated analysis of the International epidemiology Databases to Evaluate AIDS collaboration. <i>Journal of the International AIDS Society</i> , 2021 , 24 Suppl 5, e25780	5.4	0
123	Achieving consistency in measures of HIV-1 viral suppression across countries: derivation of an adjustment based on international antiretroviral treatment cohort data. <i>Journal of the International AIDS Society</i> , 2021 , 24 Suppl 5, e25776	5.4	0
122	Semiparametric regression on cumulative incidence function with interval-censored competing risks data and missing event types. <i>Biostatistics</i> , 2021 ,	3.7	1

121	FIRST- LINE ANTIRETROVIRAL TREATMENT FAILURE IN EAST AFRICAN CHILDREN.. <i>East African Medical Journal</i> , 2021 , 98, 4082-4092		
120	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration. <i>PLoS ONE</i> , 2020 , 15, e0220165	3.7	
119	Weight-for-age distributions among children with HIV on antiretroviral therapy in the International epidemiology Databases to Evaluate AIDS (leDEA) multiregional consortium. <i>BMC Research Notes</i> , 2020 , 13, 249	2.3	1
118	A pseudo-likelihood method for estimating misclassification probabilities in competing-risks settings when true-event data are partially observed. <i>Biometrical Journal</i> , 2020 , 62, 1747-1768	1.5	
117	Mortality Among People With HIV Treated for Tuberculosis Based on Positive, Negative, or No Bacteriologic Test Results for Tuberculosis: The leDEA Consortium. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa006	1	1
116	Semiparametric regression and risk prediction with competing risks data under missing cause of failure. <i>Lifetime Data Analysis</i> , 2020 , 26, 659-684	1.3	4
115	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda. <i>PLoS ONE</i> , 2020 , 15, e0240654	3.7	3
114	Population Point Prevalence of SARS-CoV-2 Infection Based on a Statewide Random Sample - Indiana, April 25-29, 2020. <i>Morbidity and Mortality Weekly Report</i> , 2020 , 69, 960-964	31.7	112
113	Symptoms and symptom clusters associated with SARS-CoV-2 infection in community-based populations: Results from a statewide epidemiological study 2020 ,		15
112	Deductive Semiparametric Estimation in Double-Sampling Designs with Application to PEPFAR. <i>Statistics in Biosciences</i> , 2020 , 12, 417-445	1.5	0
111	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration 2020 , 15, e0220165		
110	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration 2020 , 15, e0220165		
109	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration 2020 , 15, e0220165		
108	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration 2020 , 15, e0220165		
107	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration 2020 , 15, e0220165		
106	PS-SiZer map to investigate significant features of body-weight profile changes in HIV infected patients in the leDEA Collaboration 2020 , 15, e0220165		
105	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
104	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		

103	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
102	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
101	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
100	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
99	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
98	Lower rates of ART initiation and decreased retention among ART-naïve patients who consume alcohol enrolling in HIV care and treatment programs in Kenya and Uganda 2020 , 15, e0240654		
97	Research priorities to inform "Treat All" policy implementation for people living with HIV in sub-Saharan Africa: a consensus statement from the International epidemiology Databases to Evaluate AIDS (IeDEA). <i>Journal of the International AIDS Society</i> , 2019 , 22, e25218	5.4	18
96	Changes in rapid HIV treatment initiation after national "treat all" policy adoption in 6 sub-Saharan African countries: Regression discontinuity analysis. <i>PLoS Medicine</i> , 2019 , 16, e1002822	11.6	31
95	Semiparametric competing risks regression under interval censoring using the R package intccr. <i>Computer Methods and Programs in Biomedicine</i> , 2019 , 173, 167-176	6.9	5
94	Implementation of "Treat-all" at adult HIV care and treatment sites in the Global IeDEA Consortium: results from the Site Assessment Survey. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25331	5.4	13
93	Nonparametric estimation of the cumulative incidence function under outcome misclassification using external validation data. <i>Statistics in Medicine</i> , 2019 , 38, 5512-5527	2.3	2
92	Increasing body mass index or weight does not appear to influence the association between efavirenz-based antiretroviral therapy and implant effectiveness among HIV-positive women in western Kenya. <i>Contraception</i> , 2019 , 100, 288-295	2.5	2
91	Diagnosis and clinical outcomes of extrapulmonary tuberculosis in antiretroviral therapy programmes in low- and middle-income countries: a multicohort study. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25392	5.4	11
90	NONPARAMETRIC INFERENCE FOR MARKOV PROCESSES WITH MISSING ABSORBING STATE. <i>Statistica Sinica</i> , 2019 , 29, 2083-2104	0.7	5
89	Updates to the Spectrum/AIM model for estimating key HIV indicators at national and subnational levels. <i>Aids</i> , 2019 , 33 Suppl 3, S227-S234	3.5	34
88	Global variations in mortality in adults after initiating antiretroviral treatment: an updated analysis of the International epidemiology Databases to Evaluate AIDS cohort collaboration. <i>Aids</i> , 2019 , 33 Suppl 3, S283-S294	3.5	8
87	Diagnostic and Prognostic Value of JC Virus DNA in Plasma in Progressive Multifocal Leukoencephalopathy. <i>Clinical Infectious Diseases</i> , 2018 , 67, 65-72	11.6	7
86	Access to antiretroviral therapy in HIV-infected children aged 0-19 years in the International Epidemiology Databases to Evaluate AIDS (IeDEA) Global Cohort Consortium, 2004-2015: A prospective cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002565	11.6	21

85	Increased prevalence of pregnancy and comparative risk of program attrition among individuals starting HIV treatment in East Africa. <i>PLoS ONE</i> , 2018 , 13, e0190828	3.7	5
84	HIV treatment eligibility expansion and timely antiretroviral treatment initiation following enrollment in HIV care: A metaregression analysis of programmatic data from 22 countries. <i>PLoS Medicine</i> , 2018 , 15, e1002534	11.6	28
83	Adherence to antiretroviral therapy in a clinical cohort of HIV-infected children in East Africa. <i>PLoS ONE</i> , 2018 , 13, e0191848	3.7	9
82	Adolescent pregnancy at antiretroviral therapy (ART) initiation: a critical barrier to retention on ART. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25178	5.4	13
81	A Phase II Study of Pemetrexed in Patients with Recurrent Thymoma and Thymic Carcinoma. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1940-1948	8.9	13
80	The Causal Effect of Tracing by Peer Health Workers on Return to Clinic Among Patients Who Were Lost to Follow-up From Antiretroviral Therapy in Eastern Africa: A "Natural Experiment" Arising From Surveillance of Lost Patients. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1547-1554	11.6	15
79	Semiparametric regression on cumulative incidence function with interval-censored competing risks data. <i>Statistics in Medicine</i> , 2017 , 36, 3683-3707	2.3	9
78	Reply. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75, e56-e57	3.1	
77	Assessment of risk behaviors in patients with opioid prescriptions: A study of indianaB inspect data. <i>American Journal on Addictions</i> , 2017 , 26, 822-829	3.7	4
76	Observational Study of the Effect of Patient Outreach on Return to Care: The Earlier the Better. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 76, 141-148	3.1	6
75	Evaluating the Impact of a HIV Low-Risk Express Care Task-Shifting Program: A Case Study of the Targeted Learning Roadmap. <i>Epidemiologic Methods</i> , 2016 , 5, 69-91	2.2	10
74	Retention in Care and Patient-Reported Reasons for Undocumented Transfer or Stopping Care Among HIV-Infected Patients on Antiretroviral Therapy in Eastern Africa: Application of a Sampling-Based Approach. <i>Clinical Infectious Diseases</i> , 2016 , 62, 935-944	11.6	102
73	Facility-Level Factors Influencing Retention of Patients in HIV Care in East Africa. <i>PLoS ONE</i> , 2016 , 11, e0159994	3.7	28
72	Estimation of mortality among HIV-infected people on antiretroviral treatment in East Africa: a sampling based approach in an observational, multisite, cohort study. <i>Lancet HIV,the</i> , 2015 , 2, e107-16	7.8	68
71	Marginal and Conditional Distribution Estimation from Double-Sampled Semi-Competing Risks Data. <i>Scandinavian Journal of Statistics</i> , 2015 , 42, 87-103	0.8	2
70	Determinants of Weight Evolution Among HIV-Positive Patients Initiating Antiretroviral Treatment in Low-Resource Settings. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 70, 146-54	3.1	11
69	Impact of and Correction for Outcome Misclassification in Cumulative Incidence Estimation. <i>PLoS ONE</i> , 2015 , 10, e0137454	3.7	13
68	Phase II design with sequential testing of hypotheses within each stage. <i>Journal of Biopharmaceutical Statistics</i> , 2014 , 24, 768-84	1.3	

67	Failure to suppress markers of bone turnover on first-line hormone therapy for metastatic prostate cancer is associated with shorter time to skeletal-related event. <i>Clinical Genitourinary Cancer</i> , 2014 , 12, 33-40.e4	3.3	5
66	Cerebrospinal fluid (CSF) neuronal biomarkers across the spectrum of HIV infection: hierarchy of injury and detection. <i>PLoS ONE</i> , 2014 , 9, e116081	3.7	70
65	CD4 trajectory adjusting for dropout among HIV-positive patients receiving combination antiretroviral therapy in an East African HIV care centre. <i>Journal of the International AIDS Society</i> , 2014 , 17, 18957	5.4	7
64	Choosing profile double-sampling designs for survival estimation with application to President's Emergency Plan for AIDS Relief evaluation. <i>Statistics in Medicine</i> , 2014 , 33, 2017-29	2.3	4
63	Incidence of World Health Organization stage 3 and 4 events, tuberculosis and mortality in untreated, HIV-infected children enrolling in care before 1 year of age: an IeDEA (International Epidemiologic Databases To Evaluate AIDS) East Africa regional analysis. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, 623-9	3.4	20
62	Progressive cerebral injury in the setting of chronic HIV infection and antiretroviral therapy. <i>Journal of NeuroVirology</i> , 2013 , 19, 209-18	3.9	63
61	Disrupted cerebral metabolite levels and lower nadir CD4 ⁺ counts are linked to brain volume deficits in 210 HIV-infected patients on stable treatment. <i>NeuroImage: Clinical</i> , 2013 , 3, 132-42	5.3	48
60	Outcomes of antiretroviral therapy in children in Asia and Africa: a comparative analysis of the IeDEA pediatric multiregional collaboration. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2013 , 62, 208-19	3.1	71
59	A multi-index ROC-based methodology for high throughput experiments in gene discovery. <i>International Journal of Data Mining and Bioinformatics</i> , 2013 , 8, 42-65	0.5	1
58	Comparison of methods for correction of mortality estimates for loss to follow-up after ART initiation: a case of the Infectious Diseases Institute, Uganda. <i>PLoS ONE</i> , 2013 , 8, e83524	3.7	19
57	Estimated mortality of adult HIV-infected patients starting treatment with combination antiretroviral therapy. <i>Sexually Transmitted Infections</i> , 2012 , 88 Suppl 2, i33-43	2.8	43
56	A causal framework for understanding the effect of losses to follow-up on epidemiologic analyses in clinic-based cohorts: the case of HIV-infected patients on antiretroviral therapy in Africa. <i>American Journal of Epidemiology</i> , 2012 , 175, 1080-7	3.8	35
55	Retention in care and connection to care among HIV-infected patients on antiretroviral therapy in Africa: estimation via a sampling-based approach. <i>PLoS ONE</i> , 2011 , 6, e21797	3.7	73
54	"Wamepotea" (they have become lost): outcomes of HIV-positive and HIV-exposed children lost to follow-up from a large HIV treatment program in western Kenya. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011 , 57, e40-6	3.1	72
53	Trends in the clinical characteristics of HIV-infected patients initiating antiretroviral therapy in Kenya, Uganda and Tanzania between 2002 and 2009. <i>Journal of the International AIDS Society</i> , 2011 , 14, 46	5.4	42
52	Survival after resection for invasive intraductal papillary mucinous neoplasm and for pancreatic adenocarcinoma: a multi-institutional comparison according to American Joint Committee on Cancer Stage. <i>Journal of the American College of Surgeons</i> , 2011 , 213, 275-83	4.4	47
51	Chemokines in cerebrospinal fluid correlate with cerebral metabolite patterns in HIV-infected individuals. <i>Journal of NeuroVirology</i> , 2011 , 17, 63-9	3.9	70
50	Alternative antiretroviral monitoring strategies for HIV-infected patients in east Africa: opportunities to save more lives?. <i>Journal of the International AIDS Society</i> , 2011 , 14, 38	5.4	30

49	Universal definition of loss to follow-up in HIV treatment programs: a statistical analysis of 111 facilities in Africa, Asia, and Latin America. <i>PLoS Medicine</i> , 2011 , 8, e1001111	11.6	140
48	Invasive intraductal papillary mucinous neoplasm: predictors of survival and role of adjuvant therapy. <i>Hpb</i> , 2010 , 12, 447-55	3.8	47
47	Tracking a sample of patients lost to follow-up has a major impact on understanding determinants of survival in HIV-infected patients on antiretroviral therapy in Africa. <i>Tropical Medicine and International Health</i> , 2010 , 15 Suppl 1, 63-9	2.3	67
46	Retention of HIV-infected and HIV-exposed children in a comprehensive HIV clinical care programme in Western Kenya. <i>Tropical Medicine and International Health</i> , 2010 , 15, 833-41	2.3	45
45	Influence of gender on loss to follow-up in a large HIV treatment programme in western Kenya. <i>Bulletin of the World Health Organization</i> , 2010 , 88, 681-8	8.2	138
44	Effects of nadir CD4 count and duration of human immunodeficiency virus infection on brain volumes in the highly active antiretroviral therapy era. <i>Journal of NeuroVirology</i> , 2010 , 16, 25-32	3.9	159
43	Cerebral metabolite abnormalities in human immunodeficiency virus are associated with cortical and subcortical volumes. <i>Journal of NeuroVirology</i> , 2010 , 16, 435-444	3.9	63
42	Retention in care among HIV-infected patients in resource-limited settings: emerging insights and new directions. <i>Current HIV/AIDS Reports</i> , 2010 , 7, 234-44	5.9	208
41	Accuracy and cut-off point selection in three-class classification problems using a generalization of the Youden index. <i>Statistics in Medicine</i> , 2010 , 29, 2946-55	2.3	75
40	Adjusting mortality for loss to follow-up: analysis of five ART programmes in sub-Saharan Africa. <i>PLoS ONE</i> , 2010 , 5, e14149	3.7	62
39	Cardiac related death in thalassaemia major: time trend and risk factors in a large Greek Unit. <i>European Journal of Haematology</i> , 2009 , 82, 381-7	3.8	25
38	The OpenMRS Implementers Network. <i>International Journal of Medical Informatics</i> , 2009 , 78, 711-20	5.3	79
37	A comparison of tests for restricted orderings in the three-class case. <i>Statistics in Medicine</i> , 2009 , 28, 1144-58	2.3	15
36	Modeling AIDS survival after initiation of antiretroviral treatment by Weibull models with changepoints. <i>Journal of the International AIDS Society</i> , 2009 , 12, 9	5.4	12
35	The need for double-sampling designs in survival studies: an application to monitor PEPFAR. <i>Biometrics</i> , 2009 , 65, 301-6	1.8	21
34	The impact of the President's Emergency Plan for AIDS Relief on expansion of HIV care services for adult patients in western Kenya. <i>Aids</i> , 2009 , 23, 195-201	3.5	28
33	The clinical burden of tuberculosis among human immunodeficiency virus-infected children in Western Kenya and the impact of combination antiretroviral treatment. <i>Pediatric Infectious Disease Journal</i> , 2009 , 28, 626-32	3.4	45
32	Assessing multiple-group diagnostic problems with multi-dimensional receiver operating characteristic surfaces: application to proton MR Spectroscopy (MRS) in HIV-related neurological injury. <i>NeuroImage</i> , 2008 , 40, 248-55	7.9	19

31	Relative sensitivity of magnetic resonance spectroscopy and quantitative magnetic resonance imaging to cognitive function among nondemented individuals infected with HIV. <i>Journal of the International Neuropsychological Society</i> , 2008 , 14, 725-33	3.1	65
30	Phase III study of cisplatin, etoposide, and concurrent chest radiation with or without consolidation docetaxel in patients with inoperable stage III non-small-cell lung cancer: the Hoosier Oncology Group and U.S. Oncology. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5755-60	2.2	385
29	Sampling-based approaches to improve estimation of mortality among patient dropouts: experience from a large PEPFAR-funded program in Western Kenya. <i>PLoS ONE</i> , 2008 , 3, e3843	3.7	70
28	Final report of toxicity and efficacy of a phase II study of oral cyclophosphamide, thalidomide, and prednisone for patients with relapsed or refractory multiple myeloma: A Hoosier Oncology Group Trial, HEM01-21. <i>Oncologist</i> , 2007 , 12, 99-106	5.7	45
27	Suppression of pancreatic tumor growth by combination chemotherapy with sulindac and LC-1 is associated with cyclin D1 inhibition in vivo. <i>Molecular Cancer Therapeutics</i> , 2007 , 6, 1736-44	6.1	35
26	Proton MRS and neuropsychological correlates in AIDS dementia complex: evidence of subcortical specificity. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2007 , 19, 283-92	2.7	66
25	Memantine and HIV-associated cognitive impairment: a neuropsychological and proton magnetic resonance spectroscopy study. <i>Aids</i> , 2007 , 21, 1877-86	3.5	109
24	Intraductal papillary mucinous neoplasms: predictors of malignant and invasive pathology. <i>Annals of Surgery</i> , 2007 , 246, 644-51; discussion 651-4	7.8	303
23	Excessive toxicity when treating central tumors in a phase II study of stereotactic body radiation therapy for medically inoperable early-stage lung cancer. <i>Journal of Clinical Oncology</i> , 2006 , 24, 4833-9	2.2	1136
22	Viability and effectiveness of large-scale HIV treatment initiatives in sub-Saharan Africa: experience from western Kenya. <i>Aids</i> , 2006 , 20, 41-8	3.5	195
21	A sequential design to estimate sensitivity and specificity of a diagnostic or screening test. <i>Statistics in Medicine</i> , 2006 , 25, 3458-73	2.3	5
20	A placebo-controlled study of memantine for the treatment of human immunodeficiency virus-associated sensory neuropathy. <i>Journal of NeuroVirology</i> , 2006 , 12, 328-31	3.9	46
19	Clinical validation of the NeuroScreen. <i>Journal of NeuroVirology</i> , 2005 , 11, 503-11	3.9	57
18	Intraperitoneal radioactive phosphorus (32P) and vaginal brachytherapy as adjuvant treatment for uterine papillary serous carcinoma and clear cell carcinoma: a phase II Hoosier Oncology Group (HOG 97-01) study. <i>Gynecologic Oncology</i> , 2005 , 96, 818-23	4.9	24
17	A phase II multicenter, randomized, double-blind, safety trial assessing the pharmacokinetics, pharmacodynamics, and efficacy of oral 2-methoxyestradiol capsules in hormone-refractory prostate cancer. <i>Clinical Cancer Research</i> , 2005 , 11, 6625-33	12.9	137
16	Weekly paclitaxel and gemcitabine in advanced transitional-cell carcinoma of the urothelium: a phase II Hoosier Oncology Group study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 1185-91	2.2	81
15	Epigenetic hypothesis tests for methylation and acetylation in a triple microarray system. <i>Journal of Computational Biology</i> , 2005 , 12, 370-90	1.7	19
14	Outcome of patients with residual germ cell or non-germ cell malignancy after resection of primary mediastinal nonseminomatous germ cell cancer. <i>Journal of Clinical Oncology</i> , 2004 , 22, 1195-200	2.2	31

13	Phase II study of low-dose topotecan in myelodysplastic syndromes: a Hoosier Oncology Group (HOG) study. <i>Leukemia Research</i> , 2004 , 28, 49-52	2.7	4
12	Ordered multiple-class ROC analysis with continuous measurements. <i>Statistics in Medicine</i> , 2004 , 23, 3437-49	2.3	167
11	Regional patterns of brain metabolites in AIDS dementia complex. <i>NeuroImage</i> , 2004 , 23, 928-35	7.9	76
10	SDF-1alpha is expressed in astrocytes and neurons in the AIDS dementia complex: an in vivo and in vitro study. <i>Journal of Neuropathology and Experimental Neurology</i> , 2003 , 62, 617-26	3.1	68
9	A multi-center 1H MRS study of the AIDS dementia complex: validation and preliminary analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2003 , 17, 625-33	5.6	81
8	Assessment of diagnostic markers by goodness-of-fit tests. <i>Statistics in Medicine</i> , 2003 , 22, 2503-13	2.3	9
7	Severity of HIV-associated neuropathy is associated with plasma HIV-1 RNA levels. <i>Aids</i> , 2002 , 16, 407-12, 5	6.9	69
6	Designs for clinical trials to test the efficacy of therapeutics in progressive multifocal leukoencephalopathy. <i>Journal of NeuroVirology</i> , 2001 , 7, 369-74	3.9	3
5	NFkappaB activation, TNF-alpha expression, and apoptosis in the AIDS-Dementia-Complex. <i>Journal of NeuroVirology</i> , 2000 , 6, 537-43	3.9	47
4	Refractory mucosal candidiasis in advanced human immunodeficiency virus infection. <i>Clinical Infectious Diseases</i> , 2000 , 30, 749-56	11.6	85
3	Neurological outcomes in late HIV infection: adverse impact of neurological impairment on survival and protective effect of antiviral therapy. AIDS Clinical Trial Group and Neurological AIDS Research Consortium study team. <i>Aids</i> , 1999 , 13, 1677-85	3.5	110
2	Empirical bayes risk evaluation with type ii censored data. <i>Journal of Statistical Computation and Simulation</i> , 1993 , 48, 195-206	0.9	1
1	Neurologic Outcomes in HIV Infection: Clinical Events and Surrogate Markers 95-104		