

Paolo Palatini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/192370/paolo-palatini-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

229
papers

11,423
citations

49
h-index

101
g-index

244
ext. papers

13,217
ext. citations

3.7
avg, IF

6.2
L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 229 | Accuracy of the oscillometric method for the measurement of heart rate at rest and during mild exercise.. <i>Journal of Hypertension</i> , 2022 , 40, 240-244 | 1.9 | 0 |
| 228 | Blood Pressure Hyperreactivity to Standing: a Predictor of Adverse Outcome in Young Hypertensive Patients.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118579 | 8.5 | 0 |
| 227 | Validation of the blood pressure measurement technology used in the Novacor Diasys 3 (DIS-0001-00) upper arm device for ambulatory blood pressure measurement, according to the requirements of the AAMI/ANSI/ISO 81060-2:2013 standard (for both a general study and a validation study in adults) and of the European Society of Hypertension International Protocol | 1.3 | 0 |
| 226 | Resting Heart Rate as a Cardiovascular Risk Factor in Hypertensive Patients: An Update. <i>American Journal of Hypertension</i> , 2021 , 34, 307-317 | 2.3 | 4 |
| 225 | Serum uric acid, predicts heart failure in a large Italian cohort: search for a cut-off value the URic acid Right for heArt Health study. <i>Journal of Hypertension</i> , 2021 , 39, 62-69 | 1.9 | 17 |
| 224 | Relationships between diuretic-related hyperuricemia and cardiovascular events: data from the URic acid Right for heArt Health study. <i>Journal of Hypertension</i> , 2021 , 39, 333-340 | 1.9 | 17 |
| 223 | 2021 European Society of Hypertension practice guidelines for office and out-of-office blood pressure measurement. <i>Journal of Hypertension</i> , 2021 , 39, 1293-1302 | 1.9 | 69 |
| 222 | Augmentation index predicts mortality in patients with aortic stenosis: an echo-tracking study. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 1659-1668 | 2.5 | 1 |
| 221 | Association of uric acid with kidney function and albuminuria: the Uric Acid Right for heArt Health (URRAH) Project. <i>Journal of Nephrology</i> , 2021 , 1 | 4.8 | 15 |
| 220 | Management of Patients With Thoracic Aortic Aneurysm: A Challenging Problem for the Clinician. <i>American Journal of Hypertension</i> , 2021 , | 2.3 | 1 |
| 219 | Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1742-1767 | 1.9 | 15 |
| 218 | In search of the optimal cuff for blood pressure measurement in people with severe obesity. <i>Hypertension Research</i> , 2021 , 44, 477-479 | 4.7 | 0 |
| 217 | High heart rate amplifies the risk of cardiovascular mortality associated with elevated uric acid. <i>European Journal of Preventive Cardiology</i> , 2021 , | 3.9 | 2 |
| 216 | The importance of including uric acid in the definition of metabolic syndrome when assessing the mortality risk. <i>Clinical Research in Cardiology</i> , 2021 , 110, 1073-1082 | 6.1 | 8 |
| 215 | Carotid elasticity is impaired in stage 1 hypertensive patients with well-controlled blood pressure levels. <i>Journal of Human Hypertension</i> , 2021 , | 2.6 | 1 |
| 214 | Identification of a plausible serum uric acid cut-off value as prognostic marker of stroke: the Uric Acid Right for Heart Health (URRAH) study. <i>Journal of Human Hypertension</i> , 2021 , | 2.6 | 3 |
| 213 | Serum Uric Acid and Kidney Disease Measures Independently Predict Cardiovascular and Total Mortality: The Uric Acid Right for Heart Health (URRAH) Project. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 713652 | 5.4 | 1 |

| | | | |
|-----|---|-----|----|
| 212 | Elevated heart rate and cardiovascular risk in hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1060-1069. | 1.9 | 11 |
| 211 | Seasonal variation in blood pressure: Evidence, consensus and recommendations for clinical practice. Consensus statement by the European Society of Hypertension Working Group on Blood Pressure Monitoring and Cardiovascular Variability. <i>Journal of Hypertension</i> , 2020 , 38, 1235-1243 | 1.9 | 26 |
| 210 | Effect of the shape of the cuff on blood pressure measurement in people with large arms. <i>Blood Pressure</i> , 2020 , 29, 241-246 | 1.7 | 2 |
| 209 | Recommendations for blood pressure measurement in large arms in research and clinical practice: position paper of the European society of hypertension working group on blood pressure monitoring and cardiovascular variability. <i>Journal of Hypertension</i> , 2020 , 38, 1244-1250 | 1.9 | 10 |
| 208 | Validation of the blood pressure measurement technology used in the Novacor Diasys 3 Plus (DIP-0001-00) upper-arm device for ambulatory blood pressure measurement, according to AAMI/ANSI/ISO 81060-2: 2013, ESH-IP 2010 and MEDDEV 2.7/1. <i>Blood Pressure Monitoring</i> , 2020 , 25, 359-367 | 1.3 | |
| 207 | Cuff Design for Home Blood Pressure Monitors. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 13-22 | 0.1 | |
| 206 | Impact of Exercise on Cardiovascular Risk Factors: Arterial Hypertension 2020 , 719-745 | | 0 |
| 205 | STRIDE BP: an international initiative for accurate blood pressure measurement. <i>Journal of Hypertension</i> , 2020 , 38, 395-399 | 1.9 | 24 |
| 204 | Identification of the Uric Acid Thresholds Predicting an Increased Total and Cardiovascular Mortality Over 20 Years. <i>Hypertension</i> , 2020 , 75, 302-308 | 8.5 | 76 |
| 203 | Serum uric acid and fatal myocardial infarction: detection of prognostic cut-off values: The URRAH (Uric Acid Right for Heart Health) study. <i>Journal of Hypertension</i> , 2020 , 38, 412-419 | 1.9 | 34 |
| 202 | Association of Extreme Nocturnal Dipping With Cardiovascular Events Strongly Depends on Age. <i>Hypertension</i> , 2020 , 75, 324-330 | 8.5 | 12 |
| 201 | Short-Term but not Long-Term Blood Pressure Variability Is a Predictor of Adverse Cardiovascular Outcomes in Young Untreated Hypertensives. <i>American Journal of Hypertension</i> , 2020 , 33, 1030-1037 | 2.3 | 2 |
| 200 | Accuracy of the WatchBP O3 device for ambulatory blood pressure monitoring according to the new criteria of the ISO81060-2 2018 protocol. <i>Blood Pressure Monitoring</i> , 2020 , 25, 285-290 | 1.3 | 3 |
| 199 | Seasonal Blood Pressure Variation: A Neglected Confounder in Clinical Hypertension Research and Practice. <i>American Journal of Hypertension</i> , 2020 , 33, 595-596 | 2.3 | 6 |
| 198 | Recommendations and Practical Guidance for performing and reporting validation studies according to the Universal Standard for the validation of blood pressure measuring devices by the Association for the Advancement of Medical Instrumentation/European Society of Hypertension/International Organization for Standardization (AAMI/ESH/ISO). <i>Journal of</i> | 1.9 | 63 |
| 197 | Added predictive value of high uric acid for cardiovascular events in the Ambulatory Blood Pressure International Study. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 966-974 | 2.3 | 6 |
| 196 | STRIDE BP international initiative for accurate blood pressure measurement: Systematic review of published validation studies of blood pressure measuring devices. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1616-1622 | 2.3 | 12 |
| 195 | Heart Rate as a Cardiovascular Risk Factor in Hypertension 2019 , 121-126 | | 1 |

| | | | |
|-----|---|-----|-----|
| 194 | Tachycardia in Prehypertension. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019 , 319-339 | 0.1 | |
| 193 | Only troncoconical cuffs can provide accurate blood pressure measurements in people with severe obesity. <i>Journal of Hypertension</i> , 2019 , 37, 37-41 | 1.9 | 15 |
| 192 | Short-term blood pressure variability outweighs average 24-h blood pressure in the prediction of cardiovascular events in hypertension of the young. <i>Journal of Hypertension</i> , 2019 , 37, 1419-1426 | 1.9 | 21 |
| 191 | Validation of the Hingmed WBP-02A device for ambulatory blood pressure monitoring according to the European Society of Hypertension International Protocol revision 2010. <i>Blood Pressure Monitoring</i> , 2019 , 24, 151-154 | 1.3 | 1 |
| 190 | Validation protocols for blood pressure measuring devices: the impact of the European Society of Hypertension International Protocol and the development of a Universal Standard. <i>Blood Pressure Monitoring</i> , 2019 , 24, 163-166 | 1.3 | 11 |
| 189 | Blood Pressure Measurement and Hypertension Diagnosis in the 2017 US Guidelines: First Things First. <i>Hypertension</i> , 2018 , 71, 963-965 | 8.5 | 13 |
| 188 | A Universal Standard for the Validation of Blood Pressure Measuring Devices: Association for the Advancement of Medical Instrumentation/European Society of Hypertension/International Organization for Standardization (AAMI/ESH/ISO) Collaboration Statement. <i>Hypertension</i> , 2018 , 71, 368-374 | 8.5 | 143 |
| 187 | Improving the accuracy of blood pressure measurement: the influence of the European Society of Hypertension International Protocol (ESH-IP) for the validation of blood pressure measuring devices and future perspectives. <i>Journal of Hypertension</i> , 2018 , 36, 479-487 | 1.9 | 33 |
| 186 | Low night-time heart rate is longitudinally associated with lower augmentation index and central systolic blood pressure in hypertension. <i>European Journal of Applied Physiology</i> , 2018 , 118, 543-550 | 3.4 | 9 |
| 185 | Arterial Distensibility, Physical Activity, and the Metabolic Syndrome. <i>Current Hypertension Reports</i> , 2018 , 20, 39 | 4.7 | 10 |
| 184 | Caffeine intake reduces incident atrial fibrillation at a population level. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1055-1062 | 3.9 | 18 |
| 183 | Isolated systolic hypertension in the young: a position paper endorsed by the European Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1222-1236 | 1.9 | 36 |
| 182 | Accuracy of the WatchBP office ABI device for office blood pressure measurement over a wide range of arm sizes. <i>Blood Pressure Monitoring</i> , 2018 , 23, 117-119 | 1.3 | 1 |
| 181 | Glomerular hyperfiltration is a predictor of adverse cardiovascular outcomes. <i>Kidney International</i> , 2018 , 93, 195-203 | 9.9 | 40 |
| 180 | Cuff challenges in blood pressure measurement. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1100-1103 | 2.3 | 18 |
| 179 | Clinical characteristics and risk of hypertension needing treatment in young patients with systolic hypertension identified with ambulatory monitoring. <i>Journal of Hypertension</i> , 2018 , 36, 1810-1815 | 1.9 | 13 |
| 178 | SaO034GLOMERULAR HYPERFILTRATION IS AND INDEPENDENT PREDICTOR OF ADVERSE CARDIOVASCULAR EVENTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i330-i330 | 4.3 | |
| 177 | Intima-media thickness remodelling in hypertensive subjects with long-term well-controlled blood pressure levels. <i>Blood Pressure</i> , 2017 , 26, 48-53 | 1.7 | 13 |

| | | | |
|-----|--|------|----|
| 176 | Heart Rate Reduction and Cardiovascular Outcome in Hypertension. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1099-1100 | 15.1 | 2 |
| 175 | Regular physical activity prevents development of hypertension in young people with hyperuricemia. <i>Journal of Hypertension</i> , 2017 , 35, 994-1001 | 1.9 | 10 |
| 174 | Alcohol Intake More than Doubles the Risk of Early Cardiovascular Events in Young Hypertensive Smokers. <i>American Journal of Medicine</i> , 2017 , 130, 967-974.e1 | 2.4 | 6 |
| 173 | Isolated Systolic Hypertension in Young Individuals: Pathophysiological Mechanisms, Prognostic Significance, and Clinical Implications. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2017 , 24, 133-139 | 2.9 | 15 |
| 172 | Masked tachycardia. A predictor of adverse outcome in hypertension. <i>Journal of Hypertension</i> , 2017 , 35, 487-492 | 1.9 | 17 |
| 171 | Validation of the A&D UM-211 device for office blood pressure measurement according to the European Society of Hypertension International Protocol revision 2010. <i>Blood Pressure Monitoring</i> , 2017 , 22, 302-305 | 1.3 | 2 |
| 170 | Office Pulse Pressure Is a Predictor of Favorable Outcome in Young- to Middle-Aged Subjects With Stage 1 Hypertension. <i>Hypertension</i> , 2017 , | 8.5 | 16 |
| 169 | Validation of the A&D UM-201 device for office blood pressure measurement according to the European Society of Hypertension International Protocol Revision 2010. <i>Blood Pressure Monitoring</i> , 2017 , 22, 234-237 | 1.3 | 3 |
| 168 | Caffeine intake and abstract reasoning among 1374 unselected men and women from general population. Role of the -163C>A polymorphism of CYP1A2 gene. <i>Clinical Nutrition ESPEN</i> , 2017 , 20, 52-59 | 1.3 | 5 |
| 167 | Comparison of arterial stiffness/compliance in the ascending aorta and common carotid artery in healthy subjects and its impact on left ventricular structure and function. <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 521-531 | 2.5 | 8 |
| 166 | Vascular Remodelling in Well-controlled Hypertensive Patients: The Challenge of Residual Risk Management. <i>Current Pharmaceutical Design</i> , 2017 , 23, 1445-1452 | 3.3 | 1 |
| 165 | Poor Reliability of Wrist Blood Pressure Self-Measurement at Home: A Population-Based Study. <i>Hypertension</i> , 2016 , 68, 896-903 | 8.5 | 32 |
| 164 | Association between low resting heart rate and violent behaviour. <i>International Journal of Epidemiology</i> , 2016 , 45, 1686-1687 | 7.8 | 1 |
| 163 | Reply. <i>Journal of Hypertension</i> , 2016 , 34, 2103-4 | 1.9 | |
| 162 | Methodology and technology for peripheral and central blood pressure and blood pressure variability measurement: current status and future directions - Position statement of the European Society of Hypertension Working Group on blood pressure monitoring and cardiovascular variability. <i>Journal of Hypertension</i> , 2016 , 34, 1665-77 | 1.9 | 89 |
| 161 | Autonomic Dysfunction: How to Identify and When to Treat?. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2016 , 23, 237-43 | 2.9 | 2 |
| 160 | Management of the hypertensive patient with elevated heart rate: Statement of the Second Consensus Conference endorsed by the European Society of Hypertension. <i>Journal of Hypertension</i> , 2016 , 34, 813-21 | 1.9 | 97 |
| 159 | Coffee consumption and risk of cardiovascular events in hypertensive patients. Results from the HARVEST. <i>International Journal of Cardiology</i> , 2016 , 212, 131-7 | 3.2 | 16 |

158 Systemic Hemodynamics in Hypertension **2016**, 75-96

157 Hypertension types defined by clinic and ambulatory blood pressure in 14 143 patients referred to hypertension clinics worldwide. Data from the ARTEMIS study. *Journal of Hypertension*, **2016**, 34, 2187-98⁹ 64

156 Effects of smoking on central blood pressure and pressure amplification in hypertension of the young. *Vascular Medicine*, **2016**, 21, 422-428 3.3 26

155 Association of β -Blocker Treatment With Adverse Outcomes in Hypertensive Patients Undergoing Noncardiac Surgery. *JAMA Internal Medicine*, **2016**, 176, 563 11.5

154 Prognostic Value of Ambulatory Blood Pressure in the Obese: The Ambulatory Blood Pressure-International Study. *Journal of Clinical Hypertension*, **2016**, 18, 111-8 2.3 5

153 Association of coffee consumption and CYP1A2 polymorphism with risk of impaired fasting glucose in hypertensive patients. *European Journal of Epidemiology*, **2015**, 30, 209-17 12.1 31

152 Coffee consumption and risk of type 2 diabetes. *Diabetologia*, **2015**, 58, 199-200 10.3 6

151 How should we manage a patient with masked hypertension?. *High Blood Pressure and Cardiovascular Prevention*, **2015**, 22, 11-6 2.9 1

150 Body fat and the cognitive pattern: A population-based study. *Obesity*, **2015**, 23, 1502-10 8 18

149 Time of administration important? Morning versus evening dosing of valsartan. *Journal of Hypertension*, **2015**, 33, 385-92 1.9 22

148 Validation of the A&D BP UB-543 wrist device for home blood pressure measurement according to the European Society of Hypertension International Protocol revision 2010. *Blood Pressure Monitoring*, **2015**, 20, 237-40 1.3 3

147 Resting heart rate: an independent predictor of congestive heart failure. *Journal of the American College of Cardiology*, **2014**, 64, 421-2 15.1 6

146 Added predictive value of night-time blood pressure variability for cardiovascular events and mortality: the Ambulatory Blood Pressure-International Study. *Hypertension*, **2014**, 64, 487-93 8.5 121

145 Contribution of the ABP-International study to the definition of night-time tachycardia. *Journal of Hypertension*, **2014**, 32, 2099-100 1.9 2

144 Regular physical activity is associated with improved small artery distensibility in young to middle-age stage 1 hypertensives. *Vascular Medicine*, **2014**, 19, 458-64 3.3 10

143 European Society of Hypertension practice guidelines for ambulatory blood pressure monitoring. *Journal of Hypertension*, **2014**, 32, 1359-66 1.9 547

142 Heart rate and the cardiometabolic risk. *Current Hypertension Reports*, **2013**, 15, 253-9 4.7 32

141 Relationship between GFR and albuminuria in stage 1 hypertension. *Clinical Journal of the American Society of Nephrology: CJASN*, **2013**, 8, 59-66 6.9 10

| | | | |
|-----|--|-----|-----|
| 140 | Predictive value of night-time heart rate for cardiovascular events in hypertension. The ABP-International study. <i>International Journal of Cardiology</i> , 2013 , 168, 1490-5 | 3.2 | 60 |
| 139 | Validation of the A&D BP UB-542 wrist device for home blood pressure measurement according to the European Society of Hypertension International Protocol revision 2010. <i>Blood Pressure Monitoring</i> , 2013 , 18, 219-22 | 1.3 | 3 |
| 138 | European Society of Hypertension position paper on ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 2013 , 31, 1731-68 | 1.9 | 898 |
| 137 | Central blood pressure is an independent predictor of future hypertension in young to middle-aged stage 1 hypertensives. <i>Blood Pressure</i> , 2013 , 22, 9-16 | 1.7 | 5 |
| 136 | Techniques for self-measurement of blood pressure: limitations and needs for future research. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 139-43 | 2.3 | 14 |
| 135 | Usefulness of heart rate to predict cardiac events in treated patients with high-risk systemic hypertension. <i>American Journal of Cardiology</i> , 2012 , 109, 685-92 | 3 | 131 |
| 134 | Factors associated with glomerular hyperfiltration in the early stage of hypertension. <i>American Journal of Hypertension</i> , 2012 , 25, 1011-6 | 2.3 | 28 |
| 133 | Cognitive functions and cognitive reserve in relation to blood pressure components in a population-based cohort aged 53 to 94 years. <i>International Journal of Hypertension</i> , 2012 , 2012, 274851 | 2.4 | 17 |
| 132 | Letter by Palatini regarding article, "Habitual coffee consumption and risk of heart failure: a dose-response meta-analysis". <i>Circulation: Heart Failure</i> , 2012 , 5, e98; author reply e99 | 7.6 | 3 |
| 131 | Cuff and bladder: overlooked components of BP measurement devices in the modern era?. <i>American Journal of Hypertension</i> , 2012 , 25, 136-8 | 2.3 | 17 |
| 130 | Rectangular cuffs may overestimate blood pressure in individuals with large conical arms. <i>Journal of Hypertension</i> , 2012 , 30, 530-6 | 1.9 | 37 |
| 129 | Does home blood pressure allow for a better assessment of the white-coat effect than ambulatory blood pressure?. <i>Journal of Hypertension</i> , 2012 , 30, 2118-24 | 1.9 | 6 |
| 128 | Interplay between miR-155, AT1R A1166C polymorphism, and AT1R expression in young untreated hypertensives. <i>American Journal of Hypertension</i> , 2011 , 24, 241-6 | 2.3 | 123 |
| 127 | Isolated systolic hypertension of young-to-middle-age individuals implies a relatively low risk of developing hypertension needing treatment when central blood pressure is low. <i>Journal of Hypertension</i> , 2011 , 29, 1311-9 | 1.9 | 36 |
| 126 | Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. <i>Vascular Health and Risk Management</i> , 2011 , 7, 725-39 | 4.4 | 73 |
| 125 | Accuracy of the Microlife large-extra large-sized cuff (32-52 cm) coupled to an automatic oscillometric device. <i>Blood Pressure Monitoring</i> , 2011 , 16, 99-102 | 1.3 | 16 |
| 124 | Resting heart rate as a predictor of body weight gain in the early stage of hypertension. <i>Obesity</i> , 2011 , 19, 618-23 | 8 | 28 |
| 123 | Biofeedback-assisted cardiovascular control in hypertensives exposed to emotional stress: a pilot study. <i>Applied Psychophysiology Biofeedback</i> , 2011 , 36, 185-92 | 3.4 | 15 |

| | | | |
|-----|--|------|----|
| 122 | Effect of regular physical activity on carotid intima-media thickness. Results from a 6-year prospective study in the early stage of hypertension. <i>Blood Pressure</i> , 2011 , 20, 37-44 | 1.7 | 22 |
| 121 | Role of elevated heart rate in the development of cardiovascular disease in hypertension. <i>Hypertension</i> , 2011 , 58, 745-50 | 8.5 | 74 |
| 120 | Premenopausal women have increased risk of hypertensive target organ damage compared with men of similar age. <i>Journal of Women's Health</i> , 2011 , 20, 1175-81 | 3 | 26 |
| 119 | BP reactivity to public speaking in stage 1 hypertension: influence of different task scenarios. <i>Blood Pressure</i> , 2011 , 20, 290-5 | 1.7 | 10 |
| 118 | Reduction of albuminuria with antihypertensive treatment: is more always better?. <i>American Journal of Hypertension</i> , 2011 , 24, 377-8 | 2.3 | |
| 117 | Accuracy of a single rigid conical cuff with standard-size bladder coupled to an automatic oscillometric device over a wide range of arm circumferences. <i>Hypertension Research</i> , 2010 , 33, 1186-91 | 4.7 | 38 |
| 116 | Elevated heart rate in hypertension: a target for treatment?. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 931; author reply 931-2 | 15.1 | 2 |
| 115 | Persistently elevated heart rate accelerates the progression of arterial stiffness. <i>Journal of Hypertension</i> , 2010 , 28, 653-6 | 1.9 | 12 |
| 114 | Acute-phase inflammatory markers during myocardial infarction: association with mortality and modes of death after 7 years of follow-up. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 111-7 | 1.9 | 10 |
| 113 | Accuracy of the visomat handy wrist blood pressure measuring device according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2010 , 15, 281-4 | 1.3 | 7 |
| 112 | Validation of Panasonic EW3106 and EW3109 devices for blood pressure measurement according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2010 , 15, 55-8 | 1.3 | 11 |
| 111 | Regular physical activity attenuates the blood pressure response to public speaking and delays the development of hypertension. <i>Journal of Hypertension</i> , 2010 , 28, 1186-1193 | 1.9 | 18 |
| 110 | Comparison of C-reactive protein and albumin excretion as prognostic markers for 10-year mortality after myocardial infarction. <i>Clinical Cardiology</i> , 2010 , 33, 508-15 | 3.3 | 12 |
| 109 | Maintenance of blood-pressure-lowering effect following a missed dose of aliskiren, irbesartan or ramipril: results of a randomized, double-blind study. <i>Journal of Human Hypertension</i> , 2010 , 24, 93-103 | 2.6 | 50 |
| 108 | Regular physical activity attenuates the blood pressure response to public speaking and delays the development of hypertension. <i>Journal of Hypertension</i> , 2010 , 28, 1186-93 | 1.9 | 4 |
| 107 | Angiotensin II type 1 receptor gene polymorphism predicts development of hypertension and metabolic syndrome. <i>American Journal of Hypertension</i> , 2009 , 22, 208-14 | 2.3 | 30 |
| 106 | Cystatin C as predictor of microalbuminuria in the early stage of hypertension. <i>Nephron Clinical Practice</i> , 2009 , 113, c309-14 | | 8 |
| 105 | Natural history of hypertension subtypes in young and middle-age adults. <i>American Journal of Hypertension</i> , 2009 , 22, 531-7 | 2.3 | 26 |

| | | | |
|-----|--|------|-----|
| 104 | Elevated heart rate in cardiovascular diseases: a target for treatment?. <i>Progress in Cardiovascular Diseases</i> , 2009 , 52, 46-60 | 8.5 | 49 |
| 103 | Elevated heart rate: a "new" cardiovascular risk factor?. <i>Progress in Cardiovascular Diseases</i> , 2009 , 52, 1-5 | 8.5 | 60 |
| 102 | The role of cardiac autonomic function in hypertension and cardiovascular disease. <i>Current Hypertension Reports</i> , 2009 , 11, 199-205 | 4.7 | 145 |
| 101 | Validation of Microlife BP W100 wrist device assessed according to the European Society of Hypertension and the British Hypertension Society protocols. <i>Blood Pressure Monitoring</i> , 2009 , 14, 41-4 | 1.3 | 5 |
| 100 | Accuracy of the BP A100 blood pressure measuring device coupled with a single cuff with standard-size bladder over a wide range of arm circumferences. <i>Blood Pressure Monitoring</i> , 2009 , 14, 216-9 | 1.3 | 13 |
| 99 | Validation of the visacor HM40 wrist blood pressure measuring device according to the International Protocol. <i>Blood Pressure Monitoring</i> , 2009 , 14, 83-6 | 1.3 | 4 |
| 98 | CYP1A2 genotype modifies the association between coffee intake and the risk of hypertension. <i>Journal of Hypertension</i> , 2009 , 27, 1594-601 | 1.9 | 143 |
| 97 | Regular physical activity prevents development of left ventricular hypertrophy in hypertension. <i>European Heart Journal</i> , 2009 , 30, 225-32 | 9.5 | 42 |
| 96 | RGS2 C1114G polymorphism and body weight gain in hypertensive patients. <i>Metabolism: Clinical and Experimental</i> , 2008 , 57, 421-7 | 12.7 | 14 |
| 95 | Italian society of hypertension guidelines for conventional and automated blood pressure measurement in the office, at home and over 24 hours. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2008 , 15, 283-310 | 2.9 | 49 |
| 94 | Albumin excretion in acute myocardial infarction: a guide for long-term prognosis. <i>American Heart Journal</i> , 2008 , 156, 760-8 | 4.9 | 12 |
| 93 | Exercise testing in asymptomatic subjects: from diagnostic test to prognostic tool?. <i>European Heart Journal</i> , 2008 , 29, 1803-6 | 9.5 | 3 |
| 92 | Ambulatory blood pressure monitoring in clinical practice: is being superior good enough?. <i>Journal of Hypertension</i> , 2008 , 26, 1300-2 | 1.9 | 3 |
| 91 | Office and out of office heart rate measurements: which clinical value?. <i>Journal of Hypertension</i> , 2008 , 26, 1540-5 | 1.9 | 3 |
| 90 | European Society of Hypertension guidelines for blood pressure monitoring at home: a summary report of the Second International Consensus Conference on Home Blood Pressure Monitoring. <i>Journal of Hypertension</i> , 2008 , 26, 1505-26 | 1.9 | 578 |
| 89 | Increase in carotid intima-media thickness in grade I hypertensive subjects: white-coat versus sustained hypertension. <i>Hypertension</i> , 2008 , 51, 1300-5 | 8.5 | 78 |
| 88 | Assessment of urinary albumin excretion might improve cardiovascular outcome in patients with hypertension. <i>Nature Clinical Practice Nephrology</i> , 2008 , 4, 414-5 | | 1 |
| 87 | Heart rate as predictor of outcome. <i>Blood Pressure Monitoring</i> , 2008 , 13, 167-8 | 1.3 | 5 |

| | | | |
|----|--|------|-----|
| 86 | Validation of the Microlife BP W200-1 wrist device for blood pressure measurement. <i>Blood Pressure Monitoring</i> , 2008 , 13, 295-8 | 1.3 | 4 |
| 85 | PA.NET International Quality Certification Protocol for blood pressure monitors. <i>Blood Pressure Monitoring</i> , 2008 , 13, 285-9 | 1.3 | 9 |
| 84 | Ambulatory blood pressure and cardiovascular risk in chronic kidney disease. <i>Current Hypertension Reports</i> , 2008 , 10, 119-26 | 4.7 | 14 |
| 83 | Is there benefit of cardiac slowing drugs in the treatment of hypertensive patients with elevated heart rate?. <i>European Heart Journal</i> , 2008 , 29, 1218-20 | 9.5 | 1 |
| 82 | Validation of Heine Gamma G7 (G5) and XXL-LF aneroid devices for blood pressure measurement. <i>Blood Pressure Monitoring</i> , 2007 , 12, 29-33 | 1.3 | 12 |
| 81 | Heart rate as an independent risk factor for cardiovascular disease: current evidence and basic mechanisms. <i>Drugs</i> , 2007 , 67 Suppl 2, 3-13 | 12.1 | 65 |
| 80 | Association between coffee consumption and risk of hypertension. <i>Annals of Medicine</i> , 2007 , 39, 545-53 | 1.5 | 34 |
| 79 | Importance of Heart Rate in Determining Cardiovascular Risk 2007 , 187-201 | | |
| 78 | Impact of increased heart rate on clinical outcomes in hypertension: implications for antihypertensive drug therapy. <i>Drugs</i> , 2006 , 66, 133-44 | 12.1 | 97 |
| 77 | Effect of body weight loss on blood pressure after 6 years of follow-up in stage 1 hypertension. <i>American Journal of Hypertension</i> , 2006 , 19, 1103-9 | 2.3 | 21 |
| 76 | Lifestyle, family history and progression of hypertension. <i>Journal of Hypertension</i> , 2006 , 24, 1479-87 | 1.9 | 29 |
| 75 | Heart rate as a predictor of development of sustained hypertension in subjects screened for stage 1 hypertension: the HARVEST Study. <i>Journal of Hypertension</i> , 2006 , 24, 1873-80 | 1.9 | 106 |
| 74 | Evolution of blood pressure and cholesterol in stage 1 hypertension: role of autonomic nervous system activity. <i>Journal of Hypertension</i> , 2006 , 24, 1375-81 | 1.9 | 41 |
| 73 | Identification and management of the hypertensive patient with elevated heart rate: statement of a European Society of Hypertension Consensus Meeting. <i>Journal of Hypertension</i> , 2006 , 24, 603-10 | 1.9 | 148 |
| 72 | Impaired arterial elasticity in young patients with white-coat hypertension. <i>Blood Pressure Monitoring</i> , 2006 , 11, 243-9 | 1.3 | 17 |
| 71 | Glomerular hyperfiltration predicts the development of microalbuminuria in stage 1 hypertension: the HARVEST. <i>Kidney International</i> , 2006 , 70, 578-84 | 9.9 | 71 |
| 70 | Letter regarding article by Wang et al, "Low-grade albuminuria and the risks of hypertension and blood pressure progression". <i>Circulation</i> , 2005 , 112, e121; author reply e121 | 16.7 | 5 |
| 69 | Heart rate: a strong predictor of mortality in subjects with coronary artery disease. <i>European Heart Journal</i> , 2005 , 26, 943-5 | 9.5 | 48 |

| | | | |
|----|--|-----|------|
| 68 | Heart rate reduction through lifestyle modification: reply. <i>European Heart Journal</i> , 2005 , 26, 1808-1808 | 9.5 | 2 |
| 67 | Combination therapy in the management of hypertension: focus on angiotensin receptor blockers combined with diuretics. <i>Journal of Clinical Hypertension</i> , 2005 , 7, 96-101 | 2.3 | 16 |
| 66 | Microalbuminuria, renal function and development of sustained hypertension: a longitudinal study in the early stage of hypertension. <i>Journal of Hypertension</i> , 2005 , 23, 175-82 | 1.9 | 36 |
| 65 | Masked hypertension in adults. <i>Blood Pressure Monitoring</i> , 2005 , 10, 307-10 | 1.3 | 37 |
| 64 | Treatment of Tachycardia in Hypertension: Where Do We Stand Now?. <i>Current Hypertension Reviews</i> , 2005 , 1, 129-140 | 2.3 | 1 |
| 63 | Prevalence and clinical significance of isolated ambulatory hypertension in young subjects screened for stage 1 hypertension. <i>Hypertension</i> , 2004 , 44, 170-4 | 8.5 | 60 |
| 62 | Physical activity and angiotensin-converting enzyme gene polymorphism in mild hypertensives. <i>American Journal of Medical Genetics Part A</i> , 2004 , 125A, 38-44 | | 34 |
| 61 | Ambulatory versus clinic blood pressure for the assessment of anti hypertensive efficacy in clinical trials: insights from the Val-Syst Study. <i>Clinical Therapeutics</i> , 2004 , 26, 1436-45 | 3.5 | 23 |
| 60 | Comparison of valsartan 160 mg with lisinopril 20 mg, given as monotherapy or in combination with a diuretic, for the treatment of hypertension: the Blood Pressure Reduction and Tolerability of Valsartan in Comparison with Lisinopril (PREVAIL) study. <i>Clinical Therapeutics</i> , 2004 , 26, 855-65 | 3.5 | 59 |
| 59 | Wrist blood pressure overestimates blood pressure measured at the upper arm. <i>Blood Pressure Monitoring</i> , 2004 , 9, 77-81 | 1.3 | 31 |
| 58 | Attenuation of haemodynamic, metabolic and energy expenditure responses to isoproterenol in patients with hypertension. <i>Journal of Hypertension</i> , 2004 , 22, 1999-2006 | 1.9 | 29 |
| 57 | Relationship between ambulatory blood pressure and follow-up clinic blood pressure in elderly patients with systolic hypertension. <i>Journal of Hypertension</i> , 2004 , 22, 81-7 | 1.9 | 18 |
| 56 | Comparison of the effects on 24-h ambulatory blood pressure of valsartan and amlodipine, alone or in combination with a low-dose diuretic, in elderly patients with isolated systolic hypertension (Val-syst Study). <i>Blood Pressure Monitoring</i> , 2004 , 9, 91-7 | 1.3 | 29 |
| 55 | Masked hypertension: how can the condition be detected?. <i>Blood Pressure Monitoring</i> , 2004 , 9, 297-9 | 1.3 | 36 |
| 54 | The white-coat effect is unrelated to the difference between clinic and daytime blood pressure and is associated with greater reactivity to public speaking. <i>Journal of Hypertension</i> , 2003 , 21, 545-53 | 1.9 | 39 |
| 53 | European Society of Hypertension recommendations for conventional, ambulatory and home blood pressure measurement. <i>Journal of Hypertension</i> , 2003 , 21, 821-48 | 1.9 | 1173 |
| 52 | Microalbuminuria in hypertension. <i>Current Hypertension Reports</i> , 2003 , 5, 208-14 | 4.7 | 21 |
| 51 | Resting heart rate in older people: a predictor of survival to age 85. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 284-5 | 5.6 | 34 |

| | | | |
|----|--|-----|-----|
| 50 | C-reactive protein in acute myocardial infarction: association with heart failure. <i>American Heart Journal</i> , 2003 , 145, 1094-101 | 4.9 | 96 |
| 49 | A randomized, double-blind, active-controlled, parallel-group comparison of valsartan and amlodipine in the treatment of isolated systolic hypertension in elderly patients: the Val-Syst study. <i>Clinical Therapeutics</i> , 2003 , 25, 2765-80 | 3.5 | 64 |
| 48 | G-protein beta3-subunit gene 825T allele and hypertension: a longitudinal study in young grade I hypertensives. <i>Hypertension</i> , 2003 , 42, 909-14 | 8.5 | 54 |
| 47 | Risk stratification after acute myocardial infarction: role of neurohormones, inflammatory markers and albumin excretion rate. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2003 , 4, 295-304 | | 2 |
| 46 | Trough:peak ratio and smoothness index in the evaluation of 24-h blood pressure control in hypertension: a comparative study between valsartan/hydrochlorothiazide combination and amlodipine. <i>European Journal of Clinical Pharmacology</i> , 2002 , 57, 765-70 | 2.8 | 23 |
| 45 | Predictive value of clinic and ambulatory heart rate for mortality in elderly subjects with systolic hypertension. <i>Archives of Internal Medicine</i> , 2002 , 162, 2313-21 | | 212 |
| 44 | alpha-Adducin Gly460Trp polymorphism, left ventricular mass and plasma renin activity. <i>Journal of Hypertension</i> , 2002 , 20, 1771-7 | 1.9 | 23 |
| 43 | Too much of a good thing? A critique of overemphasis on the use of ambulatory blood pressure monitoring in clinical practice. <i>Journal of Hypertension</i> , 2002 , 20, 1917-23 | 1.9 | 30 |
| 42 | Working Group on Blood Pressure Monitoring of the European Society of Hypertension International Protocol for validation of blood pressure measuring devices in adults. <i>Blood Pressure Monitoring</i> , 2002 , 7, 3-17 | 1.3 | 553 |
| 41 | Heart rate during myocardial infarction: relationship with one-year global mortality in men and women. <i>Canadian Journal of Cardiology</i> , 2002 , 18, 495-502 | 3.8 | 17 |
| 40 | Left ventricular contractile performance in the early stage of hypertension in humans. <i>European Journal of Applied Physiology</i> , 2001 , 85, 118-24 | 3.4 | 10 |
| 39 | Early signs of cardiac involvement in hypertension. <i>American Heart Journal</i> , 2001 , 142, 1016-23 | 4.9 | 20 |
| 38 | G protein beta3 subunit gene 825T allele is associated with increased left ventricular mass in young subjects with mild hypertension. <i>American Journal of Hypertension</i> , 2001 , 14, 1191-5 | 2.3 | 26 |
| 37 | Heart rate as a cardiovascular risk factor: do women differ from men?. <i>Annals of Medicine</i> , 2001 , 33, 213-215 | 2.5 | 46 |
| 36 | Independent predictors of isolated clinic (white-coat) hypertension. <i>Journal of Hypertension</i> , 2001 , 19, 1015-20 | 1.9 | 74 |
| 35 | Limitations of ambulatory blood pressure monitoring. <i>Blood Pressure Monitoring</i> , 2001 , 6, 221-4 | 1.3 | 2 |
| 34 | Reliability of ambulatory blood pressure monitoring. <i>Blood Pressure Monitoring</i> , 2001 , 6, 291-5 | 1.3 | 26 |
| 33 | Determinants of left ventricular structure and mass in young subjects with sympathetic over-activity. The Tecumseh Offspring Study. <i>Journal of Hypertension</i> , 2000 , 18, 769-75 | 1.9 | 19 |

| | | | |
|----|--|------|-----|
| 32 | Clinical value of microalbuminuria in hypertension. <i>Journal of Hypertension</i> , 2000 , 18, 645-54 | 1.9 | 53 |
| 31 | Importance of various methods of blood pressure measurement in clinical trials. <i>Current Hypertension Reports</i> , 2000 , 2, 362-9 | 4.7 | 15 |
| 30 | Response to antihypertensive therapy in older patients with sustained and nonsustained systolic hypertension. Systolic Hypertension in Europe (Syst-Eur) Trial Investigators. <i>Circulation</i> , 2000 , 102, 1139-44 | 16.7 | 232 |
| 29 | Attenuation of the "white-coat effect" by antihypertensive treatment and regression of target organ damage. <i>Hypertension</i> , 2000 , 35, 614-20 | 8.5 | 50 |
| 28 | Overweight and hypertension : a 2-way street?. <i>Hypertension</i> , 2000 , 35, 807-13 | 8.5 | 183 |
| 27 | Effect of blood pressure and physical activity on carotid artery intima-media thickness in stage 1 hypertensives and controls. <i>American Journal of Hypertension</i> , 2000 , 13, 1256-62 | 2.3 | 18 |
| 26 | 24-hour leg and forearm haemodynamics in transected spinal cord subjects. <i>Cardiovascular Research</i> , 1999 , 41, 312-6 | 9.9 | 11 |
| 25 | High heart rate: a risk factor for cardiovascular death in elderly men. <i>Archives of Internal Medicine</i> , 1999 , 159, 585-92 | | 196 |
| 24 | Need for a revision of the normal limits of resting heart rate. <i>Hypertension</i> , 1999 , 33, 622-5 | 8.5 | 103 |
| 23 | Heart rate as a risk factor for atherosclerosis and cardiovascular mortality: the effect of antihypertensive drugs. <i>Drugs</i> , 1999 , 57, 713-24 | 12.1 | 43 |
| 22 | Ambulatory blood pressure predicts end-organ damage only in subjects with reproducible recordings. HARVEST Study Investigators. Hypertension and Ambulatory Recording Venetia Study. <i>Journal of Hypertension</i> , 1999 , 17, 465-73 | 1.9 | 33 |
| 21 | Parental hyperdynamic circulation predicts insulin resistance in offspring: The Tecumseh Offspring Study. <i>Hypertension</i> , 1999 , 33, 769-74 | 8.5 | 24 |
| 20 | Left ventricular performance in the early stages of systemic hypertension. HARVEST Study Group. Hypertension and Ambulatory Recording Venetia Study. <i>American Journal of Cardiology</i> , 1998 , 81, 418-23 | | 25 |
| 19 | Prognostic significance of hypertension and albuminuria for early mortality after acute myocardial infarction. <i>Journal of Hypertension</i> , 1998 , 16, 525-30 | 1.9 | 25 |
| 18 | White-coat hypertension: a selection bias? Harvest Study Investigators. Hypertension and Ambulatory Recording Venetia Study. <i>Journal of Hypertension</i> , 1998 , 16, 977-84 | 1.9 | 43 |
| 17 | Reproducibility and clinical value of nocturnal hypotension: prospective evidence from the SAMPLE study. Study on Ambulatory Monitoring of Pressure and Lisinopril Evaluation. <i>Journal of Hypertension</i> , 1998 , 16, 733-8 | 1.9 | 173 |
| 16 | Target-organ damage in stage I hypertensive subjects with white coat and sustained hypertension: results from the HARVEST study. <i>Hypertension</i> , 1998 , 31, 57-63 | 8.5 | 142 |
| 15 | Characterisation of hypertensive patients according to 24 H peripheral resistance. <i>International Heart Journal</i> , 1998 , 39, 355-62 | | 7 |

| | | | |
|----|---|------|-----|
| 14 | Heart rate and the cardiovascular risk. <i>Journal of Hypertension</i> , 1997 , 15, 3-17 | 1.9 | 357 |
| 13 | Interactive action of the white-coat effect and the blood pressure levels on cardiovascular complications in hypertension. <i>American Journal of Medicine</i> , 1997 , 103, 208-16 | 2.4 | 39 |
| 12 | Does orthostatic testing have any role in the evaluation of the young subject with mild hypertension?: an insight from the HARVEST study. <i>American Journal of Hypertension</i> , 1997 , 10, 546-51 | 2.3 | 29 |
| 11 | Albumin excretion rate increases during acute myocardial infarction and strongly predicts early mortality. <i>Circulation</i> , 1997 , 96, 3338-45 | 16.7 | 56 |
| 10 | Relationship of tachycardia with high blood pressure and metabolic abnormalities: a study with mixture analysis in three populations. <i>Hypertension</i> , 1997 , 30, 1267-73 | 8.5 | 110 |
| 9 | Endocardial versus midwall measurement of left ventricular function in mild hypertension. <i>Journal of Hypertension</i> , 1996 , 14, 1011-1018 | 1.9 | 4 |
| 8 | Supernormal left ventricular performance in young subjects with mild hypertension: an alerting response to the echocardiographic procedure?. <i>Clinical Science</i> , 1996 , 91, 275-81 | 6.5 | 2 |
| 7 | Relationship of plasma renin activity with caffeine intake and physical training in mild hypertensive men. HARVEST Study Group. <i>European Journal of Epidemiology</i> , 1996 , 12, 485-91 | 12.1 | 21 |
| 6 | Response to orthostatic stress predicts office-daytime blood pressure difference, but not nocturnal blood pressure fall in mild essential hypertensives: results of the harvest trial. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995 , 22, 743-7 | 3 | 10 |
| 5 | Interactive effect of cigarettes and coffee on daytime systolic blood pressure in patients with mild essential hypertension. HARVEST Study Group (Italy). Hypertension Ambulatory Recording Venetia Study. <i>Journal of Hypertension</i> , 1995 , 13, 965-70 | 1.9 | 52 |
| 4 | Relationship between albumin excretion rate, ambulatory blood pressure and left ventricular hypertrophy in mild hypertension. <i>Journal of Hypertension</i> , 1995 , 13, 1796-1800 | 1.9 | 16 |
| 3 | Haemodynamics of recovery after strenuous exercise in physically trained hypertensive and normotensive subjects. <i>Clinical Science</i> , 1994 , 86, 27-34 | 6.5 | 13 |
| 2 | Exercise haemodynamics in the normotensive and the hypertensive subject. <i>Clinical Science</i> , 1994 , 87, 275-87 | 6.5 | 34 |
| 1 | Clinical Relevance of Nighttime Blood Pressure and of Daytime Blood Pressure Variability. <i>Archives of Internal Medicine</i> , 1992 , 152, 1855 | | 234 |