Xenia Gonda

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1923876/xenia-gonda-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

246 4,975 39 59 h-index g-index citations papers 6,009 4.1 5.71 325 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
246	What you see is what you get? Association of belief in conspiracy theories and mental health during COVID-19 <i>Neuropsychopharmacologia Hungarica</i> , 2022 , 24, 42-55	0.6	
245	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , 2021 , 54, 21-40	1.2	12
244	Inflamed Mind: Multiple Genetic Variants of Influence Suicide Risk Phenotypes in Interaction With Early and Recent Adversities in a Linkage Disequilibrium-Based Clumping Analysis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 746206	5	1
243	Peripheral endocannabinoid serum level in association with repetitive transcranial magnetic stimulation (rTMS) treatment in patients with major depressive disorder. <i>Scientific Reports</i> , 2021 , 11, 8867	4.9	0
242	The association between accelerated vascular aging and cyclothymic affective temperament in women. <i>Journal of Psychosomatic Research</i> , 2021 , 145, 110423	4.1	О
241	A Real-World, Prospective, Multicenter, Single-Arm Observational Study of Duloxetine in Patients With Major Depressive Disorder or Generalized Anxiety Disorder. <i>Frontiers in Psychiatry</i> , 2021 , 12, 6891	143	0
240	Genetic underpinnings of affective temperaments: a pilot GWAS investigation identifies a new genome-wide significant SNP for anxious temperament in ADGRB3 gene. <i>Translational Psychiatry</i> , 2021 , 11, 337	8.6	2
239	P2RX7 gene variation mediates the effect of childhood adversity and recent stress on the severity of depressive symptoms. <i>PLoS ONE</i> , 2021 , 16, e0252766	3.7	1
238	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021 , 26, 290-298	1.8	4
237	Evaluation of affective temperaments and arterial stiffness in different hypertension phenotypes. <i>Hypertension Research</i> , 2021 , 44, 47-54	4.7	1
236	Impaired mitochondrial bioenergetics in psychiatric disorders 2021 , 195-221		
235	Genes, depression, and nuclear DNA 2021 , 15-23		
234	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2021 , 1-8	1.8	1
233	Every Night and Every Morn: Effect of Variation in Gene on Depression Depends on Exposure to Early and Recent Stress. <i>Frontiers in Psychiatry</i> , 2021 , 12, 687487	5	1
232	Well-being, resilience and post-traumatic growth in the era of Covid-19 pandemic. <i>European Neuropsychopharmacology</i> , 2021 , 54, 65-65	1.2	3
231	Novel antidepressant drugs: Beyond monoamine targets. CNS Spectrums, 2021, 1-10	1.8	0
230	Season of birth in bipolar disorder. <i>Journal of Affective Disorders</i> , 2021 , 294, 116	6.6	

229	Association between affective temperaments and severe coronary artery disease. <i>Journal of Affective Disorders</i> , 2021 , 295, 914-919	6.6	О
228	Dopamine D3 Receptors: From Bench to Bedside. <i>Neuropsychopharmacologia Hungarica</i> , 2021 , 23, 272-	2806	
227	Can you get off the rollercoaster? Psychotherapeutic interventions in bipolar disorder. <i>Neuropsychopharmacologia Hungarica</i> , 2021 , 23, 296-307	0.6	
226	A specific It risk profile related to recent stressful life events in euthymic major depressive disorder. European Psychiatry, 2021, 64, S108-S109	6	
225	P.0109 Association of foxo1 gene variants with depression and childhood stress effects in a european sample. <i>European Neuropsychopharmacology</i> , 2021 , 53, S79-S80	1.2	
224	P.0900 The potential role of interferon signaling in migraine: a gene expression study. <i>European Neuropsychopharmacology</i> , 2021 , 53, S661-S662	1.2	
223	What's Love Got to do with it: Role of oxytocin in trauma, attachment and resilience. <i>Pharmacology & Therapeutics</i> , 2020 , 214, 107602	13.9	9
222	"Out, out, brief candle! Life's but a walking shadow": Is Associated With Current Suicidal Ideation but Not With Previous Suicide Attempts and Interacts With Recent Relationship Problems. <i>Frontiers in Psychiatry</i> , 2020 , 11, 567	5	2
221	Estimation of the relationship between the persistent decrease of the suicide rate and the changes in sociodemographic composition in Hungary between 1990 and 2011. <i>PLoS ONE</i> , 2020 , 15, e0241314	3.7	2
220	Recent Stressful Life Events in Euthymic Major Depressive Disorder Patients: Sociodemographic and Clinical Characteristics. <i>Frontiers in Psychiatry</i> , 2020 , 11, 566017	5	O
219	P.174 Variation in OXTR gene is associated with current depression severity and possibly mediates the effects of recent negative life events. <i>European Neuropsychopharmacology</i> , 2020 , 40, S101-S102	1.2	
218	P.176 Investigating the polymorphisms of CDC 45 gene and gene-environment interactions related to depression. <i>European Neuropsychopharmacology</i> , 2020 , 40, S103-S104	1.2	
217	Nature and Nurture: Effects of Affective Temperaments on Depressive Symptoms Are Markedly Modified by Stress Exposure. <i>Frontiers in Psychiatry</i> , 2020 , 11, 599	5	4
216	Sex differences in maturation and aging of human personality on the basis of a recently developed complex hierarchical model of temperament and character. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020 , 1-14	2.4	1
215	Spatiotemporal brain activation pattern following acute citalopram challenge is dose dependent and associated with neuroticism: A human phMRI study. <i>Neuropharmacology</i> , 2020 , 170, 107807	5.5	1
214	Circadian Variation of Migraine Attack Onset: A Review of Clinical Studies. <i>BioMed Research International</i> , 2019 , 2019, 4616417	3	9
213	Bipolar subtypes and their clinical correlates in a sample of 391 bipolar individuals. <i>Psychiatry Research</i> , 2019 , 281, 112528	9.9	2
212	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , 2019 , 22, 681-697	5.8	18

211	Modeling human temperament and character on the basis of combined theoretical approaches. <i>Annals of General Psychiatry</i> , 2019 , 18, 21	3.4	7
210	Patterns of mentalisation and empathy as possible predictors of violence in schizophrenia. <i>European Neuropsychopharmacology</i> , 2019 , 29, S129-S130	1.2	
209	Childhood Adversity Moderates the Effects of Epigenetic Regulatory Polymorphisms on Rumination. <i>Frontiers in Psychiatry</i> , 2019 , 10, 394	5	6
208	Predictors of recurrence in a sample of 508 outpatients with major depressive disorder. <i>Journal of Psychiatric Research</i> , 2019 , 114, 80-87	5.2	2
207	A case-control study of paternal and maternal age as risk factors in mood disorders. <i>International Journal of Psychiatry in Clinical Practice</i> , 2019 , 23, 90-98	2.4	8
206	Genome-wide association analysis reveals KCTD12 and miR-383-binding genes in the background of rumination. <i>Translational Psychiatry</i> , 2019 , 9, 119	8.6	13
205	Effects of Different Stressors Are Modulated by Different Neurobiological Systems: The Role of GABA-A Versus CB1 Receptor Gene Variants in Anxiety and Depression. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 138	6.1	18
204	Financial Stress Interacts With Gene to Affect Migraine. <i>Frontiers in Behavioral Neuroscience</i> , 2019 , 13, 284	3.5	2
203	The UKB envirome of depression: from interactions to synergistic effects. <i>Scientific Reports</i> , 2019 , 9, 9723	4.9	6
202	Suicide Risk in Bipolar Disorder: A Brief Review. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	40
202	Suicide Risk in Bipolar Disorder: A Brief Review. <i>Medicina (Lithuania)</i> , 2019 , 55, The Human Connectome: Functional Anatomy of the Brain 2019 , 1-48	3.1	40
		3.1	40
201	The Human Connectome: Functional Anatomy of the Brain 2019 , 1-48	2.2	40
201	The Human Connectome: Functional Anatomy of the Brain 2019, 1-48 Temperament-Personality-Character and Evolutionary Biology 2019, 111-138 Association between Irritable Affective Temperament and Nighttime Peripheral and Central		
201 200 199	The Human Connectome: Functional Anatomy of the Brain 2019, 1-48 Temperament-Personality-Character and Evolutionary Biology 2019, 111-138 Association between Irritable Affective Temperament and Nighttime Peripheral and Central Systolic Blood Pressure in Hypertension. Artery Research, 2019, 25, 41 Association between Cyclothymic Affective Temperament and Age of Onset of Hypertension.	2.2	4
201 200 199	The Human Connectome: Functional Anatomy of the Brain 2019, 1-48 Temperament-Personality-Character and Evolutionary Biology 2019, 111-138 Association between Irritable Affective Temperament and Nighttime Peripheral and Central Systolic Blood Pressure in Hypertension. Artery Research, 2019, 25, 41 Association between Cyclothymic Affective Temperament and Age of Onset of Hypertension. International Journal of Hypertension, 2019, 2019, 9248247 Genetic variants in major depressive disorder: From pathophysiology to therapy. Pharmacology &	2.2	4
201 200 199 198	The Human Connectome: Functional Anatomy of the Brain 2019, 1-48 Temperament-Personality-Character and Evolutionary Biology 2019, 111-138 Association between Irritable Affective Temperament and Nighttime Peripheral and Central Systolic Blood Pressure in Hypertension. Artery Research, 2019, 25, 41 Association between Cyclothymic Affective Temperament and Age of Onset of Hypertension. International Journal of Hypertension, 2019, 2019, 9248247 Genetic variants in major depressive disorder: From pathophysiology to therapy. Pharmacology & Therapeutics, 2019, 194, 22-43 Natural health products, dietary minerals and over-the-counter medications as add-on therapies to antidepressants in the treatment of major depressive disorder: a review. Brain Research Bulletin,	2.2 2.4	4 6 37

193	Transcriptomic changes following chronic administration of selective serotonin reuptake inhibitors: a review of animal studies. <i>Neuropsychopharmacologia Hungarica</i> , 2019 , 21, 26-35	0.6	1
192	Ancestry and different rates of suicide and homicide in European countries: A study with population-level data. <i>Journal of Affective Disorders</i> , 2018 , 232, 152-162	6.6	8
191	Depressive residual symptoms are associated with illness course characteristics in a sample of outpatients with bipolar disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 757-768	5.1	6
190	Suicidal Risk and Affective Temperaments, Evaluated with the TEMPS-A Scale: A Systematic Review. Harvard Review of Psychiatry, 2018 , 26, 8-18	4.1	34
189	Prevalence and correlates of neurological soft signs in healthy controls without family history of any mental disorder: A neurodevelopmental variation rather than a specific risk factor?. <i>International Journal of Developmental Neuroscience</i> , 2018 , 68, 59-65	2.7	11
188	Significance of risk polymorphisms for depression depends on stress exposure. <i>Scientific Reports</i> , 2018 , 8, 3946	4.9	28
187	Collaborative meta-analysis finds no evidence of a strong interaction between stress and 5-HTTLPR genotype contributing to the development of depression. <i>Molecular Psychiatry</i> , 2018 , 23, 133-142	15.1	188
186	Paternal and maternal age as risk factors for schizophrenia: a case-control study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018 , 22, 170-176	2.4	15
185	How can the depressed mind extract and remember predictive relationships of the environment? Evidence from implicit probabilistic sequence learning. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 81, 17-24	5.5	14
184	Genes Linking Mitochondrial Function, Cognitive Impairment and Depression are Associated with Endophenotypes Serving Precision Medicine. <i>Neuroscience</i> , 2018 , 370, 207-217	3.9	29
183	Sensory profiles as potential mediators of the association between hypomania and hopelessness in 488 major affective outpatients. <i>Journal of Affective Disorders</i> , 2018 , 225, 466-473	6.6	3
182	Possible predictors of age at illness onset and illness duration in a cohort study comparing younger adults and older major affective patients. <i>Journal of Affective Disorders</i> , 2018 , 225, 691-701	6.6	5
181	Sensory profiles in unipolar and bipolar affective disorders: Possible predictors of response to antidepressant medications? A prospective follow-up study. <i>Journal of Affective Disorders</i> , 2018 , 240, 237-246	6.6	3
180	Mentalization and empathy as predictors of violence in schizophrenic patients: Comparison with nonviolent schizophrenic patients, violent controls and nonviolent controls. <i>Psychiatry Research</i> , 2018 , 268, 198-205	9.9	6
179	Autism Spectrum Disorder: Classification, diagnosis and therapy. <i>Pharmacology & Therapeutics</i> , 2018 , 190, 91-104	13.9	128
178	Neurological soft signs significantly differentiate schizophrenia patients from healthy controls. <i>Acta Neuropsychiatrica</i> , 2018 , 30, 97-105	3.9	12
177	Life events in schizoaffective disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2018 , 227, 563-570	6.6	4
176	Temperaments in psychotic and major affective disorders. <i>Journal of Affective Disorders</i> , 2018 , 225, 195	5- 8 00	16

175	Mediators in the Association Between Affective Temperaments and Suicide Risk Among Psychiatric Inpatients. <i>Psychiatry (New York)</i> , 2018 , 81, 240-257	1	16
174	The development of a short version of TEMPS-A in Hungarian non-clinical samples. Neuropsychopharmacologia Hungarica, 2018, 20, 4-13	0.6	
173	Measuring affective temperaments: a systematic review of validation studies of the Temperament Evaluation in Memphis Pisa and San Diego (TEMPS) instruments. <i>Journal of Affective Disorders</i> , 2017 , 212, 25-37	6.6	15
172	Differential correlation of suicide and homicide rates according to geographical areas: A study with population-level data. <i>Psychiatry Research</i> , 2017 , 249, 167-171	9.9	10
171	Higher than recommended dosages of antipsychotics in male patients with schizophrenia are associated with increased depression but no major neurocognitive side effects: Results of a cross-sectional pilot naturalistic study. <i>Progress in Neuro-Psychopharmacology and Biological</i>	5.5	2
170	Psychiatry, 2017, 75, 113-119 Extreme sensory processing patterns show a complex association with depression, and impulsivity, alexithymia, and hopelessness. <i>Journal of Affective Disorders</i> , 2017, 210, 249-257	6.6	102
169	A new stress sensor and risk factor for suicide: the T allele of the functional genetic variant in the GABRA6 gene. <i>Scientific Reports</i> , 2017 , 7, 12887	4.9	8
168	Sensory Hypersensitivity Predicts Reduced Sleeping Quality in Patients With Major Affective Disorders. <i>Journal of Psychiatric Practice</i> , 2017 , 23, 11-24	1.3	1
167	Inverse association between hyperthymic affective temperament and coronary atherosclerosis: A coronary computed tomography angiography study. <i>Journal of Psychosomatic Research</i> , 2017 , 103, 108-	11 2	8
166	Weak associations between the daily number of suicide cases and amount of daily sunlight. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 73, 41-48	5.5	9
165	Financial hardship may trigger migraine through circadian dysregulation has possible role for the CLOCK gene. <i>European Neuropsychopharmacology</i> , 2017 , 27, S578-S579	1.2	
164	Commentary: A Neural Basis for the Acquired Capacity for Suicide. Frontiers in Psychiatry, 2017, 8, 93	5	
163	Alexithymia and Suicide Risk in Psychiatric Disorders: A Mini-Review. Frontiers in Psychiatry, 2017, 8, 148	5	91
162	Decreased Openness to Experience Is Associated with Migraine-Type Headaches in Subjects with Lifetime Depression. <i>Frontiers in Neurology</i> , 2017 , 8, 270	4.1	10
161	Symptom profiles and parental bonding in homicidal versus non-violent male schizophrenia patients. <i>Ideggyogyaszati Szemle</i> , 2017 , 70, 43-52	0.4	1
160	Is Mania the Hypertension of the Mood? Discussion of A Hypothesis. <i>Current Neuropharmacology</i> , 2017 , 15, 424-433	7.6	7
159	Mood Symptoms in Stabilized Patients with Schizophrenia: A Bipolar Type with Predominant Psychotic Features?. <i>Psychiatria Danubina</i> , 2017 , 29, 148-154	1.8	10
158	Why are migraineurs more depressed? A review of the factors contributing to the comorbidity of migraine and depression. <i>Neuropsychopharmacologia Hungarica</i> , 2017 , 19, 37-44	0.6	8

157	Psychological side effects of immune therapies: symptoms and pathomechanism. <i>Current Opinion in Pharmacology</i> , 2016 , 29, 97-103	5.1	19
156	Neurobiology and Pharmacological Prevention of Suicide in Mood Disorders 2016 , 501-522		
155	Understanding the Biologically Adaptive Side of Mood Disorders: A Focus on Affective Temperaments 2016 , 335-346		
154	Relationship of suicide rates with climate and economic variables in Europe during 2000-2012. <i>Annals of General Psychiatry</i> , 2016 , 15, 19	3.4	38
153	Association of affective temperaments with blood pressure and arterial stiffness in hypertensive patients: a cross-sectional study. <i>BMC Cardiovascular Disorders</i> , 2016 , 16, 158	2.3	22
152	The relationship between sensory processing patterns, alexithymia, traumatic childhood experiences, and quality of life among patients with unipolar and bipolar disorders. <i>Child Abuse and Neglect</i> , 2016 , 62, 39-50	4.3	79
151	Hyperthymic affective temperament and hypertension are independent determinants of serum brain-derived neurotrophic factor level. <i>Annals of General Psychiatry</i> , 2016 , 15, 17	3.4	15
150	Sensory hypersensitivity predicts reduced sleeping quality in patients with major affective disorders. <i>European Psychiatry</i> , 2016 , 33, S110-S110	6	1
149	Temperaments in completed suicides: Are they different from those in suicide attempters and controls?. <i>Comprehensive Psychiatry</i> , 2016 , 65, 98-102	7.3	10
148	Interleukin-6 promoter polymorphism interacts with pain and life stress influencing depression phenotypes. <i>Journal of Neural Transmission</i> , 2016 , 123, 541-8	4.3	27
147	Dimensions of adult attachment are significantly associated with specific affective temperament constellations in a Hungarian university sample. <i>Journal of Affective Disorders</i> , 2016 , 191, 78-81	6.6	2
146	Temperament in Suicidal Behaviour 2016 , 43-51		
145	Sensory processing patterns, coping strategies, and quality of life among patients with unipolar and bipolar disorders. <i>Revista Brasileira De Psiquiatria</i> , 2016 , 38, 207-15	2.6	21
144	The Role of Temperament in the Etiopathogenesis of Bipolar Spectrum Illness. <i>Harvard Review of Psychiatry</i> , 2016 , 24, 36-52	4.1	24
143	Depression and insomnia are independently associated with satisfaction and enjoyment of life in medication-overuse headache patients. <i>International Journal of Psychiatry in Medicine</i> , 2016 , 51, 442-45	5 ¹	6
142	Association of ATP6V1B2 rs1106634 with lifetime risk of depression and hippocampal neurocognitive deficits: possible novel mechanisms in the etiopathology of depression. <i>Translational Psychiatry</i> , 2016 , 6, e945	8.6	10
141	The association between traumatic childhood experiences, sensory processing patterns, and quality of life among unipolar and bipolar outpatients. <i>European Neuropsychopharmacology</i> , 2016 , 26, S410	1.2	
140	Effect of age and gender in association with spatial anxiety on navigation strategy preferences. <i>European Neuropsychopharmacology</i> , 2016 , 26, S356-S357	1.2	

139	Effects of IL1B single nucleotide polymorphisms on depressive and anxiety symptoms are determined by severity and type of life stress. <i>Brain, Behavior, and Immunity</i> , 2016 , 56, 96-104	16.6	33
138	The impact of periventricular white matter lesions in patients with bipolar disorder type I. <i>CNS Spectrums</i> , 2016 , 21, 23-34	1.8	5
137	Distinct effects of folate pathway genes MTHFR and MTHFD1L on ruminative response style: a potential risk mechanism for depression. <i>Translational Psychiatry</i> , 2016 , 6, e745	8.6	14
136	Financial difficulties but not other types of recent negative life events show strong interactions with 5-HTTLPR genotype in the development of depressive symptoms. <i>Translational Psychiatry</i> , 2016 , 6, e798	8.6	13
135	Social support decreases depressogenic effect of low-dose interferon alpha treatment in melanoma patients. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 579-84	4.1	4
134	Cyclothymic temperament rather than polarity is associated with hopelessness and suicidality in hospitalized patients with mood disorders. <i>Journal of Affective Disorders</i> , 2015 , 170, 161-5	6.6	21
133	The role of cognitive dysfunction in the symptoms and remission from depression. <i>Annals of General Psychiatry</i> , 2015 , 14, 27	3.4	101
132	Identification of hypertensive patients with dominant affective temperaments might improve the psychopathological and cardiovascular risk stratification: a pilot, case-control study. <i>Annals of General Psychiatry</i> , 2015 , 14, 33	3.4	6
131	The association of affective temperaments with smoking initiation and maintenance in adult primary care patients. <i>Journal of Affective Disorders</i> , 2015 , 172, 397-402	6.6	11
130	Preliminary investigation of the possible association between arsenic levels in drinking water and suicide mortality. <i>Journal of Affective Disorders</i> , 2015 , 182, 23-5	6.6	4
129	Report of the WPA section of pharmacopsychiatry on the relationship of antiepileptic drugs with suicidality in epilepsy. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015 , 19, 158-67	2.4	17
128	Variability in the effect of 5-HTTLPR on depression in a large European population: the role of age, symptom profile, type and intensity of life stressors. <i>PLoS ONE</i> , 2015 , 10, e0116316	3.7	21
127	Theoretical and clinical overview of affective temperaments in mood disorders. <i>Psicodebate</i> , 2015 , 14, 39	1.7	7
126	NMDA receptor antagonists for depression: Critical considerations. <i>Annals of Clinical Psychiatry</i> , 2015 , 27, 213-20	1.4	6
125	Predominant polarity as a course specifier for bipolar disorder: a systematic review. <i>Journal of Affective Disorders</i> , 2014 , 163, 56-64	6.6	58
124	Brain galanin system genes interact with life stresses in depression-related phenotypes. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E1666-73	11.5	71
123	Personality and cardiovascular risk: association between hypertension and affective temperaments-a cross-sectional observational study in primary care settings. <i>European Journal of General Practice</i> , 2014 , 20, 247-52	2.8	18
122	Relationship of suicide rates to economic variables in Europe: 2000-2011. <i>British Journal of Psychiatry</i> , 2014 , 205, 486-96	5.4	64

121	P.2.b.022 Different genes modulate risk for depression after childhood maltreatment and recent negative life events. <i>European Neuropsychopharmacology</i> , 2014 , 24, S390-S391	1.2	
120	Possible delayed effect of unemployment on suicidal rates: the case of Hungary. <i>Annals of General Psychiatry</i> , 2014 , 13, 12	3.4	19
119	Standardization of the TEMPS-A in the Greek general population. <i>Journal of Affective Disorders</i> , 2014 , 158, 19-29	6.6	10
118	Investigation of the marked and long-standing spatial inhomogeneity of the Hungarian suicide rate: a spatial regression approach. <i>Journal of Affective Disorders</i> , 2014 , 155, 180-5	6.6	16
117	Characterization of patients with mood disorders for their prevalent temperament and level of hopelessness. <i>Journal of Affective Disorders</i> , 2014 , 166, 285-91	6.6	26
116	Impact of living with bipolar patients: Making sense of caregivers' burden. <i>World Journal of Psychiatry</i> , 2014 , 4, 1-12	3	39
115	Pharmacotherapy in bipolar disorders during hospitalization and at discharge predicts clinical and psychosocial functioning at follow-up. <i>Human Psychopharmacology</i> , 2014 , 29, 578-88	2.3	10
114	Standardization of the NEO-PI-3 in the Greek general population. <i>Annals of General Psychiatry</i> , 2014 , 13, 36	3.4	11
113	Antidepressant treatment response is modulated by genetic and environmental factors and their interactions. <i>Annals of General Psychiatry</i> , 2014 , 13, 17	3.4	13
112	Affective temperaments contribute to cardiac complications in hypertension independently of depression. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 187-9	9.4	11
111	Rapid cycling in bipolar disorder: a systematic review. <i>Journal of Clinical Psychiatry</i> , 2014 , 75, e578-86	4.6	64
110	White matter abnormalities: Insights into the pathophysiology of major affective disorders. <i>World Journal of Radiology</i> , 2014 , 6, 223-9	2.9	1
109	The effect of negative mood and major depressive episode on working memory and implicit learning. <i>Neuropsychopharmacologia Hungarica</i> , 2014 , 16, 29-42	0.6	4
108	Depression in Parkinson's disease. <i>Ideggyogyaszati Szemle</i> , 2014 , 67, 229-36	0.4	5
107	A systematic review on the role of anticonvulsants in the treatment of acute bipolar depression. <i>International Journal of Neuropsychopharmacology</i> , 2013 , 16, 485-96	5.8	31
106	Suicide in Hungary-epidemiological and clinical perspectives. <i>Annals of General Psychiatry</i> , 2013 , 12, 21	3.4	27
105	Peripheral vascular endothelial growth factor level is associated with antidepressant treatment response: results of a preliminary study. <i>Journal of Affective Disorders</i> , 2013 , 144, 269-73	6.6	33
104	Associations between depression severity and purinergic receptor P2RX7 gene polymorphisms. Journal of Affective Disorders, 2013, 150, 104-9	6.6	39

103	Epidemiology of suicide in bipolar disorders: a systematic review of the literature. <i>Bipolar Disorders</i> , 2013 , 15, 457-90	3.8	206
102	No differences between drug naive and drug experienced unipolar depressed patients in terms of neurobiological testing: a cross sectional study. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1984-90	5.2	5
101	Affective temperaments and self-harm in adolescents: a cross-sectional study from a community sample. <i>Journal of Affective Disorders</i> , 2013 , 151, 891-8	6.6	14
100	Affective temperament, history of suicide attempt and family history of suicide in general practice patients. <i>Journal of Affective Disorders</i> , 2013 , 149, 350-4	6.6	39
99	Affective temperaments and hopelessness as predictors of health and social functioning in mood disorder patients: a prospective follow-up study. <i>Journal of Affective Disorders</i> , 2013 , 150, 216-22	6.6	62
98	Suicide, recession, and unemployment. <i>Lancet, The</i> , 2013 , 381, 722-3	40	13
97	Pharmacological prevention of suicide in patients with major mood disorders. <i>Neuroscience and Biobehavioral Reviews</i> , 2013 , 37, 2398-403	9	36
96	A systematic review of the evidence on the treatment of rapid cycling bipolar disorder. <i>Bipolar Disorders</i> , 2013 , 15, 115-37	3.8	46
95	Affective Temperaments and Mood Disorders: A Review of Current Knowledge. <i>Current Psychiatry Reviews</i> , 2013 , 9, 21-32	0.9	11
94	Affective Temperaments and Mood Disorders: A Review of Current Knowledge. <i>Current Psychiatry Reviews</i> , 2013 , 9, 21-32	0.9	3
93	Antidepressant response and subthreshold bipolarity in "unipolar" major depressive disorder: implications for practice and drug research. <i>Journal of Clinical Psychopharmacology</i> , 2013 , 33, 449-52	1.7	11
92	Does economic environment influence the strength of the positive association between suicide and unemployment?. <i>Journal of Epidemiology and Community Health</i> , 2013 , 67, 1074-5	5.1	5
91	Affective temperaments in general population: a review and combined analysis from national studies. <i>Journal of Affective Disorders</i> , 2012 , 139, 18-22	6.6	61
90	Investigation of circulating endothelial progenitor cells and angiogenic and inflammatory cytokines during recovery from an episode of major depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 1159-63	6.6	25
89	Cyclothymic-depressive-anxious temperament pattern is related to suicide risk in 346 patients with major mood disorders. <i>Journal of Affective Disorders</i> , 2012 , 136, 405-11	6.6	68
88	Development of the Risk Assessment Suicidality Scale (RASS): a population-based study. <i>Journal of Affective Disorders</i> , 2012 , 138, 449-57	6.6	26
87	CB1 receptor antagonists: new discoveries leading to new perspectives. <i>Acta Physiologica</i> , 2012 , 205, 41-60	5.6	48
86	The effect of pharmacotherapy on suicide rates in bipolar patients. <i>CNS Neuroscience and Therapeutics</i> , 2012 , 18, 238-42	6.8	9

(2012-2012)

85	Psychiatry should not become hostage to placebo: an alternative interpretation of antidepressant-placebo differences in the treatment response in depression. <i>European Neuropsychopharmacology</i> , 2012 , 22, 782-6	1.2	3
84	Star-crossed? The association of the 5-HTTLPR s allele with season of birth in a healthy female population, and possible consequences for temperament, depression and suicide. <i>Journal of Affective Disorders</i> , 2012 , 143, 75-83	6.6	6
83	Suicidal behavior in bipolar disorder: epidemiology, characteristics and major risk factors. <i>Journal of Affective Disorders</i> , 2012 , 143, 16-26	6.6	116
82	Treatment of mixed bipolar states. International Journal of Neuropsychopharmacology, 2012, 15, 1015-2	26 5.8	49
81	Temperaments mediate suicide risk and psychopathology among patients with bipolar disorders. <i>Comprehensive Psychiatry</i> , 2012 , 53, 280-5	7.3	59
80	Genetic variants in the catechol-o-methyltransferase gene are associated with impulsivity and executive function: relevance for major depression. <i>American Journal of Medical Genetics Part B:</i> Neuropsychiatric Genetics, 2012 , 159B, 928-40	3.5	12
79	How does subjective experience of pain relate to psychopathology among psychiatric patients?. <i>General Hospital Psychiatry</i> , 2012 , 34, 534-40	5.6	13
78	Basic pharmacology of NMDA receptors. Current Pharmaceutical Design, 2012, 18, 1558-67	3.3	47
77	Antiepileptic drugs and suicidality. <i>Journal of Psychopharmacology</i> , 2012 , 26, 1401-7	4.6	18
76	Effects of smoking on health outcomes in bipolar disorder with a special focus on suicidal behavior. <i>Neuropsychiatry</i> , 2012 , 2, 429-441	1.8	6
75	CB1 receptor antagonists: new discoveries leading to new perspectives. <i>Acta Physiologica</i> , 2012 , 205, 41-60	5.6	29
74	Pharmacogenetics of antidepressive drugs: a way towards personalized treatment of major depressive disorder. <i>Neuropsychopharmacologia Hungarica</i> , 2012 , 14, 87-101	0.6	16
73	Associations between season of birth and suicide: a brief review. <i>Neuropsychopharmacologia Hungarica</i> , 2012 , 14, 177-87	0.6	7
7 ²	A new clinical evidence-based gene-environment interaction model of depression. <i>Neuropsychopharmacologia Hungarica</i> , 2012 , 14, 213-20	0.6	20
71	Pharmaco- and therapygenetic aspects in the treatment of anxiety disorders beyond the serotonergic system: a brief review. <i>Neuropsychopharmacologia Hungarica</i> , 2012 , 14, 221-9	0.6	6
70	The role of general practitioners in prevention of depression-related suicides. Neuropsychopharmacologia Hungarica, 2012, 14, 245-51	0.6	8
69	Cultural differences in the development and characteristics of depression. Neuropsychopharmacologia Hungarica, 2012, 14, 259-65	0.6	17
68	Early onset of action and sleep-improving effect are crucial in decreasing suicide risk: the role of quetiapine XR in the treatment of unipolar and bipolar depression. <i>Rivista Di Psichiatria</i> , 2012 , 47, 489-	97 ^{3.1}	5

67	FC22-03 - Annual periodicity and personality: Season of birth is associated with affective temperaments. <i>European Psychiatry</i> , 2011 , 26, 1936-1936	6	
66	Effects of depression, anxiety, self-esteem, and health behaviour on neonatal outcomes in a population-based Hungarian sample. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2011 , 154, 45-50	2.4	23
65	Is anticonvulsant treatment of mania a class effect? Data from randomized clinical trials. <i>CNS Neuroscience and Therapeutics</i> , 2011 , 17, 167-77	6.8	24
64	Suicide prevention programs through community intervention. <i>Journal of Affective Disorders</i> , 2011 , 130, 10-6	6.6	62
63	From putative genes to temperament and culture: cultural characteristics of the distribution of dominant affective temperaments in national studies. <i>Journal of Affective Disorders</i> , 2011 , 131, 45-51	6.6	26
62	Association between affective temperaments and season of birth in a general student population. <i>Journal of Affective Disorders</i> , 2011 , 132, 64-70	6.6	15
61	Psychometric properties of the Gotland Scale for Depression in Italian psychiatric inpatients and its utility in the prediction of suicide risk. <i>Journal of Affective Disorders</i> , 2011 , 132, 99-103	6.6	63
60	Interaction of 5-HTTLPR genotype and unipolar major depression in the emergence of aggressive/hostile traits. <i>Journal of Affective Disorders</i> , 2011 , 132, 432-7	6.6	16
59	The possible contributory role of the S allele of 5-HTTLPR in the emergence of suicidality. <i>Journal of Psychopharmacology</i> , 2011 , 25, 857-66	4.6	35
58	Humor appreciation of captionless cartoons in obsessive-compulsive disorder. <i>Annals of General Psychiatry</i> , 2011 , 10, 31	3.4	3
57	Class effect of pharmacotherapy in bipolar disorder: fact or misbelief?. <i>Annals of General Psychiatry</i> , 2011 , 10, 8	3.4	13
56	Novel approaches to drug-placebo difference calculation: evidence from short-term antidepressant drug-trials. <i>Human Psychopharmacology</i> , 2011 , 26, 307-12	2.3	3
55	Prediction and Prevention of Suicide in Elderly Depressives. <i>European Psychiatry</i> , 2011 , 26, 2019-2019	6	
54	Relationship between Temperament, Depression, Anxiety, and Hopelessness in Adolescents: A Structural Equation Model. <i>Depression Research and Treatment</i> , 2011 , 2011, 160175	3.8	9
53	Antidepressant-resistant depression and antidepressant-associated suicidal behaviour: the role of underlying bipolarity. <i>Depression Research and Treatment</i> , 2011 , 2011, 906462	3.8	24
52	Gender differences in antidepressant use-related seasonality change in suicide mortality in Hungary, 1998-2006. <i>World Journal of Biological Psychiatry</i> , 2010 , 11, 579-85	3.8	19
51	Suicidal and violent behaviour in mood disorders: A major public health problem. A review for the clinician. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010 , 14, 88-94	2.4	10
50	Association of a trait-like bias towards the perception of negative subjective life events with risk of developing premenstrual symptoms. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010 , 34, 500-5	5.5	6

The possible protective role of personality dimensions against premenstrual syndrome. <i>Psychiatry Research</i> , 2010 , 179, 81-5	9.9	7
P.1.a.012 Association of aggressive traits with the 5-HTTLPR polymorphism in depressed and healthy women. <i>European Neuropsychopharmacology</i> , 2010 , 20, S219	1.2	
P.1.f.005 Risk of development of premenstrual symptoms is associated with a traitlike negative bias in perception of life events. <i>European Neuropsychopharmacology</i> , 2010 , 20, S308	1.2	
P.2.b.011 In search for a tool selectively evaluating depressive symptoms associated with different neurotransmitter systems. <i>European Neuropsychopharmacology</i> , 2010 , 20, S359-S360	1.2	
Seasonality and winter-type seasonal depression are associated with the rs731779 polymorphism of the serotonin-2A receptor gene. <i>European Neuropsychopharmacology</i> , 2010 , 20, 655-62	1.2	18
Barriers of antenatal folate-supplementation: The role of depression and trait-anxiety on periconceptional folate-intake. <i>International Journal of Psychiatry in Clinical Practice</i> , 2010 , 14, 102-8	2.4	
Hyperthymic temperament may protect against suicidal ideation. <i>Journal of Affective Disorders</i> , 2010 , 127, 38-42	6.6	35
Significant association between the C(-1019)G functional polymorphism of the HTR1A gene and impulsivity. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 592-599	3.5	55
How possible is the development of an operational psychometric method to assess the presence of the 5-HTTLPR s allele? Equivocal preliminary findings. <i>Annals of General Psychiatry</i> , 2010 , 9, 21	3.4	3
Extrapyramidal side effects and suicidal ideation under fluoxetine treatment: a case report. <i>Annals of General Psychiatry</i> , 2010 , 9, 5	3.4	4
Development of Depression Profile: a new psychometric instrument to selectively evaluate depressive symptoms based on the neurocircuitry theory. <i>Neuropsychopharmacologia Hungarica</i> , 2010 , 12, 337-45	0.6	
Towards a genetically validated new affective temperament scale: a delineation of the temperament phenotype of 5-HTTLPR using the TEMPS-A. <i>Journal of Affective Disorders</i> , 2009 , 112, 19-7	<u>2</u> 6.6	42
Psychotherapeutic intervention and suicide risk reduction in bipolar disorder: a review of the evidence. <i>Journal of Affective Disorders</i> , 2009 , 113, 21-9	6.6	41
Affective temperaments, as measured by TEMPS-A, among nonviolent suicide attempters. <i>Journal of Affective Disorders</i> , 2009 , 116, 18-22	6.6	78
Family history of suicide: a clinical marker for major depression in primary care practice?. <i>Journal of Affective Disorders</i> , 2009 , 117, 202-4	6.6	7
Promoter variants of the cannabinoid receptor 1 gene (CNR1) in interaction with 5-HTTLPR affect the anxious phenotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 1118-27	3.5	55
Association of the s allele of the 5-HTTLPR with neuroticism-related traits and temperaments in a psychiatrically healthy population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2009 , 259, 106-13	5.1	111
Association of depressive phenotype with affective family history is mediated by affective temperaments. <i>Psychiatry Research</i> , 2009 , 168, 145-52	9.9	13
	P.1.a.012 Association of aggressive traits with the 5-HTTLPR polymorphism in depressed and healthy women. European Neuropsychopharmacology, 2010, 20, 5219 P.1.f.005 Risk of development of premenstrual symptoms is associated with a traitlike negative bias in perception of life events. European Neuropsychopharmacology, 2010, 20, 5308 P.2.b.011 In search for a tool selectively evaluating depressive symptoms associated with different neurotransmitter systems. European Neuropsychopharmacology, 2010, 20, 5359-5360 Seasonality and winter-type seasonal depression are associated with the rs731779 polymorphism of the serotonin-2A receptor gene. European Neuropsychopharmacology, 2010, 20, 655-62 Barriers of antenatal folate-supplementation: The role of depression and trait-anxiety on periconceptional folate-intake. International Journal of Psychiatry in Clinical Practice, 2010, 14, 102-8 Hyperthymic temperament may protect against suicidal ideation. Journal of Affective Disorders, 2010, 127, 38-42 Significant association between the C(-1019)G functional polymorphism of the HTR1A gene and impulsivity. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 592-599 How possible is the development of an operational psychometric method to assess the presence of the 5-HTTLPR s allele? Equivocal preliminary findings. Annals of General Psychiatry, 2010, 9, 2 Extrapyramidal side effects and suicidal ideation under fluoxetine treatment: a case report. Annals of General Psychiatry, 2010, 9, 5 Development of Depression Profile: a new psychometric instrument to selectively evaluate depressive symptoms based on the neurocircuitry theory. Neuropsychopharmacologia Hungarica, 2010, 12, 337-45 Towards a genetically validated new affective temperament scale: a delineation of the temperament, henoitype of 5-HTTLPR using the TEMPS-A. Journal of Affective Disorders, 2009, 116, 18-22 Psychotherapeutic intervention and suicide risk reduction in bipolar disorder: a review of the evidence. Journal of Affecti	P.1.a.012 Association of aggressive traits with the 5-HTTLPR polymorphism in depressed and healthy women. European Neuropsychopharmacology, 2010, 20, 5219 P.1.f.005 Risk of development of premenstrual symptoms is associated with a traitlike negative bias in perception of life events. European Neuropsychopharmacology, 2010, 20, 5308 P.2.b.011 In search for a tool selectively evaluating depressive symptoms associated with different neurotransmitter systems. European Neuropsychopharmacology, 2010, 20, 5359-5360 P.2.b.011 In search for a tool selectively evaluating depressive symptoms associated with different neurotransmitter systems. European Neuropsychopharmacology, 2010, 20, 5359-5360 Seasonality and winter-type seasonal depression are associated with the rs731779 polymorphism of the serotonin-2A receptor gene. European Neuropsychopharmacology, 2010, 20, 555-62 Barriers of antenatal folate-supplementation: The role of depression and trait-anxiety on periconceptional folate-intake. International Journal of Psychiatry in Clinical Practice, 2010, 14, 102-8 Hyperthymic temperament may protect against suicidal ideation. Journal of Affective Disorders, 2010, 127, 38-42 Significant association between the C(-1019)C functional polymorphism of the HTR1A gene and impulsivity. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2010, 153B, 592-599 3-5 How possible is the development of an operational psychometric method to assess the presence of the 5-HTLPR's allele? Equivocal preliminary findings. Annals of General Psychiatry, 2010, 9, 21 Strappyramidal side effects and suicidal ideation under fluoxetine treatment: a case report. Annals of General Psychiatry, 2010, 9, 5 Development of Depression Profile: a new psychometric instrument to selectively evaluate depressive symptoms based on the neurocircuitry theory. Neuropsychopharmacologia Hungarica, 2010, 12, 337-45 Towards a genetically validated new affective temperament scale: a delineation of the temperaments, as measured by TEMPS-A. Jour

31	Cognitive and Affective Endophenotypes Related to Major Depression are Associated with P2RX7. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
30	Delineation of a Genetically Validated Affective Temperament Scale: Association of TEMPS-A Items with 5-HTTLPR. <i>European Psychiatry</i> , 2009 , 24, 1-1	6	
29	Treatment of psychotic symptoms in bipolar disorder with aripiprazole monotherapy: a meta-analysis. <i>Annals of General Psychiatry</i> , 2009 , 8, 27	3.4	17
28	A study of affective temperaments in Hungary: internal consistency and concurrent validity of the TEMPS-A against the TCI and NEO-PI-R. <i>Journal of Affective Disorders</i> , 2008 , 106, 45-53	6.6	89
27	Is drug-placebo difference in short-term antidepressant drug trials on unipolar major depression much greater than previously believed?. <i>Journal of Affective Disorders</i> , 2008 , 108, 195-8	6.6	13
26	New evidence for the association of the serotonin transporter gene (SLC6A4) haplotypes, threatening life events, and depressive phenotype. <i>Biological Psychiatry</i> , 2008 , 64, 498-504	7.9	75
25	Association of the STin2 polymorphism of the serotonin transporter gene with a neurocognitive endophenotype in major depressive disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1667-72	5.5	32
24	Patterns of mood changes throughout the reproductive cycle in healthy women without premenstrual dysphoric disorders. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008 , 32, 1782-8	5.5	55
23	P.1.a.024 The s allele of the 5-HTTLPR: a possible genetic correlate of traits associated with neuroticism. <i>European Neuropsychopharmacology</i> , 2008 , 18, S216-S217	1.2	
22	P.2.a.020 Gender differences in patterns of neurocognitive impairment during the acute phase of major depression. <i>European Neuropsychopharmacology</i> , 2008 , 18, S303-S304	1.2	1
21	P.2.a.036 Analyses of haplotypes tagging the serotonin transporter gene (SLC6A4) provide new evidence for the gene Lenvironment model of depression. <i>European Neuropsychopharmacology</i> , 2008 , 18, S312-S313	1.2	
20	Revisiting the Dexamethasone Suppression Test in unipolar major depression: an exploratory study. <i>Annals of General Psychiatry</i> , 2008 , 7, 22	3.4	23
19	The Serotonin Transporter Gene and Personality: Association of the 5-HTTLPR S Allele, Anxiety, Depression and Affective Temperaments. <i>Hungarian Medical Journal</i> , 2008 , 2, 639-645		2
18	Lithium and suicidal behavior in patients with bipolar disorder. <i>Journal of Clinical Psychiatry</i> , 2008 , 69, 1831-2	4.6	4
17	The importance of depressive mixed states in suicidal behaviour. <i>Neuropsychopharmacologia Hungarica</i> , 2008 , 10, 45-9	0.6	12
16	Mood parameters and severe physical symptoms of the female reproductive cycle. <i>Neuropsychopharmacologia Hungarica</i> , 2008 , 10, 91-6	0.6	1
15	The role of hyperventilation: hypocapnia in the pathomechanism of panic disorder. <i>Revista Brasileira De Psiquiatria</i> , 2007 , 29, 375-9	2.6	10
14	Prediction and prevention of suicide in patients with unipolar depression and anxiety. <i>Annals of General Psychiatry</i> , 2007 , 6, 23	3.4	42

LIST OF PUBLICATIONS

13	Effects of autogenic training on nitroglycerin-induced headaches. <i>Headache</i> , 2007 , 47, 371-83	4.2	13
12	Affective temperament: a mediating variable between environment and clinical depression?. <i>Archives of General Psychiatry</i> , 2007 , 64, 1096-7		7
11	High anxiety and migraine are associated with the s allele of the 5HTTLPR gene polymorphism. <i>Psychiatry Research</i> , 2007 , 149, 261-6	9.9	60
10	P.8.a.018 Association of smoking and suicide attempts in psychiatric outpatients in Hungary. <i>European Neuropsychopharmacology</i> , 2007 , 17, S590	1.2	
9	Cigarette smoking and suicide attempts in psychiatric outpatients in Hungary. Neuropsychopharmacologia Hungarica, 2007 , 9, 63-7	0.6	12
8	The 5HTTLPR polymorphism of the serotonin transporter gene is associated with affective temperaments as measured by TEMPS-A. <i>Journal of Affective Disorders</i> , 2006 , 91, 125-31	6.6	114
7	Relationship between obsessive-compulsive symptoms and smoking habits amongst schizophrenic patients. <i>Psychiatry Research</i> , 2006 , 144, 227-31	9.9	6
6	Suicide behaviour of patients treated with antidepressants. <i>Neuropsychopharmacologia Hungarica</i> , 2006 , 8, 13-6	0.6	3
5	Subthreshold depression is linked to the functional polymorphism of the 5HT transporter gene. <i>Journal of Affective Disorders</i> , 2005 , 87, 291-7	6.6	62
4	Cigarette smoking and psychiatric disorders in Hungary. <i>International Journal of Psychiatry in Clinical Practice</i> , 2005 , 9, 145-8	2.4	17
3	ASSOCIATION ANALYSIS OF 5-HTTLPRVARIANTS, 5-HT2ARECEPTOR GENE 102T/CPOLYMORPHISM AND MIGRAINE. <i>Journal of Neurogenetics</i> , 2003 , 17, 231-240	1.6	42
2	ASSOCIATION ANALYSIS OF 5-HTTLPR VARIANTS, 5-HT2A RECEPTOR GENE 102T/C POLYMORPHISM AND MIGRAINE. <i>Journal of Neurogenetics</i> , 2003 , 17, 231-240	1.6	18
1	Association analysis of 5-HTTLPR variants, 5-HT2a receptor gene 102T/C polymorphism and migraine. <i>Journal of Neurogenetics</i> , 2003 , 17, 231-40	1.6	27