

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1924269/arinobu-tojo-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219 papers	3,004 citations	26 h-index	48 g-index
237 ext. papers	3,673 ext. citations	4 avg, IF	5.16 L-index

#	Paper	IF	Citations
219	Single-institute comparative analysis of unrelated bone marrow transplantation and cord blood transplantation for adult patients with hematologic malignancies. <i>Blood</i> , 2004 , 104, 3813-20	2.2	290
218	Comparative single-institute analysis of cord blood transplantation from unrelated donors with bone marrow or peripheral blood stem-cell transplants from related donors in adult patients with hematologic malignancies after myeloablative conditioning regimen. <i>Blood</i> , 2007 , 109, 1322-30	2.2	239
217	Cancer progression by reprogrammed BCAA metabolism in myeloid leukaemia. <i>Nature</i> , 2017 , 545, 500-504	34.4	167
216	Comparison of mesenchymal stem cells derived from arterial, venous, and Wharton's jelly explants of human umbilical cord. <i>International Journal of Hematology</i> , 2009 , 90, 261-269	2.3	130
215	EGFR-TKI-Associated Interstitial Pneumonitis in Nivolumab-Treated Patients With Non-Small Cell Lung Cancer. <i>JAMA Oncology</i> , 2018 , 4, 1112-1115	13.4	126
214	ErbB receptor tyrosine kinase/NF- κ B signaling controls mammosphere formation in human breast cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 6584-9	11.5	83
213	Diet and Abdominal Autofluorescence Detected by in Vivo Fluorescence Imaging of Living Mice. <i>Molecular Imaging</i> , 2008 , 7, 7290.2008.0003	3.7	74
212	Characterization of the promoter region of the human c-kit proto-oncogene. <i>Japanese Journal of Cancer Research</i> , 1993 , 84, 1136-44		70
211	Langerhans cell histiocytosis in adults: Advances in pathophysiology and treatment. <i>Cancer Science</i> , 2018 , 109, 3707-3713	6.9	63
210	CADM1 expression and stepwise downregulation of CD7 are closely associated with clonal expansion of HTLV-I-infected cells in adult T-cell leukemia/lymphoma. <i>Clinical Cancer Research</i> , 2014 , 20, 2851-61	12.9	61
209	Effects of type beta transforming growth factors on haematopoietic progenitor cells. <i>British Journal of Haematology</i> , 1988 , 70, 143-7	4.5	56
208	Oncogenic Fusion Gene CD74-NRG1 Confers Cancer Stem Cell-like Properties in Lung Cancer through a IGF2 Autocrine/Paracrine Circuit. <i>Cancer Research</i> , 2016 , 76, 974-83	10.1	43
207	Nanochitosan antimicrobial activity against <i>Streptococcus mutans</i> and <i>Candida albicans</i> dual-species biofilms. <i>BMC Research Notes</i> , 2019 , 12, 383	2.3	39
206	Adult T-cell leukemia developing during immunosuppressive treatment in a renal transplant recipient. <i>American Journal of Hematology</i> , 1992 , 41, 292-4	7.1	39
205	Improved explant method to isolate umbilical cord-derived mesenchymal stem cells and their immunosuppressive properties. <i>Tissue Engineering - Part C: Methods</i> , 2015 , 21, 367-72	2.9	38
204	Intravenous injection of umbilical cord-derived mesenchymal stromal cells attenuates reactive gliosis and hypomyelination in a neonatal intraventricular hemorrhage model. <i>Neuroscience</i> , 2017 , 355, 175-187	3.9	37
203	Cancer stem-like properties and gefitinib resistance are dependent on purine synthetic metabolism mediated by the mitochondrial enzyme MTHFD2. <i>Oncogene</i> , 2019 , 38, 2464-2481	9.2	36

202	Cryopreserved CD34 Cell Dose, but Not Total Nucleated Cell Dose, Influences Hematopoietic Recovery and Extensive Chronic Graft-versus-Host Disease after Single-Unit Cord Blood Transplantation in Adult Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1142-1150	4.7	35
201	Prognostic impact of circulating tumor DNA status post-allogeneic hematopoietic stem cell transplantation in AML and MDS. <i>Blood</i> , 2019 , 133, 2682-2695	2.2	34
200	Identification of a melanoma antigen, PRAME, as a BCR/ABL-inducible gene. <i>FEBS Letters</i> , 2000 , 466, 367-71	3.8	34
199	Elevated Eatenin pathway as a novel target for patients with resistance to EGF receptor targeting drugs. <i>Scientific Reports</i> , 2015 , 5, 13076	4.9	32
198	A Phase I/II study of nilotinib in Japanese patients with imatinib-resistant or -intolerant Ph+ CML or relapsed/refractory Ph+ ALL. <i>International Journal of Hematology</i> , 2009 , 89, 679-88	2.3	32
197	Granulocyte colony-stimulating factor-associated aortitis in the Japanese Adverse Drug Event Report database. <i>Cytokine</i> , 2019 , 119, 47-51	4	30
196	Single-unit cord blood transplantation after granulocyte colony-stimulating factor-combined myeloablative conditioning for myeloid malignancies not in remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 396-401	4.7	30
195	Association Between Aortic Dissection and Systemic Exposure of Vascular Endothelial Growth Factor Pathway Inhibitors in the Japanese Adverse Drug Event Report Database. <i>Circulation</i> , 2017 , 135, 815-817	16.7	28
194	Drug-associated progressive multifocal leukoencephalopathy in multiple sclerosis patients. <i>Multiple Sclerosis Journal</i> , 2019 , 25, 1141-1149	5	27
193	Neurosphere formation enhances the neurogenic differentiation potential and migratory ability of umbilical cord-mesenchymal stromal cells. <i>Cytotherapy</i> , 2016 , 18, 229-41	4.8	26
192	An autocrine/paracrine circuit of growth differentiation factor (GDF) 15 has a role for maintenance of breast cancer stem-like cells. <i>Oncotarget</i> , 2017 , 8, 24869-24881	3.3	26
191	HDAC Inhibitors Exert Anti-Myeloma Effects through Multiple Modes of Action. <i>Cancers</i> , 2019 , 11,	6.6	25
190	Stage-specific embryonic antigen 4 in Wharton's jelly-derived mesenchymal stem cells is not a marker for proliferation and multipotency. <i>Tissue Engineering - Part A</i> , 2014 , 20, 1314-24	3.9	25
189	Enhanced bone regeneration capability of chitosan sponge coated with TiO nanoparticles. <i>Biotechnology Reports (Amsterdam, Netherlands)</i> , 2019 , 24, e00350	5.3	24
188	Association of hepatitis B with antirheumatic drugs: a case-control study. <i>Modern Rheumatology</i> , 2013 , 23, 694-704	3.3	24
187	Unrelated cord blood transplantation for adult patients with myelodysplastic syndrome-related secondary acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2001 , 114, 834-6	4.5	24
186	The BRAF-V600E mutation in circulating cell-free DNA is a promising biomarker of high-risk adult Langerhans cell histiocytosis. <i>Blood</i> , 2014 , 124, 2610-1	2.2	23
185	Semaphorin signaling via MICAL3 induces symmetric cell division to expand breast cancer stem-like cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 625-630 ^{11.5}		23

184	Reconstitution of Circulating Mucosal-Associated Invariant T Cells after Allogeneic Hematopoietic Cell Transplantation: Its Association with the Riboflavin Synthetic Pathway of Gut Microbiota in Cord Blood Transplant Recipients. <i>Journal of Immunology</i> , 2020 , 204, 1462-1473	5.3	22
183	Philadelphia chromosome positive B-cell type malignant lymphoma expressing an aberrant 190 kDa bcr-abl protein. <i>British Journal of Haematology</i> , 1990 , 76, 221-5	4.5	22
182	Internalization of radioiodinated erythropoietin and the ligand-induced modulation of its receptor in murine erythroleukemia cells. <i>International Journal of Cell Cloning</i> , 1987 , 5, 209-19		22
181	Therapeutic outcome of multifocal Langerhans cell histiocytosis in adults treated with the Special C regimen formulated by the Japan LCH Study Group. <i>International Journal of Hematology</i> , 2013 , 97, 103-8 ^{2,3}		21
180	Advanced human T-cell leukemia virus type 1 carriers and early-stage indolent adult T-cell leukemia-lymphoma are indistinguishable based on CADM1 positivity in flow cytometry. <i>Cancer Science</i> , 2015 , 106, 598-603	6.9	21
179	Mesenchymal stromal cells as a potential therapeutic for neurological disorders. <i>Regenerative Therapy</i> , 2018 , 9, 32-37	3.7	21
178	Ponatinib in Japanese patients with Philadelphia chromosome-positive leukemia, a phase 1/2 study. <i>International Journal of Hematology</i> , 2017 , 106, 385-397	2.3	20
177	In vitro validation of bioluminescent monitoring of disease progression and therapeutic response in leukaemia model animals. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006 , 33, 557-65	8.8	19
176	miR-133 regulates Evi1 expression in AML cells as a potential therapeutic target. <i>Scientific Reports</i> , 2016 , 6, 19204	4.9	19
175	Cytokine Profiles of Pre-Engraftment Syndrome after Single-Unit Cord Blood Transplantation for Adult Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2017 , 23, 1932-1938	4.7	18
174	Single-unit cord blood transplant for acute lymphoblastic leukemia and lymphoma using an intensified conditioning regimen of total body irradiation, high-dose cytarabine and cyclophosphamide. <i>Leukemia and Lymphoma</i> , 2015 , 56, 1148-50	1.9	18
173	Serum- and xeno-free cryopreservation of human umbilical cord tissue as mesenchymal stromal cell source. <i>Cytotherapy</i> , 2015 , 17, 593-600	4.8	17
172	Progress reports on immune gene therapy for stage IV renal cell cancer using lethally irradiated granulocyte-macrophage colony-stimulating factor-transduced autologous renal cancer cells. <i>Cancer Chemotherapy and Pharmacology</i> , 2000 , 46 Suppl, S73-6	3.5	16
171	Production of human granulocyte colony stimulating factor by various kinds of stromal cells in vitro detected by enzyme immunoassay and in situ hybridization. <i>Stem Cells</i> , 1994 , 12, 416-23	5.8	16
170	Serum C-reactive protein levels affect the plasma voriconazole trough levels in allogeneic hematopoietic cell transplant recipients. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2731-2733	1.9	15
169	Efficacy and safety of nilotinib in Japanese patients with imatinib-resistant or -intolerant Ph+ CML or relapsed/refractory Ph+ ALL: a 36-month analysis of a phase I and II study. <i>International Journal of Hematology</i> , 2012 , 95, 409-19	2.3	15
168	Factors predisposing to HTLV-1 infection in residents of the greater Tokyo area. <i>International Journal of Hematology</i> , 2008 , 88, 565-570	2.3	15
167	Efficacy and Safety of Doubly-Regulated Vaccinia Virus in a Mouse Xenograft Model of Multiple Myeloma. <i>Molecular Therapy - Oncolytics</i> , 2017 , 6, 57-68	6.4	14

166	Recombinant human granulocyte colony-stimulating factor (G-CSF) combined conditioning regimen for allogeneic bone marrow transplantation (BMT) in standard-risk myeloid leukemia. <i>American Journal of Hematology</i> , 1998 , 57, 303-8	7.1	14
165	CD4 CADM1 cell percentage predicts disease progression in HTLV-1 carriers and indolent adult T-cell leukemia/lymphoma. <i>Cancer Science</i> , 2019 , 110, 3746-3753	6.9	14
164	Associations of interactions between NLRP3 SNPs and HLA mismatch with acute and extensive chronic graft-versus-host diseases. <i>Scientific Reports</i> , 2017 , 7, 13097	4.9	13
163	Effect of ABO blood group incompatibility on the outcome of single-unit cord blood transplantation after myeloablative conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 577-81	4.7	13
162	Association analysis of the NOD2 gene with susceptibility to graft-versus-host disease in a Japanese population. <i>International Journal of Hematology</i> , 2011 , 93, 771-778	2.3	13
161	MHC (major histocompatibility complex)-DRB genes and polymorphisms in common marmoset. <i>Journal of Molecular Evolution</i> , 2000 , 51, 214-22	3.1	13
160	Reduced-Toxicity Myeloablative Conditioning Consisting of Fludarabine/Busulfan/Low-Dose Total Body Irradiation/Granulocyte Colony-Stimulating Factor-Combined Cytarabine in Single Cord Blood Transplantation for Elderly Patients with Nonremission Myeloid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 764-770	4.7	13
159	Circulating tumor DNA dynamically predicts response and/or relapse in patients with hematological malignancies. <i>International Journal of Hematology</i> , 2018 , 108, 402-410	2.3	13
158	HLA-DRB1 mismatch is associated with a decreased relapse in adult acute myeloid leukemia after single-unit myeloablative cord blood transplantation. <i>Annals of Hematology</i> , 2015 , 94, 1233-5	3	12
157	Second myeloablative allogeneic stem cell transplantation (SCT) using cord blood for leukemia relapsed after initial allogeneic SCT. <i>Leukemia Research</i> , 2009 , 33, 840-2	2.7	12
156	Efficient retroviral transduction of human B-lymphoid and myeloid progenitors: marked inhibition of their growth by the Pax5 transgene. <i>International Journal of Hematology</i> , 2008 , 87, 351-362	2.3	12
155	Down-modulation of c-kit mRNA and protein expression by erythroid differentiation factor/activin A. <i>FEBS Letters</i> , 1995 , 374, 69-71	3.8	12
154	Simple Determination of Plasma Ponatinib Concentration Using HPLC. <i>Biological and Pharmaceutical Bulletin</i> , 2018 , 41, 254-258	2.3	11
153	Umbilical Cord-Derived Mesenchymal Stromal Cells Contribute to Neuroprotection in Neonatal Cortical Neurons Damaged by Oxygen-Glucose Deprivation. <i>Frontiers in Neurology</i> , 2018 , 9, 466	4.1	11
152	Comparable long-term outcome of unrelated cord blood transplantation with related bone marrow or peripheral blood stem cell transplantation in patients aged 45 years or older with hematologic malignancies after myeloablative conditioning. <i>Biology of Blood and Marrow Transplantation</i> , 2014 , 20, 1150-5	4.7	11
151	Clinical features of adult acute leukemia with 11q23 abnormalities in Japan: a co-operative multicenter study. <i>International Journal of Hematology</i> , 2008 , 87, 195-202	2.3	11
150	Cord blood transplantation for acute myelogenous leukemia using a conditioning regimen consisting of granulocyte colony-stimulating factor-combined high-dose cytarabine, fludarabine, and total body irradiation. <i>European Journal of Haematology</i> , 2006 , 77, 46-50	3.8	11
149	Severe autoimmune thrombocytopenia after allogeneic bone marrow transplantation for aplastic anemia. <i>International Journal of Hematology</i> , 2001 , 74, 228-32	2.3	11

148	Comparison of graft-versus-host disease-free, relapse-free survival of transplantation using matched sibling donor, matched unrelated donor or unrelated cord blood after myeloablative conditioning for adult patients with hematological malignancies. <i>Leukemia and Lymphoma</i> , 2016 , 57, 2126-32	1.9	10
147	Clinical impact of pretransplant use of multiple tyrosine kinase inhibitors on the outcome of allogeneic hematopoietic stem cell transplantation for chronic myelogenous leukemia. <i>American Journal of Hematology</i> , 2017 , 92, 902-908	7.1	10
146	Bioimaging analysis of nuclear factor- κ B activity in Philadelphia chromosome-positive acute lymphoblastic leukemia cells reveals its synergistic upregulation by tumor necrosis factor- α -stimulated changes to the microenvironment. <i>Cancer Science</i> , 2011 , 102, 2014-21	6.9	10
145	The combined effects of all-trans retinoic acid and granulocyte colony-stimulating factor as a differentiation induction therapy for acute promyelocytic leukemia. <i>Internal Medicine</i> , 1993 , 32, 648-50	1.1	10
144	Adult T-Cell Leukemia/Lymphoma-Related Ocular Manifestations: Analysis of the First Large-Scale Nationwide Survey. <i>Frontiers in Microbiology</i> , 2018 , 9, 3240	5.7	9
143	Development of Pre-Engraftment Syndrome, but Not Acute Graft-versus-Host Disease, Reduces Relapse Rate of Acute Myelogenous Leukemia after Single Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 1187-1196	4.7	9
142	Clinical outcomes of persistent colonization with multidrug-resistant Gram-negative rods in adult patients undergoing single cord blood transplantation. <i>International Journal of Hematology</i> , 2020 , 111, 858-868	2.3	9
141	Haematopoietic progenitor cells from the common marmoset as targets of gene transduction by retroviral and adenoviral vectors. <i>European Journal of Haematology</i> , 2001 , 66, 272-80	3.8	9
140	Unique Gut Microbiome in HIV Patients on Antiretroviral Therapy (ART) Suggests Association with Chronic Inflammation. <i>Microbiology Spectrum</i> , 2021 , 9, e0070821	8.9	9
139	Prevalence of myofascial pain syndrome in patients with incurable cancer. <i>Journal of Bodywork and Movement Therapies</i> , 2018 , 22, 328-332	1.6	8
138	Different effects of lansoprazole and rabeprazole on the plasma voriconazole trough levels in allogeneic hematopoietic cell transplant recipients. <i>Annals of Hematology</i> , 2016 , 95, 1845-51	3	8
137	A cross-sectional study on late taste disorders in survivors of allogeneic hematopoietic cell transplantation. <i>Annals of Hematology</i> , 2017 , 96, 1841-1847	3	8
136	Identification and comparative analysis of Pax5 C-terminal isoforms expressed in human cord blood-derived B cell progenitors. <i>Immunology Letters</i> , 2007 , 111, 21-5	4.1	8
135	Hyperfunction of neutrophils in a patient with BCR/ABL negative chronic myeloid leukemia. <i>Cancer</i> , 2000 , 89, 551-560	6.4	8
134	Biological activity of human granulocyte colony stimulating factor with a modified C-terminus. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 267, 924-7	3.4	8
133	MCM10 compensates for Myc-induced DNA replication stress in breast cancer stem-like cells. <i>Cancer Science</i> , 2021 , 112, 1209-1224	6.9	8
132	NK and NKT Cell-Mediated Immune Surveillance against Hematological Malignancies. <i>Cancers</i> , 2020 , 12,	6.6	7
131	Effect of Cumulative Intravenous Voriconazole Dose on Renal Function in Hematological Patients. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	7

130	The effect of granulocyte colony-stimulating factor administration in healthy donors before bone marrow harvesting. <i>British Journal of Haematology</i> , 2000 , 108, 747-53	4.5	7
129	The Prognostic Impact of Pretransplantation Inflammatory and Nutritional Status in Adult Patients after Myeloablative Single Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019 , 25, 981-988	4.7	7
128	The novel multi-cytokine inhibitor TO-207 specifically inhibits pro-inflammatory cytokine secretion in monocytes without affecting the killing ability of CAR T cells. <i>PLoS ONE</i> , 2020 , 15, e0231896	3.7	7
127	Cell-lineage level-targeted sequencing to identify acute myeloid leukemia with myelodysplasia-related changes. <i>Blood Advances</i> , 2018 , 2, 2513-2521	7.8	7
126	Platelet Transfusion Refractoriness in Single-Unit Cord Blood Transplantation for Adults: Risk Factors and Clinical Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2018 , 24, 1873-1880	4.7	6
125	Cancer Transitional Care for Terminally Ill Cancer Patients Can Reduce the Number of Emergency Admissions and Emergency Department Visits. <i>American Journal of Hospice and Palliative Medicine</i> , 2017 , 34, 831-837	2.6	6
124	Second allogeneic transplantation using unrelated cord blood for relapsed hematological malignancies after allogeneic transplantation. <i>Leukemia and Lymphoma</i> , 2016 , 57, 103-9	1.9	5
123	T memory stem cells after allogeneic haematopoietic cell transplantation: unique long-term kinetics and influence of chronic graft-versus-host disease. <i>British Journal of Haematology</i> , 2019 , 186, 866-878	4.5	5
122	Circulating monocyte subsets in human chronic graft-versus-host disease. <i>Bone Marrow Transplantation</i> , 2018 , 53, 1532-1540	4.4	5
121	Breakthrough fungemia due to <i>Candida fermentati</i> with fks1p mutation under micafungin treatment in a cord blood transplant recipient. <i>Transplant Infectious Disease</i> , 2017 , 19, e12634	2.7	5
120	Treatment of chronic lymphocytic leukemia with bendamustine in an HIV-infected patient on antiretroviral therapy: a case report and review of the literature. <i>Clinical Case Reports (discontinued)</i> , 2015 , 3, 453-60	0.7	5
119	A case of post-transplant adult T-cell leukemia/lymphoma presenting myelopathy similar to but distinct from human T-cell leukemia virus type I (HTLV-I)-associated myelopathy. <i>SpringerPlus</i> , 2014 , 3, 581		5
118	Attractive tools for systematic case accumulation. <i>International Journal of Hematology</i> , 2011 , 94, 413-414	4.3	5
117	Phenotype-based gene analysis allowed successful diagnosis of X-linked neutropenia associated with a novel WASp mutation. <i>Annals of Hematology</i> , 2018 , 97, 367-369	3	5
116	Clinical features and outcomes of adult Langerhans cell histiocytosis: a single-center experience. <i>International Journal of Hematology</i> , 2020 , 112, 185-192	2.3	4
115	Monocyte subsets and their phenotypes during treatment with BCR-ABL1 tyrosine kinase inhibitors for Philadelphia chromosome-positive leukemia. <i>Hematological Oncology</i> , 2018 , 36, 451-456	1.3	4
114	Chronic inflammatory demyelinating polyneuropathy in adult T-cell leukemia-lymphoma patients following allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2018 , 53, 1470-1473	4.4	4
113	Efficacy and Safety of Low-Dose Liposomal Amphotericin B in Adult Patients Undergoing Unrelated Cord Blood Transplantation. <i>Antimicrobial Agents and Chemotherapy</i> , 2018 , 62,	5.9	4

112	Long-term outcomes of granulocyte colony-stimulating factor-combined conditioning in allogeneic hematopoietic stem cell transplantation from HLA-identical family donors for myeloid malignancies. <i>Leukemia Research</i> , 2015 , 39, 625-31	2.7	4
111	Pulmonary alveolar hemorrhage possibly associated with lenalidomide use. <i>International Journal of Hematology</i> , 2011 , 94, 296-297	2.3	4
110	Small-molecule HDAC and Akt inhibitors suppress tumor growth and enhance immunotherapy in multiple myeloma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 110	12.8	4
109	Does marital status affect the outcomes after allogeneic hematopoietic cell transplantation?. <i>Bone Marrow Transplantation</i> , 2018 , 53, 774-779	4.4	4
108	Impact of hematogones on the long-term outcomes of single-unit cord blood transplantation for adult patients. <i>Leukemia and Lymphoma</i> , 2017 , 58, 118-126	1.9	3
107	Tackling HTLV-1 infection in ophthalmology: a nationwide survey of ophthalmic care in an endemic country, Japan. <i>British Journal of Ophthalmology</i> , 2020 , 104, 1647-1651	5.5	3
106	The putative anti-leukemic effects of anti-thymocyte globulins in patients with CD7-positive acute myeloid leukemia. <i>Bone Marrow Transplantation</i> , 2018 , 53, 1019-1029	4.4	3
105	Early fluid overload predicts higher non-relapse and overall mortality in adults after single-unit cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 2096-2101	4.4	3
104	Risk factors and characteristics of falls among hospitalized adult patients with hematologic diseases. <i>Journal of Geriatric Oncology</i> , 2017 , 8, 363-367	3.6	3
103	<i>Helicobacter pylori</i> -induced thrombocytosis clinically indistinguishable from essential thrombocythemia. <i>Leukemia and Lymphoma</i> , 2012 , 53, 1423-4	1.9	3
102	TCR-Vbeta repertoire analysis with RT-PCR was useful for the early detection of pulmonary relapsed T-cell lymphoma after autologous peripheral blood stem cell transplantation. <i>American Journal of Hematology</i> , 2000 , 64, 124-7	7.1	3
101	Horizontal transmission of HTLV-1 causing uveitis. <i>Lancet Infectious Diseases</i> , 2021 , 21, 578	25.5	3
100	Role of Circulating Tumor DNA in Hematological Malignancy. <i>Cancers</i> , 2021 , 13,	6.6	3
99	Hepatic Involvement of Histiocytic Sarcoma: CT and MRI Findings. <i>Korean Journal of Radiology</i> , 2016 , 17, 758-62	6.9	3
98	Cytokine Profile in Sweet's Syndrome under the Treatment of Pulmonary Toxoplasmosis Complicated with Myelodysplastic Syndrome. <i>Internal Medicine</i> , 2019 , 58, 2079-2083	1.1	3
97	Circulating cell-free DNA in the peripheral blood plasma of patients is an informative biomarker for multiple myeloma relapse. <i>International Journal of Clinical Oncology</i> , 2021 , 26, 2142-2150	4.2	3
96	The first case of elderly -positive B-cell acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2019 , 60, 2821-2824	1.9	2
95	Red blood cell transfusion burden by day 30 predicts mortality in adults after single-unit cord blood transplantation. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1836-1846	4.4	2

94	Therapy-related Acute Myeloid Leukemia after the Long-term Administration of Low-dose Etoposide for Chronic-type Adult T-cell Leukemia-lymphoma: A Case Report and Literature Review. <i>Internal Medicine</i> , 2017 , 56, 1879-1884	1.1	2
93	Remission of remitting seronegative symmetrical synovitis with pitting edema after unrelated cord blood transplantation for myelodysplastic syndrome. <i>Annals of Hematology</i> , 2016 , 95, 523-4	3	2
92	"Imatinib-induced gastric antral vascular ectasia" in a reporting system of the Japanese Adverse Drug Event Report database. <i>International Journal of Hematology</i> , 2016 , 103, 596-8	2.3	2
91	Adult T-cell leukemia cell-induced uveitis: rapid increase in adult T-cell leukemia cells disrupts the blood-ocular barrier. <i>International Journal of Hematology</i> , 2017 , 106, 842-846	2.3	2
90	Comparison of manual and automated cultures of bone marrow stromal cells for bone tissue engineering. <i>Journal of Bioscience and Bioengineering</i> , 2015 , 120, 570-6	3.3	2
89	Binding properties and proliferative effects of human recombinant granulocyte-macrophage colony-stimulating factor in primary leukemia and lymphoma. <i>Japanese Journal of Cancer Research</i> , 1989 , 80, 887-94		2
88	A Mouse Homolog of Mutant Wasp Responsible for X-Linked Neutropenia Causes Reduced Myeloid Progenitor Activity but Rather Increased Neutrophil Compartment in Bone Marrow. <i>Blood</i> , 2020 , 136, 39-40	2.2	2
87	The membrane-linked adaptor FRS2 fashions a cytokine-rich inflammatory microenvironment that promotes breast cancer carcinogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
86	Candida colonization is associated with severe acute GVHD in adult patients undergoing single-unit cord blood transplantation. <i>European Journal of Haematology</i> , 2020 , 104, 74-76	3.8	2
85	Radiation-free myeloablative conditioning consisting of fludarabine added to full-dose busulfan and cyclophosphamide in single-unit cord blood transplantation for adults. <i>European Journal of Haematology</i> , 2021 , 107, 374-376	3.8	2
84	Early phase mixed chimerism in bone marrow does not affect long-term outcomes of myeloablative single-unit cord blood transplantation for adult patients with hematological malignancies. <i>Leukemia and Lymphoma</i> , 2016 , 57, 2848-2854	1.9	2
83	Lower vancomycin trough levels in adults undergoing unrelated cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2021 , 62, 348-357	1.9	2
82	Hyperfunction of neutrophils in a patient with BCR/ABL negative chronic myeloid leukemia 2000 , 89, 551		2
81	Fungemia due to <i>Fusarium solani</i> under low-dose liposomal amphotericin B in a patient after cord blood transplantation. <i>Journal of Infection and Chemotherapy</i> , 2019 , 25, 635-638	2.2	1
80	A pilot study to establish human T-cell leukemia virus type 1 (HTLV-1) carrier model using common marmoset (<i>Callithrix jacchus</i>). <i>Journal of Medical Primatology</i> , 2020 , 49, 86-94	0.7	1
79	Immunophenotypic analysis of cerebrospinal fluid reveals concurrent development of ATL in the CNS of a HAM/TSP patient. <i>International Journal of Hematology</i> , 2020 , 111, 891-896	2.3	1
78	Alloimmune hemolysis due to major RhE incompatibility after unrelated cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2018 , 59, 1000-1003	1.9	1
77	An Unusually Short Latent Period of Therapy-Related Myeloid Neoplasm Harboring a Rare MLL-EP300 Rearrangement: Case Report and Literature Review. <i>Case Reports in Hematology</i> , 2019 , 2019, 4532434	0.7	1

76	Severe infusion-related toxicity after a second unrelated cord blood transplantation. <i>Cytotherapy</i> , 2017 , 19, 1013-1014	4.8	1
75	Impact of Acute GVHD on Immune Reconstitution after Cord Blood Transplantation in Adult.. <i>Blood</i> , 2004 , 104, 984-984	2.2	1
74	Clinical Outcomes of Cord Blood Transplantation from Unrelated Donors Comparable with Marrow or Blood Transplantation from Related Donors in Adults: A Single Institute Analysis.. <i>Blood</i> , 2005 , 106, 306-306	2.2	1
73	Development of a Unique In Vitro and In Vivo Model System of Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia (Ph-ALL) with Emphasis on Cell to Cell Interaction.. <i>Blood</i> , 2006 , 108, 1845-1845	2.2	1
72	BRAF-V600E Mutation on Circulating Cell-Free DNA Is a Promising Biomarker of High-Risk Adult Langerhans Cell Histiocytosis. <i>Blood</i> , 2014 , 124, 3209-3209	2.2	1
71	Feasibility of a Cell-Based Oncolytic Virotherapy Targeting Bone Marrow Lesions of Multiple Myeloma. <i>Blood</i> , 2016 , 128, 4499-4499	2.2	1
70	HTLV-1 uveitis and Graves' disease presenting with sudden onset of blurred vision.. <i>Lancet, The</i> , 2022 , 399, 60	4.0	1
69	Impact of Intestinal Microbiota on Reconstitution of Circulating Monocyte, Dendritic Cell, and Natural Killer Cell Subsets in Adults Undergoing Single-Unit Cord Blood Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020 , 26, e292-e297	4.7	1
68	Nested Polymerase Chain Reaction with Specific Primers for Mucorales in the Serum of Patients with Hematological Malignancies. <i>Japanese Journal of Infectious Diseases</i> , 2019 , 72, 196-198	2.7	1
67	Risk factors and survival impact of readmission after single-unit cord blood transplantation for adults. <i>International Journal of Hematology</i> , 2019 , 109, 115-124	2.3	1
66	Optimal treatment strategy with nilotinib for patients with newly diagnosed chronic-phase chronic myeloid leukemia based on early achievement of deep molecular response (MR): The phase 2, multicenter N-Road study. <i>Cancer Medicine</i> , 2020 , 9, 3742-3751	4.8	1
65	Thiamine Deficiency and Neurological Symptoms in Patients with Hematological Cancer Receiving Chemotherapy: A Retrospective Analysis. <i>Journal of Neurosciences in Rural Practice</i> , 2021 , 12, 726-732	1.1	1
64	Association between thiamine decrease and neuropsychiatric symptoms in gastrointestinal and hematological cancer patients receiving chemotherapy. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 141, 111929	7.5	1
63	Long-term outcomes following the addition of granulocyte colony-stimulating factor-combined high-dose cytarabine to total body irradiation and cyclophosphamide conditioning in single-unit cord blood transplantation for myeloid malignancies. <i>Annals of Hematology</i> , 2021 , 1	3	1
62	Recombinant human granulocyte colony-stimulating factor (G-CSF) combined conditioning regimen for allogeneic bone marrow transplantation (BMT) in standard-risk myeloid leukemia 1998 , 57, 303		1
61	CD155 and CD112 as possible therapeutic targets of inhibitors for acute myeloid leukemia.. <i>Oncology Letters</i> , 2022 , 23, 51	2.6	1
60	Long-term persistent donor-recipient mixed chimerism without disease recurrence after myeloablative single-unit cord blood transplantation in adult acute myeloid leukemia following myelodysplastic syndrome. <i>Leukemia and Lymphoma</i> , 2017 , 58, 2973-2975	1.9	0
59	Escape hematopoiesis by donor-derived 6pLOH(+) hematopoietic stem cells in a marrow transplant recipient with late graft failure. <i>Bone Marrow Transplantation</i> , 2019 , 54, 1129-1132	4.4	0

58	Successful Clinical Sequencing by Molecular Tumor Board in an Elderly Patient With Refractory Scleromy Syndrome.. <i>JCO Precision Oncology</i> , 2020 , 4, 534-560	3.6	o
57	Epstein-Barr virus-associated post-transplant lymphoproliferative disorder among long-term survivors of adults after single cord blood transplantation without antithymocyte globulin. <i>Annals of Hematology</i> , 2019 , 98, 2613-2615	3	o
56	Disseminated Tuberculosis with Cholecystitis in a Patient after Cord Blood Transplantation. <i>Internal Medicine</i> , 2020 , 59, 2769-2771	1.1	o
55	High Prevalence of Left Ventricular Non-Compaction and Its Effect on Chemotherapy-Related Cardiac Dysfunction in Patients With Hematological Diseases. <i>Circulation Journal</i> , 2020 , 84, 1957-1964	2.9	o
54	A novel oral inhibitor for one-carbon metabolism and checkpoint kinase 1 inhibitor as a rational combination treatment for breast cancer. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 584, 7-14	3.4	o
53	Frosted branch angitis after allogeneic haematopoietic stem cell transplantation in adult T-cell leukaemia-lymphoma. <i>Lancet Haematology</i> , 2020 , 7, e772	14.6	o
52	Gastrointestinal lesion in adult-onset Langerhans cell histiocytosis. <i>International Journal of Clinical Oncology</i> , 2020 , 25, 1945-1950	4.2	o
51	Activated HoxB4-induced hematopoietic stem cells from murine pluripotent stem cells via long-term programming. <i>Experimental Hematology</i> , 2020 , 89, 68-79.e7	3.1	o
50	Hematological effects on peri-transplant use of linezolid in adults undergoing single-unit cord blood transplantation. <i>Annals of Hematology</i> , 2021 , 100, 2867-2869	3	o
49	Myeloablative single-unit cord blood transplantation overcomes the negative prognostic impact of FLT3-ITD in adult acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2019 , 60, 2320-2323	1.9	o
48	The Immunomodulatory Effect of Triptolide on Mesenchymal Stromal Cells. <i>Frontiers in Immunology</i> , 2021 , 12, 686356	8.4	o
47	Repeated Lineage Switches in an Elderly Case of Refractory B-Cell Acute Lymphoblastic Leukemia With Gene Amplification: A Case Report and Literature Review.. <i>Frontiers in Oncology</i> , 2022 , 12, 799982	5.3	o
46	MDS cells impair osteolineage differentiation of MSCs via extracellular vesicles to suppress normal hematopoiesis.. <i>Cell Reports</i> , 2022 , 39, 110805	10.6	o
45	Efficacy and safety of micafungin in unrelated cord blood transplant recipients. <i>Annals of Hematology</i> , 2019 , 98, 2593-2600	3	
44	Tuberculous pleurisy in an adult patient after cord blood transplantation. <i>EJHaem</i> , 2020 , 1, 424-425	0.9	
43	Telomere length in CD4 and CD8 T cells among long-term survivors of adults after single cord blood transplantation. <i>European Journal of Haematology</i> , 2020 , 104, 509-511	3.8	
42	Azacitidine effectively reduces -mutant leukemic cell burden in secondary acute myeloid leukemia after cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2018 , 59, 2755-2756	1.9	
41	Different clonal dynamics of chronic myeloid leukaemia between bone marrow and the central nervous system. <i>British Journal of Haematology</i> , 2018 , 183, 842-845	4.5	

- 40 Multi-locus sequence analysis for identification of *Achromobacter xylosoxidans* from blood culture. *Infectious Diseases*, **2016**, 48, 864-6 3.1
- 39 Circulating unconventional T-cell subsets during treatment with BCR-ABL1 tyrosine kinase inhibitors for Philadelphia chromosome-positive leukemia. *European Journal of Haematology*, **2019**, 103, 623-625 3.8
- 38 Potent receptor-mediated cytotoxicity of granulocyte colony-stimulating factor-Pseudomonas exotoxin, a fusion protein against myeloid leukemia cells*1. *Biochemical and Biophysical Research Communications*, **2004**, 319, 582-582 3.4
- 37 Potent receptor-mediated cytotoxicity of granulocyte colony-stimulating factor-Pseudomonas exotoxin, a fusion protein against myeloid leukemia cells. *Biochemical and Biophysical Research Communications*, **2004**, 319, 582-9 3.4
- 36 Immunoglobulin Superfamily Member 8 Is Indispensable for Myeloid Leukemia Via Wnt/ECatenin Signaling Pathway. *Blood*, **2020**, 136, 23-24 2.2
- 35 Comprehensive Genetic Analysis Revealed Myeloid/Natural Killer (NK) Cell Precursor Acute Leukemia As a Novel Distinctive Leukemia Entity. *Blood*, **2020**, 136, 14-15 2.2
- 34 Impaired Osteoblastic Differentiation of MSCs Suppresses Normal Hematopoiesis in MDS. *Blood*, **2020**, 136, 17-18 2.2
- 33 Early prediction of neutrophil engraftment using manual leukocyte differential count after cord blood transplantation.. *International Journal of Laboratory Hematology*, **2022**, 2.5
- 32 Contribution of T-Cell Reconstitution during the Early Phase after Cord Blood Transplantation to Favorable Clinical Outcomes.. *Blood*, **2004**, 104, 2227-2227 2.2
- 31 Hierarchical Organization of Acute Myeloid Leukemia Characterized by Promoter Activity of the Human Telomerase Reverse Transcriptase Gene.. *Blood*, **2004**, 104, 3381-3381 2.2
- 30 Leptomycin B Overcomes Imatinib Resistance Mediated by Stromal Cells and Mutant BCR-ABL in Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia Cells.. *Blood*, **2004**, 104, 2089-2089 2.2
- 29 Constitutive Expression of Pax5 in Cord Blood Progenitor Cells Rather Inhibits B Lymphopoiesis as Well as Myelopoiesis through the Exon 9-Dependent and Independent Mechanism.. *Blood*, **2005**, 106, 2718-2718 2.2
- 28 Comparison of the Basis for Approval and Pivotal Studies on Hematological Malignancies between the US and Japan.. *Blood*, **2006**, 108, 5495-5495 2.2
- 27 ShRNA Targeting p190BCR-ABL Successfully Eliminates Ph-ALL Cells with or without ABL Kinase Domain Mutation.. *Blood*, **2006**, 108, 1838-1838 2.2
- 26 Microenvironmental Up-Regulation of NF-kB Activity Via P65-Dependent and Independent Pathways in a Bioimaging Model of Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia.. *Blood*, **2007**, 110, 723-723 2.2
- 25 Genomic Analysis of Therapy-Related Myeloid Neoplasms and Tracking of the Founder Clone By Circulating Tumor DNA. *Blood*, **2019**, 134, 5393-5393 2.2
- 24 Impact of a prior history of cancer on prognosis after myeloablative single-unit cord blood transplantation. *Japanese Journal of Clinical Oncology*, **2021**, 51, 657-660 2.8
- 23 Immune-Mediated Optic Neuritis After Unrelated Allogeneic Bone Marrow Transplantation. *Blood*, **1998**, 91, 2619-2620 2.2

22	Ponatinib Safety and Efficacy in Japanese Patients with Philadelphia Positive Leukemia: Update of a Phase 1/2 Study. <i>Blood</i> , 2014 , 124, 5541-5541	2.2
21	Therapy-Free Remission after Interferon Alfa Maintenance with Imatinib Discontinuation in Patients with Chronic Myeloid Leukemia. <i>Blood</i> , 2014 , 124, 5519-5519	2.2
20	Impact of Ph+ Stem Cell Burden on Clinical Findings and Molecular Responses to First-Line Nilotinib in Newly Diagnosed Chronic Myeloid Leukemia: The Results from the Interim Analysis of N-Road, Multi-Center a Phase II Study. <i>Blood</i> , 2014 , 124, 3159-3159	2.2
19	The requirement of fentanyl patch in terminally ill patients with cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 202-202	2.2
18	Prevalence of myofascial pain syndrome in patients with incurable cancer.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 97-97	2.2
17	Large Scale Selective Ex Vivo Expansion of CD4+CD25+FOXP3+ Regulatory T Cells from Peripheral Blood.. <i>Blood</i> , 2008 , 112, 2344-2344	2.2
16	Imatinib Mesylate Has a Stage-Specific Inhibitory Role in Generation of CD26highCD8+ Central Memory T Cells in Vitro and in Vivo.. <i>Blood</i> , 2008 , 112, 3243-3243	2.2
15	Tumor Necrosis Factor- α Contributes to Microenvironmental up- Regulation of NF- κ B Activity in Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia: Implication for a Novel Therapeutic Target.. <i>Blood</i> , 2008 , 112, 1912-1912	2.2
14	Immunophenotype Signature of CD8 + T Cells Indicates Impaired Development of a CD26high Memory Subset On Imatinib treatment <i>Blood</i> , 2009 , 114, 1650-1650	2.2
13	Conditional Activation of Bcr-Abl Kinase Delineates Time-Dependent Transforming Events in Hematopoietic Cells.. <i>Blood</i> , 2009 , 114, 2162-2162	2.2
12	Imatinib Mesylate Directly Impairs Class Switch Recombination through Downregulation of AID: Its Potential Efficacy as An AID Suppressor.. <i>Blood</i> , 2010 , 116, 3424-3424	2.2
11	Bcr-Abl Impairs T Cell Development From Murine Induced Pluripotent Stem Cells and Hematopoietic Stem Cells; A Partial Explanation for the Concept That Ph+ Clone Never Involves T Cell Lineage in CML.. <i>Blood</i> , 2011 , 118, 3748-3748	2.2
10	Comparative Analysis of SSEA4+ and SSEA4 ⁻ Mesenchymal Stem Cells Derived From Wharton's Jelly of Umbilical Cord. <i>Blood</i> , 2012 , 120, 4735-4735	2.2
9	A Single Micro-RNA Can Completely Rescue B-Cell Differentiation Arrest Due To EBF1 Deficiency: Can Micro-RNA Control Cell Fate As a Potential Alternative Of Transcriptional Factor?. <i>Blood</i> , 2013 , 122, 338-338	2.2
8	Long-Term Ex Vivo Maintenance Of Murine iPSC-Derived Hematopoietic Stem/Progenitor Cells By Conditional HoxB4. <i>Blood</i> , 2013 , 122, 2418-2418	2.2
7	The Immunosuppressive Effect Of Wharton Jerry -Derived Mesenchymal stem Cells In vitro. <i>Blood</i> , 2013 , 122, 2286-2286	2.2
6	Early-Phase Peripheral Blood Eosinophilia Predicts Lower Overall and Non-Relapse Mortality After Single-Unit Cord Blood Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021 , 27, 336.e1-336.e9	
5	Prognostic impacts of peripheral blood erythroblasts after single-unit cord blood transplantation. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 1437-1442	2.5

4	Momentum of neutrophil recovery using an exponential growth model predicts the prognosis of single cord blood transplantation. <i>International Journal of Laboratory Hematology</i> , 2021 , 43, 1465-1471	2.5
3	Effect of polymorphism in base excision repair genes on outcomes in adults following myeloablative single-unit cord blood transplantation. <i>Leukemia and Lymphoma</i> , 2021 , 62, 1019-1021	1.9
2	Molecular characterization of healthcare and community-associated methicillin-resistant using phage open-reading frame typing. <i>Iranian Journal of Microbiology</i> , 2021 , 13, 560-564	0.9
1	Total body irradiation-based versus busulfan-based myeloablative conditioning for single-unit cord blood transplantation in adults.. <i>Leukemia and Lymphoma</i> , 2021 , 1-11	1.9