
Gary F Mccracken

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1924842/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Brazilian cave heritage under siege. Science, 2022, 375, 1238-1239.	12.6	32
2	Bats use topography and nocturnal updrafts to fly high and fast. Current Biology, 2021, 31, 1311-1316.e4.	3.9	22
3	Thomas H. Kunz. Physiological and Biochemical Zoology, 2021, 94, 253-267.	1.5	0
4	Combining DNA metabarcoding and ecological networks to inform conservation biocontrol by small vertebrate predators. Ecological Applications, 2021, 31, e02457.	3.8	30
5	Feasting, not fasting: winter diets of cave hibernating bats in the United States. Frontiers in Zoology, 2021, 18, 48.	2.0	14
6	SAFETY, IMMUNOGENICITY, AND EFFICACY OF INTRAMUSCULAR AND ORAL DELIVERY OF ERA-G333 RECOMBINANT RABIES VIRUS VACCINE TO BIG BROWN BATS (EPTESICUS FUSCUS). Journal of Wildlife Diseases, 2020, 56, 620.	0.8	6
7	How much is enough? Effects of technical and biological replication on metabarcoding dietary analysis. Molecular Ecology, 2019, 28, 165-175.	3.9	79
8	The functional roles of mammals in ecosystems. Journal of Mammalogy, 2019, 100, 942-964.	1.3	116
9	Sexual dichromatism and condition-dependence in the skin of a bat. Journal of Mammalogy, 2019, 100, 299-307.	1.3	9
10	Sympatric Bat Species Prey Opportunistically on a Major Moth Pest of Pecans. Sustainability, 2019, 11, 6365.	3.2	6
11	Disparities in secondâ€generation <scp>DNA</scp> metabarcoding results exposed with accessible and repeatable workflows. Molecular Ecology Resources, 2018, 18, 590-601.	4.8	23
12	Rapid range expansion of the Brazilian free-tailed bat in the southeastern United States, 2008–2016. Journal of Mammalogy, 2018, 99, 312-320.	1.3	33
13	Willingness to Pay for Conservation of Transborder Migratory Species: A Case Study of the Mexican Free-Tailed Bat in the United States and Mexico. Environmental Management, 2018, 62, 229-240.	2.7	18
14	Predator–prey interaction reveals local effects of high-altitude insect migration. Oecologia, 2018, 186, 49-58.	2.0	39
15	Quantitative tools for implementing the new definition of significant portion of the range in the U.S. Endangered Species Act. Conservation Biology, 2018, 32, 35-49.	4.7	11
16	Improving spatio-temporal benefit transfers for pest control by generalist predators in cotton in the southwestern US. International Journal of Biodiversity Science, Ecosystem Services & Management, 2017, 13, 27-39.	2.9	5
17	Genetic structure of winter populations of the endangered Indiana bat (Myotis sodalis) prior to the white nose syndrome epidemic: implications for the risk of disease spread. Conservation Genetics, 2016, 17, 1025-1040.	1.5	6
18	Physiological and behavioral adaptations in bats living at high latitudes. Physiology and Behavior, 2016, 165, 322-327.	2.1	25

#	Article	IF	CITATIONS
19	Comparative Phylogeography of Pteropus samoensis and P. tonganus (Pteropodidae: Chiroptera) in the South Pacific. Acta Chiropterologica, 2016, 18, 325.	0.6	8
20	Airplane tracking documents the fastest flight speeds recorded for bats. Royal Society Open Science, 2016, 3, 160398.	2.4	54
21	Female dietary bias towards large migratory moths in the European free-tailed bat (<i>Tadarida) Tj ETQq1 1 0.784</i>	4314 rgBT 2.3	/Overlock 1
22	Efficacy of Visual Surveys for White-Nose Syndrome at Bat Hibernacula. PLoS ONE, 2015, 10, e0133390.	2.5	34
23	The importance of natural habitats to Brazilian free-tailed bats in intensive agricultural landscapes in the Winter Garden region of Texas, United States. Biological Conservation, 2015, 190, 107-114.	4.1	27
24	RABIES SURVEILLANCE AMONG BATS IN TENNESSEE, USA, 1996–2010. Journal of Wildlife Diseases, 2015, 51, 821-832.	0.8	6
25	Molecular Detection of the Causative Agent of White-nose Syndrome on Rafinesque's Big-eared Bats (<i>Corynorhinus rafinesquii</i>) and Two Species of Migratory Bats in the Southeastern USA. Journal of Wildlife Diseases, 2015, 51, 519-522.	0.8	37
26	Weatherâ€driven dynamics in a dualâ€migrant system: moths and bats. Journal of Animal Ecology, 2015, 84, 604-614.	2.8	40
27	Optimizing conservation strategies for Mexican free-tailed bats: a population viability and ecosystem services approach. Biodiversity and Conservation, 2015, 24, 63-82.	2.6	17
28	Crop pests eaten by bats in organic pecan orchards. Crop Protection, 2015, 67, 66-71.	2.1	37
29	Market Forces and Technological Substitutes Cause Fluctuations in the Value of Bat Pest-Control Services for Cotton. PLoS ONE, 2014, 9, e87912.	2.5	50
30	Recent Advances in Bat Migration Research. , 2013, , 293-313.		33
31	Moving across the border: modeling migratory bat populations. Ecosphere, 2013, 4, 1-16.	2.2	40
32	On Estimating the Economic Value of Insectivorous Bats: Prospects and Priorities for Biologists. , 2013, , 501-515.		21
33	Bats Track and Exploit Changes in Insect Pest Populations. PLoS ONE, 2012, 7, e43839.	2.5	143
34	Economic Importance of Bats in Agriculture. Science, 2011, 332, 41-42.	12.6	599
35	Management of the Panzootic White-Nose Syndrome through Culling of Bats. Conservation Biology, 2011, 25, 189-194.	4.7	52
36	Genetic analysis of populations of the threatened bat Pteropus mariannus. Conservation Genetics, 2011, 12, 933-941.	1.5	30

GARY F MCCRACKEN

#	Article	IF	CITATIONS
37	Population growth of Mexican free-tailed bats (Tadarida brasiliensis mexicana) predates human agricultural activity. BMC Evolutionary Biology, 2011, 11, 88.	3.2	19
38	Virtual Bats and Real Insects: Effects of Echolocation on Pheromone-Tracking Behavior of Male Corn Earworm Moths, Helicoverpa zea. Southwestern Naturalist, 2011, 56, 103-107.	0.1	4
39	Concerns About Extrapolating Right Off the Bat—Response. Science, 2011, 333, 287-288.	12.6	0
40	Histological assessment of cellular immune response to the phytohemagglutinin skin test in Brazilian free-tailed bats (Tadarida brasiliensis). Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2010, 180, 1155-1164.	1.5	35
41	Variation in Physiological Stress between Bridge- and Cave-Roosting Brazilian Free-Tailed Bats. Conservation Biology, 2010, 25, no-no.	4.7	20
42	Ecology of Rabies Virus Exposure in Colonies of Brazilian Free-Tailed Bats (<i>Tadarida) Tj ETQq0 0 0 rgBT /Overlo 10, 165-175.</i>	ock 10 Tf 5 1.5	50 547 Td (bra 47
43	Echolocation behavior of Brazilian free-tailed bats during dense emergence flights. Journal of Mammalogy, 2010, 91, 967-975.	1.3	23
44	Response to Vaccination with a Commercial Inactivated Rabies Vaccine in a Captive Colony of Brazilian Free-Tailed Bats (Tadarida brasiliensis). Journal of Zoo and Wildlife Medicine, 2010, 41, 140-143.	0.6	10
45	Host Phylogeny Constrains Cross-Species Emergence and Establishment of Rabies Virus in Bats. Science, 2010, 329, 676-679.	12.6	407
46	Dense and sparse aggregations in complex motion: Video coupled with simulation modeling. Ecological Complexity, 2010, 7, 69-75.	2.9	7
47	Roosting ecology and variation in adaptive and innate immune system function in the Brazilian free-tailed bat (Tadarida brasiliensis). Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology, 2009, 179, 315-23.	1.5	71
48	Bats aloft: variability in echolocation call structure at high altitudes. Behavioral Ecology and Sociobiology, 2009, 64, 69-79.	1.4	38
49	Adaptive modeling of viral diseases in bats with a focus on rabies. Journal of Theoretical Biology, 2008, 255, 69-80.	1.7	19
50	BRAZILIAN FREEâ€TAILED BATS AS INSECT PEST REGULATORS IN TRANSGENIC AND CONVENTIONAL COTTON CROPS. Ecological Applications, 2008, 18, 826-837.	3.8	84
51	Thermal Imaging Reveals Significantly Smaller Brazilian Free-Tailed Bat Colonies Than Previously Estimated. Journal of Mammalogy, 2008, 89, 18-24.	1.3	131
52	Bat population dynamics: multilevel model based on individuals' energetics. Mathematical Biosciences and Engineering, 2008, 5, 743-756.	1.9	4
53	Brazilian free-tailed bats (Tadarida brasiliensis: Molossidae, Chiroptera) at high altitude: links to migratory insect populations. Integrative and Comparative Biology, 2007, 48, 107-118.	2.0	100
54	Aeroecology: probing and modeling the aerosphere. Integrative and Comparative Biology, 2007, 48, 1-11.	2.0	89

GARY F MCCRACKEN

#	Article	IF	CITATIONS
55	Rapid jamming avoidance in biosonar. Proceedings of the Royal Society B: Biological Sciences, 2007, 274, 651-660.	2.6	95
56	Integrative models of bat rabies immunology, epizootiology and disease demography. Journal of Theoretical Biology, 2007, 245, 498-509.	1.7	34
57	Variability in the echolocation of Tadarida brasiliensis: effects of geography and local acoustic environment. Animal Behaviour, 2007, 74, 277-286.	1.9	91
58	Rodrigues fruit bats (Pteropus rodricensis, Megachiroptera: Pteropodidae) retain genetic diversity despite population declines and founder events. Conservation Genetics, 2007, 8, 1073-1082.	1.5	17
59	Economic value of the pest control service provided by Brazilian free-tailed bats in south-central Texas. Frontiers in Ecology and the Environment, 2006, 4, 238-243.	4.0	290
60	Genetic divergence in the small Indian mongoose (Herpestes auropunctatus), a widely distributed invasive species. Molecular Ecology, 2006, 15, 3947-3956.	3.9	45
61	DIETARY VARIATION OF BRAZILIAN FREE-TAILED BATS LINKS TO MIGRATORY POPULATIONS OF PEST INSECTS. Journal of Mammalogy, 2005, 86, 67-76.	1.3	109
62	EFFECT OF HABITAT AND FORAGING HEIGHT ON BAT ACTIVITY IN THE COASTAL PLAIN OF SOUTH CAROLINA. Journal of Wildlife Management, 2005, 69, 235-245.	1.8	117
63	Conspecifics influence call design in the Brazilian free-tailed bat, Tadarida brasiliensis. Canadian Journal of Zoology, 2004, 82, 966-971.	1.0	67
64	Foraging activity and food resource use of Brazilian free-tailed bats, <i>Tadarida brasiliensis</i> (Molossidae). Ecoscience, 2002, 9, 306-313.	1.4	48
65	Genetic Structure in Migratory and Nonmigratory Populations of Brazilian Free-Tailed Bats. Journal of Mammalogy, 1997, 78, 348-357.	1.3	26
66	The Genetic Diversity of Native, Stocked, and Hybrid Populations of Brook Trout in the Southern Appalachians. Conservation Biology, 1996, 10, 1403-1412.	4.7	36
67	Convergence in tent architecture and tent-making behavior among neotropical and paleotropical bats. Journal of Mammalian Evolution, 1994, 2, 57-78.	1.8	88
68	Locational memory and female-pup reunions in Mexican free-tailed bat maternity colonies. Animal Behaviour, 1993, 45, 811-813.	1.9	19
69	Vocal recognition in mexican free-tailed bats: do pups recognize mothers?. Animal Behaviour, 1992, 43, 79-87.	1.9	109
70	Behavioural response of the Mexican free-tailed bat, Tadarida brasiliensis mexicana, to visible and infra-red light. Animal Behaviour, 1990, 39, 598-599.	1.9	18
71	Multiple paternity in wild populations of the garter snake, Thamnophis sirtalis. Behavioral Ecology and Sociobiology, 1989, 25, 269-273.	1.4	69
72	Plausible alternatives to bottlenecks to explain reduced genetic diversity. Trends in Ecology and Evolution, 1989, 4, 176-178.	8.7	73

#	Article	IF	CITATIONS
73	Scent recognition between females and pups in the bat Tadarida brasiliensis mexicana. Animal Behaviour, 1987, 35, 13-19.	1.9	95

Individual variation in the isolation calls of Mexican free-tailed bat pups (Tadarida brasiliensis) Tj ETQq0 0 0 rgBT /Overlock 10_{107} 50 702

75	Social organization and kinship in the polygynous bat Phyllostomus hastatus. Behavioral Ecology and Sociobiology, 1981, 8, 11-34.		1.4	249
----	---	--	-----	-----