

Francis Beaudry

List of Publications by Citations

Source: <https://exaly.com/author-pdf/192948/francis-beaudry-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127
papers

2,292
citations

26
h-index

41
g-index

139
ext. papers

2,718
ext. citations

3.2
avg, IF

5.2
L-index

#	Paper	IF	Citations
127	Post weaning diarrhea in pigs: risk factors and non-colistin-based control strategies. <i>Acta Veterinaria Scandinavica</i> , 2017 , 59, 31	2	141
126	Colistin in Pig Production: Chemistry, Mechanism of Antibacterial Action, Microbial Resistance Emergence, and One Health Perspectives. <i>Frontiers in Microbiology</i> , 2016 , 7, 1789	5.7	115
125	Gait analysis and pain response of two rodent models of osteoarthritis. <i>Pharmacology Biochemistry and Behavior</i> , 2011 , 97, 603-10	3.9	91
124	Resistance to colistin: what is the fate for this antibiotic in pig production?. <i>International Journal of Antimicrobial Agents</i> , 2016 , 48, 119-26	14.3	84
123	Alleviation of chronic neuropathic pain by environmental enrichment in mice well after the establishment of chronic pain. <i>Behavioral and Brain Functions</i> , 2013 , 9, 22	4.1	70
122	In vivo pharmacokinetic screening in cassette dosing experiments; the use of on-line Pprospekt liquid chromatography/atmospheric pressure chemical ionization tandem mass spectrometry technology in drug discovery. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 1216-22	2.2	70
121	Pharmacokinetics of eugenol and its effects on thermal hypersensitivity in rats. <i>European Journal of Pharmacology</i> , 2007 , 562, 60-7	5.3	65
120	Development of a rapid and sensitive LC-ESI/MS/MS assay for the quantification of propofol using a simple off-line dansyl chloride derivatization reaction to enhance signal intensity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2005 , 39, 411-7	3.5	64
119	Pharmacokinetics of ketamine and xylazine in young and old Sprague-Dawley rats. <i>Journal of the American Association for Laboratory Animal Science</i> , 2013 , 52, 567-70	1.3	63
118	Pharmacokinetics and anesthetic activity of eugenol in male Sprague-Dawley rats. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2006 , 29, 265-70	1.4	60
117	Pharmacokinetics of eugenol in rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Aquaculture</i> , 2007 , 266, 262-265	4.4	52
116	Pharmacokinetics of vanillin and its effects on mechanical hypersensitivity in a rat model of neuropathic pain. <i>Phytotherapy Research</i> , 2010 , 24, 525-30	6.7	47
115	Eugenol for anesthesia of African clawed frogs (<i>Xenopus laevis</i>). <i>Veterinary Anaesthesia and Analgesia</i> , 2007 , 34, 164-70	1.3	43
114	Electrospray ionization suppression, a physical or a chemical phenomenon?. <i>Biomedical Chromatography</i> , 2006 , 20, 200-5	1.7	41
113	Identification, characterization and potent antitumor activity of ECO-4601, a novel peripheral benzodiazepine receptor ligand. <i>Cancer Chemotherapy and Pharmacology</i> , 2008 , 61, 911-21	3.5	40
112	Determination of drug-plasma protein binding using human serum albumin chromatographic column and multiple linear regression model. <i>Biomedical Chromatography</i> , 1999 , 13, 401-6	1.7	38
111	Assessment of meat authenticity using bioinformatics, targeted peptide biomarkers and high-resolution mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015 , 32, 1709-17	3.2	37

110	Validation of a sensitive and automated 96-well solid-phase extraction liquid chromatography-tandem mass spectrometry method for the determination of desloratadine and 3-hydroxydesloratadine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2003 , 792, 229-40	3.2	37
109	Metabolite profiling study of propranolol in rat using LC/MS/MS analysis. <i>Biomedical Chromatography</i> , 1999 , 13, 363-9	1.7	36
108	Comparison of pharmacokinetics of glucosamine and synovial fluid levels following administration of glucosamine sulphate or glucosamine hydrochloride. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 973-9	6.2	33
107	Determination of eugenol in rat plasma by liquid chromatography-quadrupole ion trap mass spectrometry using a simple off-line dansyl chloride derivatization reaction to enhance signal intensity. <i>Biomedical Chromatography</i> , 2006 , 20, 1216-22	1.7	30
106	Detection of meat species adulteration using high-resolution mass spectrometry and a proteogenomics strategy. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2017 , 34, 1110-1120	3.2	28
105	Determination of specific neuropeptides modulation time course in a rat model of osteoarthritis pain by liquid chromatography ion trap mass spectrometry. <i>Neuropeptides</i> , 2011 , 45, 423-9	3.3	28
104	Antinociceptive effects of eugenol evaluated in a monoiodoacetate-induced osteoarthritis rat model. <i>Phytotherapy Research</i> , 2012 , 26, 1278-85	6.7	27
103	Gastric stability and oral bioavailability of colistin sulfate in pigs challenged or not with <i>Escherichia coli</i> O149: F4 (K88). <i>Research in Veterinary Science</i> , 2015 , 102, 173-81	2.5	26
102	Intrathecal eugenol administration alleviates neuropathic pain in male Sprague-Dawley rats. <i>Phytotherapy Research</i> , 2010 , 24, 1645-53	6.7	26
101	The highly selective 5-HT antagonist EMD-281,014 reduces dyskinesia and psychosis in the L-DOPA-treated parkinsonian marmoset. <i>Neuropharmacology</i> , 2018 , 139, 61-67	5.5	25
100	Identification, characterization and quantification of specific neuropeptides in rat spinal cord by liquid chromatography electrospray quadrupole ion trap mass spectrometry. <i>Biomedical Chromatography</i> , 2009 , 23, 940-50	1.7	25
99	Semi-empirical molecular orbital studies of porphine and phthalocyanine derivatives, to simulate their intermolecular interactions. <i>International Journal of Quantum Chemistry</i> , 1993 , 46, 191-210	2.1	24
98	Pharmacokinetic and pharmacodynamic modelling after subcutaneous, intravenous and buccal administration of a high-concentration formulation of buprenorphine in conscious cats. <i>PLoS ONE</i> , 2017 , 12, e0176443	3.7	24
97	Joint inflammation increases glucosamine levels attained in synovial fluid following oral administration of glucosamine hydrochloride. <i>Osteoarthritis and Cartilage</i> , 2009 , 17, 228-34	6.2	22
96	Quantitative determination of capsaicin, a transient receptor potential channel vanilloid 1 agonist, by liquid chromatography quadrupole ion trap mass spectrometry: evaluation of in vitro metabolic stability. <i>Biomedical Chromatography</i> , 2009 , 23, 204-11	1.7	22
95	Activation of mGlu receptors, a novel therapeutic approach to alleviate dyskinesia and psychosis in experimental parkinsonism. <i>Neuropharmacology</i> , 2019 , 158, 107725	5.5	21
94	Enhancing the uptake of dextromethorphan in the CNS of rats by concomitant administration of the P-gp inhibitor verapamil. <i>Life Sciences</i> , 2005 , 77, 2911-26	6.8	21
93	-Acetyl-glucosamine influences the biofilm formation of. <i>Gut Pathogens</i> , 2018 , 10, 26	5.4	21

92	Internal standard strategies for relative and absolute quantitation of peptides in biological matrices by liquid chromatography tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2012 , 26, 881-91	1.7	19
91	Intrathecal [6]-gingerol administration alleviates peripherally induced neuropathic pain in male Sprague-Dawley rats. <i>Phytotherapy Research</i> , 2013 , 27, 1251-4	6.7	19
90	Bilateral central pain sensitization in rats following a unilateral thalamic lesion may be treated with high doses of ketamine. <i>BMC Veterinary Research</i> , 2013 , 9, 59	2.7	18
89	Pharmacologic parameters of MS222 and physiologic changes in frogs (<i>Xenopus laevis</i>) after immersion at anesthetic doses. <i>Journal of the American Association for Laboratory Animal Science</i> , 2012 , 51, 464-8	1.3	18
88	Physiological, pharmacokinetic and liver metabolism comparisons between 3-, 6-, 12- and 18-month-old male Sprague Dawley rats under ketamine-xylazine anesthesia. <i>Experimental Animals</i> , 2016 , 65, 63-75	1.8	18
87	In vivo therapeutic efficacy and pharmacokinetics of colistin sulfate in an experimental model of enterotoxigenic <i>Escherichia coli</i> infection in weaned pigs. <i>Veterinary Research</i> , 2016 , 47, 58	3.8	18
86	Early cathepsin K degradation of type II collagen in vitro and in vivo in articular cartilage. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1461-9	6.2	18
85	Concurrent validity of different functional and neuroproteomic pain assessment methods in the rat osteoarthritis monosodium iodoacetate (MIA) model. <i>Arthritis Research and Therapy</i> , 2016 , 18, 150	5.7	17
84	Analysis of Staphylococcus enterotoxin B using differential isotopic tags and liquid chromatography quadrupole ion trap mass spectrometry. <i>Biomedical Chromatography</i> , 2012 , 26, 1049-57	1.7	17
83	Characterization of xylazine metabolism in rat liver microsomes using liquid chromatography-hybrid triple quadrupole-linear ion trap-mass spectrometry. <i>Biomedical Chromatography</i> , 2013 , 27, 882-8	1.7	17
82	Cyclosporin A in blood and brain tissue following intra-carotid injections in normal and stroke-induced rats. <i>Brain Research</i> , 2002 , 943, 1-8	3.7	15
81	Effect of a diet enriched with green-lipped mussel on pain behavior and functioning in dogs with clinical osteoarthritis. <i>Canadian Journal of Veterinary Research</i> , 2013 , 77, 66-74	0.5	15
80	Application of Spectral Accuracy to Improve the Identification of Organic Compounds in Environmental Analysis. <i>Analytical Chemistry</i> , 2017 , 89, 9805-9813	7.8	14
79	The NAG Sensor NagC Regulates LEE Gene Expression and Contributes to Gut Colonization by O157:H7. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017 , 7, 134	5.9	14
78	A pharmacokinetic study of amoxicillin in febrile beagle dogs following repeated administrations of endotoxin. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2001 , 24, 379-83	1.4	14
77	Pharmacokinetics of bupivacaine after intraperitoneal administration to cats undergoing ovariohysterectomy. <i>American Journal of Veterinary Research</i> , 2016 , 77, 641-5	1.1	14
76	Development of a selective and sensitive high-performance liquid chromatography-tandem mass spectrometry assay to support pharmacokinetic studies of LY-487,379 in rat and marmoset. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1093-1094, 1-7	3.2	13
75	Pharmacokinetics of morphine and its metabolites in freshwater rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2008 , 31, 117-27	1.4	13

74	Selective metabotropic glutamate receptor 2 positive allosteric modulation alleviates L-DOPA-induced psychosis-like behaviours and dyskinesia in the MPTP-lesioned marmoset. <i>European Journal of Pharmacology</i> , 2020 , 873, 172957	5.3	12
73	Determination of substance P in rat spinal cord by high-performance liquid chromatography electrospray quadrupole ion trap mass spectrometry. <i>Biomedical Chromatography</i> , 2006 , 20, 1344-50	1.7	12
72	Detection of gelatin adulteration using bio-informatics, proteomics and high-resolution mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2018 , 35, 599-608	3.2	11
71	Development and validation of a high-performance liquid chromatography-tandem mass spectrometry method to quantify LY-354,740 in rat and marmoset plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1061-1062, 392-398	3.2	11
70	Effects of endotoxemia on the pharmacodynamics and pharmacokinetics of ketamine and xylazine anesthesia in Sprague-Dawley rats. <i>Veterinary Medicine: Research and Reports</i> , 2012 , 3, 99-109	2.3	11
69	Effect of the selective 5-HT receptor antagonist EMD-281,014 on L-DOPA-induced abnormal involuntary movements in the 6-OHDA-lesioned rat. <i>Experimental Brain Research</i> , 2019 , 237, 29-36	2.3	11
68	Transcriptome analysis of Escherichia coli O157:H7 grown in vitro in the sterile-filtrated cecal content of human gut microbiota associated rats reveals an adaptive expression of metabolic and virulence genes. <i>Microbes and Infection</i> , 2015 , 17, 23-33	9.3	10
67	Metabolic stability and determination of cytochrome P450 isoenzymes contribution to the metabolism of medetomidine in dog liver microsomes. <i>Biomedical Chromatography</i> , 2010 , 24, 868-77	1.7	10
66	Effects of physiological covariables on pharmacokinetic parameters of clomipramine in a large population of cats after a single oral administration. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2007 , 30, 116-26	1.4	10
65	Anesthetic properties of propofol in African clawed frogs (<i>Xenopus laevis</i>). <i>Journal of the American Association for Laboratory Animal Science</i> , 2008 , 47, 35-8	1.3	10
64	Spinal neuropeptide modulation, functional assessment and cartilage lesions in a monosodium iodoacetate rat model of osteoarthritis. <i>Neuropeptides</i> , 2017 , 65, 56-62	3.3	9
63	Histopathological, biomechanical, and behavioral pain findings of Achilles tendinopathy using an animal model of overuse injury. <i>Physiological Reports</i> , 2015 , 3, e12265	2.6	9
62	Targeted liquid chromatography quadrupole ion trap mass spectrometry analysis of tachykinin related peptides reveals significant expression differences in a rat model of neuropathic pain. <i>Neuropeptides</i> , 2013 , 47, 261-71	3.3	9
61	Characterization of [6]-gingerol metabolism in rat by liquid chromatography electrospray tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2011 , 25, 1150-8	1.7	9
60	Determination of glucosamine in horse plasma by liquid chromatography tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2008 , 22, 1-4	1.7	9
59	Development of an electrospray ionization mass spectrometric method for the quantification of theophylline in horse serum. <i>Biomedical Chromatography</i> , 2005 , 19, 643-8	1.7	9
58	Characterization of Substance P processing in mouse spinal cord S9 fractions using high-resolution Quadrupole-Orbitrap mass spectrometry. <i>Neuropeptides</i> , 2016 , 59, 47-55	3.3	9
57	Characterization of endoproteolytic processing of dynorphins by proprotein convertases using mouse spinal cord S9 fractions and mass spectrometry. <i>Neuropeptides</i> , 2016 , 57, 85-94	3.3	8

56	Impact of <i>Actinobacillus pleuropneumoniae</i> biofilm mode of growth on the lipid A structures and stimulation of immune cells. <i>Innate Immunity</i> , 2016 , 22, 353-62	2.7	8
55	Association between sensitisation and pain-related behaviours in an experimental canine model of osteoarthritis. <i>Pain</i> , 2014 , 155, 2071-9	8	8
54	In vitro metabolism of specific CYP2D and CYP3A opioid substrates using rat liver S9 fractions and mass spectrometry reveal a severe metabolic impairment with increasing age. <i>Biomedical Chromatography</i> , 2017 , 31, e3786	1.7	8
53	Comparative oxidative metabolic profiles of clomipramine in cats, rats and dogs: preliminary results from an in vitro study. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2007 , 30, 387-93	1.4	8
52	Neuropeptidomics: Comparison of parallel reaction monitoring and data-independent acquisition for the analysis of neuropeptides using high-resolution mass spectrometry. <i>Biomedical Chromatography</i> , 2019 , 33, e4523	1.7	7
51	Physiological and pharmacokinetic effects of multilevel caging on Sprague Dawley rats under ketamine-xylazine anesthesia. <i>Experimental Animals</i> , 2016 , 65, 383-392	1.8	7
50	Tachykinins Processing is Significantly Impaired in PC1 and PC2 Mutant Mouse Spinal Cord S9 Fractions. <i>Neurochemical Research</i> , 2015 , 40, 2304-16	4.6	7
49	Evaluation of multiple reaction monitoring cubed for the analysis of tachykinin related peptides in rat spinal cord using a hybrid triple quadrupole-linear ion trap mass spectrometer. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 947-948, 164-7	3.2	7
48	Stability comparison between sample preparation procedures for mass spectrometry-based targeted or shotgun peptidomic analysis. <i>Analytical Biochemistry</i> , 2010 , 407, 290-2	3.1	7
47	Early dexamethasone treatment after implantation of a sciatic-nerve cuff decreases the concentration of substance P in the lumbar spinal cord of rats with neuropathic pain. <i>Canadian Journal of Veterinary Research</i> , 2007 , 71, 90-7		7
46	The MPTP-lesioned marmoset model of Parkinson's disease: proposed efficacy thresholds that may potentially predict successful clinical trial results. <i>Journal of Neural Transmission</i> , 2020 , 127, 1343-1358	4.3	7
45	EGL-3 and EGL-21 are required to trigger nocifensive response of <i>Caenorhabditis elegans</i> to noxious heat. <i>Neuropeptides</i> , 2019 , 73, 41-48	3.3	7
44	Capsaicin and Its Analogues Impede Nocifensive Response of <i>Caenorhabditis elegans</i> to Noxious Heat. <i>Neurochemical Research</i> , 2020 , 45, 1851-1859	4.6	6
43	Pharmacokinetic profile of the selective 5-HT receptor antagonist ondansetron in the rat: an original study and a minireview of the behavioural pharmacological literature in the rat. <i>Canadian Journal of Physiology and Pharmacology</i> , 2020 , 98, 431-440	2.4	6
42	The fecal presence of enterotoxin and F4 genes as an indicator of efficacy of treatment with colistin sulfate in pigs. <i>BMC Microbiology</i> , 2017 , 17, 6	4.5	6
41	Investigation of the metabolic biotransformation of substance P in liver microsomes by liquid chromatography quadrupole ion trap mass spectrometry. <i>Biomedical Chromatography</i> , 2013 , 27, 39-47	1.7	6
40	Assessment of tandem mass spectrometry and high-resolution mass spectrometry for the analysis of bupivacaine in plasma. <i>Biomedical Chromatography</i> , 2015 , 29, 1724-30	1.7	6
39	Development of a LC-ESI/MS/MS assay for the quantification of vanillin using a simple off-line dansyl chloride derivatization reaction to enhance signal intensity. <i>Biomedical Chromatography</i> , 2007 , 21, 113-5	1.7	6

38	Determination of chlortetracycline in swine plasma by LC-ESI/MS/MS. <i>Biomedical Chromatography</i> , 2005 , 19, 523-8	1.7	6
37	Targeted high-resolution quadrupole-Orbitrap mass spectrometry analyses reveal a significant reduction of tachykinin and opioid neuropeptides level in PC1 and PC2 mutant mouse spinal cords. <i>Neuropeptides</i> , 2017 , 65, 37-44	3.3	6
36	Evaluation of fluralaner as an oral acaricide to reduce tick infestation in a wild rodent reservoir of Lyme disease. <i>Parasites and Vectors</i> , 2020 , 13, 73	4	5
35	Actinobacillus pleuropneumoniae induces SJPL cell cycle arrest in G2/M-phase and inhibits porcine reproductive and respiratory syndrome virus replication. <i>Virology Journal</i> , 2015 , 12, 188	6.1	5
34	Quantitative mass spectrometry analysis reveals that deletion of the TRPV1 receptor in mice alters substance P and neurokinin A expression in the central nervous system. <i>Neurochemical Research</i> , 2012 , 37, 2678-85	4.6	5
33	Characterization of in vitro metabolism of capsazepine, a vanilloid transient receptor potential channel antagonist, by liquid chromatography quadrupole ion trap mass spectrometry. <i>Biomedical Chromatography</i> , 2011 , 25, 479-92	1.7	5
32	Efficacy and pharmacokinetics of bupivacaine with epinephrine or dexmedetomidine after intraperitoneal administration in cats undergoing ovariohysterectomy. <i>Canadian Journal of Veterinary Research</i> , 2018 , 82, 124-130	0.5	5
31	Combined 5-HT and mGlu modulation for the treatment of dyskinesia and psychosis in Parkinson's disease. <i>Neuropharmacology</i> , 2021 , 186, 108465	5.5	5
30	Highly sensitive HPLC-MS/MS assay for the quantitation of ondansetron in rat plasma and rat brain tissue homogenate following administration of a very low subcutaneous dose. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 175, 112766	3.5	4
29	Liquid chromatography-electrospray linear ion trap mass spectrometry analysis of targeted neuropeptides in Tac1(-/-) mouse spinal cords reveals significant lower concentration of opioid peptides. <i>Neuropeptides</i> , 2015 , 52, 79-87	3.3	4
28	Quantitative analysis of bucillamine in blood using high-performance liquid chromatography-mass spectrometry technique. <i>Biomedical Chromatography</i> , 2004 , 18, 805-12	1.7	4
27	Osteoarthritic pain model influences functional outcomes and spinal neuropeptidomics: A pilot study in female rats. <i>Canadian Journal of Veterinary Research</i> , 2019 , 83, 133-141	0.5	4
26	Evaluation of upconverting nanoparticles towards heart theranostics. <i>PLoS ONE</i> , 2019 , 14, e0225729	3.7	4
25	Characterization of neuropeptide K processing in rat spinal cord S9 fractions using high-resolution quadrupole-Orbitrap mass spectrometry. <i>Biomedical Chromatography</i> , 2018 , 32, e4204	1.7	3
24	In vitro ketamine CYP3A-mediated metabolism study using mammalian liver S9 fractions, cDNA expressed enzymes and liquid chromatography tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2014 , 28, 1660-9	1.7	3
23	Pharmacokinetics and analgesic effects of intravenous, intramuscular or subcutaneous buprenorphine in dogs undergoing ovariohysterectomy: a randomized, prospective, masked, clinical trial. <i>BMC Veterinary Research</i> , 2020 , 16, 154	2.7	3
22	Determination of the pharmacokinetics of a single oral dose of trazodone and its effect on the activity level of domestic pigeons (<i>Columba livia</i>). <i>American Journal of Veterinary Research</i> , 2019 , 80, 102-109	1.1	3
21	Deciphering the Role of EGL-3 for Neuropeptides Processing in <i>Caenorhabditis elegans</i> Using High-Resolution Quadrupole-Orbitrap Mass Spectrometry. <i>Neurochemical Research</i> , 2018 , 43, 2121-2131 ^{4.6}	4.6	3

20	Sensitivity of functional targeted neuropeptide evaluation in testing pregabalin analgesic efficacy in a rat model of osteoarthritis pain. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2019 , 46, 723-733	3	2
19	Impaired EAT-4 Vesicular Glutamate Transporter Leads to Defective Nocifensive Response of <i>Caenorhabditis elegans</i> to Noxious Heat. <i>Neurochemical Research</i> , 2020 , 45, 882-890	4.6	2
18	The Effects of Exercise on Pain and Reproductive Performance in Female Pregnant Mice With Neuropathic Pain. <i>Biological Research for Nursing</i> , 2019 , 21, 500-509	2.6	2
17	Bone growth resumption following in vivo static and dynamic compression removals on rats. <i>Bone</i> , 2015 , 81, 662-668	4.7	2
16	Progesterone metabolism in bovine endometrial cells and the effect of metabolites on the responsiveness of the cells to OT-stimulation of PGF2alpha. <i>Steroids</i> , 2007 , 72, 843-50	2.8	2
15	Selective blockade of the 5-HT receptor acutely alleviates dyskinesia and psychosis in the parkinsonian marmoset. <i>Neuropharmacology</i> , 2021 , 182, 108386	5.5	2
14	Eugenol and Other Vanilloids Hamper <i>Caenorhabditis elegans</i> Response to Noxious Heat. <i>Neurochemical Research</i> , 2021 , 46, 252-264	4.6	2
13	Cardiac sensory afferents modulate susceptibility to anxio-depressive behaviour in a mouse model of chronic heart failure. <i>Acta Physiologica</i> , 2021 , 231, e13601	5.6	2
12	Non-targeted screening of trace organic contaminants in surface waters by a multi-tool approach based on combinatorial analysis of tandem mass spectra and open access databases. <i>Talanta</i> , 2021 , 230, 122293	6.2	2
11	Regulation of by PhoB during P Starvation Promotes Biofilm Formation by <i>Escherichia coli</i> O157:H7. <i>Journal of Bacteriology</i> , 2019 , 201,	3.5	1
10	Pharmacokinetics of midazolam and its major metabolite 1-hydroxymidazolam in the ball python (<i>Python regius</i>) after intracardiac and intramuscular administrations. <i>Journal of Veterinary Pharmacology and Therapeutics</i> , 2019 , 42, 722-731	1.4	1
9	<i>Escherichia coli</i> O157:H7 responds to phosphate starvation by modifying LPS involved in biofilm formation		1
8	Development and validation of a sensitive HPLC-HESI-MS/MS method for quantitative determination of bitopertin in rat and marmoset plasma. <i>MNI Open Research</i> , 4 , 2	1	1
7	A Pharmacokinetic-Pharmacodynamic Study of Intravenous Midazolam and Flumazenil in Adult New Zealand White-Californian Rabbits (). <i>Journal of the American Association for Laboratory Animal Science</i> , 2021 , 60, 319-328	1.3	1
6	Effects of azithromycin on bronchial remodeling in the natural model of severe neutrophilic asthma in horses.. <i>Scientific Reports</i> , 2022 , 12, 446	4.9	0
5	Resiniferatoxin Hampers the Nocifensive Response of <i>Caenorhabditis elegans</i> to Noxious Heat, and Pathway Analysis Revealed that the Wnt Signaling Pathway is Involved. <i>Neurochemical Research</i> , 2021 , 47, 622	4.6	0
4	PHARMACOKINETICS AND CLINICAL EFFECTS OF A SINGLE ORAL DOSE OF TRAZODONE IN THE DOMESTIC GOAT () AS A MODEL FOR WILD RUMINANTS. <i>Journal of Zoo and Wildlife Medicine</i> , 2021 , 51, 896-904	0.9	0
3	Estrogenic impregnation alters pain expression: analysis through functional neuropeptidomics in a surgical rat model of osteoarthritis.. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2022 , 1	3.4	0

2 Design of New Electrode Interface to Improve Transport of Atmospheric Pressure Ions into a Mass Spectrometer. *E-Journal of Chemistry*, **2009**, 6, 39-46

1 Untargeted and targeted metabolomics reveal that adenosine nucleotides released in *Actinobacillus pleuropneumoniae* supernatant inhibit porcine reproductive and respiratory syndrome virus replication.. *Talanta*, **2022**, 242, 123315 6.2