Michael Rink

List of Publications by Citations

Source: https://exaly.com/author-pdf/192975/michael-rink-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167 30 3,395 53 h-index g-index citations papers 4.89 178 4.2 4,350 avg, IF L-index ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 167 | Urothelial carcinoma of the bladder and the upper tract: disparate twins. <i>Journal of Urology</i> , 2013 , 189, 1214-21 | 2.5 | 212 |
| 166 | Impact of distal ureter management on oncologic outcomes following radical nephroureterectomy for upper tract urothelial carcinoma. <i>European Urology</i> , 2014 , 65, 210-7 | 10.2 | 150 |
| 165 | Death certificates are valid for the determination of cause of death in patients with upper and lower tract urothelial carcinoma. <i>European Urology</i> , 2012 , 61, 854-5 | 10.2 | 138 |
| 164 | Epidemiology, diagnosis, preoperative evaluation and prognostic assessment of upper-tract urothelial carcinoma (UTUC). <i>World Journal of Urology</i> , 2017 , 35, 379-387 | 4 | 132 |
| 163 | Effect of smoking on outcomes of urothelial carcinoma: a systematic review of the literature. <i>European Urology</i> , 2014 , 65, 742-54 | 10.2 | 127 |
| 162 | Prognostic role and HER2 expression of circulating tumor cells in peripheral blood of patients prior to radical cystectomy: a prospective study. <i>European Urology</i> , 2012 , 61, 810-7 | 10.2 | 119 |
| 161 | Impact of histological variants on oncological outcomes of patients with urothelial carcinoma of the bladder treated with radical cystectomy. <i>European Journal of Cancer</i> , 2013 , 49, 1889-97 | 7.5 | 119 |
| 160 | Impact of renal function on eligibility for chemotherapy and survival in patients who have undergone radical nephro-ureterectomy. <i>BJU International</i> , 2013 , 112, 453-61 | 5.6 | 97 |
| 159 | Impact of smoking and smoking cessation on oncologic outcomes in primary non-muscle-invasive bladder cancer. <i>European Urology</i> , 2013 , 63, 724-32 | 10.2 | 87 |
| 158 | Impact of histological variants on clinical outcomes of patients with upper urinary tract urothelial carcinoma. <i>Journal of Urology</i> , 2012 , 188, 398-404 | 2.5 | 78 |
| 157 | Impact of smoking and smoking cessation on outcomes in bladder cancer patients treated with radical cystectomy. <i>European Urology</i> , 2013 , 64, 456-64 | 10.2 | 75 |
| 156 | Stage-specific impact of tumor location on oncologic outcomes in patients with upper and lower tract urothelial carcinoma following radical surgery. <i>European Urology</i> , 2012 , 62, 677-84 | 10.2 | 74 |
| 155 | Detection of circulating tumour cells in peripheral blood of patients with advanced non-metastatic bladder cancer. <i>BJU International</i> , 2011 , 107, 1668-75 | 5.6 | 71 |
| 154 | Second Line Chemotherapy for Advanced and Metastatic Urothelial Carcinoma: Vinflunine and Beyond-A Comprehensive Review of the Current Literature. <i>Journal of Urology</i> , 2016 , 195, 254-63 | 2.5 | 70 |
| 153 | Impact of smoking on oncologic outcomes of upper tract urothelial carcinoma after radical nephroureterectomy. <i>European Urology</i> , 2013 , 63, 1082-90 | 10.2 | 65 |
| 152 | Predictors of cancer-specific mortality after disease recurrence following radical cystectomy. <i>BJU International</i> , 2013 , 111, E30-6 | 5.6 | 60 |
| 151 | Tissue factor procoagulant activity of plasma microparticles is increased in patients with early-stage prostate cancer. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 1147-1155 | 7 | 60 |

(2019-2020)

| 150 | EAU-ESMO Consensus Statements on the Management of Advanced and Variant Bladder Cancer-An International Collaborative Multistakeholder Effort: Under the Auspices of the EAU-ESMO Guidelines Committees. <i>European Urology</i> , 2020 , 77, 223-250 | 10.2 | 60 | |
|-----|---|------|----|--|
| 149 | Smoking and Bladder Cancer: A Systematic Review of Risk and Outcomes. <i>European Urology Focus</i> , 2015 , 1, 17-27 | 5.1 | 57 | |
| 148 | Extranodal extension is a powerful prognostic factor in bladder cancer patients with lymph node metastasis. <i>European Urology</i> , 2013 , 64, 837-45 | 10.2 | 47 | |
| 147 | Biomolecular predictors of urothelial cancer behavior and treatment outcomes. <i>Current Urology Reports</i> , 2012 , 13, 122-35 | 2.9 | 45 | |
| 146 | Risk of cancer-specific mortality following recurrence after radical nephroureterectomy. <i>Annals of Surgical Oncology</i> , 2012 , 19, 4337-44 | 3.1 | 42 | |
| 145 | Adjuvant chemotherapy after radical nephroureterectomy does not improve survival in patients with upper tract urothelial carcinoma: a joint study by the European Association of Urology-Young Academic Urologists and the Upper Tract Urothelial Carcinoma Collaboration. <i>BJU International</i> , | 5.6 | 41 | |
| 144 | Prognostic significance of markers of systemic inflammatory response in patients with non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 483.e17-483.e24 | 2.8 | 40 | |
| 143 | Impact of preoperative anemia on oncologic outcomes of upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Journal of Urology</i> , 2014 , 191, 316-22 | 2.5 | 39 | |
| 142 | Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized Reporting and Introducing the Comprehensive Complication Index. <i>European Urology</i> , 2020 , 77, 55-65 | 10.2 | 38 | |
| 141 | Association of Cigarette Smoking and Smoking Cessation with Biochemical Recurrence of Prostate Cancer in Patients Treated with Radical Prostatectomy. <i>European Urology</i> , 2015 , 68, 949-56 | 10.2 | 37 | |
| 140 | Prognostic factors and outcomes in primary urethral cancer: results from the international collaboration on primary urethral carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 97-103 | 4 | 37 | |
| 139 | Does the extent of variant histology affect oncological outcomes in patients with urothelial carcinoma of the bladder treated with radical cystectomy?. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 21.e1-21.e9 | 2.8 | 34 | |
| 138 | Pathogen-induced tissue-resident memory T17 (T17) cells amplify autoimmune kidney disease. <i>Science Immunology</i> , 2020 , 5, | 28 | 31 | |
| 137 | The Neutrophil-to-lymphocyte Ratio as a Prognostic Factor for Patients with Urothelial Carcinoma of the Bladder Following Radical Cystectomy: Validation and Meta-analysis. <i>European Urology Focus</i> , 2016 , 2, 79-85 | 5.1 | 29 | |
| 136 | Combining smoking information and molecular markers improves prognostication in patients with urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014 , 32, 433-40 | 2.8 | 28 | |
| 135 | Perioperative chemotherapy in upper tract urothelial carcinoma: a comprehensive review. <i>World Journal of Urology</i> , 2017 , 35, 1401-1407 | 4 | 26 | |
| 134 | Female with bladder cancer: what and why is there a difference?. <i>Translational Andrology and Urology</i> , 2016 , 5, 668-682 | 2.3 | 26 | |
| 133 | Discrepancy Between European Association of Urology Guidelines and Daily Practice in the Management of Non-muscle-invasive Bladder Cancer: Results of a European Survey. <i>European Urology Focus</i> 2019 , 5, 681-688 | 5.1 | 26 | |

| 132 | Promising role of preoperative neutrophil-to-lymphocyte ratio in patients treated with radical nephroureterectomy. <i>World Journal of Urology</i> , 2017 , 35, 121-130 | 4 | 25 |
|-----|--|----------------|----|
| 131 | Differences in trends in the use of robot-assisted and open radical cystectomy and changes over time in peri-operative outcomes among selected centres in North America and Europe: an international multicentre collaboration. <i>BJU International</i> , 2019 , 124, 656 | 5.6 | 25 |
| 130 | Diagnostic performance of multidetector computed tomographic (MDCTU) in upper tract urothelial carcinoma (UTUC): a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2020 , 38, 1165-117 | 5 ⁴ | 25 |
| 129 | Tissue factor procoagulant activity of plasma microparticles is increased in patients with early-stage prostate cancer. <i>Thrombosis and Haemostasis</i> , 2009 , 101, 1147-55 | 7 | 25 |
| 128 | Outcomes and prognostic factors in patients with a single lymph node metastasis at time of radical cystectomy. <i>BJU International</i> , 2013 , 111, 74-84 | 5.6 | 24 |
| 127 | The Impact of Tumor Diameter and Tumor Necrosis on Oncologic Outcomes in Patients With Urothelial Carcinoma of the Bladder Treated With Radical Cystectomy. <i>Urology</i> , 2015 , 86, 92-8 | 1.6 | 23 |
| 126 | Histopathological characteristics of buccal mucosa transplants in humans after engraftment to the urethra: a prospective study. <i>Journal of Urology</i> , 2014 , 192, 1725-9 | 2.5 | 23 |
| 125 | Risk stratification for locoregional recurrence after radical cystectomy for urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2015 , 33, 1753-61 | 4 | 22 |
| 124 | Psychometric validation of a German language version of a PROM for urethral stricture surgery and preliminary testing of supplementary ED and UI constructs. <i>World Journal of Urology</i> , 2016 , 34, 369-75 | 4 | 22 |
| 123 | A nonrandomized, prospective, clinical study on the impact of circulating tumor cells on outcomes of urothelial carcinoma of the bladder patients treated with radical cystectomy with or without adjuvant chemotherapy. <i>International Journal of Cancer</i> , 2017 , 140, 381-389 | 7.5 | 22 |
| 122 | ERCC1 as a Prognostic and Predictive Biomarker for Urothelial Carcinoma of the Bladder following Radical Cystectomy. <i>Journal of Urology</i> , 2015 , 194, 1456-62 | 2.5 | 22 |
| 121 | Gender-specific effect of smoking on upper tract urothelial carcinoma outcomes. <i>BJU International</i> , 2013 , 112, 623-37 | 5.6 | 22 |
| 120 | Copy number variations of circulating, cell-free DNA in urothelial carcinoma of the bladder patients treated with radical cystectomy: a prospective study. <i>Oncotarget</i> , 2017 , 8, 56398-56407 | 3.3 | 20 |
| 119 | Validation of lymphovascular invasion is an independent prognostic factor for biochemical recurrence after radical prostatectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 233.e1-6 | 2.8 | 19 |
| 118 | Prognostic value of modified Glasgow Prognostic Score in non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 179.e19-179.e28 | 2.8 | 19 |
| 117 | Substitution Urethroplasty with Closure Versus Nonclosure of the Buccal Mucosa Graft Harvest Site: A Randomized Controlled Trial with a Detailed Analysis of Oral Pain and Morbidity. <i>European Urology</i> , 2018 , 73, 910-922 | 10.2 | 19 |
| 116 | Detection and oncological effect of circulating tumour cells in patients with variant urothelial carcinoma histology treated with radical cystectomy. <i>BJU International</i> , 2017 , 119, 854-861 | 5.6 | 18 |
| 115 | The current status and clinical value of circulating tumor cells and circulating cell-free tumor DNA in bladder cancer. <i>Translational Andrology and Urology</i> , 2017 , 6, 1090-1110 | 2.3 | 18 |

(2013-2017)

| 114 | Outcomes After Radical Cystectomy for Muscle-invasive Bladder Cancer: Results From a European Tertiary Care Center Cohort. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e809-e817 | 3.3 | 17 | |
|-----|--|-------------------|----|--|
| 113 | Current Disease Management of Primary Urethral Carcinoma. European Urology Focus, 2019, 5, 722-734 | 5.1 | 17 | |
| 112 | Development and external validation of nomograms predicting disease-free and cancer-specific survival after radical cystectomy. <i>World Journal of Urology</i> , 2015 , 33, 1419-28 | 4 | 16 | |
| 111 | Prognostic role of decreased E-cadherin expression in patients with upper tract urothelial carcinoma: a multi-institutional study. <i>World Journal of Urology</i> , 2017 , 35, 113-120 | 4 | 15 | |
| 110 | III-tubulin overexpression is linked to aggressive tumor features and genetic instability in urinary bladder cancer. <i>Human Pathology</i> , 2017 , 61, 210-220 | 3.7 | 15 | |
| 109 | Evaluation of PD-L1 expression on circulating tumor cells (CTCs) in patients with advanced urothelial carcinoma (UC). <i>Oncolmmunology</i> , 2020 , 9, 1738798 | 7.2 | 14 | |
| 108 | Obesity paradox in prostate cancer: increased body mass index was associated with decreased risk of metastases after surgery in 13,667 patients. <i>World Journal of Urology</i> , 2018 , 36, 1067-1072 | 4 | 14 | |
| 107 | The current role and future directions of circulating tumor cells and circulating tumor DNA in urothelial carcinoma of the bladder. <i>World Journal of Urology</i> , 2019 , 37, 1785-1799 | 4 | 14 | |
| 106 | Impact of Perioperative Allogenic Blood Transfusion on Survival After Radical Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2016 , 14, 96-104 | 3.3 | 13 | |
| 105 | Loss of SPINK1 expression is associated with unfavorable outcomes in urothelial carcinoma of the bladder after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013 , 31, 1716 | 5- 2 8 | 13 | |
| 104 | Does increasing the nodal yield improve outcomes in patients without nodal metastasis at radical cystectomy?. <i>World Journal of Urology</i> , 2012 , 30, 807-14 | 4 | 13 | |
| 103 | Effectiveness of Adjuvant Chemotherapy After Radical Cystectomy for Locally Advanced and/or Pelvic Lymph Node-Positive Muscle-invasive Urothelial Carcinoma of the Bladder: A Propensity Score-Weighted Competing Risks Analysis. <i>European Urology Focus</i> , 2018 , 4, 252-259 | 5.1 | 12 | |
| 102 | Older patients suffer from adverse histopathological features after radical cystectomy. <i>International Journal of Urology</i> , 2011 , 18, 576-84 | 2.3 | 12 | |
| 101 | Complication rate after cystectomy following pelvic radiotherapy: an international, multicenter, retrospective series of 682 cases. <i>World Journal of Urology</i> , 2020 , 38, 1959-1968 | 4 | 12 | |
| 100 | Role of survivin expression in predicting biochemical recurrence after radical prostatectomy: a multi-institutional study. <i>BJU International</i> , 2017 , 119, 234-238 | 5.6 | 11 | |
| 99 | Prognostic Value of Serum Cholinesterase in Non-muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2018 , 16, e1123-e1132 | 3.3 | 11 | |
| 98 | Prognostic relevance of postoperative platelet count in upper tract urothelial carcinoma after radical nephroureterectomy. <i>European Journal of Cancer</i> , 2014 , 50, 2583-91 | 7.5 | 11 | |
| 97 | Lymph node dissection during radical cystectomy for bladder cancer treatment: considerations on relevance and extent. <i>International Urology and Nephrology</i> , 2013 , 45, 1561-7 | 2.3 | 11 | |

| 96 | Prevalence and clinical significance of VHL mutations and 3p25 deletions in renal tumor subtypes. <i>Oncotarget</i> , 2020 , 11, 237-249 | 3.3 | 11 |
|----|---|-----|----|
| 95 | Prognostic value of Caveolin-1 in patients treated with radical prostatectomy: a multicentric validation study. <i>BJU International</i> , 2016 , 118, 243-9 | 5.6 | 11 |
| 94 | II-tubulin overexpression is linked to aggressive tumor features and shortened survival in clear cell renal cell carcinoma. <i>World Journal of Urology</i> , 2015 , 33, 1561-9 | 4 | 10 |
| 93 | The impact of the AB0 and the Rhesus blood group system on outcomes in bladder cancer patients treated with radical cystectomy. <i>World Journal of Urology</i> , 2015 , 33, 1769-76 | 4 | 10 |
| 92 | Survivin is not an independent prognostic factor for patients with upper tract urothelial carcinoma: a multi-institutional study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 495.e15-22 | 2.8 | 10 |
| 91 | Do circulating tumor cells have a role in deciding on adjuvant chemotherapy after radical cystectomy?. <i>Current Urology Reports</i> , 2015 , 16, 46 | 2.9 | 10 |
| 90 | The prognostic effect of salvage surgery and radiotherapy in patients with recurrent primary urethral carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 10.e7-10.e14 | 2.8 | 9 |
| 89 | Aberrant expression of membranous carbonic anhydrase IX (CAIX) is associated with unfavorable disease course in papillary and clear cell renal cell carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 531.e19-531.e25 | 2.8 | 9 |
| 88 | Do Younger Patients with Muscle-Invasive Bladder Cancer have Better Outcomes?. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 8 |
| 87 | Outcome of buccal mucosa graft urethroplasty: a detailed analysis of success, morbidity and quality of life in a contemporary patient cohort at a referral center. <i>BMC Urology</i> , 2019 , 19, 18 | 2.2 | 8 |
| 86 | Impact of the Ki-67 labeling index and p53 expression status on disease-free survival in pT1 urothelial carcinoma of the bladder. <i>Translational Andrology and Urology</i> , 2017 , 6, 1018-1026 | 2.3 | 8 |
| 85 | Propensity-score-matched comparison of soft tissue surgical margins status between open and robotic-assisted radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 179.e1-179.e7 | 2.8 | 8 |
| 84 | The impact of variant histological differentiation on extranodal extension and survival in node positive bladder cancer treated with radical cystectomy. <i>Surgical Oncology</i> , 2019 , 28, 208-213 | 2.5 | 7 |
| 83 | Impact of Smoking Habit on Perioperative Morbidity in Patients Treated with Radical Cystectomy for Urothelial Bladder Cancer: A Systematic Review and Meta-analysis. <i>European Urology Oncology</i> , 2021 , 4, 580-593 | 6.7 | 7 |
| 82 | The impact of cytoreductive nephrectomy on survival outcomes in patients treated with tyrosine kinase inhibitors for metastatic renal cell carcinoma in a real-world cohort. <i>Urologic Oncology:</i> Seminars and Original Investigations, 2020, 38, 739.e9-739.e15 | 2.8 | 7 |
| 81 | Impact of smoking status on survival after cytoreductive nephrectomy for metastatic renal cell carcinoma. <i>World Journal of Urology</i> , 2016 , 34, 1411-9 | 4 | 7 |
| 80 | Open Versus Robotic Cystectomy: A Propensity Score Matched Analysis Comparing Survival Outcomes. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 7 |
| 79 | Predictive and Prognostic Value of Preoperative Thrombocytosis in Upper Tract Urothelial Carcinoma. <i>Clinical Genitourinary Cancer</i> , 2017 , 15, e1039-e1045 | 3.3 | 7 |

(2021-2017)

| 78 | Impact of the Level of Urothelial Carcinoma Involvement of the Prostate on Survival after Radical Cystectomy. <i>Bladder Cancer</i> , 2017 , 3, 161-169 | 1 | 7 |
|----|--|------|---|
| 77 | Pathomics in urology. <i>Current Opinion in Urology</i> , 2020 , 30, 823-831 | 2.8 | 7 |
| 76 | Incidence and outcome of salvage cystectomy after bladder sparing therapy for muscle invasive bladder cancer: a systematic review and meta-analysis. <i>World Journal of Urology</i> , 2021 , 39, 1757-1768 | 4 | 7 |
| 75 | A panel of systemic inflammatory response biomarkers for outcome prediction in patients treated with radical cystectomy for urothelial carcinoma. <i>BJU International</i> , 2021 , | 5.6 | 7 |
| 74 | Primary Ta high grade bladder tumors: Determination of the risk of progression. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 132.e7-132.e11 | 2.8 | 7 |
| 73 | The current role of circulating biomarkers in non-muscle invasive bladder cancer. <i>Translational Andrology and Urology</i> , 2019 , 8, 61-75 | 2.3 | 6 |
| 72 | Comparative analysis of the effect of prostatic invasion patterns on cancer-specific mortality after radical cystectomy in pT4a urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 432.e1-8 | 2.8 | 6 |
| 71 | Urothelial Carcinoma in Bladder Diverticula: A Multicenter Analysis of Characteristics and Clinical Outcomes. <i>European Urology Focus</i> , 2020 , 6, 1226-1232 | 5.1 | 6 |
| 70 | Immunotherapy for metastatic urothelial carcinoma: status quo and the future. <i>Current Opinion in Urology</i> , 2018 , 28, 1-7 | 2.8 | 5 |
| 69 | Negative Self-Perception and Self-Attitude of Sexuality Is a Risk Factor for Patient Dissatisfaction Following Penile Surgery with Small Intestinal Submucosa Grafting for the Treatment of Severe Peyronie@ Disease. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 5 |
| 68 | 8p deletions in renal cell carcinoma are associated with unfavorable tumor features and poor overall survival. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 43.e13-43.e20 | 2.8 | 5 |
| 67 | Prognostic role of ERCC1 protein expression in upper tract urothelial carcinoma following radical nephroureterectomy with curative intent. <i>World Journal of Urology</i> , 2016 , 34, 1155-61 | 4 | 4 |
| 66 | Reduced membranous MET expression is linked to bladder cancer progression. <i>Cancer Genetics</i> , 2014 , 207, 147-52 | 2.3 | 4 |
| 65 | Re: Global effects of smoking, of quitting, and of taxing tobacco. <i>European Urology</i> , 2014 , 66, 176-8 | 10.2 | 4 |
| 64 | Re-assessment of 30-, 60- and 90-day mortality rates in non-metastatic prostate cancer patients treated either with radical prostatectomy or radiation therapy. <i>Canadian Urological Association Journal</i> , 2014 , 8, E75-80 | 1.2 | 4 |
| 63 | Prevalence of APC and PTEN Alterations in Urachal Cancer. <i>Pathology and Oncology Research</i> , 2020 , 26, 2773-2781 | 2.6 | 4 |
| 62 | High level of EZH2 expression is linked to high density of CD8-positive T-lymphocytes and an aggressive phenotype in renal cell carcinoma. <i>World Journal of Urology</i> , 2021 , 39, 481-490 | 4 | 4 |
| 61 | The impact of treatment modality on survival in patients with clinical node-positive bladder cancer: results from a multicenter collaboration. <i>World Journal of Urology</i> , 2021 , 39, 443-451 | 4 | 4 |

| 60 | p63 expression in human tumors and normal tissues: a tissue microarray study on 10,200 tumors. <i>Biomarker Research</i> , 2021 , 9, 7 | 8 | 4 |
|----|---|---------------|---|
| 59 | Postoperative Chemotherapy Bladder Instillation After Radical Nephroureterectomy: Results of a European Survey from the Young Academic Urologist Urothelial Cancer Group. <i>European Urology Open Science</i> , 2020 , 22, 45-50 | 0.9 | 3 |
| 58 | The Impact of Circulating Tumor Cells on Venous Thromboembolism and Cardiovascular Events in Bladder Cancer Patients Treated with Radical Cystectomy. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 3 |
| 57 | Learning benefits of live surgery and semi-live surgery in urology-informing the debate with results from the International Meeting of Reconstructive Urology (IMORU) VIII. <i>World Journal of Urology</i> , 2021 , 39, 2801-2807 | 4 | 3 |
| 56 | The association of cigarette smoking and pathological response to neoadjuvant platinum-based chemotherapy in patients undergoing treatment for urinary bladder cancer - A prospective European multicenter observational study of the EAU Young Academic Urologists (YAU) urothelial | 2.5 | 3 |
| 55 | carcinoma working group. <i>Surgical Oncology</i> , 2020 , 34, 312-317 A non-diploid DNA status is linked to poor prognosis in renal cell cancer. <i>World Journal of Urology</i> , 2021 , 39, 829-837 | 4 | 3 |
| 54 | Assessing the Outcome of Holmium Laser Enucleation of the Prostate by Age, Prostate Volume, and a History of Blood Thinning Agents: Report from a Single-Center Series of >1800 Consecutive Cases. <i>Journal of Endourology</i> , 2021 , 35, 639-646 | 2.7 | 3 |
| 53 | Impact of preoperative serum albumin-globulin ratio on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 235.e5-235.e14 | 2.8 | 3 |
| 52 | Prognostic value of albumin to globulin ratio in non-muscle-invasive bladder cancer. <i>World Journal of Urology</i> , 2021 , 39, 3345-3352 | 4 | 3 |
| 51 | Caveolin-1 as prognostic factor of disease recurrence and survival in patients treated with radical cystectomy for bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 356-36 | 5 2 .8 | 2 |
| 50 | Chromosome 17p13 deletion is associated with an aggressive tumor phenotype in clear cell renal cell carcinoma. <i>World Journal of Surgical Oncology</i> , 2020 , 18, 128 | 3.4 | 2 |
| 49 | Chromosomal deletion of 9p21 is linked to poor patient prognosis in papillary and clear cell kidney cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 605.e1-605.e8 | 2.8 | 2 |
| 48 | Conditional analyses of recurrence and progression in patients with TaG1 non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018 , 36, 238.e19-238.e27 | 2.8 | 2 |
| 47 | Impact of the preoperative modified glasgow prognostic score on disease outcome after radical cystectomy for urothelial carcinoma of the bladder. <i>Minerva Urology and Nephrology</i> , 2021 , | 2.3 | 2 |
| 46 | Does the Identification of a Minimum Number of Cases Correlate With Better Adherence to International Guidelines Regarding the Treatment of Penile Cancer? Survey Results of the European PROspective Penile Cancer Study (E-PROPS) Frontiers in Oncology, 2021, 11, 759362 | 5.3 | 2 |
| 45 | Longitudinal Evaluation of Perineogenital Pain and Postoperative Complications After One-stage Buccal Mucosal Graft Urethroplasty: A Secondary Analysis of a Randomized Controlled Trial. <i>European Urology Focus</i> , 2021 , 7, 1157-1165 | 5.1 | 2 |
| 44 | Reply to Liang Sun and Yi Feng@ Letter to the Editor re: Malte W. Vetterlein, Jakob Klemm, Philipp Gild, et al. Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized Reporting and Introducing the | 10.2 | 2 |
| 43 | Impact of tumor size on the oncological outcome of high-grade nonmuscle invasive bladder cancer - examining the utility of classifying Ta bladder cancer based on size. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 851.e19-851.e25 | 2.8 | 2 |

(2021-2020)

| 42 | Retrograde ejaculation after holmium laser enucleation of the prostate (HoLEP)-Impact on sexual function and evaluation of patient bother using validated questionnaires. <i>Andrology</i> , 2020 , 8, 1779-178 | 36 ^{4.2} | 2 |
|----|---|-------------------|---|
| 41 | Predictive value of De Ritis ratio in metastatic renal cell carcinoma treated with tyrosine-kinase inhibitors. <i>World Journal of Urology</i> , 2021 , 39, 2977-2985 | 4 | 2 |
| 40 | Napsin A Expression in Human Tumors and Normal Tissues. <i>Pathology and Oncology Research</i> , 2021 , 27, 613099 | 2.6 | 2 |
| 39 | Tumor cell PD-L1 expression is a strong predictor of unfavorable prognosis in immune checkpoint therapy-naive clear cell renal cell cancer. <i>International Urology and Nephrology</i> , 2021 , 53, 2493-2503 | 2.3 | 2 |
| 38 | Impact of preoperative plasma levels of interleukin 6 and interleukin 6 soluble receptor on disease outcomes after radical cystectomy for bladder cancer. <i>Cancer Immunology, Immunotherapy</i> , 2021 , 1 | 7.4 | 2 |
| 37 | Prognostic Impact of Preoperative Plasma Levels of Urokinase Plasminogen Activator Proteins on Disease Outcomes after Radical Cystectomy. <i>Journal of Urology</i> , 2021 , 206, 1122-1131 | 2.5 | 2 |
| 36 | Y-chromosome loss is frequent in male renal tumors. <i>Annals of Translational Medicine</i> , 2021 , 9, 209 | 3.2 | 2 |
| 35 | Evaluating Guideline Adherence for T1 Bladder Cancer Treatment and Surveillance: A Retrospective German Multicenter Observation. <i>Urologia Internationalis</i> , 2018 , 101, 285-292 | 1.9 | 2 |
| 34 | Preoperative plasma level of endoglin as a predictor for disease outcomes after radical cystectomy for nonmetastatic urothelial carcinoma of the bladder. <i>Molecular Carcinogenesis</i> , 2022 , 61, 5-18 | 5 | 2 |
| 33 | Copy number variations in primary tumor, serum and lymph node metastasis of bladder cancer patients treated with radical cystectomy. <i>Scientific Reports</i> , 2020 , 10, 21562 | 4.9 | 1 |
| 32 | The effect of ABO and Rhesus blood grouping systems on oncological outcome in patients undergoing radical nephroureterectomy for upper tract urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 671.e17-671.e23 | 2.8 | 1 |
| 31 | Impact of salvage surgery and radiotherapy on overall survival in patients with recurrent primary urethral cancer <i>Journal of Clinical Oncology</i> , 2015 , 33, 4568-4568 | 2.2 | 1 |
| 30 | Detection and oncological impact of circulating tumor cells in bladder cancer patients with presence of copy number variations of circulating cell free DNA <i>Journal of Clinical Oncology</i> , 2018 , 36, 495-495 | 2.2 | 1 |
| 29 | Treatment and Outcome of Metastatic Renal Cell Carcinoma With Sarcomatoid Differentiation: A Single-Center, Real-World Analysis of Retrospective Data. <i>Frontiers in Surgery</i> , 2021 , 8, 763271 | 2.3 | 1 |
| 28 | The expression of urokinase-type plasminogen activator system in upper tract urothelial carcinoma and its prognostic value after radical nephroureterectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020 , 38, 685.e17-685.e25 | 2.8 | 1 |
| 27 | Impact of perioperative chemotherapy on survival in patients with advanced primary urethral cancer: Results of the international collaboration on primary urethral carcinoma <i>Journal of Clinical Oncology</i> , 2014 , 32, 4587-4587 | 2.2 | 1 |
| 26 | Adjuvant chemotherapy is ineffective in patients with bladder cancer and variant histology treated with radical cystectomy with curative intent. <i>World Journal of Urology</i> , 2021 , 39, 1947-1953 | 4 | 1 |
| 25 | Mismatch repair deficiency occurs very rarely in seminomas. <i>Translational Andrology and Urology</i> , 2021 , 10, 1048-1055 | 2.3 | 1 |

| 24 | Accuracy of Transurethral Resection of the Bladder in Detecting Variant Histology of Bladder Cancer Compared with Radical Cystectomy. <i>European Urology Focus</i> , 2021 , | 5.1 | 1 |
|----|---|------|---|
| 23 | A Systematic Review and Scoping Analysis of Smoking Cessation after a Urological Cancer Diagnosis. <i>Journal of Urology</i> , 2021 , 205, 1275-1285 | 2.5 | 1 |
| 22 | Real-world outcomes in patients with metastatic renal cell carcinoma according to risk factors: the STAR-TOR registry. <i>Future Oncology</i> , 2021 , 17, 2325-2338 | 3.6 | 1 |
| 21 | Urinary Diversion With or Without Concomitant Cystectomy for Benign Conditions: A Comparative Morbidity Assessment According to the Updated European Association of Urology Guidelines on Reporting and Grading of Complications <i>European Urology Focus</i> , 2022 , | 5.1 | 1 |
| 20 | Quality indicators for the management of muscle-invasive bladder cancer in the perioperative setting of radical cystectomy: a narrative review <i>Translational Cancer Research</i> , 2022 , 11, 908-917 | 0.3 | 1 |
| 19 | Current Therapies of Wilms Tumors in the Adult: Diagnostic Considerations and Treatment Challenges. <i>Clinical Genitourinary Cancer</i> , 2019 , 17, e522-e525 | 3.3 | O |
| 18 | Carboplatin-based adjuvant chemotherapy versus observation after radical cystectomy in patients with pN1-3 urothelial bladder cancer <i>World Journal of Urology</i> , 2022 , 1 | 4 | O |
| 17 | Fighting the Q obacco epidemicQ A call to action to identify Targeted Intervention Points (TIPs) for better counseling patients with urothelial cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021 , 39, 793-796 | 2.8 | O |
| 16 | Quality indicators for the management of high-risk upper tract urothelial carcinoma requiring radical nephroureterectomy. <i>Current Opinion in Urology</i> , 2021 , 31, 291-296 | 2.8 | O |
| 15 | Diagnostic challenges and treatment strategies in the management of upper-tract urothelial carcinoma. <i>Turkish Journal of Urology</i> , 2021 , 47, S33-S44 | 1.3 | О |
| 14 | Anesthetic Technique (Spinal vs. General Anesthesia) in Holmium Laser Enucleation of the Prostate: Retrospective Analysis of Procedural and Functional Outcomes among 1,159 Patients. <i>Urologia Internationalis</i> , 2021 , 1-8 | 1.9 | 0 |
| 13 | Immediate radical cystectomy versus BCG immunotherapy for T1 high-grade non-muscle-invasive squamous bladder cancer: an international multi-centre collaboration <i>World Journal of Urology</i> , 2022 , 1 | 4 | О |
| 12 | Editorial Comment. Journal of Urology, 2017, 197, 558 | 2.5 | |
| 11 | Reply to Francesco Montorsi, Marco Bandini, and Andrea Necchi@Letter to the Editor re: Malte W. Vetterlein, Jakob Klemm, Philipp Gild, et al. Improving Estimates of Perioperative Morbidity After Radical Cystectomy Using the European Association of Urology Quality Criteria for Standardized | 10.2 | |
| 10 | Online tools for patient counseling in bladder and kidney cancer-ready for prime time?. dee <i>Translational Andrology and Urology</i> , 2017 , 6, 1123-1131 | 2.3 | |
| 9 | Words of Wisdom. Re: Vinflunine in Routine Clinical Practice for the Treatment of Advanced or Metastatic Urothelial Cell CarcinomaData from a Prospective, Multicenter Experience. <i>European Urology</i> , 2016 , 69, 373-4 | 10.2 | |
| 8 | Non-continent urinary diversion 2015 , 258-269 | | |
| 7 | Real-world outcomes in patients with metastatic renal cell carcinoma according to risk factors: Analysis of the STAR TOR registry <i>Journal of Clinical Oncology</i> , 2020 , 38, 628-628 | 2.2 | |

LIST OF PUBLICATIONS

| 6 | CASSIOPE: A real-world study assessing the use of cabozantinib for the treatment of advanced renal cell carcinoma (aRCC) after vascular endothelial growth factor (VEGF)-targeted therapy in Europe <i>Journal of Clinical Oncology</i> , 2020 , 38, TPS770-TPS770 | 2.2 |
|---|---|-----|
| 5 | Effect of comorbidities/comedications on treatment outcomes with sunitinib in patients (pts) with metastatic renal cell carcinoma (mRCC): Subgroup analyses from the STAR-TOR registry <i>Journal of Clinical Oncology</i> , 2020 , 38, 631-631 | 2.2 |
| 4 | Analysis by region of outcomes for patients with advanced renal cell carcinoma treated with cabozantinib or everolimus: a sub-analysis of the METEOR study. <i>Acta Oncolgica</i> , 2021 , 1-6 | 3.2 |
| | | |
| 3 | Electronic cigarettes and bladder cancer - a game-changer?. <i>Nature Reviews Urology</i> , 2020 , 17, 435-436 | 5.5 |
| 3 | Electronic cigarettes and bladder cancer - a game-changer?. <i>Nature Reviews Urology</i> , 2020 , 17, 435-436 Benefit of Adjuvant Chemotherapy After Radical Cystectomy for Treatment of Urothelial Carcinoma of the Bladder in the Elderly An International Multicenter Study. <i>Bladder Cancer</i> , 2021 , 7, 173-185 | 5.5 |